
TAB 7
Bibliography

Bibliography - References

- Abrams BL and Waterman NG. 1972. Dirty money. JAMA 219:1202-1203.
- Akiyama H, Tada J, Toi Y, Kanzaki H, Arata J. 1997. Changes in *Staphylococcus aureus* density and lesion severity after topical application of povidone-iodine in cases of atopic dermatitis. J. Dermat. Sci. 16:23-30.
- Albrecht JA. 1995. Food safety knowledge and practices of consumers in the U.S.A. J. Consumer Stud. Home Econ. 19:119-134.
- Aly R and Maibach H. 1987. *Skin Infections – Fungal and Bacterial. Diseases, Diagnose, Therapy.* Hoechst Roussel Pharmaceuticals, Somerville, New Jersey.
- American Society for Microbiology. 1996. ASM inaugurates nationwide public education effort. ASM News 62:547-548.
- American Society for Microbiology. 2000. Operation Clean Hands. www.washup.org.
- ASTM. E 1173-01e1 Standard Test Method for Evaluation of a Preoperative, Precatherization, or Preinfection Skin Preparations. Annual Book of ASTM Standards, 11.05, 2002.
- ASTM. E 1174-00 Standard Test Method for Evaluation of the Effectiveness of Health Care Personnel or Consumer Handwash Formulations. Annual Book of ASTM Standards, 11.05, 2002.
- ASTM. E 1874-97 Standard Test Method for Evaluation of Antibacterial Washes by Cup Scrub Technique. Annual Book of ASTM Standards, 11.05, 2002.
- ASTM. E 1882-00 Standard Test Method for Evaluation of Antimicrobial Formulations by the Agar Patch Technique. Annual Book of ASTM Standards, 11.05, 2002.
- ASTM. E 1883-97 Standard Test Method for Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique. Annual Book of ASTM Standards, 11.05, 1996.
- Association of Official Analytical Chemists (AOAC). 2000. Chlorine (Available) in Disinfectants. *In* AOAC Official Methods of Analysis of the Association of Official Analytical Chemists. 17th Ed. Washington DC Chap. 6, p. 8.
- Ayliffe GAJ. 1980. The effect of antibacterial agents on the flora of the skin. J. Hosp. Infect. 1:111-124.
- Bartzokas CA, Corkill JE, Makin T, Parry E. 1987. Comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on triclosan- and chlorhexidine-containing handwash preparations, on volunteers. Epidem. Inf. 98:337-344.
- Bayer Corporation. 2001. Bayer Citizen Petition, Docket 75N-183H, December 28, 2001. pages 1-5 and 62-63.
- Billhimer WL, Berge CA, Englehardt JS, Rains GY, Keswick BH. 2001. A modified cup scrub method for assessing the antibacterial substantivity of personal cleaning products. J. Cosmet. Sci. 52: 369-375.

Bioscience Laboratories, Inc. 2002. (Lonza) Determination of the Antimicrobial Efficacy of one Test Product and One Reference Product using the Health Care Personnel Handwash Procedure.

Black RE, Dykes AC, Anderson KE, Wells JG, Sinclair SP, Gary GW, Hatch MH, Gangarosa EJ. 1981. Handwashing to prevent diarrhea in day-care centers. American Journal of Epidemiology. Vol. 113(4):445-451.

Borneff J, Hassinger R, Wittig J, Edeharder R. 1988. The distribution of microorganisms in household kitchens. II. Evaluation of results and hygienic inferences. Zentralbl. Bakteriolog. Mikrobiol. Hyg. (B) 186:1-30.

Boyce JM, Opal SM, Chow JW, Zervos MJ, Potter-Bynoe G, Sherman CB, Romulo RL, Fortna S, Medeiros AA. 1994. Outbreak of Multidrug-Resistant Enterococcus faecium with Transferable vanB Class Vancomycin Resistance. Journal of Clinical Microbiology. p. 1148-1153.

Boyce JM and Pittet D. 2002. Guideline for hand hygiene in health-care settings. MMWR 51(RR16):1-44.

Breneman DL, Berga CA, Keswick BH, Newman PB. 1998. Effect of an antibacterial bar soap on atopic dermatitis. Abst. Annual Meeting Am. Acad. Derm. [Poster Abstract]

Breuer K, Haussler S, Kapp A, Werferl T. 2002. Clinical and laboratory investigations. Staphylococcus aureus: colonizing features and influence of an antibacterial treatment in adults with atopic dermatitis. Br. J. Dermat. 147:55-61.

Brown EJ. 1977. A povidone-iodine skin cleanser foam in the management of acne vulgaris. Brit. J. Clin. Prac. 31:218-219.

Bryan J, Cohran J, Larson E. 1995. Handwashing: a ritual revisited. In Rutala, W.A. (Ed.) Chemical Germicides in Healthcare International Symposium 1994. Assoc. for Professionals in Infection Control and Epidemiology. Washington DC, Polyscience Publishers, Morin Heights, PQ, Canada. pp. 163-174.

Butz AM, Larson EL, Fosarelli P, Yolken R. 1990. Occurrence of infectious symptoms in children in day care homes. Amer. J. Infect. Cont. 18:347-353.

Caturelli E, Giacobbe A, Facciorusso D, Villani MR, Squillante MM, Siena DA, Cellerino C, Andriulli A. 1996. Free-hand technique with ordinary antiseptics in abdominal US-guided fine-needle punctures; three-year experience. Radiology 199:721-723.

Chamberlain AN, Halablab MA, Gould DJ, Miles RJ. 1997. Distribution of bacteria on hands and the effectiveness of brief and thorough decontamination procedures using non-medicated soap. Zbl. Bakt. 285:565-575.

Chen YKM, Jackson FPC, Schaffner DW. 2001. Quantification and variability analysis of bacterial cross-contamination in common food service tasks. Journal of Food Protection 64(1):72-80.

Cogan TA, Bloomfield SF, Humphrey TJ. 1999. The effectiveness of hygiene procedures for prevention of cross-contamination from chicken carcasses in the domestic kitchen. Letters in Appl. Microbiology 29:354-358.

Djuretic T, Wall PG, Ryan MJ *et al.* 1996. General outbreaks of infectious intestinal disease in England and Wales 1992-1994. Commun Dis Rep CDR Rev. 4:57-64.

Doebbling BN, Stanley GL, Sheetz CT, Pfaller MA, Houston AK, Li LAN, Wenzel, R.P. 1992. Comparative Efficacy of Alternative Hand-washing Agents in Reducing Nosocomial Infections in Intensive Care Units. New England J. Med. 327:88-93.

Dubow E and Winter L Jr. 1967. Effect of an antibacterial soap in the management of scratches, cuts and abrasions. Current Therapeutic Research 9:631-633.

Dyer D, Shinder A, Shinder F. 2000. Alcohol-free instant hand sanitizer reduces elementary school illness absenteeism. Family Medicine. 32:633-638.

Ehrenkranz NJ. 1992. Bland Soap handwash or hand antiseptis? The pressing need for clarity. Infect. Control Hosp. Epidem. 13:299-301.

Ekanem EE, DuPont HL, Pickering LK, Selwyn BJ, Hawkins CM. 1983. Transmission dynamics of enteric bacteria in day-care centers. Amer. J. Epidemiol. 118:562-572.

Evans HS, Madden P, Douglas C, *et al.* 1998. General outbreaks of infectious intestinal disease in England and Wales: 1995 and 1996. Communicable Disease and Public Health 1:165-171.

Falsey AR, Criddle MM, Kolassa JE, McCann RM, Brower CA, Hall WJ. 1999. Evaluation of a handwashing intervention to reduce respiratory illness rates in senior day-care centers. Infect. Control Hosp. Epidem. 20:200-202.

Food and Drug Administration (FDA). 1994. Topical Antimicrobial Drug Products for Over-the-Counter Human Use; Tentative Final Monograph for Health-Care Antiseptic Drug Products. June 17, 1994, 59 Fed. Reg. 31401.

FDA. 1978. Topical Antimicrobial Drug Products for Over-the-Counter Human Use: Tentative Final Monograph Jan.6, 1978, 43 Fed. Reg. 1210-1249.

FDA/Center for Food Safety and Applied Nutrition. 2001a. Draft assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods: FDA/ Center for Food Safety and Applied Nutrition, USDA/Food Safety and Inspection Service, Centers for Disease Control and Prevention, January 2001. <http://www.foodsafety.gov/~dms/lmrisk1.html>.

FDA/Center for Food Safety and Applied Nutrition. 2001b. Draft risk assessment on the public health impact of *Vibrio parahaemolyticus* in raw molluscan shellfish. FDA/ Center for Food Safety and Applied Nutrition, USDA/Food Safety and Inspection Service, Centers for Disease Control and Prevention, January 2001. <http://www.cfsan.fda.gov/~dms/vprisk2.html>.

FDA/Center for Food Safety and Applied Nutrition. 2001c. National Food Safety Initiative, Produce and Imported Foods Safety Initiative, 2000-2002 Update, May 2001. <http://www.cfsan.fda.gov/~dms/3fs3-toc.html>.

Fein SB, Jordan Lin CT, Levy AS. 1995. Foodborne illness: perceptions, experience, and preventive behaviors in the United States. Journal of Food Protection 58:1405-1411.

Fendler E, Ali Y, Hammond B, Lyons M, Kelley M, Vowell N. 2002. The impact of alcohol hand sanitizer use on infection rates in an extended care facility. Amer. J. Infect. Control 30:226-233.

Finch JE, Prince J, Hawksworth M. 1978. A bacteriological survey of the domestic environment. J. Appl. Bacteriol. 45:357-364.

Finkey MB, Corbin NC, Aust LB, Aly R, Maibach HI. 1984. In vivo effect of antimicrobial soap bars containing 1.5% and 0.8% trichlorocarbanilide against two strains of pathogenic bacteria. J. Soc. Cosmet. Chem. 35,351-355.

Fischler GE, Fuls JL, Mulberry GK. 2003. The Use of Escherichia coli as an Alternate Test Organism in the ASTM E1174 Health Care Personnel Hand Wash Method. Abstracts Annual Meeting, American Society for Microbiology, Washington, DC. [Poster].

Franz E, Rohde B, Weidner-Strahl S. 1978. The effectiveness of topical antibacterials in acne: a double-blind clinical study. J. Int. Med. Res. 6:72-77.

Fuls, JL, Fischler GF, Mulberry GK, Baxler KA, Brady AR. 2003. Antimicrobial Efficacy of Activated 2,4,~trichloro~2'~hydroxy Diphenyl Ethr (Triclosan in Surfactant Based Formulations. Abstracts, Annual Meeting, American Society for Microbiology, Washington, DC. [Poster]

Gibson LL, Rose JB, Haas CN, Gerba CP, Rusin PA. 2002. Quantitative assessment of risk reduction from hand washing with antibacterial soaps. Journal of Applied Microbiology Symposium Supplement 2002 92:136S-143S.

Goldberg MB and Rubin RH. 1988. The spectrum of Salmonella infection. Infect Dis Clin North Am. Sep;2(3):571-98.

Guinan M, McGuckin M, Ali Y. 2002. The effect of a comprehensive handwashing program on absenteeism in elementary schools. Amer. J. Infect. Control 30:217-220.

Hammond B, Ali Y, Fendler E, Dolan M, Donovan S. 2000. Effect of hand sanitizer use on elementary school absenteeism. Amer. J. Infect. Control 28:340-346.

Hendley JO and Gwaltney JM. Mechanisms of transmission of rhinovirus infections. Epidemiology Reviews 10: 242-258.

Hill Top Labs. 2002. HTR Study No. 01-109362-11. (Lonza)

Hoffmann K, Winstead K, Edmundson M, Weber D, Rutala W. 1999. Comparison of a novel triclosan hand protectant versus handwashing alone for reducing transient hand bacterial colonization and nosocomial infections. Amer. J. Infect. Control 27:208ff.[Poster presented at the APIC 1999 26th Annual Education Conference and International Meeting, Baltimore, Maryland, June 20-24, 1999.].

Humphrey TJ, Martin KW, Whitehead A. 1994. Contamination of hands and work surfaces with *Salmonella enteritidis* PT4 during the preparation of egg dishes. Epidemiology and Infection 113: 403-409.

Huntington Laboratories, Inc.. no date. OR/Scrub – Antimicrobial Skin Cleanser with 1% Triclosan. Research Bulletin. HL-11173-030194.

Isaacs D, Dickson H, O'Callaghan C, Sheaves R, Winter A, Moxon ER. 1991. Handwashing and cohorting in prevention of hospital acquired infections with respiratory syncytial virus. Arch. Dis. Child 66:227-231.

Isaacs D, Dobson SR, Wilkinson AR, Hope PL, Eglin R, Moxon ER. 1989. Conservative management of an echovirus 11 outbreak in a neonatal unit. The Lancet March 11, 1989, pp. 543-545.

Jampani H, Newman J, Mulberry G, Brady A. 2000a. Clinical evaluations: Transepidermal delivery of topical antimicrobials and moisturizers. American Journal of Infection Control 28:92. [Poster presented at the APIC 2000 27th Annual Education Conference and International Meeting, Minneapolis, Minnesota, June 18-22, 2000.]

Jampani H, Newman J, Rizer R, Trookman N. 2000b. Bacterial inflammation: unique anti-inflammatory characteristics of a therapeutic antimicrobial hand gel. American Journal of Infection Control 28:92. [Poster presented at the APIC 2000 27th Annual Education Conference and International Meeting, Minneapolis, Minnesota, June 18-22, 2000.]

Jiang X and Doyle MP. 1999. Fate of *Escherichia coli* 0157:H7 and *Salmonella enteritidis* on currency. J. Food Protection 62:805-807.

Kagan LJ, Aiello AE, Larson E. 2002. The Role of the Home Environment in the Transmission of Infectious Diseases. Journal of Community Health 27(4): 247-267.

Kerr KG, Birkenhead D, Seale K, Major J, Hawkey PM. 1993. Prevalence of *Listeria* spp. on the hands of food workers. J. Food Protection 56: 525-527.

Keswick BH, Berge CA, Bartolo RG, Watson DD. 1997. Antimicrobial Soaps: Their Role in Personal Hygiene. In: Cutaneous Infection and Therapy. Eds. Aly, R.; Beutner, H.I. Marcel Dekker NY. Chapter 6, pp. 49-82.

Krilove LR, Barone SR, Mandel FS, Cusack TM, Gaber DJ, Rubino JR. 1996. Impact of an infection control program in a specialized preschool. Amer. J. Infect. Control 24: 167-173.

Larson E, McGinley KJ, Grove GL, Leyden JJ, Talbot GH. 1986. Physiologic, microbiologic, and seasonal effects of handwashing on the skin of health care personnel. American Journal of Infection Control 14:51-59.

Leigh DA and Joy G. 1993. Treatment of familial staphylococcal infection -- comparison of mupirocin nasal ointment and chlorhexidine/neomycin (Naseptin) cream in eradication of nasal carriage. J. Antimicrobial Chemotherapy 31:909-917.

Leyden JE, Marples RR, Kligman AM. 1974. *Staphylococcus aureus* in the lesions of atopic dermatitis. Br. J. Dermatol. 90:525-530.

Li-Cohen AE and Bruhn CM. 2002. Safety of consumer handling of fresh produce from the time of purchase to the plate: a comprehensive consumer survey. J. Food Protection 65:1287-1296.

Lilly HA and Lowbury E.J.L. 1978. Transient skin flora: their removal by cleansing or disinfection in relation to their mode of deposition. J. Clin. Path. 31:919 - 922.

Lucet JC, Rigaud MP, Mentre F, Kassis N, Deblangy C, Andremont A, Bouvet E. 2002. Hand contamination before and after different hand hygiene techniques: a randomized clinical trial. J. Hosp. Infection 50:276-280.

Ly VT, Simmons PA, Edrington TB, Wechsler S, DeLand PN. 1997. Efficacy of hand washing procedures on bacterial contamination of hydrogel contact lenses. Optom. & Vis. Sci. 74:288-292.

MacKenzie AR. 1970. Effectiveness of antibacterial soaps in a healthy population. JAMA 211:973-976.

Maki DG. 1978. Control of colonization and transmission of pathogenic bacteria in hospital. Ann. Intern. Med. 89:777-780.

Marie JR, Haas CN, Rose JB, Gerba CP. 2002. Quantitative Assessment of Benefits from Using Topical Antimicrobial Hand Products: Case Study on *Salmonella* Risk from Handling Raw Chicken. [Abstract American Society for Microbiology 102nd General Meeting Salt Lake City, Utah Paper # 1076]

Marshall PJ. 1997. Use of triclosan to reduce the incidence of MRSA. Presented at Australian Infection Control Association May 1997, Melbourne, Australia.

McFarland L, Mulligan ME, Kwok RYY, Stamm WE. 1989. Nosocomial *Clostridium Difficile* Infections. *N Engl J Med.* 320:204-10.

Mead PA, Finelli L, Lambert-Fair MA, Champ D, Townes J, Hutwagner L, Barrett T, Spitalny K, Mintz E. 1997. Risk factors for sporadic infection with *Escherichia coli* 0157:7. *Arch. Intern. Med.* 157:204-208.

Montville R, Chen YH, Schaffner DW. 2002. Risk assessment of hand washing efficacy using literature and experimental data. *International Journal of Food Microbiology* 73:305-313.

Noble WC. 1992. Staphylococci as pathogens. *In: Noble, WC ed. The skin microflora and microbial skin disease. Cambridge University Press*, pp. 153-172.

Peters F and Flick-Fillies D. 1991. Hand disinfection to prevent puerperal mastitis. *The Lancet* 338 (Sept. 28):831.

Procter & Gamble Co. 1977. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Procter & Gamble Co. 1979a. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Procter & Gamble Co. 1979b. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Procter & Gamble Co. 1991. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Procter & Gamble Co. 1993. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Procter & Gamble Co. 1994. Company data, Hill Top Biolabs, Inc., Miami, Ohio.

Roman DP, Barnett EH, Balske RJ. 1958. New Germicide for Soap. *Soap Chem. Spec.* 34:35-37.

Rose JB and Haas CN. 1999. A risk assessment framework for the evaluation of skin infections and the potential impact of antibacterial soap washing. *Amer. J. Infect. Control* 27:526-533.

Samalonis L. 1999. Decreasing the incidence of external ocular eye disease. *Eye World* 4:52-53

Scala DD, Fischler GE, Morrison BM Jr., Aly R, Maibach HI. 1994. Evaluation of antimicrobial bar soaps containing triclocarban. Abst. *Ann. Mtg. Amer. Acad. Dermatology.*

Scott E. 1999. Hygiene issues in the home. *Amer. J. Infect. Control* 27:S22-S25.

Scott E, Gaber D, Cusack TM. 2001. Chapter 62. Chemical disinfection of microbial contaminants on surfaces. *In Disinfection, Sterilization and Preservation.* 5th Ed. Ed. Block, S.S., Lippincott Williams and Wilkins, Philadelphia PA, pp. 1205-1219.

Scuderi G, Fantasia M, Filetici E, Anastasio MP. 1996. Foodborne outbreaks caused by *Salmonella* in Italy, 1991-4. *Epidemiol. Infect.* 116:257-265.

Sheena AZ, Stiles ME. 1983. Efficacy of Germicidal hand Wash Agents Against Transient Bacteria Inoculated onto Hands. Journal of Food Protection Vol. 46(8); pp. 722-727.

Shinder FS, Dyer DL. no date. Alcohol-free instant hand sanitizer reduces illness absenteeism in an elementary school. Woodward Laboratories.

Singh G, Marples RR, Kligman AM. 1971. Experimental *Staphylococcus aureus* infections in humans. J. Invest. Derm. 57:149-162.

Snyder OP. 1998. Hand washing for retail food operations – a review. Dairy, Food and Environmental Sanitation 18:149-162.

Sockett PN, Cowden JM, Le Baigue S, Ross D, Adak GK, Evans H. 1993. Foodborne disease surveillance in England and Wales: 1989-1991. Commun. Dis. Rep. CDR Rev. 3(12): R159-73.

Somerville DA, Seville RH, Noble WC. 1970. A 'soap trial' for the treatment of erythrasma. Trans. St. Johns Hospital Dermatol. Soc. 56: 172-174.

Stepan Company. undated. Quat-Based Antibacterial hand Soaps. Stepan Report.

Stoughton RB and Leyden J J. 1987. Efficacy of 4 percent chlorhexidine gluconate skin cleanser in the treatment of acne vulgaris. Cutis 39:551-553.

Sugimoto K, Kuroki H, Kanazawa M, Kurosaki T, Abe H, Takahashi Y, Ishiwada N, Nezu Y, Hoshioka A, Toba T. 1997. New successful treatment with disinfectant for atopic dermatitis. Dermatology 195 (Suppl.2):62-68

Thomas M and Tillett HE. 1973. Sonne dysentery in day schools and nurseries: an eighteen year study in Edmonton. J. Hyg. (Camb.) 71:593-

Toshima Y, Ojima M, Yamada H, Mori H, Tonomura M, Hioki Y, Koya E. 2001. Observation of everyday hand-washing behavior of Japanese, and effects of antibacterial soap. International J. Food Micro. 68:83-91.

United States Department of Agriculture. 1974. Guidelines for obtaining authorization of compounds to be used in meat and poultry plants. In USDA Food Safety and Inspection Service Agriculture Handbook No. 562, Oct. 1974.

Uthoff K. 1997. Importance of improved hygiene practices in the household. Tenside, Surfactants, Detergents. Journal of Theory, Technology, and Application of Surfactants 37:236-240.

Van R, Morrow AL, Reves RR, Pickering LK. 1991. Environmental contamination in child day-care centers. Am. J. Epidemiol. 133:460-469.

Weniger BG, Ruttenber AJ, Goodman RA, *et al.* 1983. Fecal coliforms on environmental surfaces in two day-care centers. Appl. Environ. Microbiol. 45:733-735.

Williams REA, Gibson AG, Aitchinson TC, Lever R, Mackie RM. 1990. Assessment of contact plate sampling technique and subsequent quantitative bacterial studies in atopic dermatitis. Br. J. Dermatol. 123:493-501.

Zhao P, Zhao T, Doyle MP, Rubino JR, Meng J. 1998. Development of a model for evaluation of microbial cross-contamination in the kitchen. J. Food Protection 61(8):960-963.