

## Exhibit B

Product Name	Package Directions	Ingredient of Concern	CIR Conclusion and Citation
Klear Action Acne Treatment System	Deep Pore Cleanser: Use AM and PM. Pour small amount into palm Massage gently to dampened skin for 1 to 2 minutes. Rinse thoroughly with warm water. If bothersome peeling or dryness occurs, reduce application use. Follow with Klear Action Oil-Reducing Toner. If going outside, use a sunscreen. Allow Klear Action products to dry, then follow directions in the sunscreen labeling. If irritation or sensitivity develops discontinue use of both products and consult a doctor. Oil Reducing Toner: Cleanse skin thoroughly before applying. Moisten a cotton ball or pad with Oil-Reducing Toner. Cover entire affected area with a thin layer morning and night as needed. Allow toner to dry, then follow with a moisturizer. If excessive drying of the skin occurs, reduce application to once a day. If going outside, use a sunscreen. Acne Repair Lotion: Cleanse the skin thoroughly before applying medication. Cover entire affected are with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, use a sunscreen. Allow Acne Repair Lotion to dry, then follow directions in the sunscreen labeling. If irritation or sensitivity develops discontinue use of both products and consult a doctor.	cetcareth-20	"Cetcareths should not be used on damaged skin," CIR at 49.
Murad Acne Spot Treatment	cleanse the skin thoroughly before applying medication cover the entire affected area with a thin layer one to three times daily because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a physician if bothersome drying or peeling occurs, reduce application to once a day or every other day	hydroquinone	"Cetcareths should not be used on damaged skin," CIR at 49.
Total Skin Care Glycolic Fade Creme	Apply sparingly to face & neck once a day. May be applied to hands & chest twice a day or as tolerated. Never apply to red, irritated or peeling skin. Apply SPF-15 or greater sunscreen with this product.	hydroquinone	"Hydroquinone should not be used in leave-on non-drug cosmetic products," CIR at 116.
Physicians Complex 6% Skin Bleaching Cream	Apply to clean skin twice daily (AM & PM). Desired results are achieved with consistent use of this product. Application of Physicians Complex® sunblock SPF #30 is mandatory on a daily basis.	hydroquinone	"Hydroquinone should not be used in leave-on non-drug cosmetic products," CIR at 116.
Banana Boat Baby Magic Sunblock Spray, SPF 48	Apply generously and evenly to all areas 15 minutes before sun exposure Reapply at frequent intervals and after swimming or towel drying Ask a doctor before use on children under six months of age	iodopropynyl butylcarbamate	"IBPC should not be used in products intended to be aerosolized." CIR at 123.
Pond's Clear Solutions, Overnight Blemish Reducers	Cleanse the skin thoroughly before applying medication. Peel off dot(s) and completely cover blemishes in the affected area once daily. Leave on overnight and remove in the morning. If bothersome dryness or peeling occurs, reduce application to every other day.	butyl methacrylate	"Products containing these ingredients should be accompanied with directions to avoid skin contact, because of the sensitizing potential of Methacrylates," CIR at 43.

## Exhibit B

Product Name	Package Directions	Ingredient of Concern	CIR Conclusion and Citation
Nexcare First Aid, Advanced Skin Cream	Apply Nexcare™ Advanced Skin Cream liberally as needed and massage into skin. For deep skin cracks, use this product with Nexcare™ Skin Crack Care.	PEG-8	"The Expert Panel recommends that cosmetic formulations containing these PEGs not be used on damaged skin," CIR at 174.
Stridex Triple Action Acne Pads with Salicylic Acid, Maximum Strength, Alcohol Free	cleanse the skin thoroughly before applying medication use the pad to wipe the entire affected area repeat with a clean pad as necessary to remove remaining traces of dirt because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily as needed or as directed by a doctor if bothersome dryness or peeling occurs, reduce application to once a day or every other day do not leave pad on skin for an extended period of time keep away from eyes, lips and other mucous membranes	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Stridex Triple Action Acne Pads with Salicylic Acid, Regular Strength Pads	Cleanse the skin thoroughly before applying medication. Use the pad to wipe the entire affected area. Repeat with a clean pad as necessary to remove remaining traces of dirt. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce frequency of use or dosage. Do not leave pad on skin for an extended period of time. Store at room temperature.	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Stridex Triple Action Acne Pads with Salicylic Acid, Super Scrub	cleanse the skin thoroughly before applying medication use the pad to wipe the entire affected area repeat with a clean pad as necessary to remove remaining traces of dirt because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily as needed or as directed by a doctor if bothersome dryness or peeling occurs, reduce application to once a day or every other day do not leave pad on skin for an extended period of time	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Stridex Triple Action Medicated Acne Pads, Sensitive Skin	cleanse the skin thoroughly before applying medication use the pad to wipe the entire affected area repeat with a clean pad as necessary to remove remaining traces of dirt because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily as needed or as directed by a doctor if bothersome dryness or peeling occurs, reduce application to once a day or every other day do not leave pad on skin for an extended period of time	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Desitin Diaper Rash Ointment, Creamy, Fresh Scent	Change wet and soiled diapers promptly. Cleanse the diaper area Allow to dry. Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged. Store between 15° and 30° C (59° and 86° F).	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Sundari Neem and Avocado Balancing Moisturizer	Use alone or after applying Essential Oil for Pitta Skin.	monoethanolamine	"MEA should be used only in 'rinse-off' products," CIR at 266.

## Exhibit B

Product Name	Package Directions	Ingredient of Concern	CIR Conclusion and Citation
South Beach Sun Dark Tanning Dry Oil Spray, No SPF	Apply liberally before and during exposure to the sun or tanning bed rays.	iodopropynyl butylcarbamate	"IBPC should not be used in products intended to be aerosolized," CIR at 123.
Balmex Diaper Rash Ointment with Aloe & Vitamin E	Change wet and soiled diapers promptly. Clean the diaper area, and allow to dry. Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Burt's Bees Baby Bee, Skin Creme	98.71% Natural Fresh and wholesome ingredients are carefully blended to create a gentle, soothing skin creme for Baby's tender skin. Especially effective as a moisture barrier for Baby's diapered area.	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Stridex Fruit Therapy Maximum Strength Acne Cream	Cleanse the skin thoroughly before applying medication. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.	sodium borate	"...should not be used on infant skin or injured skin," CIR at 228.
Boudreaux's Butt Paste, Diaper Rash Ointment	Change wet and soiled diapers promptly. Cleanse the diaper area. Allow to dry. Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged. Store between 15° and 30° C (59° and 86° F)	boric acid	"...should not be used on infant skin or injured skin," CIR at 228.
Anna Sui Nail Color 105		Ethoxyethanol acetate	Ethoxyethanol acetate [is] unsafe for use in cosmetic products, CIR at 87.
Rite Aid Anti-Itch & Rash 1 % Hydrocortisone Cream plus Aloe	For adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a doctor. Adults: for external anal itching: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with an appropriate cleansing pad. gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product children under 12 years of age: for external anal itching, consult a doctor Store at room temperature	cetareth-20	"Cetareths should not be used on damaged skin," CIR at 49.

### Reference

Cosmetics Ingredient Review (CIR) (2003). 2003 CIR Compendium, containing abstracts, discussions, and conclusions of CIR cosmetic ingredient safety assessments. Washington DC.