

DDM

Display Date 6-29-04
Publication Date 6-30-04
Certifier A. Corbin

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. 2004D-0178]

**Guidance for Industry and FDA Staff; Draft Class II Special Controls
Guidance Document: Dental Bone Grafting Material; Availability**

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) is announcing the availability of the draft guidance document entitled "Class II Special Controls Guidance Document: Dental Bone Grafting Material." Elsewhere in this issue of the **Federal Register**, FDA is publishing a proposed rule to reclassify tricalcium phosphate granules for dental bone repair from class III (premarket approval) to class II (special controls) and to classify other dental bone grafting materials into the same class II (special controls) classification identification. The draft guidance describes a means by which dental bone grafting material devices may comply with the requirement of special controls for class II devices. This guidance is neither final nor is it in effect at this time.

DATES: Submit written or electronic comments on this draft guidance by *[insert date 90 days after date of publication in the Federal Register]*.

ADDRESSES: Submit written requests for single copies on a 3.5" diskette of the draft guidance document entitled "Class II Special Controls Guidance Document: Dental Bone Grafting Material" to the Division of Small Manufacturers, International, and Consumer Assistance (HFZ-220), Center for Devices and Radiological Health, Food and Drug Administration, 1350 Piccard

Dr., Rockville, MD 20850. Send one self-addressed adhesive label to assist that office in processing your request, or fax your request to 301-443-8818. See the **SUPPLEMENTARY INFORMATION** section for information on electronic access to the guidance.

Submit written comments concerning this draft guidance to the Division of Dockets Management (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852. Submit electronic comments to <http://www.fda.gov/dockets/ecomments>. Identify comments with the docket number found in brackets in the heading of this document.

FOR FURTHER INFORMATION CONTACT: Michael E. Adjodha, Center for Devices and Radiological Health (HFZ-480), Food and Drug Administration, 9200 Corporate Blvd., Rockville, MD 20850, 301-827-5283, ext. 123, e-mail: mea@cdrh.fda.gov.

SUPPLEMENTARY INFORMATION:

I. Background

Elsewhere in this issue of the **Federal Register**, FDA is publishing a proposed rule to reclassify tricalcium phosphate granules for dental bone repair from class III (premarket approval) to class II (special controls) and to classify other dental bone grafting materials into the same class II (special controls) classification identification. This draft guidance document describes a means by which the device may comply with the requirement of special controls for class II devices. Following the effective date of the final rule, any firm submitting a 510(k) premarket notification for the device will need to address the issues covered in the special control guidance. However, the firm need only show that its device meets the recommendations of the guidance

or in some other way provides equivalent assurances of safety and effectiveness.

II. Significance of Guidance

This draft guidance is being issued consistent with FDA's good guidance practices regulation (21 CFR 10.115). The draft guidance, when finalized, will represent the agency's current thinking on dental bone grafting material. It does not create or confer any rights for or on any person and does not operate to bind FDA or the public. An alternative approach may be used if such an approach satisfies the requirements of the applicable statute and regulations.

III. Electronic Access

To receive "Class II Special Controls Guidance Document: Dental Bone Grafting Material" by fax machine, call the CDRH Facts-On-Demand system at 800-899-0381 or 301-827-0111 from a touch-tone telephone. Press 1 to enter the system. At the second voice prompt, press 1 to order a document. Enter the document number (1512) followed by the pound sign (#). Follow the remaining voice prompts to complete your request.

Persons interested in obtaining a copy of the draft guidance may also do so by using the Internet. CDRH maintains an entry on the Internet for easy access to information including text, graphics, and files that may be downloaded to a personal computer with Internet access. Updated on a regular basis, the CDRH home page includes device safety alerts, **Federal Register** reprints, information on premarket submissions (including lists of cleared submissions and approved applications and manufacturers' addresses), small manufacturer's assistance, information on video conferencing and electronic submissions, Mammography Matters, and other device-oriented information. The CDRH Web site may be accessed at <http://www.fda.gov/cdrh>. A search capability for all CDRH guidance documents is available at <http://www.fda.gov/>


cdrh/guidance.html. Guidance documents are also available on the Division of Dockets Management Internet site at <http://www.fda.gov/ohrms/dockets>.

IV. Paperwork Reduction Act of 1995

This draft guidance contains information collection provisions that are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (the PRA) (44 U.S.C. 3501–3520). The collection of information addressed in the guidance document has been approved by OMB in accordance with the PRA under the regulations governing premarket notification submissions (21 CFR part 807, subpart E, OMB control number 0910–0120). The labeling provisions addressed in the guidance have been approved by OMB under OMB control number 0910–0485.

V. Comments

Interested persons may submit to the Division of Dockets Management (see **ADDRESSES**), written or electronic comments regarding this document. Submit two paper copies of any mailed comments, except that individuals may submit one copy. Comments are to be identified with the docket number found in brackets in the heading of this document. Comments received may be seen



in the Division of Dockets Management between 9 a.m. and 4 p.m., Monday through Friday.

Dated: 5/4/04

May 4, 2004.

Linda S. Kahan

Linda S. Kahan,
Deputy Director,
Center for Devices and Radiological Health.
[FR Doc. 04-????? Filed ??-??-04; 8:45 am]

BILLING CODE 4160-01-S

