

Date of Approval: FEV 5 2001

**FREEDOM OF INFORMATION SUMMARY**  
**ORIGINAL ABBREVIATED NEW ANIMAL DRUG APPLICATION**

**ANADA 200-345**

**Lincomycin-Spectinomycin**  
(lincomycin hydrochloride monohydrate and spectinomycin dihydrochloride pentahydrate)

**Water Soluble Powder**

**Chickens**

For use as an aid in the control of Airsacculitis and complicated Chronic Respiratory Disease (Air Sac Infection) in chickens up to 7 days of age.

**Sponsored by:**

**Phoenix Scientific, Inc.**

## FREEDOM OF INFORMATION SUMMARY

### 1. GENERAL INFORMATION:

- a. File Number: ANADA 200-345
- b. Sponsor: Phoenix Scientific, Inc.  
3915 S. 48<sup>th</sup> Street Terrace  
St. Joseph, MO 64503  
  
Drug Labeler Code: 059130
- c. Established Names: Lincomycin hydrochloride monohydrate and spectinomycin dihydrochloride pentahydrate
- d. Proprietary Name: Lincomycin-Spectinomycin
- e. Dosage Form: Soluble powder
- f. How Supplied: 2.65 oz (75 g) foil pouch
- g. How Dispensed: OTC
- h. Amount of Active Ingredients: 16.7 g of lincomycin as lincomycin hydrochloride monohydrate and 33.3 g of spectinomycin as spectinomycin dihydrochloride pentahydrate (a ratio of 1 to 2 on the basis of equivalency of lincomycin base to equivalency of spectinomycin base).
- i. Route of Administration: Oral
- j. Species/Class: Chicken/up to 7 days of age
- k. Recommended Dosage: Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.
- l. Pharmacological Category: Antimicrobial
- m. Indications: For use in chickens up to 7 days of age as an aid in the control of: *Airsacculitis* caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin and complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

- n. Pioneer Product: L-S 50 WATER SOLUBLE Powder; lincomycin hydrochloride monohydrate and spectinomycin sulfate tetrahydrate; NADA 046-109; Pharmacia and Upjohn Co.

## **2. TARGET ANIMAL SAFETY AND DRUG EFFECTIVENESS:**

Under the provisions of the Federal Food, Drug, and Cosmetic Act, as amended by the Generic Animal Drug and Patent Term Restoration Act (GADPTRA) of 1988, an Abbreviated New Animal Drug Application (ANADA) may be submitted for a generic version of an approved new animal drug (pioneer product). New target animal safety and effectiveness data and human food safety data (other than tissue residue data) are not required for approval of an ANADA.

Ordinarily, the ANADA sponsor shows the generic product is bioequivalent to the pioneer, which has been shown to be safe and effective. If bioequivalence is demonstrated through a clinical endpoint study, then a tissue residue study to establish the withdrawal time for the generic product should also be conducted. For certain dosage forms, the agency will grant a waiver from the requirement of an *in vivo* bioequivalence study. (55 FR 24645, June 18, 1990; Fifth GADPTRA Policy Letter; Bioequivalence Guidance, revised October 9, 2002).

Based on the formulation characteristics of the generic product Phoenix Scientific, Inc. was granted a waiver from the requirement of an *in vivo* bioequivalence study for Lincomycin-Spectinomycin Water Soluble Powder (lincomycin hydrochloride monohydrate and spectinomycin dihydrochloride pentahydrate). The generic product is administered as an oral solution, contains similar active ingredients in the same concentration and dosage form as the pioneer product, and contains no inactive ingredients that may significantly affect the absorption of the active ingredient. Suitability Petition Number 00P-0117/CP1 was approved on March 9, 2000, granting Phoenix Scientific, Inc. permission to substitute spectinomycin sulfate tetrahydrate as found in the pioneer combination product with spectinomycin dihydrochloride pentahydrate as provided in the proposed ANADA. The suitability petition further stipulated that the presence of lincomycin hydrochloride monohydrate in the proposed generic formulation will remain unchanged from that of the pioneer product. The pioneer product L-S 50 WATER SOLUBLE Powder (lincomycin hydrochloride monohydrate and spectinomycin sulfate tetrahydrate), the subject of Pharmacia and Upjohn Co. NADA 046-109, was approved on June 27, 1973.

## **3. HUMAN SAFETY:**

### **• Tolerance for Residues:**

The tolerances established for the pioneer product apply to the generic product. A tolerance for residues of lincomycin in chickens is not required (21 CFR 556.360). The tolerance of 0.1 ppm is established for negligible residues of spectinomycin in the uncooked edible tissues of chicken under 21 CFR 556.600. The acceptable daily intake for total residues of spectinomycin is 25 micrograms per kilogram of body weight per day (21 CFR 556.600).

- **Withdrawal Times:**

Because a waiver of the *in vivo* bioequivalence study was granted, the withdrawal times are those previously assigned to the pioneer product. There are no withdrawal times for this product in the 21 CFR.

- **Regulatory Method for Residues:**

The analytical method for detection of residues of the lincomycin in tissues is the microbiological test using *Sarcina lutea* (ATCC 9341). The analytical method for detection of parent spectinomycin residues in tissues utilizes an HPLC ion exchange separation with post-column derivatization and fluorescence detection.

Both methods are found on file at the Center for Veterinary Medicine, 7500 Standish Place, Rockville, MD 20855.

#### **4. AGENCY CONCLUSIONS:**

This Abbreviated New Animal Drug Application (ANADA) filed under section 512(b)(2) of the Federal, Food, Drug, and Cosmetic Act satisfies the requirements of section 512(n) of the Act and demonstrates that Lincomycin-Spectinomycin, when used under its proposed conditions of use, is safe and effective for its labeled indications.

#### **5. ATTACHMENTS:**

Facsimile generic labeling and currently approved pioneer labeling are attached as follows:

Generic Labeling for ANADA 200-345:

Lincomycin-Spectinomycin (lincomycin hydrochloride monohydrate and spectinomycin dihydrochloride pentahydrate)

Packet Label – (Front and Back side-by-side), 2.65 oz (75.0 grams)

Pioneer Labeling for NADA 046-109:

L-S 50 WATER SOLUBLE Powder (lincomycin hydrochloride monohydrate and spectinomycin sulfate tetrahydrate)

Packet Label – (Front and Back), 2.65 oz (75.0 grams)

**DIRECTIONS FOR USE**

**INDICATIONS:** For use in chickens up to 7 days of age as an aid in the control of: Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin.

Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M.gallisepticum* susceptible to lincomycin-spectinomycin.

**DOSAGE:** Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

**ADMINISTRATION:**

Amount of Lincomycin-Spectinomycin WSP	Amount of Drinking Water
1 packet	25 gallons
For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.	

**IMPORTANT:** Chickens should consume water at the following approximate rate to insure intake of the required dose of lincomycin-spectinomycin indicated:

**Broilers and Layer Replacements (Light and Heavy)**

Age (weeks)	Daily Water Intake Gallons/1000	Dosage mg Antibiotic lb
1	5	50-65

**CAUTION:** Discard medicated drinking water daily and replace with fresh medicated drinking water.

**Warning:** Not for human use  
Store at controlled room temperature,  
20°-25°C (68°-77°F).  
Restricted drug - Use only as directed (California)

Manufactured by  
Phoenix Scientific, Inc.  
St. Joseph, MO 64503

Lot No.  
Exp. Date



Iss. 6-02  
800513

NDC 59130-737-66

**LINCOMYCIN-  
SPECTINOMYCIN  
WATER SOLUBLE POWDER**

**Antibacterial and Antimycoplasmal**

**FOR USE IN CHICKENS ONLY  
FOR DIRECTIONS - SEE REVERSE SIDE**

**This packet contains:**

Lincomycin hydrochloride, equivalent to lincomycin	16.7 grams
Spectinomycin dihydrochloride pentahydrate, equivalent to spectinomycin	33.3 grams
<b>Total Antibiotic Activity</b>	<b>50.0 grams</b>



ANADA 200-345, APPROVED BY FDA

**NET WEIGHT: 2.65 oz (75.0 grams)**

**AmTech**®  
Group, Inc.


PACKET LABEL  
(FRONT)

NDC 0009-0108-06



**lincomycin-spectinomycin**

**Antibacterial and Antimycoplasmal**



**PACKET LABEL  
(BACK)**

**DIRECTIONS FOR USE**

**INDICATIONS:** For use in chickens up to 7 days of age as an aid in the control of:

Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin.

Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

**DOSAGE:** Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

**ADMINISTRATION:**

<i>Amount of L-S 50</i>	<i>Amount of Drinking Water</i>
1 packet	25 gallons
For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.	

**IMPORTANT:** Chickens should consume water at the following approximate rate to insure intake of the required dose of lincomycin-spectinomycin indicated:

**Broilers and Layer Replacements (Light and Heavy)**

<i>Age (Weeks)</i>	<i>Daily Water Intake Gallons/1000</i>	<i>Dosage Mg Antibiotic/Lb</i>
1	5	50-65

**CAUTION:** Discard medicated drinking water daily and replace with fresh medicated drinking water.

**Warning:** Not for human use

**Store at room temperature**

**Restricted Drug—Use Only as Directed (California)**

813 526 004

Pharmacia & Upjohn Company • Kalamazoo, MI 49001, USA

649384