

Bibliography of Scientific References

Allman MA, Pena MM, Pang D. (1995) Supplementation with flaxseed oil versus sunflowerseed oil in healthy young men consuming a low fat diet: effects on platelet composition and function. *Eur. J. Clin. Nutr.*; 49:169-178.

Beaumelle BD, Vial HJ. (1986) Total cholesterol, fatty acids, and plasmalogens can be reliably quantitated by analysis on chromarods after the methylation step required for fatty acid analysis by gas-liquid chromatography. *Anal. Biochem.*; 155:346-351.

Bourre JM, Dumont O, Durand G. (1996) Does an increase in dietary linoleic acid modify tissue concentrations of ceronic acid and consequently alter alpha-linolenic requirements? Minimal requirement of linoleic acid in adult rats. *Biochem. Mol. Biol. Int.*; 39:607-619.

Burdge G. (2004) Alpha-linolenic acid metabolism in men and women: nutritional and biological implications. *Curr. Opin. Clin. Nutr. Metab. Care*; 7:137-144.

Burdge GC, Delange E, Dubois L, Dunn RL, Hanson MA, Jackson AA, Calder PC. (2003) Effect of reduced maternal protein intake in pregnancy in the rat on the fatty acid composition of brain, liver, plasma, heart and lung phospholipids of the offspring after weaning. *Br. J. Nutr.*; 90:345-352.

Burdge GC, Finnegan YE, Minihane AM, Williams CM, Wootton SA. (2003) Effect of altered dietary n-3 fatty acid intake upon plasma lipid fatty acid composition, conversion of [¹³C]alpha-linolenic acid to longer-chain fatty acids and partitioning towards beta-oxidation in older men. *Br. J. Nutr.*; 90:311-321.

Burdge GC, Jones AE, Wootton SA. (2002) Eicosapentaenoic and docosapentaenoic acids are the principal products of alpha-linolenic acid metabolism in young men. *Br. J. Nutr.*; 88:355-363.

Burdge GC, Wootton SA. (2002) Conversion of alpha-linolenic acid to eicosapentaenoic, docosapentaenoic and docosahexaenoic acids in young women. *Br. J. Nutr.*; 88:411-420.

Chan JK, McDonald BE, Gerrard JM, Bruce JM, Weaver BJ, Holub BJ. (1993) Effect of dietary alpha-linolenic acid and its ratio to linoleic acid on platelet and plasma fatty acids and thrombogenesis. *Lipids*; 28:811-817.

'de Groot RH, Hornstra G, van Houwelingen AC, Roumen F. (2004) Effect of alpha-linolenic acid supplementation during pregnancy on maternal and neonatal polyunsaturated fatty acid status and pregnancy outcome. *Am. J. Clin. Nutr.*; 79:251-260.

Desci T, Burus I, Molnar S, Minda H, Veitl V. (2001) Inverse association between *trans* isomeric and long-chain polyunsaturated fatty acids in cord blood lipids of full-term infants. *Am. J. Clin. Nutr.*; 74:364-368.

Dyerberg J, Bang HO, Aagaard O. (1980) Alpha-linolenic acid and eicosapentaenoic acid. *Lancet*; 1:199.

El Hafidi M, Cuellar A, Ramirez J, Banos G. (2001) Effect of sucrose addition to drinking water, that induces hypertension in the rats, on liver microsomal Delta9 and Delta5-desaturase activities. *J. Nutr. Biochem.*; 12:396-403.

Elias SL, Innis SM. (2001) Infant plasma *trans*, n-6, and n-3 fatty acids and conjugated linoleic acids are related to maternal plasma fatty acids, length of gestation, and birth weight and length. *Am. J. Clin. Nutr.*; 73:807-814.

Emken EA, Adlof RO, Gulley RM. (1994) Dietary linoleic acid influences desaturation and acylation of deuterium-labeled linoleic and linolenic acids in young adult males. *Biochim. Biophys. Acta.*; 1213:277-288.

Fidler N, Salobir K, Stibilj V. (2001) Fatty acid composition of human colostrum in Slovenian women living in urban and rural areas. *Biol. Neonate*; 79:15-20.

Francois CA, Connor SL, Bolewicz LC, Connor WE. (2003) Supplementing lactating women with flaxseed oil does not increase docosahexaenoic acid in their milk. *Am. J. Clin. Nutr.*; 77:226-233.

Freese R, Mutanen M, Valsta LM, Salminen I. (1994) Comparison of the effects of two diets rich in monounsaturated fatty acids differing in their linoleic/alpha-linolenic acid ratio on platelet aggregation. *Thromb. Haemost.*; 71:73-77.

Gerster H. (1998) Can adults adequately convert alpha-linolenic acid (18:3n-3) to eicosapentenoic acid (20:5n-3) and docosahexaenoic acid (22:6n-3)? *Internat. J. Vit. Nutr.*; 68:159-173.

Grandjean P, Bjerve KS, Weihe P, Steuerwald U. (2001) Birthweight in a fishing community: significance of essential fatty acids in marine food contaminants. *Int. J. Epidemiol.*; 30:1272-1278.

Gronert K, Clish CB, Romano M, Serhan CN. (1999) Transcellular regulation of eicosanoid biosynthesis. *Methods Mol. Biol.*; 120:119-144.

Haggarty P, Ashton J, Joynson M, Abramovich DR, Page K. (1999) Effect of maternal polyunsaturated fatty acid concentration on transport by the human placenta. *Biol. Neonate*; 75:350-359.

Hediger ML, Overpeck MD, Ruan WJ, Troendle JF. (2002) Birthweight and gestational age effects on motor and social development. *Paediatr. Perinat. Epidemiol.*; 16:33-46.

Hirosue T, Hosogai Y. (1993) Changes in hepatic lipid and fatty acid profiles in rats administered iron-deficient diet and ethanol. *Food Chem. Toxicol.*; 31:651-654.

Hong S, Gronert K, Devchand PR, Moussignac R, Serhan CN. (2003) Novel docosatrienes and 17S-resolvins generated from docosahexaenoic acid in murine brain, human blood, and glial cells. *J. Bio. Chem.*; 278:14677-14687.

Jensen CL, Voigt RG, Prager TC, Fraley JK, Zou YL, Heird WC. (2000) Effects of maternal docosahexaenoic acid (DHA) supplementation on visual and neurodevelopmental function of breast-fed infants. *Soc. of Pediatr. Gastroenterology and Nutr. World Congress*:531A.

Joshi S, Rao S, Golwilkar A, Patwardhan M, Bhonde R. (2003) Fish oil supplementation of rats during pregnancy reduces adult disease risks in their offspring. *J. Nutr.*; 133:3170-3174.

Kelley DS, Nelson GJ, Love JE, Branch LB, Taylor PC, Schmidt PC, Mackey BE, Iacono JM. (1993) Dietary alpha-linolenic acid alters tissue fatty acid composition, but not blood lipids, lipoproteins or coagulation status in humans. *Lipids*; 28:533-537.

Kestin M, Clifton P, Belling GB, Nestel PJ. (1990) N-3 Fatty acids of marine origin lower systolic blood pressure and triglycerides but raise LDL cholesterol compared with n-3 and n-6 fatty acids from plants. *Am. J Clin. Nutr.*; 51:1028-1034.

Koletzko B. (1992) Is there a need for a dietary supply of both n-3 and n-6 long-chain polyunsaturated fatty acids in the perinatal period? *AOCS Adelaide Congress*:203-209.

- Lauritzen L, Hansen HS, Jorgensen MH, and Michaelsen KF. (2001) The essentiality of long chain n-3 fatty acids in relation to development and function of the brain and retina. *Prog. Lipid Res.*; 40:1-94.
- Martinez M. (1992) Tissue levels of polyunsaturated fatty acids during early human development. *J. Pediatr.*; 120:S129-138.
- Oken E, Kleinman KP, Olsen SF, Rich-Edwards JW, Gillman MW. (2004) Associations of seafood and elongated n-3 fatty acid intake with fetal growth and length of gestation: results from a US pregnancy cohort. *Am. J. Epidemiol.*; 160:774-783.
- Olsen SF, Hansen HS, Jensen B, Sorensen TI. (1989) Pregnancy duration and the ratio of long-chain n-3 fatty acids to arachidonic acid in erythrocytes from Faroese women. *J. Intern. Med. Suppl.*; 225:185-189.
- Olsen SF, Secher NJ. (2002) Low consumption of seafood in early pregnancy as a risk factor for preterm delivery: prospective cohort study. *B. M. J.*; 324:447-450.
- Olsen SF, Secher NJ, Tabor A, Weber T, Walker JJ, and Gluud C. (2000) Randomised clinical trial of fish oil supplementation in high risk pregnancies. Fish Oil Trials in Pregnancy (FOTIP) team. *BJOG*; 107:382-95.
- Olsen SF, Sorensen JD, Secher NJ, Hedegaard M, Henriksen TB, Hansen HS, Grant A. (1992) Randomised controlled trial of effect of fish-oil supplementation on pregnancy duration. *Lancet*; 339:1003-1007.
- Otto SJ, van Houwelingen AC, Badart-Smook A, Hornstra G. (2001) Comparison of the peripartum and postpartum phospholipid polyunsaturated fatty acid profiles of lactating and nonlactating women. *Am. J. Clin. Nutr.*; 73:1074-1079.
- Pawlosky RJ, Bacher J, Salem Jr N. (2001) Ethanol consumption alters electroretinograms and depletes neural tissues of docosahexaenoic acid in rhesus monkeys: nutritional consequences of a low n-3 fatty acid diet. *Alcohol Clin. Exp. Res.*; 12:1758-1765.
- Pawlosky RJ, Hibbeln JR, Lin Y, Goodson S, Riggs P, Sebring N, Brown GL, Salem Jr N. (2003) Effects of beef- and fish-based diets on the kinetics of n-3 fatty acid metabolism in human subjects. *Am. J. Clin. Nutr.*; 77:565-572.
- Pawlosky R, Hibbeln J, Lin Y, Salem Jr N. (2003) n-3 fatty acid metabolism in women. *Brit. J. Nutr.*; 90:993-995.

Pawlosky RJ, Hibbeln JR, Novotny JA, Salem Jr N. (2001) Physiological compartmental analysis of alpha-linolenic acid metabolism in adult humans. *J. Lipid Res.*; 42:1257-1265.

Rapoport SI, Chang MCJ, Spector AA. (2001) Delivery and turnover of plasma-derived essential PUFAs in mammalian brain. *J. Lipid Res.*; 42:678-685.

Rump P, Hornstra G. (2002) The n-3 and n-6 polyunsaturated fatty acid composition of plasma phospholipids in pregnant women and their infants. Relationship with maternal linoleic acid intake. *Clin. Chem. Lab. Med.*; 40:32-39.

Sanders TA. (1983) Dietary fat and platelet function. *Clin. Sci. (Lond.)*; 65:343-350.

Scientific Advisory Committee on Nutrition. (2004) Advice on fish consumption: benefits & risks. Food Standards Agency. Department of Health, United Kingdom.

Singer P, Berger I, Wirth M, Godicke W, Jaeger W, Voigt S. (1986) Slow desaturation and elongation of linoleic and alpha-linolenic acids as a rationale of eicosapentaenoic acid-rich diet to lower blood pressure and serum lipids in normal, hypertensive and hyperlipidemic subjects. *Prostaglandins Leukot. Med.*; 24:173-193.

Smuts CM, Huang M, Mundy D, Plasse T, Major S, and Carlson SE. (2003) A randomized trial of docosahexaenoic acid supplementation during the third trimester of pregnancy. *Obstet. Gynecol.*; 101:469-479.

Su HM, Bernardo L, Mirmiran M, Ma XH, Corso TN, Nathanielsz PW, Brenna JT. (1999) Dietary 18:3n-3 and 22:6n-3 as sources of 22:6n-3 accretion in neonatal baboon brain and associated organs. *Lipids*; 34:S347-S350.

Uauy R, Hoffman DR, Peirano P, Birch DG, Birch EE. (2001) Essential fatty acids in visual and brain development. *Lipids*; 36:885-895.

Wang C, Chung M, Balk E, Kupelnick B, DeVine D, Lawrence A. (2004) Effects of omega-3 fatty acids on cardiovascular disease. Agency for Healthcare Research and Quality. AHRQ Publication No. 04-E009-2. File Inventory, Evidence Report/Technology Assessment No. 94.

USDA(a) = U.S. Department of Agriculture, Agricultural Research Service. (Feb. 1999) Data Tables: Food and Nutrient Intakes by Income, 1994-96. Online. ARS Food Surveys Research Group, available on "Products" page at <http://www.barc.usda.gov/bhnrc/foodsurvey/home.htm>. Accessed 2004, June 15.

USDA(b) = U.S. Department of Agriculture, Agricultural Research Service. (Feb. 1999) Data Tables: Food and Nutrient Intakes by Individuals in the U.S., by Food Stamp Program Participation, Low Income Households, 1994-96. Online. ARS Food Surveys Research Group, available on the "Products" page at <http://www.barc.usda.gov/bhnrc/foodsurvey/home.htm>. Accessed 2004, June 15.

USDA(c) = U.S. Department of Agriculture, Food and Rural Economics Division, Economic Research Service. Statistical Bulletin No. 965. Food Consumption, Prices, and Expenditures, 1970-97. J.J. Putnam and J.E. Allshouse.