

03/25/2005 14:40 FAX 3014934420

COSMETIC SURG

P-111

002

EXHIBIT D



**SUBURBAN HOSPITAL**

Bethesda, Maryland

OPERATIVE REPORT

SUBJECT #47

PATIENT NAME:  
 ACCOUNT #:  
 MED REC #:  
 SEX/AGE:  
 STATUS/LOC:  
 DEPT/RT:

1422738

MR OR

OPERATION DATE: 10/13/97

SURGEON: JABS JR., ARTHUR D. M.D.  
 ASSISTANT: PUGH, KATE, P.A.

PREOPERATIVE DIAGNOSIS: Small breasts.

POSTOPERATIVE DIAGNOSIS: Small breasts.

PROCEDURE: Subglandular Siltex gel augmentation.

ESTIMATED BLOOD LOSS: 50 cc.

COMPLICATIONS: None.

IMPLANTS: Mentor Siltex gel 450 cc.

DESCRIPTION OF PROCEDURE: The patient was brought to the operating room, placed in a supine position, after being marked in an upright position. She was prepped and draped in a sterile fashion after the induction of general endotracheal anesthesia. Operation was begun by infiltrating the area to be incised with 0.5% lidocaine with epinephrine. An incision was then made through the skin and subcutaneous tissue down onto the muscle fascia. Using Bovie electrocautery, a pocket was developed beneath the breasts above the level of the fascia. Bleeding was controlled with electrocautery as necessary. The same procedure was performed on the opposite side. A fiberoptic headlight was used to maximize vision. When no bleeding could be found in the pocket, the pocket was thoroughly irrigated and re-examined. Following this, the implant was placed in the pocket without difficulty. The incision was then closed in layers after placing and placing in the upright sitting position to check symmetry which was seen to be excellent. Steri-Strips were applied. The patient was transferred to the recovery room wearing an Ace wrap for compression. She will be seen in 1 week.

ARTHUR D JABS JR., M.D.  
 DICTATED BY: JABS JR., ARTHUR D. M.D./J66  
 D: 10/13/97 T: 10/14/97

Post-It™ brand fax transmittal memo 25/1		# of pages
To: Marlene Keeling	From:	
Co:	Co:	
Dept:	Phone:	
Fax # 281 444 5462	Fax #	