New Dietary Ingredient:

Psyllium Hemicellulose

November 11, 2005

Volume II - Original

1995 S— 0316

RPT 3/5

References

References Cited

1. Al-Assaf, S, Phillips, GO, Williams, PA, Takigami, S, Dettmar, P and Havler, M. (2003). Molecular Weight, Tertiary Structure, Water Binding and Colon Behaviour of Ispaghula Husk Fibre. *Proc. Nutr. Soc.* 62: 211-216.

2. Anderson, JW, Allgood, LD, Lawrence, A, Altringer, LA, Jerdack, GR, Hengehold, DA and Morel, JG. (2000). Cholesterol-Lowering Effects of Psyllium Intake Adjunctive to Diet Therapy in Men and Women with Hypercholesterolemia: Meta-Analysis of 8 Controlled Trials. *Am J Clin Nutr.* 71(2): 472-479.

3. Anderson, JW, Davidson, MH, Blone, L, et al. (2000). Long-Term Cholesterol-Lowering Effects of Psyllium as an Adjunct to Diet Therapy in the Treatment of Hypercholesterolemia. *Am J Clin Nutr.* 71: 1433-1438.

4. Anderson, JW, Riddell-Mason, S, Gustafson, NJ, Smith, SF, and Mackey, M. (1992). Cholesterol-Lowering Effects of Psyllium-enriched Cereal as an Adjunct to a Prudent Diet in the Treatment of Mild to Moderate Hypercholesterolemia. *Am J Clin Nutr.* 56: 93-98.

5. Anderson, JW, Floore, TL, Bazel-Geil, P, et al. (1991). Hypocholesterolemic Effects of Different Bulk-Forming Hydrophilic fibers as Adjuncts to Dietary Therapy in Mild to Moderate Hypercholesterolemia. *Arch Intern Med.* 151: 1597-1602.

6. Bell, LP, Hectorne, K, Reynolds, H, and Hunninghake, DB. (1989). Cholesterol-Lowering Effects of Psyllium Hydrophilic Mucilloid. *JAMA.* 261: 3419-3423.

7. Bliss, DZ, Jung, HJ, Savik, K, et al. (2001). Supplementation with Dietary Fiber Improves Fecal Incontinence. *Nurs Res.* 50: 203-213.

8. Buth, M and Mehta, T (1983). Effect of Psyllium Husk on Iron Bioavailabiltiy in Monkeys. *Nutr Rep Int.* 28: 743-752.

9. Burton, R, Manninen, V. (1982). Influence of a Psyllium-Based Fibre Preparation on Faecal and Serum Parameters. *Acta Med Scand.* 668: S91-S94.

10. Davidson, MH, Maki, KC, Kong, JC, et al. (1998). Long-Term Effects of Consuming Foods Containing Psyllium Seed Husk on Serum Lipids in Subjects with Hypercholesterolemia. *Am J Clin Nutr.* 67: 367-376.

11. Dettmar PW and Sykes J.(1998). A Multi-centre, General Practice Comparison of Ispaghula Husk with Lactulose and Other Laxatives in the Treatment of Simple Constipation. *Curr Med Res Opin.* 14(4): 227-233.

12. Edwards, S, Chaplin, MF, Blackwood, AD and Dettmar, PW. (2003). Primary Structure of Arabinoxlyans of Ispaghula Husk and Wheat Bran. *Proc. Nutr. Soc.* 62: 217-222.

13. *Federal Register* 50 No. 10 (Jan.15, 1995). Laxative Drug Products for Over-the-Counter - Human Use; Tentative Final Monograph. pp 2124-2158.

14. *Federal Register* 51 No. 190 (Oct. 1, 1986). Laxative Drug Products for Over-the-Counter Human Use; Tentative Final Monograph. pp 35136-35137.

15. Federal Register 63 No. 32 (Feb. 19, 1998). Food Labeling: Health Claims; Soluble Fiber from Certain Foods and Coronary Heart Disease. Dates and consistency of reporting are needed for all three of these references. Agree NHA

16. Fischer, MH, Yu, N, Gray, GR, Ralph, J, Anderson, L, and Marlett, JA. (2004). The Gel-Forming Polysaccharide of Psyllium Husk (*Plantago ovata Forsk*). *Carbohydr. Res.* 339(11): 2009-2017.

17. Fraschini, F. (1978). Chronic Toxicity in the Rat. Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982 - Ref. 39).

18. Fraschini, F. (1978). Chronic Toxicity in the Dog. Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a.. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982 - Ref. 39).

19. Fraschini, F. (1978). Cardiocirculatory Toxicology (Rats). Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a.. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982 - Ref. 39).

20. Fraschini, F. (1978). Effects on the Intestinal Canal in the Mouse and Rat Under Normal Conditions. Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a.. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982 - Ref. 39).

21. Fraschini, F. (1978). Effects on the Intestinal Canal in the Rat with Intestinal Atony from Nicotine. Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a.. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982 - Ref. 39).

22. Fulgoni, VL III (2001). Effects of Psyllium on Serum Cholesterol Levels. *Advanced Dietary Fiber Technology*, Chapter 19, pp.221-225. Edited by B.V.McCleary and L. Prosky, Blackwell Science.

23. Jenkins, DJA, Wolever, TMS, Vidgen, E, et al. (1997). Effect of Psyllium in Hypercholesterolemia at Two Monounsaturated Fatty Acid Intakes. *Am J Clin Nutr.* 65: 1524-1533.

24. Khalili, B, Bardana, EJ Jr, and Yunginger, JW. (2003). Psyllium-Associated Anaphylaxis and Death: a Case Report and Review of the Literature. *Ann Allergy Asthma Immunol.* 91(6): 579-584.

25. Lee and Prosky (1975). Determination of Soluble and Insoluble Fiber in Psyllium-containing Cereal Products. *AOAC International,* 78: 724-72.

26. Levin, EG, Miller, VT, Muesing, RA, et al. (1990). Comparison of Psyllium Hydrophilic Mucilloid and Cellulose as Adjuncts to a Prudent Diet in the Treatment of Mild to Moderate Hypercholesterolemia. *Arch Intern Med.* 150: 1822-1827.

27. Marlett, JA, Kajs, TM, and Fischer, MH. (2000). An Unfermented Gel Component of Psyllium Seed Husk Promotes Laxation as a Lubricant in Humans. *Am J Clin Nutr.* 72(3): 784-789.

28. Marlett, JA, McBurney, MI and Slavin, JL. (2002). Position of the American Dietetic Association- Health Implications of Dietary Fiber. *J Am Diet Assoc.*102(7):993-1000.

29. Marlett, JA and Fischer, MH. (2003). The Active Fraction of Psyllium Seed Husk. *Proc. Nutr. Soc.* 62(1): 207-209.

30. Marteau, P, Flourie, B, Cherbut, C, et al. (1994). Digestibility and Bulking Effect of Ispaghula Husks in Healthy Humans. *Gut.* 35: 1747-1752.

31. Mercatelli, P, Storino, AA, Salerno, RO, Nunziata, A and Perri, GC. (1979). Chronic Toxicity (Dog). Unpublished Report. CRF Centro Ricerca Farmaceutica s.p.a.. Report Submitted by G.D. Searle and Company, Chicago to FASEB. As Cited by the Select Committee on GRAS Substances (1982).

32. Monograph Plantago Ovata (Psyllium). (2002). *Alternative Medicine Review.* 7(2): 155-159.

33. Oliver, SD. (2000). The Long-Term Safety and Tolerability of Ispaghula Husk. *J R Soc Health.* 120: 107-111.

34. Olson, BH, Anderson, SM, Becker, MP, et al. (1997). Psyllium-Enriched Cereals Lower BloodTotal Cholesterol and LDL Cholesterol, but not HDL Cholesterol, in Hypercholesterolemic Adults: Results of a Meta-Analysis. *J Nutr.* 127: 1973-1980.

35. Paulini, I, Mehta, T and Hargis, A. (1987). Intestinal Structural Changes in African Green Monkeys after Long Term Psyllium or Cellulose Feeding. *J. Nutr.* 117: 253-266.

36. Psyllium Hemicellulose. *USP Pharmacopeial Forum*, Vol. 30(1) Jan.-Feb., 2004, pp 173-178.

37. Romero, AL, Romero, JE, Galviz, S, Fernandez, ML (1998). Cookies Enriched with Psyllium or Oat Bran Lower Plasma LDL Cholesterol in Normal and Hypercholesterolemic Men from Northern Mexico. *J Am Coll Nutr.* 17: 601-608.

38. Schneeman, BO. (2001). Dietary Fibre and Gastrointestinal Function. *Advanced Dietary Fiber Technology*, Chapter 14, pp.168-175. Edited by McCleary and Prosky, Blackwell Science.

39. Select Committee on GRAS Substances (SCOGS). (1982). Evaluation of the Health Aspects of Oat Gum, Okra Gum, Quince Seed Gum, and Psyllium Seed Husk Gum as Food Ingredients. SCOGS II-23. Bethesda, MD.: Life Sciences Research Office, Federation of American Societies for Experimental Biology.

40. Sprecher, DL, Harris, BV, Goldberg, AC, et al. (1993). Efficacy of Psyllium in Reducing Serum Cholesterol Levels in Hypercholesterolemic Patients on High- or Low-Fat Diets. *Ann Intern Med.* 199: 545-554.

41. Stewart, RB, Hale, WE, Moore, MT, et al. (1991). Effect of Psyllium Hydrophilic Mucilloid on Serum Cholesterol in the Elderly. *Dig Dis Sci.* 36: 329-334.

42. Talbot, JW, Anderson, SA, Fischer, KD, eds. (1993). The Evaluation of the Safety of Using Psyllium Seed Husk as a Food Ingredient. Bethesda, MD: Life Sciences Research Office, Federation of American Societies for Experimental Biology.

43. US Patent 6,287,609. Marlett, JA and Fischer, MH (2001). Unfermented Gel Fraction from Psyllium Seed Husks. *US Patent and Trademark Office.*

44. Vega-Lopez, S, Vidal-Quintanar, RL, and Fernandez, ML. (2001). Sex and Hormonal Status Influence Plasma Lipid Responses to Psyllium. *Am J Clin Nutr.* 74: 435-441.

45. Vega-Lopez S, Conde-Knape K, Vidal-Quintanar RL, Shachter NS, and Fernandez ML.(2002). Sex and Hormonal Status Influence the Effects of Psyllium on Lipoprotein Remodeling and Composition. *Metabolism.* 51(4): 500-507.

46. Voderholzer, WA, Schatke, W, Muhldorfer, BE, et al. (1997). Clinical Response to Dietary Fiber Treatment of Chronic Constipation. *Am J Gastroenterol.* 92: 95-98.