



Product Name	Specie	Breed	Age	Age UON	Gender	Weight	Weight	Description
Waggin Train Yam Good Wholesome Chicken wrapped yams	Dog	Other Canine/dog	8		Male	75		Within 1 to 2 hours after eating one dog treat, he became ill, vomiting. Was lathargic the rest of the day.
Canyon Creek Ranch Brand Chicken Tenders	Dog	Collie - Rough-haired	8	Years	Male	158	Pound	My dog, (b) (6) vomited on March 27,2010. That morning he did not eat his dog food for breakfast, so I put it into the refrigerator to save for his dinner, which he still did not eat. That next morning, my other dog vomited also. He refused food also. I kept trying to figure out what was in common. They ate different crunchies but the same canned food and I also give them salmon oil for hairballs. That day was when I heard on Good Morning America about the Milo's chicken treats and Waggin' Train chicken treats. I knew we had bought those treats within the past 3 weeks. I had been giving them the chicken jerky ones and alternating with other beef treats for a week or two. But when I checked, the chicken ones were a company called Canyon Creek Ranch. However, upon looking closer at the package, I found out they are made by Waggin' Train and also in China. A light went off in my head: (b) (6) had about 3 or 4 days over the 3 week period where he refused to eat and was a little lethargic. I remember the last time when we gave him one of those treats he refused to eat his next 2 meals. I called the vet and they told me to discontinue feeding the treats and call for an appointment if either dog showed worsening symptoms. So far they have both been better and no other issues have arose. I have not had to actually make a vet appointment for either dog. I was also in our backyard and noticed the dogs had diarrhea also. Both dogs had been drinking water a little more excessively than normal and the other dog, (b) (6), the day of vomiting, needed to use the restroom more than often.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Male	66	Pound	(b) (6) was very active and playful until one day after eating 3 chicken jerky strips (and two strips the two days prior). He became ill overnight. In the morning he was barely walking and he did not react when it was time for his meal. He sniffed it and walked away. He looked sick and depressed. I tried to take him for a walk later in the day and had to go back home as I almost had to pull him (vs him pulling me as usual!). He barely ate for three or four days and lost a few pounds. He also had some diarrhea and one episode (that I know of) or vomit. On day 3 I read an article about chicken jerly strips and I connected the dots. It has been a week since he became ill, and he is still not eating his entire meal. He seems to sleep more, but his personality is almost back to normal.
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Terrier - Jack Russell	7	Months	Male	10	Pound	About two months ago we purchased our first bag of "Waggin Train Wholesome Western Grill" dog treats. Although they were purchased at a Meijer store in Michigan, this product is widely sold across Canada as well through Walmart, Costco, Petco dollar stores etc. They are all distributed from different areas but their point of origin and manufacture is China. We started noticing subtle changes and thought he had the flu. He was lethargic, vomiting, had difficulty climbing stairs, would walk like he was intoxicated and began having accidents urinating on the floor. Unknown what it was we cut off everything but his regular organic Canadian made food and started pushing fluids on him. It took about two weeks but he finally came back around. We thought he just went through a virus. When he began to feel better, when offered one of these treats to him but he turned his nose up to them and never ate one again. We went back to giving him carrots etc. He seems to be much improved now... onto our next dog.... (b) (6) which is who became extremely ill. Since (b) (6) was no longer eating them (b) (6) was getting the rest of the bag as a daily treat. Approx March 17th, 2012 we noticed that he was not drinking very much, was not eating well, began to vomit and sway his head like he was extremely dizzy. He was having lots of urination accidents so remembering what happened with (b) (6) I took him to the vet right away. Up admission he was hypothermic, had an elevated BUN, elevated creatinine, dehydrated and was in acute renal failure. The vet gave him a few liters of fluid boluses as well antibiotics and steroids I believe to restart his kidney function. He almost died. I have since come across hundreds and hundreds of complaints about these products online and the Lake County Animal Shelter in Indiana put out a warning not to feed these to pets. I think both sides of the border need to be made aware because dogs ARE CLEARLY DYING from these treats.
wagon train jerky tenders chicken dog treats	Dog	Other Canine/dog	13	Years	Male	6	Pound	I feed both of my dogs wagon train chicken strip and wagon train sweet potato dog treats for the past several months. I began to notice severe weight loss and increased urination and water consumption over the last month. This week, after several days of vomiting once a day I took them both to the vet. The are both in renal failure and after reading about similar stories associated with these treats, I believe they are the most probable cause of my dogs sudden kidney failures.

Milo Chicken Jerky	Dog	Terrier - Rat	6	Years	Male	26	Pound	I purchased the Milo Chicken Jerky on 11/23/2011 and through the night and the very next day on Thanksgiving day 11/24/2011 my dog was vomiting constantly, drinking water and vomiting it right back up, staggering and disoriented. The vet was closed so I took him to the vet Friday morning 11/25/2011 and he asked me if he could have been poisoned and I told him "no" because he stays in the house and we have a fenced in back yard when he goes out. The vet did a blood test and gave me meds to stop him from vomiting. The vet called me later on that afternoon 11/25/2011 and told me that my dogs kidneys were shutting down and that I needed to think about putting him down if he did not get any better. (b) (6) my dog continued to be sick through the night and on Saturday afternoon 11/26/2011 at 3:00PM my dog died at home. I was unaware of any recall of the Milo chicken jerky until I saw it posted on Facebook on March 26th 2012!!! FOUR MONTHS LATER!!! I had fed him the Milo Chicken Jerkey that was bought on November 23rd 2011. I want to be informed of any decisions, court decisions, law suits etc. made in this matter. I have paid out of pocket and gladly I might add, a lot of money to get my baby better. But the money is NOT my loss! He was a member of our family and this was un called for, it should NEVER have happened. He was a healthy YOUNG Rat Terrier with not health problems at all. He has been killed by the neglect of these manufacturers of POISON. I no longer have my baby, only a grave to remind me of what happened those 3 days in November 2011. Please do what you can so that these dogs and their owners can receive justice that they deserve.
Milo's Kitchen Chicken Jerky - home-style dog treats	Dog	Bichon Frise	5		Female	7	Kilogram	My friend took (b) (6) to his house over the weekend because I was out of town. When I came back, my friend told me that (b) (6) couldn't get enough of the "Milo's Kitchen Chicken Jerkys" so he brough me an extra container for her to have. The following day I noticed (b) (6) pooping and throwing up in the house which was very weird to me and immediately I was worried. The next day I started to find blood in her stool. I immediately suspected the new treats, since that was the only change which could have caused this problem. After a week she recovered.
Milos Kitchen Chicken Jerky Treats	Dog	Sheepdog - Shetland	9	Years	Male	30	Pound	(b) (6) consumed Milo's kitchen chicken treats the few days proceeding illness. (b) (6) presented with lethargy, vomiting, diarrhea, excessive water intake, anorexia, lab resusts indicate elevated kidney & liver values.
Doctors Foster and Smith Health Snax Dog Snacks Sweer Potatoes Fries	Dog	Spaniel - King Charles Cavalier	5	Years	Female	14	Pound	about 6 weekspost surgey (b) (6) started to eat less and drink/pee =more. About 8 weeks post-op, she stopped eating completely (even her favorite treats) and was drinking and peeing much more than usual. She was getting lethargic and lost 3.5 pounds. We took her back to the vet who checked her thouroughly and he found low kidney BUN levels, normal blood sugar, but high glucose in her urine. Thinking it might have been bacterial, he put her on anther round of antibiotics. After two weeks, she still was not eating much, still drinking/peeing alot - on re-check still had high urine glucose, so diagnosis of Fanconi Disease was made On checking the FDA site, I found the warning about the Chinese Chicken jerky treats and Fanconi - I have been feeding my dog sweet potato treats from Fosters/Smith for 3-4 years, and when I checked the container I found they were made in China! My concern is that is not just chicken jerky made in China, but perhaps other treats made there that could be affecting the kidneys of our dog friends!!!
Milo's Kitchen home-style dog treats	Dog	Poodle - Miniature	12	Years	Female	11	Pound	I bought the Milo's kitchen jerky treats the week of February 27th 2012. I gave them to (b) (6) once or twice a day starting February 28th. On the evening of March 1, she had a couple of episodes of vomiting. This continued on March 2nd with diarrhea. On March 3rd, she had to be taken to the animal hospitial since she was still vomiting and began to have bloody diarrhea. She also defecated a large amount of bloody liquid. She needed to be kept overnight since her abdomen was distended and she was dehydrated
Wagon Train Turkey Jerkey	Dog	Terrier - Fox Smooth	14	Years	Female	19	Pound	Started to have the runs, throwing up, not eating or drinking, took them both to the vet and test showed an increase levels for kidney and pancreas, After a week they had to be put down. They were both put down 2 weeks apart. After this all happened I saw a news report about a dog illness related to Chicken Jerky for Dogs, made in CHINA. We looked a our bag and it was the brand that we have been giving to our dogs. I looked it on line and found that the symptoms were the same as listed above. It also indicted that the FDA issued a warning but did not recall the items. There was not enough evidence to recall it. I am not sure why how many family pets must die, loved one must die before it is enough. Since then I have heard 2 other pets that have been put down for the same reasons. If the vets are aware, not asking about, and knowing then they are not reported and it may seem that there are not a lot of pets dying from this but in reality there are. The United States have standards that they must as here to for these products (I hope) but I know China doesn't. We need to RECALL the Item, and stop buying from a CHINA who has no standards. If this is happening to our loved ones think about what is happening to us.
Waggin Train Chicken Jerky	Dog	Collie - Border	11	Years	Female	72	Pound	Our formally healthy 11 year old border collie was given these treats for approx 3 days before onset of sympotms which were the following: bloody diahrrea, bloody vomiting, and lethargy, drooling and slight elevated temperature. We took her to the animal hospital on 3/28/12 as she was becoming more ill by the minute. They immediatly admitted her and started her on iv fluids and antibiotics. she was given an ultrasound today and it found abnormalities in the liver but no other organs. The doctor is assuming the worst at this point. We consented to having a liver biopsy done today and we are currently waiting on the results of this test. I had no idea why she had become so ill but a friend suggested the jerky treats and so we started reasearching and were astounded at the number of cases so similar to our pets that had also consumed the treats. I called back down to the animal hospital to let the Vet know of our findings and immediatly filed a complaint with the manufacturer of the treats and they were very familiar with the issues but stated FDA couldn't find any issues as their website states as well. They took our informaiton and then i decided i really needed to file a report with your agency. We are hopeful our pet will recover but she is still very ill and in the hospital accumulating thousands of dollars in vet bills.

Wagon Train Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	9	Pound	<p>My dog has always been healthy. I have given her the Wagon Train Chicken Jerky treats for around 1-2 years. Bought them at Sam's Club and Walmart. I have 2 dogs yet she was the only one that would eat these treats. On November 7, 2011 she began twitching and was unable to walk normally. This lasted about 10 mins. I went and spoke with the vets at a local animal hospital that afternoon and they said that according to the video I had taken of it, it appeared that she was having petite mal seizures. They said that if she had another one to bring her in and they would do blood tests. I did not observe another episode like this until the week before Thanksgiving. I called and was told that the visit would cost me around \$300 with blood tests and medicine. I was not able to afford that, so I began asking around for another vet that would allow me to pay the balance out. I was referred to (b) (6) at the (b) (6). I made an appointment for Nov. 26th. At the visit, the vet asked if (b) (6) had gotten into any poison that I knew of. I told her no. All my cleaners are pet safe and she is only outside when I am. Blood tests were done and they told me that quite a few of her levels were elevated. I am in the process of retrieving the test results from the office and will gladly send in a copy to you. The vet said that she was dehydrated and according to the test results going into kidney failure. She was also given fluids at the vet. She did not show any other signs until Nov 31. I woke up and she was having what appeared to be a grand mal seizure; total loss of muscle control and bows, unresponsive. I had to sit on the floor with her and lean her against me so that she would not ram her head into the walls. Being the only income in the house I had to leave and go to work. When I left she had stopped convulsing and was responsive, but did not want to get up and walk anywhere. I put her in the kitchen with towels and blankets lining the kitchen to minimize the amount of harm she could cause herself. When I got home she was lying in a contorted position on the floor still convulsing. I knew that the best thing for her would be to put her down. I called and found out that they wanted to charge me \$250 to have her euthanized because it was after 5 pm. I did not have that money. I called my mom and she was unable to help me out also. I had no choice but to sit on my couch, hold my dog while she continuously convulsed. She eventually bit her tongue and was bleeding all over my couch. Then she got to the point where she began drowning in her own saliva. This was one of the most horrible things I have ever had to witness. Eventually, I could not mentally take watching her like this any longer. I laid her down in the crate and put a blanket over the crate. I took my other dog to bed with me. Around 2 am I got up to check on her and she had passed. I had to go into work late on Dec 1 so that i could take her body to be disposed of.</p> <p>At the time, I felt like I had accept that her symptoms and death as being caused from an unknown illness. I do not have any children and my dogs are my kids. I knew that one day she would die, but not so suddenly and uncontrollably. I had to be medicated from the anxiety of this event and began experiencing chest pains from the stress of losing her. Over these last few months, I have slowly healed. Today a friend of mine posted on Facebook to not feed your dog the Wagon Train treats because they were causing Kidney failure. When I saw that post I felt sick to my stomach. It was the missing puzzle piece. I had given her these treats within the 3 months prior to her death.</p>
Waggin Train Chicken Jerky	Dog	Retriever (unspecified)	7	Years	Female	96	Pound	I recieved a bag of Waggin Train Chicken jerky in a 25 lb bag of Beneful Healthy Weight Dog food as a free sample. I gave 2 strips to my dog. Within a day, she began to vomit, became excessivley thirsty, and very lethargic with weak legs. I brought her to the vet, her sugar was 500 and her pancreas was inflamed, her kidney and liver tests showed elevations. She passed away despite aggressive supportive care.
Waggin Train Jerkey Tenders and Waggin Train Big Blast Duck Jerkey wrapped pork skin twists with chicken liver center, Waggin Train Big Blast Duck jerky wrapped pork skin twists with chicken liver center	Dog	Corgi - Welsh Pembroke	1	Years	Female	16	Pound	Acute onset pancreatitis and hepatitis
Canyon creek ranch brand natural chicken tenders	Dog	Retriever - Labrador	4	Years	Female	42	Pound	My dog began vomiting on Monday 3/26/2012, and it continued the following day. My wife took her to the vet at 8am on Wednesday 3/28/2012. Tests were done to determine the illness, and we were told to take her to an emergency vet that could accommodate 24 hour treatment. I was advised at appx. 10pm that her kidneys were failing and that she had lost her vision. She is still at the animal hospital as I am writing this report. She was in perfect health prior to my wife and I feeding her "Canyon Creek Ranch" chicken tenders.
chikin biscuits by waggin train	Dog	Maltese	4	Years	Male	8	Pound	I bought waggin tails chicken biscuits lot number 62ca5437a I gave my maltese just 3 treats and it almost killed him he has never thrown up before after i gave him those treats he threw up for 2 days and had constant diarrhea (runs) also for 2 days i seen on a rescue sight for pets they are saying it has caused kidney failure in some dogs the jerkey on them i was so lucky my dog did not die after a week he got better those snacks should be recalled they are from china i was so lucky
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	11	Years	Female	5	Pound	I fed my dog (b) (6) one Waggin Train Chicken Jerky Tender in the evening at about 8pm. A couple of hours after she ate the treat she began to vomit. She vomited several times over night and several times the next morning. The vomiting stopped about 16 hours after she ate the treat. She also began to have diarrhia the next morning for several hours which contained a small amount of blood. The diarrhia stopped about 20 hours after she was fed the treat.
Waggin Train Jerky Tenders (chicken dog treats)	Dog	Brittany	17	Months	Female	28	Pound	Dog started showing signs of Fanconi symptoms including increased water consumption, frequent urination, lethargy, loss of appetite and some vomiting.

Waggin Train I Yam What I Yam	Dog	Setter - Irish Red	2	Years	Female	61	Pound	(b) (6) was pregnant and due to deliver on March 28th. One week prior to this date my other irish setter (b) (6) became ill with vomiting & bloody diarrhea. I have filed a report on him as well. On March 27th (b) (6) wouldn't eat her evening meal and an hour later began vomiting. She then went into labor that night. She was progressing until about 2 am when she slowed way down. I took her outside at 5 am and she had explosive bloody water from her rectum. She continued to vomit all night approximately every 1-2 hours and continued until I took her into the vet at 8 am. When we got there she actually had blood coming from her rectum. We did a progesterone level and it was 1.5 - too low to maintain a viable pregnancy and told us that she should be in labor. But...she was exhausted and couldn't contract. We had to do an emergency c-section and found NO reason for her to not have whelped except for the fact that she had been ill for the 12-24 hours prior to this.
Waggin Train I Yam What I Yam Treats for dogs	Dog	Setter - Irish Red	10		Male	85		He stopped eating one evening - then had vomiting & diarrhea for 2 days. Still wouldn't eat - lost 11 lbs in 4 days. He then got bloody watery diarrhea and still has that. Took him to the vet - labwork done - amylase & lipase high but no symptoms of pancreatitis ie. no tenderness, etc. Gave IV fluids and Flagyl with no improvement. After 6b days of no eating he started taking a couple of bites of food but continues with bloody loose stools. Lethargic with significant weight loss.
Milo's chicken jerky	Dog	American Pit Bull Terrier	2	Years	Male	90	Pound	Began feeding Milo's chicken jerky as a treat (5-7 per day) on Sunday March 25, 2012. Beginning on the morning of March 27, 2012 (b) (6) began having severe and explosive diarrhea. Today, March 28th I have discontinued feeding food or treats and diahrea has remained and slightly more severe and is almost 100 % liquid. He seems lethargic and feels bad.
Waggin' Train Wholesome Big Blast Duck Jerky Wrapped Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)	9	Years	Female	26	Pound	(b) (6) had severe diarrhea for 4 days after eating 2 Duck wrapped treats from Waggin Train
petsh(paw print)ppe	Dog	Retriever - Labrador	11	Months	Female	67	Pound	Purchased "Petshoppe" Chicken Jerky premium chicken dog treats from Walgreens store 3-18-2012, three to four pieces were fed to the dog, on 3-20-2012 @ 1900 the dog became ill and was vomiting about every two to three hours through the night. An appointment was made and she was taken to the Vet. at 1100 3-22-2012. At that time she was hospitalized for two days with food poisoning caused by the Chicken Jerky as indicated with Vet. report.
Oinkies, Canyon Creek Ranch Brand Wholesome and Tasty PBJ, Pork Chomps , Waggin Train Jerky Tenders	Dog	Retriever - Labrador	1	Years	Mixed Population of Female and Male	80	Pound	Have been giving dogs these treats daily for a couple weeks - noticed that they have been vomiting large amounts of bile - didn't connect the reason until we saw an online posting about dog treats from china - we checked our and they were the same treats people were talking about - we stopped giving them the treats and they stopped vomiting all the bile!
Kingdom Pets								My dog had seizures when he was 5 and it never happened before. I took him to the vet and he was hospitalized for 4 days but the vet couldn't figure out what's going on. I took him to many vets but no one could dignose exactly what's going on. Then he got better but had seizures occasionally. Meanwhile, I kept on feeding him the chicken jerky made in China that I thought it's supposed to be the safest dog treat since it says no artificial colors or flavors, no by-products, and it's made from lean chicken beast. However, my dog vomitted many times last year when he had chicken jerky. After I stopped feeding him the chicken jerky, he didn't vomit anymore. I didn't know the news about the chicken jerky made in China until I saw it from PetMD. I was so shocked that I think not only my dog's vomit was directly related to the chicken jerky as I experimented, but also the seizures was related to the chicken jerky too. I feel so sorry that I kept on feeding my poor dog the terrible chicken jerky that made him suffer for years. I still have some leftover and the pack that I bought from Costco if you need me to send it to you.
Dogswell breathies chicken breast with mint an parsley--cage free chicken	Dog	Weimaraner	11	Days	Female			She has had diarrhea, vomiting, lethargic, frequent urination
Waggin' Train wholesome chicken Jerkey Tenders	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	1	Years	Male	45	Pound	I purchased the treat about 30 days ago and started feeding them to my dog after about a week. He has only had about 2 per week within the last 3 weeks but suddenly developed diarrhea and loose stools. He is starting to drink more water and urinates at the dog park about 4 times in the hour we are there 2 to 3 times a week. He usually goes once before entering only. I gave him one on Saturday at about 3pm, and let him out to go to the bathroom before putting him in his crate from 5-9. When I came home, he had diarrhea in the crate. This has never happened. I gave him another treat on Monday morning and within 1 hour he vomited his morning meal on the carpet. There was nothing suspicious or unidentifiable in the vomit. He has not gotten into anything and there has been no change in food, etc.

Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	2 Years	Male	55 Pound	<p>We've been giving our dogs the Waggin Train Chicken Jerky since they were puppies. The female seems unaffected. But the male has had sporadic diarrhea problems. Nine months ago he stopped eating completely. The vet told us he ate something that inflamed his colon but couldn't tell us what it was. Then last month he had bloody diarrhea for a few days. The vet said his colon was inflamed again because of something he ate. Both times he got shots and was prescribed pills to bring down the inflammation.</p> <p>One of our friend's dog just died and her vet told her the death was caused by the chicken jerky, the same brand we feed our dogs. We stopped giving the treats to our dogs once we heard the news. Now (b) (6) bouts with diarrhea have stopped.</p>
Waggin Train Chicken Jerky Treats	Dog	Terrier - Airedale	4 Years	Female	78 Pound	<p>Pt was brought to veterinarian with the complaint of increased drinking and increased frequency of urination leading to accidents in the house. Urinalysis revealed isosthenuria (USG 1.009) with 1+ proteinuria. Blood testing revealed no abnormalities. Owner informed veterinarian that patient had been receiving Waggin Train Chicken Jerky Treats - approx 1/day for the last few months. Investigated on the internet - found multiple similar adverse events reported with this product. As patient had no existing kidney damage on blood testing, recommended that owner immediately discontinue feeding the treats, allow patient to drink as necessary, and recheck kidney function tests and urine in 2-3 weeks. Sibling is not demonstrating any symptoms at this time.</p>
Waggin' Train Jerky Tenders	Dog	Terrier - Jack Russell	10 Years	Female	25 Pound	<p>I had been giving my terrier mix dog "(b) (6)" Waggin' Train Chicken Jerky treats purchased at Sams club in (b) (6). (b) (6) was getting 1.5 treats per day for the past 6 months. I noticed that she began to consume more water than she had in the past and her stool was very runny. I took her to the vet, but they could not figure out the problem. Just yesterday I came across a safety alert about the Waggin Train jerky tenders. I am stopping giving peanut the treats and will be taking her to the vet.</p>
Milos Kitchen Chicken Meatballs, Milos Kitchen Chicken Jerky	Dog	Siberian Husky	4 Years	Male	65 Pound	<p>After eating these, he had vomiting ,and diarrhea for a few days up to a week ,and lack of appetite for about 6 weeks total.</p>
Milo's Kitchen chicken jerky treats Del Monte Foods	Dog	Retriever - Labrador	20 Months	Female	54 Pound	<p>To FDA Compliant Department: Milo's Kitchen chicken jerky treats in a bag Product stored at room temperature Lot # unknown Expiration date unknown Example of UPC 079100510771 (we do not have the packages that were bought) Net Weight 14 oz Several bags were purchased over the last 2 months from Publix Supermarket. A treat was given once a day to our dog. There was no problem with the actual product or bag. Lab results, medical records, and bills from the vets are enclosed. Our blonde canine named (b) (6) age 1 year 8 months Labrador Retriever mix weighed 54 lbs. She was neutered and in good health. She was up to date on her vaccinations. There were no pre-existing medical conditions. We gave her dry Rachel Ray dog food and regular dog biscuits for treats as well as the chicken jerky treats. She was outside for walks daily but she was always supervised by myself or my husband. Our dog had a few days of vomiting yellow bile, not eating well, and lethargy. We brought her to (b) (6) with presenting complaint of azotemia. The only blood work that came back as a problem showed increased ALT, BUN, phosphorus, creatinine; and decreased ALP, TP, and GLOB. We immediately brought her to the emergency (b) (6) for further evaluation. She stayed there for a week for treatment with IV fluids and antibiotics and this was extremely expensive, but worth it to try to save her life. Total vet bill \$3544.83 for 5 days. They completed an ultrasound and biopsy of her kidneys. The problem list and diagnoses were azotemia-renal (acute vs chronic vs acute on chronic), lymphopenia/eosinopenia-partial stress leukogram, elevated ALT-hepatic damage, proteinuria-glomerular disease vs UTI, neck pain (mild)-infectious vs inflammatory vs spurious, and low grade heart murmur-flow vs CM. Unfortunately, the treatment was ineffective and she was diagnosed with kidney failure. There were no other options to help her to get better. She was lethargic and very sick so we had to stop the suffering and we decided to put her down. There was no cause to explain her sickness but she did not have any diseases from birth. The only correlation to explain her illness and clinical symptoms of severe kidney failure is from the Milo's Kitchen chicken jerky treats that are made in China, and the vet agreed with this conclusion. (b) (6) (b) (6) This was a very emotionally disturbing situation that could have been prevented if the treats were no longer being sold in stores. We will always remember our loving and beautiful dog but she lived a life that was way too short due to a treat made in China that caused kidney failure and eventual death. This needs to be stopped immediately before other dogs are harmed. Please consider seriously researching this complaint to save other animals. If you need any other information, please contact us.</p>
Waggin' Train Pork Skin and Liver Treats	Dog	Other Canine/dog	6 Months	Female	43 Pound	<p>We fed our dog 3 rawhide/liver treats on Sunday afternoon. Within hours the dog started having diarrhea. Our dog was obviously uncomfortable and did not show any interest in food or water. This occurred hourly until we went to the vet the next day. The vet administered an IV and 1 bag of fluid to help restore the dog's health. She is still very lethargic today and the vet said that it would take a few days to recover and require a special diet.</p> <p>The only change in diet for this dog over a 3 month period was the addition of these rawhide treats.</p>

waggin'train jerky tenders	Dog	Chihuahua	4	Years	Male	13	Pound	after eating a waggin train jerky tender treat my dog lost appetite,vomiting,dragging tail,bloody stool and lack of movement also had seasures.
waggon train country ham, waggin train chicken jerky	Dog	Great Pyrenees	4	Years	Male	97	Pound	2 weeks ago (b) (6) began to vomit and did not want to eat anymore. He was also drinking alot of water. We took him to the vet the next day and our vet stated that (b) (6) was in kidney failure.
Waggin Train Chicken Jerky Tenders	Dog	Ridgeback - Rhodesian	14	Years	Male	38	Pound	On March 18, 2012, hours after consuming several Waggin Train Chicken Jerky treats, (b) (6) became lethargic. Over the next week he remained weak, and developed symptoms such as wheezing and vomiting. Monday morning he was taken to the vet. The vet stated he seemed anemic secondary to pale gums. After running some test, the vet noted he had slightly elevated liver enzymes as well. The vet decided to keep him overnight and administered fluids via an IV. This morning the vet called and stated (b) (6) had died overnight from renal and liver failure. The vet was given a sample of the Waggin Train Chicken Jerky treat from the same bag Angus had consumed prior to developing the symptoms eventually leading to his death.
Waggin Train wholesome chicken Jerky Tenders								My dog, a 12 year old West Highland Terrier, for several years has eaten one or two pieces of Waggin Train chicken jerky per day. Recently she stopped eating her regular diet and I would feed her more of the chicken treats because she would eat them. Then she started acting lethargic and seemed to be in some pain. I gave her a low dose aspirin and she would get to feeling better. After doing this for several days. I decided that it might be the chicken jerky. I quit giving her the jerky and within about three days her apetite returned and now, four days later, she seems to be fine.
Waggin Train Chicken Jerky	Dog	Chihuahua	5	Years	Male	9	Pound	Both (b) (6) and (b) (6) started frothing at the mouth and then threw-up. After that the didn't eat for sometime. This is NOT like (b) (6) not to eat. We stopped giving them the "treat" Waggin Train Chicken Jerky
Dogswell Happy Hips chicken breast glucosamine & chondroitin	Dog	Spaniel - Springer English	9	Years	Female	47	Pound	Was fed "Happy Hips" chicken breast jerky treats. Dog subsequently went into renal failure, was treated but we were unable to reverse it, will likely be fatal in the near future.
Waggin' Train Chik'n Biscuits	Dog	Dachshund (unspecified)	7	Years	Male	8	Pound	(b) (6) started having what I call seizures. He would become lethargic, he would throw up and then have a seizure. He would yelp in pain and then flop around on the floor like having a seizure, then he could not stand up on his own. After taking him to the veterinarian, they could find nothing wrong without doing expensive bloodwork. After talking about it, we discovered the only thing we had been doing different was feeding him new treats we had purchased at Target, called "Waggin' Train Chik'n Biscuits". After we discontinued feeding (b) (6) these treats, he started improving and the seizures stopped. After researching this product online, I found that numerous pet owners had dogs that became ill and/or died from eating these treats. I was appalled to find out that these treats had not been recalled and that they were still being sold. The manufacture's website even states that nothing is wrong with their product and they are still selling them. Here's what the website says: "The safety and efficacy of our products is our top priority, and our consumers can and should continue to feed Waggin' Train treats with total confidence." These treats are killing dogs and must contain Melamine, Diethylene glycol or some other poison from the research I have done. They should be recalled immediately and tested again for foreign chemicals before more dogs are injured or killed by this product.
Waggin Trail Chicken Jerkey Treats	Dog	Shih Tzu	7	Years	Male	18	Pound	Spring & Summer of 2011 I started to treat my 3 dogs to Waggin Trail chicken jerky. They all loved them. My oldest dog who was 18 died this past summer; but I believe these treats was not the cause of his death. And my 9 year old Dachshund seems to be unaffected by these treats; however, he is on 3 different meds for his seizures. However, my 7 year old Shih Tzu who was 6 at the time I started giving them to him was in excellent health. I noticed in late fall of 2012 that he started drinking lots of water and had a decreased appetite. Of course I took him to my vet and they ran blood tests on him. The tests came back and his creatinine was extremely high. He was diagnosed with Kidney Failure on 12/4/2011. At first we were giving him fluids every day. Now it is every 3rd day. Kidney Failure of course isn't cureable. We are keeping him comfortable and he is eating & drinking as normal. (b) (6) was a healthy dog prior to eating these chicken jerky treats. I really feel they contributed to his Kidney Failure.
WAGGIN TRAIN CHICKEN JERKEY	Dog	Pit Bull	2	Years	Male	65	Pound	WE FED OUR DOG DINNER ON SATURDAY NIGHT, EVERYTHING WAS FINE HE WAS HAPPY GO LUCKY, WE GAVE HIM A WAGGIN TRAIN CHICKEN JERKY TREAT THEN ABOUT AN HOUR OR 2 LATER HE BEGAN TO SHAKE, WANTING TO GO OUTSIDE AND NOT COME IN, HE JUMPED OFF OF OUR 6FT. BED IN THE RV WHICH HE NEVER DOES HE ALWAYS HELP HIM DOWN. HE CONTINUED TO WANT TO GO OUTSIDE AND WAS SHAKING CONTINUOUSLY THROUGH THE NIGHT. HE WAS PUKING WHILE OUTSIDE AND TRYING TO EAT GRASS TO CALM HIS STOMACH. FINALLY, ABOUT 430 THE NEXT MORNING HE STOPPED SHAKING AND BUGGING TO GO OUTSIDE AND WENT TO SLEEP. HE SEEMS TO BE FINE NOW WE HAVE JUST BEEN WATCHING HIM AND THE OTHER DOGS THAT RECEIVED THIS TREAT AS WELL. WHICH ONE OF THE OTHER DOGS IS A TEA-CUP PALM AND COULD NOT HANDLE GETTING SICK. PLEASE PULL THIS DAMN PRODUCT OFF THE SHELF IF THIS STORY AND THE ONES OF THE OTHER 500 PET OWNERS DON'T SAY SOMETHING I DON'T KNOW WHAT WILL GET YOUR ATTENTION!!!!!! THANK YOU, (b) (6) AND (b) (6), CONCERNED PET OWNER AND DOG LOVERS.
Waggin Train Wholesome Big Blast	Dog	Chihuahua	2	Minutes	Female	9	Pound	Within a few days of consuming my dog became lethargic and her stool began becoming soft. She was drinking a lot more water and frequently urinating and pooping. Within a week of consuming her soft stools turned into diarrhea. Additionally, I noticed prior to going to bed, her body temperature appeared to elevate. The only thing that changed in her diet was the new treat I had given her, which I have since taken from her and stopped giving her.

Waggin' Train Jerky Tenders	Dog	Dachshund - Miniature	3	Years	Male	11	Pound	(b) (6) was vomiting and had bloody diarrhea for 24 hours. I took him to the Vet and he was subsequently hospitalized for 2 days with severe dehydration.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Terrier - Fox (unspecified)	6	Years	Male	32	Pound	I recently have seen on the internet that Canyon Creek Ranch treats may be causing kidney problems and even death to dogs because of an unknown component in them. My dog has had an almost full bag of these treats. Last week (b) (6) started urinating blood. I took him to my vet and they did xrays and blood work. The test came back that he had crystals in his urine. So now my dog is on 2 medications and prescription dog food to help clear up these crystals.
Various chicken jerky treats								I am contacting to ask you if you have considered excessive taurine as a potential trigger for renal failure in dogs compromised or dead dogs after their consumption of the chicken jerky treats manufactured in China? I was the breeder of a pup that I placed in a home about ten years ago who got a hold of cat food, and ate a pretty significant quantity. At that time, I was a veterinary technology student at Wilson College. I told the owner to get the pup to a vet due to the potential of renal problems in relation to the high taurine levels he had consumed. The veterinarian DID find disturbing renal values upon exam-related blood work. The puppy recovered with proper care, and survived in good health until just last month when he succumbed to cancer.
Milos kitchen Chicken Jerky, Milos Kitchen Chicken Meatballs	Dog	Terrier - Jack Russell	8	Years	Female	20	Pound	My 3 dogs ate Milo's Kitchen chicken meatballs, and Milo's kitchen chicken jerky. Within a couple weeks all 3 began decreased appetite, vomiting and diarrhea. My smallest dog (b) (6) was lethargic for about a week. I took her to the vet and had to have my poor sweet dog put to sleep due to sudden Kidney failure on 2/10/12. Prior to eating these she was a healthy dog, full of energy. A typical Jack Russell. My other 2 dogs continued lack of appetite for total of about 4-6 weeks. (b) (6) is greatly missed.
Milos Kitchen Chicken Meatballs, Milos Kitchen Chicken Jerky	Dog	Terrier - Bull - American Pit	4	Years	Male	75	Pound	After eating Milos kitchen chicken jerky and chicken meatballs, refused food for a couple weeks. After about 3 days he had vomiting and diarrhea (with my other 2 dogs). He had lack of appetite for about a total of 4-6 wks.
Waggin' Train Wholesome Chicken Jerky Tenders								I purchased the "Waggin' Train" chicken dog treat at a store, and just recently found out that said product has been linked to the illnesses and deaths of at least 600 animals. I have yet to take my pet to the veterinarian, but am complaining as the distributor/company is refusing to do anything about the issues/product. I called and was told they would look into it (meaning nothing will be done).
Waggin Train Jerky Tenders Chicken Dog Treats	Dog	Hound - Basset	12	Years	Male	60	Pound	Was given Waggin Train Chicken Jerky Tenders, has had decreased appetite, increased urination, vomiting, and diarrhea.
Milos Kitchen chicken Jerky, Milos Kitchen Chicken Meatballs	Dog	Siberian Husky	4	Years	Male	65	Pound	After eating Milos Kitchen Chicken jerky, and chicken meatballs he began with diarrhea and vomiting that lasted about 4 days. He had lack of appetite for about 4-6 weeks.
Wagon Train Chicken Jerky Dog Treats	Dog	Retriever - Labrador	7	Years	Female	70	Pound	My healthy 7 year old black lab mix dog became suddenly very ill in January, 2012. She was hospitalized Jan 24th, 26th & 27th, given blood tests, x-rays, IV antibiotics, fluids and pain meds. She was diagnosed with an undetermined intestinal illness/liver illness on Jan. 27th, 2012 that seemed to come out of no where. She continued to deteriorate and was finally put to sleep on February 19th, 2012. My husband and I went over everything the dogs had eaten being as my black lab acted as though she had been poisoned even though our 10 year old yellow lab is fine. The ONLY difference was in treats. Our yellow lab wouldn't touch the Wagon Train Chicken Jerky treats, she turned her nose up at them and so our black lab was the only one that ate that entire package in January, right when she got very sick. I thought maybe she had eaten too many treats and would get better, she didn't, she got worse and I took her to the vet. Then today I heard about the possible tainted dog treats, AND THEY WERE THE EXACT BRAND THAT MY BLACK LAB ATE. THE WAGON TRAIN, CHICKEN JERKY TREATS, BOUGHT AT DOLLAR GENERAL STORE IN (b) (6) IN LATE DECEMBER, 2011-EARLY JANUARY, 2012. My husband and I KNOW that this is what happened to (b) (6), please do something about this. There are more dogs suffering out there, please recall these treats, please don't let any other dogs die like my (b) (6) had to.
Canyon Creek Ranch Chicken Tenders	Dog	Mixed (Dog)	4	Years	Female	25	Pound	Developed severe diarrhea and vomiting. Stopped eating and drinking. Was at the Vet's over a one week period to administer fluids and antibiotics. Doctors could not figure out what was wrong with her. Perfectly healthy dog one day, sick the next.
waggin train jerky tenders	Dog	Terrier - Jack Russell	4	Years	Male	25	Pound	My dog was given chicken jerky treats and started drinking excessive water. He started having accidents in the house, which has never happened and has had a decreased appetite. I immediately, on March 20th took him into the vet at did lab work. The results showed glucose in his urine. The blood tests showed low alkaline phosphatase and two different bacteria in his urine. He was put on clavomox two times a day with no improvement. I waited six days, and made an appointment with an internal medicine diagnostician, and only then was I told about the chicken tender treats, and then I immediately took him off of them and made own treats. He has now begun eating, but is still drinking excessively and having accidents. I want this product off the shelves and will continue to pursue this issue until this goal is met!

Waggin Train Chicken Jerky Treats	Dog	Brittany	6	Years	Female	38	Pound	We had been giving the dogs Waggin Train Chicken Jerky treats that we bought in a large bag from Sam's Club in (b) (6) for about 6 months. The treats were stored at room temperature in the bag and we would give 1-3 jerky strips to our dogs daily. The treats always looked like dried chicken and were in no way discolored or had an odor. (b) (6) was in normal health up to this point per prior vet appointments and routine urineanalysis. We would give our dogs cut carrots and Charlee Bears for treats as well as the chicken jerky. She was not taking any medication or supplements at the time. We scheduled (b) (6) for a teeth cleaning for April 26, 2011. Prior to the procedure the vet ran bloodwork and it came back that there was a problem with her kidneys. The vet described it as kidney insufficiency. Her creatine levels were 2.3 and BUN was 50. The level of protein in her urine was 3.7, where a normal level is less than .5. I had found an article about chicken jerky treats from China causing kidney failure and asked our vet about it. She suggested we immediately stop giving the chicken jerky. I threw the bag with the remaining treats away.
Milo's Kitchen home style dog treats chicken jerky								January 6, 2012 my dog collapsed outside in the morning after going out to go to the bathroom and could not move or respond to voice or touch. I carried him inside and laid him on the sofa on a blanket and covered him up because he was shaking or shivering, he could only move his eyes.Later in the day,he got up to walk and was unstable on his legs and stood for a very long time like he was in a trance.he then started to have diarrhea and vomiting, then a decreased appetite, we were having a hard time getting him to eat anything,for the diarrhea we tried to feed him sweet potatos, but the diahrrhea continued,he would eat Milos chicken jerky which we had been giving him in the past, March 2, 2012 he had another episode,he collapsed outside. I just recently came across the article of the tainted chicken jerky treats that we had been feeding him. He has lost a considerable amount of weight in the past 2 months, he drinks alot, but will only eat cooked burgers and cooked chicken tenders that we make for him, he will no longer eat his dry food.I no longer give him the milos jerky treats, but I believe the damage has already been done. He sleeps alot and eats alot less, and continues to lose weigt and has a hard time getting around.I just thought I would report it if it helps. I do have some of the pakages from the jerky still.
Canyon Creek Ranch brand natural chicken tenders	Dog	Shepherd Dog - German	6	Years	Male	98	Pound	Bought bag of Canyon Creek Ranch chicken jerky monday 3/19/2012. Gave 1 chicken jerky treat tuesday 3/20/2012 and wednesday 3/21/2012. Dog very sick- vomiting and diarrhea tuesday and wednesday, lack of energy, tired. Thursday 3/22/2012I didn't give him a treat and he was fine. Now its friday 3/23/2012 and another good day without the treat. Called the company- canyon creek ranch and they are mailing me a check for the cost of the treats. However I have to pay for carpet cleaning! * Dog has a hx of eating 1 jerky treat/day for atleast 1 year. He has mostly had Canyon Creek Ranch but occasionally Waggin Train.
Happy Heart Chicken Breast with Flaxseed and Taurine	Dog	Retriever - Labrador	6	Years	Female	65	Pound	Dog was not eating food for over 1 week. (evaluated on 3/19) Vomited 2 days in a row and owner stopped food and only gave water and chicken broth. Dog was previously fed Happy Heart Chicken Breast strips and when the ower saw a potential issue with the chicken from it via the paper, she discontinued them. The dog did eat a small amount on 3/19 and kept it down. Was acting more normal. Did lab work to make sure and found very elevated ALT and ALP levels. Bun was slightly decreased as well.
waggin trail chicken jerky	Dog	Poodle - Medium size	8	Years	Male	16	Pound	all of a sudden he began vomitting and having diareah with blood everywhere, took him to the emeregency clinic in memphis, and they diagnosed him with high glucose, took him to his regular vet and we had to start him on insulin for high glucose of over 300 and now it is running in the 193 mark even with the glucose, he has had sugar in his urine each time i take him in every two weeks since the initial emergency run in january. He is also having siezure activity. he was eating 2 or 3 of the waggin trail chicken jerky a day for the last year or so.
Waggin Train Chicken Jerkey Treats	Dog	Unknown	9	Years	Male	25	Pound	(b) (6) is my parent's dog. He was fed Waggin Tails chicken jerkey and in 2011 became ill with the symptoms listed on FDA's warning about chicken jerkey treats - vomiting, diarrhea with blood, drinking a lot of water, lethargic. At the time we did not connect the illness to the chicken jerkey treats. He recovered and later became ill again. I saw online about the jerkey treat warnings and called my mom. She had just started feeding him the treats again. She immediately stopped and he is okay. Although his health has not been as good since these episodes. I fear his kidneys have been damaged. It is extremely concerning to me that he could have died from this. I understand you are investigating - can you please make them provide to the public the exact process that goes into making these treats? i have heard they soak the chicken in some type of radiation. Please don't stop looking into this - it is obvious there is a problem and will continue. Now that so many people have reported, something needs to be done.
STARMARK EVERLASTING TREATS (CHICKEN FLOVORED)	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	6	Years	Female	9	Pound	PURCHASED STARMARK EVERLASTING TREAT BALL AND ADDITIONAL EVERLASTING CHICKEN FLAVORED STARMARK EVERLASTING TREATS TWO WEEKS AGO AT PET SMART. GAVE IT TO OUR DOG AND SHE LOVED IT. AND EAT TWO TREATS IN THE FIRST WEEK. I NOTICED THAT SHE FELT ILL ONE MORNING AND IN A MATTER OF HOURS SHE VOMITED FLEM AND BLOOD. WHEN SHE POOPED THERE WAS BLOOD IN HER STOOL. I CHECKED THE PRODUCT AND IN SMALL LETTER IT STATED IT WAS MADE IN CHINA AND NOTICED THAT "WHEAT GLUTEN" WAS THE FIRST INGREDIENT. I CALLED THE VET AND HE STATED TO GET HER OFF OF IT AND TO BRING HER IN IF IT CONTINUED. I KEPT AN EYE ON HER AND SHE SOON RECOVERED. I WOULD NOT RECOMMEND THIS PRODUCT TO ANYONE FOR THEIR PET. THANK YOU (b) (6)
Canyon Creek Ranch Brand	Dog	Mixed (Dog)	7	Years	Female	45		(b) (6) was restless, lethargic, and drinking lots of water. Her stool became very soft. After 2 days we took her to the vet who treated the symbols. (b) (6) had eatten Canyon Creek Ranch Chicken Jerky in the days leading up to her illness.

Waggin Train Wholesome Duck Jerky Tenders	Dog	Retriever - Labrador	15	Months	Male	89	Pound	(b) (6) was given the jerky treats that I had just bought from Target on or about 3/8/12. He subsequently lost his appetite and became more lethargic. He started to urinate more frequently and exhibited excessive thirst. He started to vomit on 3/10/12 and continued vomiting for the next three days. His urine appeared dark. I took him to (b) (6) on Monday 3/12/12. They believed it to be gastrointestinal upset and urinary tract infection. He was brought home and continued to throw up and act lethargic. He was brought back on Tuesday. His bloodwork showed a problem with his kidneys/liver, he was not eating and was very jaundiced. They suspected a possible toxin. He continued to decline and I was told to bring him to (b) (6) to see an internal medicine specialist, (b) (6). His liver enzymes were very bad. He was treated there for 4 days with IV fluids, medications etc. and began to improve. My bill was approximately \$5,000.00.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	American Pit Bull Terrier	6	Years	Female	45	Pound	We purchased Waggin' Train Chicken Jerky as a "special" treat to be used for training our dog. Over the course of a weekend, we gave her a total of 3 or so full treats, split into small pieces to be used as a reward. On Monday, March 12, in the evening she became ill and began having diarrhea and vomiting. This continued the following day. She also was not eating and had very little to drink. On Wednesday she improved somewhat and was able to eat 1 meal, but the diarrhea continued. On Thursday she was no longer eating or drinking, the vomiting became worse, and there was blood in her stool. I brought (b) (6) to the veterinarian at noon on Thursday, where she was given IV fluids, blood tests were performed, and she was kept overnight for two nights. She was diagnosed with hemorrhagic gastroenteritis and has responded well to the IV fluids. She is now home and has been on a special diet for gastrointestinal problems. Given the unknown cause of hemorrhagic gastroenteritis and the Waggin' Train treats being the only change to her diet prior to her illness, I feel there is a very good possibility her illness was related to these treats.
Canyon Creek Ranch - Chicken Stix	Dog	Spaniel - Cocker American	9	Years	Male	34	Pound	(b) (6) never gets table food. That night he was given normal dinner of Kibbles and Bits/dry dog food, a handful of Purina Moist and Meaty Chopped burger, and a Canyon Creek Ranch Chicken Stix (1). That night about midnight he vomited up the entire dinner. He had no appetite for 36 hours, drank lots of water, his balance climbing stairs was off, eyes were glassy, was a bit lethargic, and the following day had slight diarrhea.
Natural Chicken Fillets Waggin' Train Wholesome Chicken Jerky*Tenders Chicken Dog Treats	Dog	Portuguese Water Dog	10	Years	Female	44	Pound	Noticed significant weight gain - gained 8 pounds on 40 lb dog in 2 months. Became very lethargic and bloated. Full physical including blood work in September 2011 and 40 pounds - same weight level for years. Frequent need to drink and urinate. We were so concerned about her health that we schedule a special appointment with the Vet. Upon recommendation of Vet discontinued the Chicken Jerky from her diet and she lost over 3 pounds the 1st week, became more energetic again and water intake and constant need to urinate have returned to normal (much less frequent).
Waggin Train Wholesome Chicken Jerky Tenders Meat Dog Treats	Dog	Terrier - Jack Russell	9	Years	Female	17	Pound	Dog treated for questionable condition for several months. At the point that she could no longer walk on her back 2 legs, she was euthanized. Fed these treats for several months
Waggin' Train	Dog	Poodle (unspecified)	13	Years	Female	8	Pound	I couldn't understand how my dog developed kidney problems so quickly and died until I saw the article about chicken jerky. I fed her chicken jerky by Waggin' Train at least once a week for many months. The brand was Waggin' Train
Waggin Train Wholesome Chicken Jerky Tenders Meat Dog Treats	Dog	Sheepdog - Shetland	13	Years	Male	18	Pound	My dog got very ill and could not take in food any longer. My vet indicated a large internal mass affecting several organs from an x-ray. (b) (6) was euthanized on 9/24/11 due to his continued demise.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pit Bull	10	Years	Male	55	Pound	We recently read on MSN that the brand of Waggin Train treats had been causing health related issues in pets. We have been using that brand and when we found out immediately stopped giving them to our dogs. This morning our dog passed away. Less than five days later, he passes away. He wasn't old, he was in great health and had no issues in his life. I find it more than a coincidence that this occurred. He started to have stomach trouble yesterday, vomited twice and then came inside and laid on the floor for most of the night. He was having troubles with his breathing and this morning he tried to get up and get some water and collapsed. Within 30 seconds he passed away. Thanks, (b) (6)
Milo's Kitchen Home Style Dog Treats Chicken jerky	Dog	Saluki	16	Months	Female	38	Pound	Fed my dog a stick of the Milo's Kitchen home style dog treats, chicken jerky. She chewed the thing up. Then promptly threw it up. She (b) (6)

Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	14		Female	62	Pound	(b) (6) was running in our yard, barking at the kids, and acting completely normal. Literally overnight, from one day to the next, she had no appetite, and was lethargic. Her symptoms hit all at once and unfortunately this was on a Friday. Over the weekend she had some very dark diarrhea and some vomiting. She also drank a lot. We took her to the vet on Monday. He examined her and once she tested positive for heart worm disease he looked no further. The meds he gave us were all for treatment of the heart worm disease. He told us to try to get her to eat and bring her back in a few days for her first injection. Over the next couple of days we were able to get her to eat but barley. We took her back to the vet later in the week and he again told us to feed her anything she would eat and come back on Monday. She never made it to Monday. The day after putting her down I happened across an article on MSN about chicken jerky treats from China. It was like a light bulb going off. Webbie had every symptom described in the article including (towards the end) blood in her vomit. In our case the product is Milo's Kitchen. We have 2 bags, both almost full. The code on both bags is 1019HV A. We gave (b) (6) these treats just before the dramatic change. I realize (b) (6) was 14 and had heart worm disease but the suddenness combined with the perfect match of symptoms really makes me wonder. Our regular vet and the emergency vet (where we put her down) have records and xrays. We have both bags of the product. I wanted to file this in case any of this might be useful to you.
natural chicken jerky treat	Dog	Mixed (Dog)	7	Years	Female	16	Pound	developed severe pancreatitis and hepatitis
Milo's Kitchen	Dog	Schnauzer (unspecified)	2		Female	20		(b) (6) was given chicken cutlets and currently has some sort of unknown kidney stones or bladder infection. She was on antibiotics for 10 days and had blood in her urine. She is currently having a urine culture done and X-rays to help diagnose her. It has cost \$350 so far, and the estimates are increasing daily.
WAGGIN TRAIN CHICKEN WRAPPED SWEET POTATOE TREATS	Dog	Shih Tzu	8	Years	Female	20	Pound	THE DOG ATE A WAGGIN TRAIN BRAND CHICKEN WRAPPED SWEET POTATO TREAT. IATER THAT DAY SHE BEGAN TO VOMIT IN LARGE AMOUNTS. TOOK HER TO THE VET AND SHE WAS IN LIVER FAILURE. AS OF MARCH 20,2012 SHE IS IN CRITICAL CONDITION. I DO NOT KNOW IF SHE WILL LIVE.
Waggin' Train Chicken Stix Chicken and Rawhide Snack	Dog	Mixed (Dog)	9	Years	Female	10	Pound	Dog presented acutely depressed, vomiting blood with bloody diarrhea. Started on IVF and GI protectants. Cardiopulmonary arrest within 6 hours of presentation.
Waggin train Chicken Jerky treats	Dog	Mixed (Dog)	3	Years	Male	67	Pound	Patient was seen for his annual vaccines and bloodwork and the CREAT was elevated (2.0) (no prior history). Value was rechecked 3 days later (2.5) to verify lab results and the value had gone up. Questions were made and owner reported feeding Waggin Train Chicken Jerky treats and was advised to read back of bag to make sure they weren't manufactured in China. At home she verified and confirmed they were made in China, it was recommended to stop feeding these treats and recheck CREA in 7 days. 9 days after the value hadn't changed (2.5) and 20 days later the value started to go down (2.1) 28 days after first visit his value was 1.9 (1.8 was normal).
waggin train yam good wholesome chicken wrapped yams	Dog	Akita	9	Years	Female	16	Pound	shopping at wal-mart picked up some waggin train dog treats fed them to my dog for 3 days and she started getting sick vomiting lathargic would not eat waited a couple of days and it got worse.took her to the vet and he said her kidneys were shutting down.they kept her overnight waiting to hear out come. .this is only thing i gave her out of her daily diet that was different.
Milo's Kitchen	Dog	Collie - Border	6	Years	Female	36	Pound	with no previous symptoms or warning, (b) (6) began to have seizures. Emergency vet care blood work and xray ruled out toxins or tumors. I did not give her any jerky treats for a couple of days after the initial seizure since she was vomiting. I started to give the jerky treats again and she began to have less severe seizures but recovered quickly. Additional emergency vet visit again did not show any medical reasons. Just after this last visit we saw the article about the jerky jerky issue. I immediately stopped giving the treats and she has not had any seizures or medical issues since then. My vet was not convinced but we were. I had been giving (b) (6) these treats fairly regularly over the previous 2 years without incident, one or two chicken jerky strips every couple of days. For the most part I was buying both Waggin Train and Canyon Creek. The last purchase of these was Milo's Kitchen. I was about half way through the bag when she began to get sick. I threw away the package so I do not have any specific product information. I no longer buy nay pet food made in China.
Waggin Train Jerky Tenders - Chicken	Dog	Mixed (Dog)	14	Years	Male	45	Pound	(b) (6) was a long-time lover of the Waggin Tails Chicken Jerky. In June 2011 he became sick and was diagnosed with liver failure. He passed away in July 2011. Only in the last couple of months has information about the issues with chicken jerky from China surfaced, at least for me, and after reading an article about the most common medical problems, well, (b) (6) exhibited every one of them. Had I known earlier the vet may have been able to take a different course of treatment that could possibly have saved him. This was a pet that I had had since he was 7 weeks old. I was heartbroken at his loss. And now I live with the guilt that I may have in some way contributed to his suffering and death. Please don't make other owners go through this. Recall the products until extensive testing can be done on them. At the very least make them post a waring on the packaging.

Wagginz Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	9	Years	Male	13	Pound	Started feeding him Wagginz Train Chicken Jerky Treats instead of Paul Newman Crackers for 6 months starting in January 2011. He started exhibiting diarrhea in April and that is when I took him to his vet. The vet performed an exam, blood test, fecal test and changed his diet. His diarrhea continued and we kept changing his diet, assuming it may be an allergy. We settled on the Paul Newman's Organic Dog Food, a food he used to eat a couple years ago. He was still eating the jerky since it was chicken and we thought he couldn't be allergic to that since by then he has been eating them for 5 months. I stopped giving him the treats in May 2011, the time I had to move to Chicago but I couldn't bring him with me so I left him with my parents. They assumed since I used to give him the chicken treats, they started buying the same brands to feed him. They called me in June that he was not feeling well and I took him to the vet but further tests were negative. In November 2011, he collapsed and had a severely swollen abdomen and we took him to an ER and we did \$1000 of tests...all negative. We stopped all store bought treats but continued to feed him the Paul Newman's Dog Food. Since we stopped the treats, he recovered (no lethargy, no collapsing, no excessive urination/thirst, diarrhea, blood in the stools, vomiting,). We had learned that he may have sustained permanent damage to his digestive system and must eat several small meals/day. We have not fed him a treat since he got sick
waggin train	Dog	Terrier (unspecified)	8	Years	Female	35	Pound	same as above
Waggin Tails	Dog	Terrier (unspecified)	11	Years	Female	38	Pound	We purchased Waggin Tails jerky treats at our local Walmart. After a day or so (b) (6) appetite began to wane. Next she began vomiting everything, including water, which was very, very unusual for her as she was rarely - if ever - sick. Within a week she was in kidney failure at which point our vet advised us that there was nothing else he could do, she was not going to improve and to take her home and decide how we wanted to proceed. We could not watch her suffer. Within 3 weeks of presenting she was dead. I have just recently become aware of this treat connection and have absolutely no doubt in my mind that I have now found the cause of her "mystery" illness.
Milo's Kitchen Home-style Dog Treats Chicken Jerky	Dog	Spaniel - King Charles	9	Years	Female	17	Pound	Decreased appetite, decreased activity, vomiting, increased water consumption and increased urination. Confirmed increased glucose. (Vet, at first, diagnosed diabetes)
Waggin Train Chicken Jerky Tenders	Dog	Rottweiler	1	Years	Male	90	Pound	After being given small portions of Waggin Train Chicken Jerky, within 8 hours my dog started vomiting, had bloody diarrhea, was very lethargic, would not eat. This happened on 2 separate occasions before we realized what was causing it. Thankfully, after trips to the vet, my dog is recovering. I am someone who is very careful about what I give my dog. I was under the impression that this product was made in the USA, only to find in the small print, hidden at the bottom of the packaging it is made in China. It wasn't until I started doing some research I found there have been several hundred dogs affected by this & several hundred complaints filed. Why are you not doing more about this???
Canyon Creek Ranch Natural Chicken Tenders	Dog	Mixed (Dog)	1	Years	Male	45	Pound	experienced diarrhea and vomiting
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	3	Years	Female	33	Pound	Back in the summer of 2010, I came home from work and took the dogs out to go relieve themselves. Since it was a hot day we came directly back inside (not more than 10 minutes outside) & we would walk later on once the sun had gone down. I gave the dogs a chicken jerky treat and put a movie in to watch. By the end of the movie (2 hours tops) (b) (6) had vomitted and had diarrhea. She would not stand and when I made her stand she walked as if she was drunk. She was, obviously, very lethargic. I took (b) (6) to the emergency vet where they ran her vitals and administered medicine. The vet said her system was "tanking" and it was like she had been poisoned. I told him they hadn't picked up anything when we were outside and the only thing she had to eat was the chicken jerky I gave them once to twice a day. (b) (6) ended up going back to the vet 2 more times that summer season for similar problems. None of her reactions were as bad as the first, but they were almost the same symptoms. I was never instructed that the jerky may be a problem. However, since I first read about the possibility of tainted jerky from brands like Waggin Train (the brand we used) I've since begun making most of their own treats, or buying treats from the store that are made in the USA only. The other dog was not affected, but she was a good 20-30 pounds heavier and old of age. She was on a lot of medicine already and so any ailments she had I always contributed to her being old and medicated. I want to report the problem so that my situation is on record. I do not have (b) (6) exact medical history with me as I report this, but would be happy to provide you with it if you need. (b) (6) has always been in good health otherwise. I will list her condition as Recovered Completely, but it took a while to get there.
Milo's Meatballs Canyon Creek Ranch Yam Good chicken wrapped yams	Dog	Terrier - Jack Russell	16	Years	Male	16	Pound	He enjoyed daily treats in the morning. Although he was an old dog, he was in good health. He developed foul smelling urine, swollen abdomen, excessive drinking, excessive urination, incontinence, and vomiting.

Dogswell Happy Hips Chicken Breast Dogswell Mellow Mut Chicken Breast Dogswell Breathies Chicken Breast	Dog	Shepherd Dog - German	12	Hours	Male	75	Pound	I would give (b) (6) a chicken jerky treat when I left the house. Upon returning home, there would be a huge mess of diarrhea. The diarrhea was sometimes brown and sometimes yellow, but there was always thick mucus in it.
Wagon Train Chicken Jerkey	Dog	Chihuahua	3	Years	Female	10	Pound	(b) (6) developed severe vomiting with diarrhea. She had pain in her abdomen and her body kept shaking.
Welcome Home Dry Duck Jerky	Dog	Mixed (Dog)	13	Years	Female	67	Pound	Dog received 8 to 10 treats for several days prior to being kenneled whereupon she developed diarrhea for one week. I was out of town and was called to do a parasite check which was negative. My dog had about \$100 lab bill and when the parasite check was negative they wanted to do approx. \$700 of labs and meds. Her diarrhea ended when I took her home on Mar 6. She never has diarrhea.
Canyon Creek Ranch - natural chicken tenders	Dog	Bulldog - French	22	Months	Male	30	Pound	Dog mysteriously broke out in hives on his head and body. (b) (6) is a healthy, happy, pampered French Bulldog. He started panting and the area around his eyes swelled. We gave him Benadryl, a bath, and took dog to the vet 3 hours later. (b) (6) was taken under vet care, where he was given more Benedryl, steroids, and anti-biotics. (b) (6) ended up having severe vomiting, diarrhea, and swelling/hives the following day. (b) (6) remained in the hospital (constant care) for the next 5 days. He was given IV fluids, anti-nausea meds, antibiotics, benadryl, pepcid ac, ultrasound, barium. Dog is still not doing well.
waggin train	Dog	Retriever - Labrador	8	Years	Male	90	Pound	(b) (6) stopped eating and was just laying down for a couple of days, we thought he was just sick to his stomach or something. we took him to the vet on third day, he was extremely dehydrated and had a high temperature 105 degrees. the local vet could not figure out what was wrong, we had to bring him to sacramento and they still did not exactly know what was wrong. they thought something was wrong with his liver but thought it was an infection so he was receiving antibiotics and iv's but after 4 or 5 days he seemed fine again. when we got him back again we came home and saw an article on the internet about dog treats from china making dogs sick but it didn't mention any certain brands. we looked in the cabinet and saw we had some waggin train treats that we had just got from our local store (grocery outlet) that were made in china so we threw them away. Now we realize that these are the same ones that are being identified as being a problem and by the way are still being sold at the store. we spent over \$5000 getting (b) (6) back to health which he is but he was close to death due to these tainted products.
Waggin Train Chicken Tenders	Dog	Chihuahua	2	Years	Female	10	Pound	My dog had been eating Waggin Train Chicken Tenders as treats. She became lethargic, having vomiting, diarrhea, increased thirst, seizures, and her tongue turned black. Once at the vet she had the highest BUN/Creatinine levels the vet had ever seen in his career, her liver shut down, she began bruising, and dropped her core temp to 90.0 degrees. She was an inside dog and was always supervised on walks. She did not come into contact with any toxins.
Dogswell Vitality Chicken Tenders	Dog	Sheepdog - Shetland	13	Years	Male	24	Pound	sudden onset of vomiting then diarrhea the next week dx with "Bells Palsy" due to 3rd eye lid and eye retraction.
dogswell vitality chicken tenders	Dog	Sheepdog - Shetland	10	Years	Male	35	Pound	sudden diarrhea with blood cholecystitis after ingesting chicken tenders
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Retriever - Labrador	9	Years	Male	90	Pound	Our Malamute, (b) (6), vomited and we are always sensitive to his health needs. We called the vet and were told that sometimes Rimadyl can cause an upset stomach and we might want to consider something like Prilosec. However, (b) (6) had been on the Rimadyl for quite some time, and, within a day, (b) (6), a healthy 9 year old Black Lab, not on any medication, also vomited. Right after that we read about a report concerning chicken treats from China and we were giving each dog one chicken and sweet potato jerky treat several evenings per week. We discontinued and they didn't get sick again.
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Alaskan Malamute	10	Years	Male	100	Pound	(b) (6) vomited and we are always sensitive to his health needs. We called the vet and were told that sometimes Rimadyl can cause an upset stomach and we might want to consider something like Prilosec. However, (b) (6) had been on the Rimadyl for quite some time, and, within a day, our other dog, a healthy 9 year old Black Lab, not on any medication, also vomited. Right after that we read about a report concerning chicken treats from China and we were giving each dog one chicken and sweet potato jerky treat each evening. We discontinued and they didn't get sick again.
mini Dingo--Meat in the Middle! Beefy, Canyon Creek Ranch Brand Franks, Mini Dingo Meat in the Middle! Beefy	Dog	Havanese	1	Years	Female	11	Pound	Patient was vomiting and inappetent for 48 hrs. Bloodwork revealed moderate AST and ALT elevations. Bile acid assay results WNL. Started IV fluids, gastroprotectants, liver supplements. Patient started eating 36 hrs after hospitalization, no vomiting for 48 hrs.

Smokehouse	Dog	Hound - Italian	12	Years	Female	16	Pound	(b) (6) was jumping from a foot stool to the sofa, collided with my Chinese Crested dog and fell to the tile floor, twisting her left hind leg. We took her to our vet who did x-rays and ruled out fracture. Three days later, her left inner thigh was badly bruised and severe swelling to her lower leg. We returned to the vet and blood and urine tests revealed elevated kidney levels. The fall and the elevated kidney levels are coincidental. The cause of the bruising to thigh and swelling of the lower leg remain undiagnosed. However, in this process, the vet asked me if I give my dogs chicken jerky treats and we do. Our dogs love them so we buy them by the case since we have three dogs. And, yes, I do give them more than the recommended serving per day. I'm not sure how much but probably 4 per dog per day. We have not done blood and urine tests on the other two dogs yet.
Milo's Chicken Chicken Jerky Treats	Dog	Mixed (Dog)	2	Years	Female	14	Pound	I had purchased chicken jerky as treats. Within a few weeks she began vomiting, had diarrhea, loss of appetite. The only thing she would eat is the chicken jerky - Milo's Kitchen. I searched the internet to see if I could find anything out. I read about chicken jerky chicken making pets sick. I immediately stopped giving her the jerky treats and disposed of the rest of the package. I took her to the vet and they ran a multitude of tests. I still haven't rec'd the test results for Fanconi Syndrome, but the other tests came back good. Within a few days of stopping the treats she began to eat her regular food again and stopped vomiting.
Canyon Creek Ranch brand *natural* Chicken Tenders	Dog	Terrier - West Highland White	6	Years	Male	18	Pound	He began passing blood and became lethargic, acting very weak. We took him to our vet which did some quick tests and said "something toxic was in his system" and had us rush him to the (b) (6) (located in (b) (6)), as the dog's primary local vet said he was bleeding too quickly. He was admitted Feb 21, 2012 (had been exhibiting the blood loss, loss of appetite and lethargy for a couple of days prior). He remained in the intensive care for a few days and was FORTUNATELY saved and returned to us at a cost of \$2,500 (which we were glad to pay). Product was a chicken jerky treat, "Canyon Creek Ranch" brand, produced in China. Lot No. g1cA4947a is printed on the package. (We threw it away). The address on the package is Canyon Creek Ranch, Anderson, South Carolina 29623.... Phone # 1-877-376-0101 and email info@ccrtreats.com. I have recently read that there is a wide spread issue with pet treats based on chicken coming out of China and causing health issues, notably kidney failure. I wanted to report this to add what info I could to your database.
Milo's kitchen home style dog treats chicken jerky	Dog	Bichon Frise	3		Male	8		BLOOD in his stole and diarrhea. drinks alto pee's a lot.
waggin train	Dog	Bulldog	8	Years	Male	58	Pound	Passed away a week after consuming waggin train jerky treats.
Waggin' Train country ham, Waggin' Train wholesome chicken jerky tenders chicken dog treats, Waggin' Train jerky tenders ham	Dog	Shepherd Dog - German	12	Years	Male			I started giving my at the time 11 year-old male German Sheperd "Waggin' Train" dog treats in early 2011. There are 3 varieties I've given my dog: jerky tenders chicken, jerky tenders ham, and country ham. I give him about 3-5 pieces everyday. Ever since he started eating these treats, he began to have diarrhea periodically, sometimes accompanied by vomitting. The diarrhea alway has a sudden onset, and is very severe. My dog has to go as often as 6 times a night. The stool is always watery. The vomit is always yellow in color and appears foamy. For the one year my dog had the Waggin' Train treats, he rapidly lost ~20 lbs. He has developed hip and joint problems. He has difficulty walking now, and he falls often. He exhibits lethargy. During his waking hours, he moans and cries, indicating to me that he is in pain.
Tail Waggon Treats	Dog	Shepherd Dog - Australian	7	Years	Male	38	Pound	Our dogs was given 2 of the Tail Waggon Chicken Jerky Treats. Yellow diarrhea throughout the day and night for 3 days. On 2nd day stopped kibble and gave chicken and rice, and Vet gave antibiotics. Currently 6th day, still on antibiotics and chicken and rice. Diarrhea has stopped but not back to normal yet.
Waggin Train Jerky Tenders	Dog	Poodle (unspecified)	5	Years	Female	12	Pound	She is actually a schnoodle Schnauzer/Poodle mix. We gave her 2-3 chicken jerky treats every day, for a couple of years. She started having siezures, we took her to our vet who tested her and said her liver enzymes were elevated and she was dehydrated. We stopped giving her the chicken chews and she fully recovered in about two weeks and has had no signs of any problems since, and that was approx. 1 year ago. The other symptom she had was chronic diarrhea every day for years until we stopped giving her the treats and her diarrhea also resolved

Lick Your Chops Treat Umms	Dog	Akita	1	Years	Male	90	Pound	<p>I took a trip to Portland where I purchased both a new brand of dog food (Taste of the Wild, made by the same manufacturer as his previous reliable dog food, Premium Edge) and a new kind of dog treat (Lick Your Chops Treat Umms, which are a bit of sweet potato wrapped in chicken jerky. These treats are made in China.) to get through our extended visit. During the visit my dog became a little lethargic, which I originally attributed to him missing home. When we returned home I retained the dog treats to use as rewards periodically. (b) (6) became more lethargic, and acted depressed. I attributed this to him missing his best dog friend, who has temporarily moved out of town. About a week after having been home and a few days after using the last treat, I noticed (b) (6) straining to urinate. When I looked he was passing blood instead of urine. I took him to the vet immediately, where he had a urine sample taken and tested for bacterial infection and possible stones. No harmful bacteria were found, some struvite crystals were found. The vet did not leave complete information on my voicemail, the dog was taken in for x-rays a few days later, and ended up with a vet who does not usually see him. No abnormalities were found on the x-ray, but the dog continued to be lethargic and sick. Further discussion with my preferred veterinarian revealed that his urine Ph had been 8.5. I addressed the problem with a complete change of diet and by pushing liquids on him (in the form of chicken broth and heavily watered down wet dog food) and a powdered additive to his food intended to reacidify his personal Ph. Prior to the veterinary visit where he had the x-ray he stopped drinking water altogether. About a month of extremely watered down wet food gradually moving to unwatered wet food and now a new type of kibble, and he has finally gotten his health back. He is playing again, drinking and urinating normally and seems to be happier.</p> <p>I did not know about potential problems with chicken treats from China until a few days ago from today. I saw a warning poster at my local dog self-wash place and something clicked. The poster described a lot of the symptoms that my dog exhibited that had previously been just scary and a little mysterious. I am not 100% certain that it was the treats that caused the problem since we also had changed his food simultaneously, however since the food came from the same company that manufactured his previously regular food *and* there are known problems with some chicken jerky treats from China, I am about 90% certain that the treats were what caused the problem. I have not yet had a chance to update my veterinarian about my suspicions. I believe he has recovered completely, but I have chosen "recovering" below as I am still a little nervous about a relapse. I am never going to give him treats made outside of the US again.</p>
Kingdom pets chicken jerky	Dog	Mixed (Dog)	6	Years		75	Pound	She became sick to her stomach. Won't eat, drink. Won't move. Has trouble getting up.
canyon creek ranch duck tenders/gateries de canard	Dog	Poodle - Miniature	9	Years	Male	18	Pound	diarhea for 2 weeks, lethargy. lack of appetite. throw up....
Waggin' Train	Dog	Dachshund - Miniature	10	Years	Female	14	Pound	On the night of 3/14/12 she puked multiple times about 30 minutes after consuming 1 treat. She continued to the next day by not eating and only drinking water, she is also very lethargic and will not move at all, even for water. She had to be carried outside and peed where she was placed. She had diarrhea that night as well. She was also very hot. We took her to the vet on 3/16/12 and had IV fluids hooked up to her for 3 hours. She was prescribed medication (.25 Metronidazole 250mg Tablet 2x daily and .25 Sucralfate 1gm Tablet 2x daily) Sadly I do not have the money to be able to have her tested throughly, the vet wanted to do an internal organ screening, blood work, and urine analysis but for now we are doing the treatment plan without being diagnosed. She did perk up and was moving around after the IV fluids but is now back to not moving and still has not eaten anything, this only 2 hours later.
Healthy Select chicken breast strip treats.	Dog	Mixed (Dog)	10	Years	Male	63	Pound	This may be nothing as my other dog did not react but I fed them both Healthy Select chicken breast strips. I read that they were not from China so I thought it was Ok and maybe they are. Maybe a week or so after purchase and them eating the treats my one dog became lethargic and was falling on his hind legs. I took him to the vet and the vet put him on antibiotics. Hes since been to the vet again with a slight fever and another round of antibiotics. He has lost 13 lbs. 63 to 50 and is drooling and has abnormal bowel movements and sometime seems to want to vomit but doesnt. He got sick on Jan 23 and still isnt well but a bit better than a few weeks ago. I should have went with my gut feeling as the jerkey is brittle and dry. Again maybe nothing but wanted to make a report. I purchased them at Petco.
Chicken Jerky purchased at Costco	Dog	Mixed (Dog)	8		Male	30	Pound	My dog was diagnosed with an autoimmune blood disorder and almost died. He now takes prednisone daily.
Waggin Train Jerky tenders	Dog	Mixed (Dog)	7	Years	Female	50	Pound	Began to throw up blood and have bloody stools. Had to be hospitalized. Would not eat for almost 3 days.
waggin train jerky tenders	Dog	Unknown			Female			we purchased Waggin Train chicken jerky as a low carb treat to reward (b) (6) for taking her insulin shot. We started giving her the treats around November. We saw a report online that these treats have been associated with kidney issues in dogs, so we started breaking the treats into thirds to make sure that she wasnt getting too much of them. However, today we came home to find her dripping blood from her vaginal area, and she had urinated in two locations in the house. She is urinating frequently.
Canyon Creek Ranch Duck Jerky	Dog	Beagle	5	Years	Male	25	Pound	I fed (b) (6) the treats. He is fully potty trained and hasn't had an accident in the home since he was a puppy. (b) (6) began to urinate in the house, was not able to hold his bladder. He was lathargic and need to constantly drink water. He drank 5 times the amount of water he would typically need to drink. (b) (6) also would lose his bladder while he was sleeping. (b) (6) would indicate he needed to use the bathroom constantly (up to 5 times more than normal).

Milo's Kitchen Chicken Jerky	Dog	Maltese	1	Years	Male	7	Pound	After giving my dog Milo's Kitchen Chicken Jerky dog treats for a few days he began acting very ill. He stopped eating all food and would not drink water... after the first day he started to act lethargic and did not want to go outside or play at all... the end of the second day he started drinking water again and then on the third day he started eating small amounts of wet food... I stopped giving him the treats the first day that I saw he was ill and he slowly got better over about a week.. he is now back to himself and is eating normally.
Waggin' Train Jerky Tenders	Dog	Pit Bull	8	Years	Female	65	Pound	She began throwing up daily. We saw
Waggin Train Wholesome Chicken Jerky Bites Filets and Chicken wrapped Yams, Waggin Train Wholesome Chicken Jerky Bites	Dog	Maltese	3	Years	Male	12	Pound	(b) (6) has been acting like he does not feel good. He is lathargic, and has developed bad breath and constant gas. He usually is an energetic and playful dog, he has no energy. Wagon Tails Chicken Jerky is the ONLY treat (b) (6) will eat and I have been giving him one or two daily since last summer, maybe July. In January I switched him to MILO Chicken Jerky treats and he has been getting diaraha and spends the day sleeping. They seemed to make him sicker. As a result of his sewer breath, and on the advice of my vet, I stopped the treats about 2 weeks ago and (b) (6) is a new dog. He has no more bad breath or gas and is no longer acting sick and sleeping all day. Evidently they were making him sick.
waggin train jerky tenders	Dog	Terrier - Yorkshire	5	Years	Male	17	Pound	feed chicken jerky treat made in china and became very sick
Waggin Train	Dog	Mixed (Dog)	4	Years	Male	51	Pound	(b) (6) was give Waggin Train for the past month (first time administerd). On 2/14/2012 he came in for signs of anorexia, lethargy and vomiting. Bloodwork revealed an acute renal failure. Leptospirosis titer was negative and was also negative for lymes disease. It is supsected that this patient was affected from Falconi syndrome secondary to ingestion of the Waggin Train treats.
Chicken Fillets Nutral Dog Treats								My small dog age 10 who was healthy went into renal failure and died fairly suddenly. He was loosing weight over a short period. The chicken jerky pet treats were his favorite and he got one or half at least every day. My niece mentioned that she saw an article on the inner net about the treats and when I started checking when he was suddenly sick it really made me and our vet wonder. The treats I bought came from China which is a common factor in all the articles. My vet has since given me several related articles.
pet king chicken jerkey tidbits, Everpet steak snacks	Dog	Chihuahua	8		Female	3		her appetite changed,her urine became frequent and dark strong odor,couldnt get enough water,then came seizures,result....death on march 12 2012
Waggin' Tails JERKY TREATS	Dog	Poodle - Standard	7	Years	Male	80	Pound	(b) (6) began having diarrhea and itching. Saw vet 11/19/11. Medication given and health improved. Diarrhea returned off and on so limited diet to two feedings of dog food only - no treats. On 2/14/12 S (b) (6) could barely get up and walk, head and back down, eyes dull, acted as if in pain or severely depressed. Took immediately to vet and given medicine, no treats, lots of rest, slowly got better, eyes still not back to previous shine. Read report yesterday and connected symptoms to being given treats on infrequent basis.
Waggin Train Chicken Jerky Tenders	Dog	Siberian Husky	10	Years	Female	40	Pound	Vomiting, diarrhea, lathargic, loss of appetite.
Waggin Train Jerky Tenders	Dog	Bulldog	2	Years	Male	70	Pound	I can't say this is because of the jerky treats, but given the known issues with Waggin Train chicken jerky I wanted to report it. Our dog typically eats 1-2 jerky treats daily and has been for some time. Recently he developed an irregularly shaped balding spot on one of his sides. It's not symmetrical and shows no other signs of issue. He acts normally, has normal eating, activity levels, and pooping habits. Regardless of the hair-loss cause, I also wanted to report this in case the specific lot of Waggin Train treats could be added to the investigation. I've read that the FDA is encouraging people to report and potentially submit products for testing. We currently have the following jerky treats/lots in our possession: Waggin Train Chicken Jerky, Lot # W1NJ127A Cadet Duck Breast Treats, # 08 15 2013 148. 4 (no other ID on the packing).
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Great Pyrenees	5	Years	Male	131	Pound	we received a sample package of Waggin Train wholesome chicken jerky tenders in a bag of Beneful dog food. We gave one piece each to both of our dogs in the morning and another piece to both dogs in the afternoon late Jan/early Feb (b) (6) our male dog got sick on 2/7/12 and we took him to the emergency vet as he was very lathergic and vomited. He was given blood test and x-rays and placed on IV for dehydration, antiboitics and steriods for increased WBC and renal insuffiency. We did a follow-up visit to our regular vet and continued on Antiboitics and steriods for two weeks and slowly weened him off of the Steriods. On 3/10/12 we purchased another bag of beneful dog food and again received a sample of the Waggin Train wholesome chicken Jerky treats. As before we gave each dog one piece in the morning and one piece in the afternoon. On Sunday 3/11/12 (b) (6) was acting normal all morning then suddenly walked into the bedroom, laid down, had a seizure and died within minutes. We never had a chance to call the vet or to get him any help.
Milo's Kitchen Chicken Jerky	Dog	Rottweiler	3	Years	Male	80	Pound	I purchased Milo's Kitchen chicken jerky for my dogs. Due to the size of the jerky, I only gave it to my Rottweiler. Sometime later, I believe the same day he became ill and vomited and had very loose stool. He seemed ill, but my other dog was fine. The only difference in the two was that he ate the jerky. When I opened the package it smelled bad, but I chalked it up to being a dog treat. I thought that maybe the treat was too rich for him and I did not give him any more. Subsequently, about a month later I read that chicken jerky was making dogs sick. I did not see Milo's kitchen on the list, but had a feeling it made him sick. Sure enough, it is now on the list. I guarantee you that this treat made my dog sick, I knew it immediately. I do not know the actual date so the dates below are a guess.

Waggin' Train Jerky Tenders (chicken)	Dog	Lhasa Apso	5	Years	Female	17	Pound	Opened a new bag of Waggin Train chicken tenders and fed 3 portions to (b) (6). She developed severe mucus type diarrhea that same day which lasted for 7 days. She also began vomiting on day 4. I had been giving her 3 treats a day for 6 days until I saw the article online about the treats. I ceased and took her immediately to the vet who gave her a shot to stop the diarrhea. She was dehydrated, running a fever and drinking alot of water.
Waggin' Train Jerky Tenders	Dog	Lhasa Apso	6	Years	Male	30	Pound	Opened a new bag of Waggin Train chicken tenders and fed 3 portions to (b) (6) He developed severe mucus type diarrhea that same day which lasted for 7 days. I had been giving him 3 treats a day for 6 days until I saw the article online about the treats. I ceased and took him immediately to the vet who gave him a shot to stop the diarrhea. He was severely dehydrated and drinking alot of water.
Milo's Kitchen Home-Style Dog Treats (Beef Sausage Slices with Rice)								I have the most pick-e-ist dog ever. He is just a little 2lb dog, almost a year old, so he's still basically a puppy. I have went through so many different kinds of dog treats, from different flavors, to textures, brands, etc. I finally found one that he absolutely loves. Milo's Kitchen Home style Dog Treats made by Del Monte. Due to the cost of them, I just cut them in smaller pieces and give him maybe 2 quarters of a piece a day. He has been eating these for around 3 months, but over the last 2 weeks, he has been acting very sick, decreased appetite, not aggressive and not playful like a puppy of his age should be, and like he normally was a few months ago. I was driving to work this morning and heard on the radio that they were doing a recall on the pacific dog treats he eats! I freaked out. Researched the side affects and found out that all of symptoms he was having were the same side effects other pet owners were experiencing with their dogs with the same exact treats! I want the FDA to help me and other pet owners take these treats completely off the shelves! Many pet owners were not so lucky and their pets actually had kidney failure and passed away; And I tell Del Monte what, if something serious like that were to happen to my dog, I would have sued the company! You can never replace a pet, nobody can put a price on my dog. I love him as if he was my own child! Please help me/us with this concern!
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Shih Tzu	####	Years	Mixed Population of Female and Male		Pound	I have bought Milo's Kitchen Chicken treats in the pass and noticed that some of my dogs became sick and vomited shortly after eating them. I stopped giving the treat to them for several weeks following this incident. Again I started giving them the treats but this time the 10 year old became very ill, vomiting, sleeping all the time, little movement and not wanting to eat or drink. I became very worried when it seemed she would not go to the restroom. I then told my husband she acted like her kidneys were shutting down. Her eyes looked as if she was sick. This dog had been very healthy and never had a health problem. A very playful dog. Then another one of my dogs started vomiting. I now became very worried. It just happened my sister called me and she has the same type of dogs and I told her what was going on. She asked me what treats I was giving to them, and when I told her Milo's, she then told me to go to the internet and look up contaminated dog treats. I put this all together and realized their symptoms were what was described on the internet. Luckily I haven't given them this treat now for over 4 days and the 10 year old is now eating and starting to get back on her feet. The other dogs seemed to recover. I hope they don't have upcoming issues due to this product. I returned product to the store and gave them a copy of what the FDA had printed on their web site.
Waggin Train Jerky Tenders	Dog	Maltese	1	Years	Male	10	Pound	Dog started vomiting with diarrhea for several days and was lethargic. We took him to Vet ((b) (6)) - blood tests and sonigram were done - slightly enlarged pancreas w/ slighty low glucose levels - thought the dog had a mild case of pancreatitis. Dog was placed on anti-vomiting / anti-diarrhea meds. Dog stopped eating but would still drink water. 2 days later the dog would not eat or drink anything. We took dog back to (b) (6) where he was administered hydrating IV. He remained at (b) (6) e for 2 days. Dog was not eating or drinking & was extremely lethagic. Dog was transferred to VSH ((b) (6)) where he was admitted to the ICU for 2 days. Dog was placed on hydrating IV, more blood tests and another sonigram. Diagnosis was "equivocal evidence of mild pancreatitis but the diagnosis is open with no other remarkable findings". Report indicates no conclusive evidence of pancreatitis or other underlying disease noted on ultrasound. Doctors could not see anything that would cause dog to be in the current condition. VSH vets put in esophagostomy feeding tube - dog came home. It has now been 6 days since dog has been home. Dog has eaten 3 small pieces of chicken and 2 nuggets of dog food but nothing else. Initially dog drank a little water but is not drinking water anymore. Dog is not quite as lethargic but can't make it up a full flight of stairs by himself. He just turned 1 year old and was, before this, a bundle of energy.
Milo's Kitchen Chicken Jerky, Waggin Train Wholesome Chicken Jerky Tenders - Chicken Dog Treats	Dog	Mixed (Dog)	9	Years	Male	35	Pound	3/6/12 Dog vomited food - Onset diarrhea - 3/7/12 Despite withholding food vomiting continued - diarrhea became bloody - made vet appt. - Seen by vet 3/8/12 - presumptive diagnosis Fanconi syndrome due to chicken jerky from China - blood work drawn - results on 3/9/12 showed severe pancreatits - plus renal and liver failure - As of 3/10/12 still on IV fluids - nothing by mouth - vomiting and diarrhea continue - lethargic - hospitalized at vet clinic - continued on a downward course despite best efforts by vet - euthanized 3/14/12 having labored breathing, unresponsive, unable to reposition self, in pain
Waggin Train wholesome chicken Jerky Tenders Chicken Dog Treats	Dog	Shepherd Dog - German	6	Months	Female	46	Pound	The dog got severe diarreah every time she ate one of the treats.
Beefeaters Chicken Fillets	Dog	Poodle - Medium size	3	Years	Female	12	Pound	Purchased product at local store. (b) (6) became excessively thirsty and urinating, developed diarrhea lasting over a week. Discovered issue with Chinese Chicken treats, which these are.
WAGGIN' TRAIN	Dog	Mixed (Dog)	3	Years	Female	9	Pound	Dog started vomiting, took to vet and blood and urine tests were done, showed increased urea nitrogen and creatine levels. Hydrated for one week with Lactated Ringer's Solution, 200mg per day. Dog has recovered, but vet did not know for sure what it was caused by.

Milo's Kitchen home-style treats Beef Jerky, Milo's Kitchen home-style dog treats Chicken Meatballs, Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Greyhound - Italian	9	Years	Female	16	Pound	First time purchase of Milo Kitchen homestyle dog treats - 3 different varieties, chicken jerky, chicken meatball and beef jerky from PetSmart store in (b) (6). Approx 4 1/2 days after feeding to dogs as treat (supplemental to regular diet) dog started having vomiting, diarrhea, decreased activity. vomiting lasted 2 1/2 days. diarrhea continues to date. activity and appetite slowly improving. This affected 2 of my 3 dogs in same manner. (sent previous report today on 1st dog); (Also 3rd dog has decreased appetite.)
Milos Kitchen Chicken Jerky	Dog	Terrier - Jack Russell	11	Years	Male	22	Pound	Taken to the vet due to lack of eating; breathing shallow, listless and lack of energy and extreme thirst. Illness began on a Sunday, we took to his vet on Wednesday (results inconclusive although his white blood cells appeared to be eating his red blood cells). Died suddenly in the morning 3 days later, after apparent gasping for aid and his sides heaving.
wagon trails chicken jerky treat	Dog	Terrier - Boston	10	Years	Male	25	Pound	(b) (6) was given a wagon's tails chicken jerky treat and he vomited a little after eating, about an hour, in the evening. He acted like his stomach was bothering him and he was laying down a lot. I did not think much of it because it has happened in the past and he was fine the next day. the next morning he got up and i saw phlegm on bedroom floor with a little blood in it. (b) (6) was laying in the hallway when i left the bedroom and as i was talking to him he got up and staggered away from with blood dripping from his rectum. i followed in my wheelchair and saw him lay down on the rug in the livingroom and now coagulated blood was draining from his rectum. I called my vet to let him know i was bringing him in and put my leg on and grabbed (b) (6). At this point he was limp in my arms. In the car he was in shock, barely breathing and i thought he had died. We get the the vet and they start triaging him to get him stable, they put oxygen on him, got an iv started and brought him back, i almost put him down but they were able to bring him back, he then spent the next three days in the icu at the university of minnesota veterinary hospital. he had acute hemmorrhagic gastritis and they said it was a close call and i got him in in time. I also talke to my neighbor about this and her golden retriever would throw up after eating chicken jerky treats also but it never got as bad As it did for (b) (6). they no longer give the treat to their dog either.
Milos kitchen chicken jerky, Milos kitchen Chicken Meatballs	Dog	Terrier - Jack Russell	8	Years	Female	20	Pound	I had bought Milos Kitchen Chicken meatballs,as well as Milos kitchen chicken jerky within 2 weeks prior to her going into sudden kidney failiure. About a week after eating,she began lack of appitite and less energy. about a week after that she had vomiting occasionally. 2/08/12 she began more frequent vomiting and less activity/lethargy. She was rushed to the vets on 2/10/12 thinking it was a stomach bug,and was diagnosed with kidney failure and had to be put to sleep.
Freshies Supreme Green Dental Bones	Dog	Schnauzer - Miniature	3	Years	Female	20	Pound	The kind of dental bones I got for (b) (6) are Freshies Supreme Green Dental Bones by Waggin' Train and I think they made her deathly ill. I had given her 4 of them on different days (I purchased them on 2/26) and nothing happened but this time on 3/4/12 I gave her one in the evening and around 4 a.m. she threw up and the vomit was full of green chunks like these bones. After throwing up she had bloody stool and this continued until the morning when I took her to the vet, she had another bloody stool there so they kept her to put her on IV so she would not get dehydrated. When I got home I looked at the back of the package and read they are made in China. I called the Waggin' Train people and they took a report on it and even called my Vet for details of her treatment, they said they are gonna send an envelope for me to enclose a couple of the bones to research them. Really scary and now I am not going to give (b) (6) any more treats at all. Just her dog food from now on. that's all.(b) (6) spent a whole day at the vet and in the evening she had to stay at the hospital and the next day at the vet until 3 p.m. (cost was \$515.21) all this because I thought these green chew bones would be good for her teeth.
Waggin' Train Jerky Tenders								My 11 year old Sheltie was given Wagon Train jerky tender treats beginning last December. In January 2012 she was diagnosed with renal failure and was hospitalized for 4 days. She was significantly hypertensive and suffered from inappetence which persisted post hospital discharge. While now "improved" she continues to require daily infusion therapy, 2 antihypertensive medications twice daily and gastric acid secretion supressants prior to meals. She lost considerable weight during her illness and has kidney diet food restrictions. Adding insult to injury is that (b) (6) has significant hip arthritis which was very well controlled with Rimadyl. Given her renal compromise she can no longer take the Rimadyl and is in constant pain. Sadly, her tail is no longer Waggin'
Natural Chicken Fillets Waggin' Train Wholesome Chicken Jerky Tenders 97% Fat Free	Dog	Retriever - Labrador	12	Years	Male	65	Pound	Behavior has been noticed of the increased water consumption and urination, diarrhea, and listlessness since we have been giving him the treats. March 8, 2012, took to the vet for blood work, health exam, etc. Tests showed liver is in the red danger zone. The dog is being treated and will be going in for another visit in two weeks to see if there is any improvement.
Milo's Kitchen Home-style dog treats Beef Jerky, Milo's Kitchen Homestyle Dog Treats Chicken Jerky, Milo's Kitchen Home-style dog treats Chicken Meatballs	Dog	Greyhound - Italian	11	Years	Male	18	Pound	Purchased Milo's Kitchen treats, Chicken Jerky, Chicken Meatballs and Beef Jerky for the first time from PetSmart of (b) (6) (in East Gate Shopping Center). Dogs had never had product before. Given product last Tuesday 3/6/12 as treat for following 4 days; On 3/10/12 my male dog began vomiting multiple times thru Monday am 3/12/12; Also, with persistent diarrhea, decreased activity; increased thirst; Appetite continues to be decreased although vomiting has ceased after 48 hours, Diarrhea continues to date; Took dog to my Veterinarian 3/15/12 due to symptoms for thorough exam and to check lab work (kidney panel, urinalysis etc); Awaiting results of lab work.
Waggin Tails Chicken Jerky	Dog	Beagle	10	Years	Female	26	Pound	In November, (b) (6) started having frequent urination problems; the vetrinarian diagnosed kidney failure. (b) (6) died the end of January. Although both my dogs got the treats; the other dog (black lab) did not get them as frequently as she is overweight.

Milos Kitchen home-sytle dog treats Chicken jerky	Dog	Shih Tzu	9	Years	Male	16	(b) (6) was in a panic to go outside to urinate and defecate last week.I didnt give him any treats for a few days and gave him a piece of one last night and within 15 mins.he wanted to go outside to eat grass and vomit.I have called my vet and he is going to check him out
Dogswell Breathies and Catswell Breathies chicken breast jerky treats	Cat	Ocicat	7	Years	Male	14	Pound March 7 (b) (6) woke up in severe pain. Vet found glucose levels in urine to be 1000. Diagnosed as diabetic and was sent home to administer insulin once a day. Upon checking his blood glucose levels it was discovered they were in the 60-100 range so i stopped insulin treatments. I have been trying to determine what could have caused this issue. Upon reading an article re: chicken Jerkey i realized that my cat and dogs are eating the same companies product under the Breathies Brand name and that they can cause Fanconi disease in dogs and cats. I am contacting my vet for test results and to test my dogs asap
Milo's kitchen chicken jerky	Dog	Terrier - Jack Russell	13	Years	Male	15	Pound A few days after finishing the pouch (shared with our 5 yr old golden) he started bleeding rectally, this has now happened twice with in a 12 hour period, diarrhea has also accompanied the blood, along with a mucas discharge.
WAGGON TAILS CHICKEN JERCKY	Dog	Retriever - Labrador	####	Years	Female	75	Pound SEVERE DIAREA, LETHARGIC. TOOK OVER 24 HOURS TO RECOVER FOR 3 OF THEM, 3 DAYS FOR THE OLDER DOG
Kingdom Pets chicken Jerky	Dog	Beagle	12	Years	Male	53	Pound (b) (6) is my friend's dog and he came over and was given about 4 Kingdom pets chicken jerky at night. The following day he "exploded' according to my friend: Diarrhea (With some blood), lethargy, weakness, thirst, and a momentary disinterest in food.
Waggin Train CHicken Jerky Tenders	Dog	Newfoundland	1	Years	Female	100	Pound After she ate Waggin Train Chicken Jerky she became lethargic. Later that evening she progressed to vomiting and diarrhea which lasted 2 days.
Kingdom Pets All natural ingredients chicken and sweet potato	Dog	Retriever - Labrador	12	Years	Female	64	Pound (b) (6) was given Kingdom Pets Chicken and sweet potato treats and vomited the next day. This happened on two days until we made the connection and stopped giving them to her. Since she had really like them so much, I bought Kingdom Pets Chicken Jerky hoping she wouldn't get sick from that. She threw up the next day and I never gave them to her again.
Waggin' Train chicken Jerky	Dog	Shepherd Dog - German	12	Years	Male	80	Pound He developed an autoimmune disease and kidney problems.
waggin train wholesome chicken jerky tenders	Dog	Beagle	11	Years	Female	25	Pound For the past year my dogs have been given as treats waggin treats chicken jerky for dogs made in China. Purchased at Walmart or Sam's Club.As of 3 weeks ago my 11 year old (b) (6) started drinking water ALL the time and not wanting to eat. She eats some but she had lost alot of weight. But the drinking very large amounts of water has not stopped at all. Always urinating large amounts also even accidents in the house which she had NEVER done before.My 4 year old (b) (6) which is Beagle and Walker mixed seems to be fine. I read about the Fanconi Syndrome which is one thing a animal can get eating these treats. I am not working and unable to take her to the vet. I called to get pricing but its \$40.00 office visit and \$70.00 for labs plus meds. I just can't afford it.
Wagginç Train chicken jerky treats	Dog	Dachshund - Miniature	7	Years	Male	22	Pound We have given our dog Wagginç Train chicken jerky treats once per day for the past 90 days. We noticed that his stool was loose and his BM deteriorated over the past 2 weeks. Last week we took him to our vet and our vet advised us to stop giving him treats and change his diet to cooked rice. Our vet also prescribed medication for our dog to be administered for 7-10 days. His condition has improved and we will NOT allow our dog to eat Wagginç Train chicken jerky treats.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pug	8	Years	Male	22	Pound We fed our dog approximately 3.5 oz of "Waggin' Train Brand Chicken Jerky Tenders" dog treats over the course of 4 days. On the final day of administration our dog suffered a Grand Mal Seizure. Our dog is perfectly healthy and has no known health defects. The dog has no history of seizures or food reactions. A veterinarian was contacted by phone at the time of the event. The veterinarian advised us to continue to observe the animal and to only bring the animal in for diagnosis should additional seizures occur. No further seizures were observed. The dog suffered from typical post seizure symptoms including: muscle weakness, disorientation, urination, and loss of bowls. Post seizure symptoms were observed for approximately 2 hours after the event. Unfortunately, the product packaging was not retained. The lot number is unknown. The product was purchased from a local Target store. The store product code is 083-04-2391. Unfortunately, I don't have the UPC code on hand.
Waggin' Train Chicken Jerky	Dog	Shepherd Dog - German	8	Years	Female	110	Pound Sudden onset of extreme lethargy. vomiting bile. Difficulty swallowing. shaky, stumbling gait.
Canyon Creek Ranch Brand Yam Good	Dog	Pointer - English Pointer	8	Years	Male	90	Pound Bought and fed treats to dog Saturday, 3/10/12. Dog vomited Sunday, 3/11/12 then suffered diarrhea through Monday, 3/12/12. Dog finally better morning of 3/13/12

Milos Kitchen home style dog treats Chicken Jerky	Dog	Chihuahua	3	Years	Female	11	Pound	Saw the product on KTLA news report this morning - 3/13/12. Three products were noted Milos Kitchen Chicken Jerky. A bag of this treat was eaten between 2/26 and 3/1 between both our pets - on 3/3 (b) (6) was taken to the vet - diareha, vomit and bloody spotty discharge. Was treated with electric water injections and antibiotic. The following Wednesday our smaller dog was taken to vet with same symptoms. I called customer service today at Milo's kitchen and told them issue - customer support was not aware of issue - no recall/FDA highest standards etc. Took claim information. Dogs are recovering they should not have been subjected to this or \$160 vet bills. I notified vet of issue as well.
Waggin tails jerky, Beneful	Dog	Retriever - Labrador	8		Female	63		On the nght of tues. jan31, 2012 reese started huffing. Sob. Took her in on wed and was told they believed she had another urinary tract infection. Labs were done. The next day rec'd prescription for an infection. Amoxicillan. I dont remember. But i think wbc in urine. By saturday no improvement a
Waggin' Train Chicken Jerky Tenders	Dog	Basset - Griffon Vendeen Large	8	Years	Male	119	Pound	After opening a new container of Waggin' Train jerky Tenders and giving two to him, he got sick (Diarrhea, vomitting, and ran a high fever. After three days, we took him to the vet and they ran several tests (blood and stool). The results of a PCR test indicated that he had a viral problem. The vet hyper-hydrodated him and administrated several antibiotics. After a week and full course of treatment, he recovered quickly. The vet said that the treats were the cause of the problem.
milos kitchen home style dog treats chicken jerky								bought milos kitchen chicken jerky at walmart..product code 1268hvb...since my puppy has been eating them he now has had bad intestinal issues like severe gas and diarrhea that has lasted for days...he doesnt have much of an appetite either....read on the internet that there had been a recall on 3 main brands and i checked into it and then saw milos kitchen is also in the list of complaints, so that is why i have decided to report my dogs issues from eating this jerky...
Waggin Train Jerky Tenders	Dog	Basenji	11	Years	Female	32	Pound	Dog became ill and ate irregularly... was taken to the vet and tested twice. Diagnosed with liver failure. She died within 3 months. She was regularly eating her favorite treat, chicken jerky strips. The Waggin Train Jerky Tenders and the large bag sold at Costco, not sure what they are called.
Waggin Train Chicken Jerky	Dog	Shepherd Dog - German	2	Years	Female	75	Pound	A new bag of Jerky was bought. The bag was opened and (b) (6) was given two pieces. The next morning she was given two more pieces. (b) (6) then got sick that afternoon.
Waggin Train Chicken Jerky	Dog	Shepherd Dog - German	2	Years	Female	80		A new bag of Waggin Train Chicken Jerky was opened. The dog was given two pieces. The next day she became sick. She threw up and had diarrhea all afternoon. She drank a lot of water and did not move around a lot. She was not given any more jerky and the next day she was back to normal.
Milo Chicken Jerky								I am concerned with the product that Del Monte makes for pets. The Milo Chicken Jerky. It was brought to may attention that there may be a problem with this product. My uncle comes to visit every Sunday arriving with Milo Chicken Jerky(thinking it was all natural) to give to my dog as a treat. A few hours after receiving the jerky she would become sick. I would blame it on excitement, without knowing the numerous reports with the FDA on these dog treats. If it was a product that was making children sick the product would be recalled immediatly. Once I heard there may be a problem with these treats I went online immediatly and found that these treats have been reported to the FDA since 2007. Do we just ignore this problem because it is a pet problem. WHAT IS BEING DONE????
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Collie - Bearded	9	Years	Male	72	Pound	Both dogs ate Milo's Kitchen Chicken Jerky treats. Within 6 hours both dogs developed severe diarrhea; one of them vomited. Diarrhea lasted at least 2 days.
Milo's Kitchen home-style dog treats Chicken Meatballs	Dog	Chihuahua	11	Years	Male	8	Pound	Patient became lethargic, anorexic, began vomiting shortly after treats were started.
Canyon Creek Ranch Yams	Dog	Mixed (Dog)	11	Years	Female	35	Pound	My dog is experiencing polyuria, polydypsia, poor appetite, sluggishness for past week.
DOGSWELL Happy Hips Chicken Breast	Dog	Mixed (Dog)	10	Years	Female	37	Pound	I gave pieces of DOGSWELL chicken jerky (the one for joint care) to my dogs for about 3-4 weeks as a treat. (b) (6) consumed the most because the treats were high protein and low calorie, and at age 10 we were watching her weight. One morning she refused to eat breakfast. I assumed she had an intestinal infection but her stool was normal. She vomited 2-3 times, so I took her to our vet. An ultrasound showed inflamed pancreas and bloodwork showed values for phosphorus and creatinine extremely high and BUN elevated. After 4 days on IV fluids, the kidney numbers had gotten worse, not better, although (b) (6) was eating well and was active. We brought her home on Azodyl, aluminum hydroxide, Pepcid, and Science Diet KD dry and canned. But her numbers continued to rise. I began subcutaneous fluids twice a week, then every other day, then daily if needed. She had good days with no vomiting, but she was very tired and often refused food of any kind. On February 10 she seemed extremely subdued; on the 11th, after she vomited multiple times, refused food and liquids, and was clearly feeling very bad, we had her euthanized at a well-known and highly rated emergency clinic.
waggin train jerky tenders	Dog	Terrier - Rat	1	Hours	Female	10	Pound	a couple of hours after giving the treats both dogs became very ill throwing up and diarrea
Wagon Train chicken jerky	Dog	Retriever - Labrador	5	Years	Female	130	Pound	My dog (b) (6) was diagnosed with kidney failure and died 18 days later, my other dog (b) (6) died 6 weeks earlier from tumor on spleen

Waggin Trails	Dog	Retriever - Labrador	11	Years	Male	68	Pound	(b) (6) awoke one morning without an appetite. I immediately took him to the Vet, because he was a voracious eater. I knew he was ill. The Vet did some tests and found he had cancer of the spleen. I have never heard of dogs getting this type of cancer so I thought that if an unusually large amounts of dogs were dying of a cancer of the spleen and they were all eating Waggin Trails chicken treats then this information may be relevant.
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Hound - Pharaoh	6	Months	Female	30	Pound	Crated and heavily supervised puppy was given a complete clean bill of health from her doctor on March 3, 2012. Shopping that night, my husband and I picked up the large bag of Milo's Chicken Jerky treats. Every night, one hour after her dinner we would give her one piece to snack on while when we sat down to relax for the night. March 9th she stopped eating all meals and had diarrhea. Tried giving her homemade chicken and brown rice over the weekend; she would eat it but vomited it up completely undigested NINE hours later accompanied with more diarrhea. Took her to the doctor on March 12th who examined her and did x-rays. No blockage thankfully and no fever, however her stomach lining was swollen drastically from a "largely irritating substance". Two injections and an unexpected \$325 bill later, we're sent home with two antibiotics in hopes it will bring down the inflammation and she will heal. Last night was her first meal of again chicken and rice - hoping for recovery. Ironically read the article about Milo's jerky treats the day of the doctor visit and promptly threw them away as precaution.
Waggin' Train Chicken Jerky Treats	Dog	Boxer (German Boxer)	30	Months	Male	55		Loss of appetite and lack of energy. Minimal vomiting. Increased urination.
Waggin' Train Chicken Jerky Tenders	Dog	Boxer (German Boxer)	3	Years	Female	45		Animal suffers from loss of appetite, lack of energy and more frequent urination. Animal has also had an upset stomach as evidenced by increased attempts to eat grass. Some vomiting.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	2	Years	Male	70	Pound	the day after giving him about 4 of the Jerkey Treats he was sick to his stomach and ended up throwing up. we took him to the vet and they thought he had pancreatitis. We could not afford the \$1000 test to see if it was positive so opted to take him home with just pain medicine. He slowly got better in about a week. The only other thing he had eaten was his regular food and some home cooked roasted chicken. I had the Jerkey Treats in the back of my mind as I had heard stories about dogs getting sick but I thought I had bought mine from a reputable company (Costco) so I thought they would have taken the treats off the shelf if there was the slightest concern.
Waggin Tails Chicken Jerkey	Dog	Schnauzer - Miniature	8	Years	Male	22	Pound	For about two years, after I discovered they just loved it, every night I gave each of my three unrelated miniature schnauzers one piece of chicken jerkey purchased at Costco. The brand was Waggin Tails. Beginning in February 2011, then June, and then July, each one developed diabetes. The oldest, (b) (6), finally had to be put down as he also then went blind and lost his hearing. The other two are alive, one is blind, one also now has pancreatitis. They each require two insulin injections each day. They were in excellent health and have always been fed only good quality dog food. There is NO diabetes in their history per the breeder. the breeder is well known and shows and sells dogs all over the world. She would not misrepresent her puppies. We have had each one since a puppy.
Waggin Train Chicken Jerky Tenders	Dog	Other Canine/dog	10	Years	Female	10	Pound	Other than being mildly hypoglycemic, (b) (6) was a relatively healthy dog. We started giving her Wagging Tails chicken jerky (which we buy from Costco) in mid-2009. We also gave this treat to our other dog, China, but since she barely ate it, (b) (6) would also eat her share of the treats. It wasn't until June 2009 that we noticed (b) (6) suddenly started acting sick. She would constantly pee and it would smell like ammonia. She also started drinking a lot of water, but we weren't alarmed as we didn't know this could be a sign of disease. It wasn't until she suddenly started becoming fatigued and moping around did we realize something was serious. We immediately brought her to the vet who said she already had advanced stages of renal failure. They tried to treat it at the emergency hospital for four days but suggested that because of her intense suffering, we should put her to sleep. We did not want to do it but we saw she was deteriorating rapidly and was in so much pain that she no longer would eat or acknowledge us and hid under the table.
Waggin Train	Dog	Terrier - Yorkshire	7	Years	Male	8	Pound	(b) (6) started acting lethargic during the day. By evening he was shaking and hiding and running a fever. I took him to the vet in the middle of the night. They put him on fluids and antibiotics. For three days we thought we were going to lose him. They never narrowed it down to any one thing. The chicken jerky was the only thing I had done different. (b) (6) is a picky eater and he just happened to like the chicken jerky treats. It cost me \$1800.00 to try and save him. The vet and I discussed food poison. She said it was a possibility.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	14	Years	Female	63	Pound	She was fine and on Saturday morning she was given a Jerky treat after coming in from going out to go to the bathroom. Within several hours she began throwing up and by 11:00 pm that evening she began panting very heavily and having problems breathing. I rushed her to an emergency clinic where they kept her for 2 days because they were unable to determine what was wrong with her. I then transferred her to another animal hospital on Monday morning March 12, 2012. They determined that her heart was in V tach and they could not determine what the cause of it was. After giving her several injections of Lidocaine 2% and Procainamide HCL 100mg/ml they were not able to get her to get a regular heartbeat and she was having labored breathing and after several hours of an IV drip of Lidocaine the vet said that he was concerned with brain damage and multiple organ damage since her heart was only fluttering and not pumping for so long and he highly recommended that she be euthanized. We waited awhile longer hoping and praying that she would come out of it but she did not so we had no choice but to have her euthanized.
Dingo Brand Chicken Jerky Treats Waggin Train Chicken Jerky Canyon Creek Ranch Chicken Jerky Treats	Dog	Terrier - Fox Wire	12		Male	23	Pound	Kidney disease, excessive shaking, excessive thirst resulted.

Approx Milo Organic Chicken Jerky Treats	Dog	Retriever - Golden	18	Months	Female	75	Pound	<p>We gave (b) (6) a chicken jerky treat. Was the first time she ever had this product. About 24 hours later she developed a dangerously high fever and seizure symptoms. We brought her to the ER, as it was a Sunday.</p> <p>I purchased Milo's chicken jerky organic treats for my golden only once at a Stop & Shop on (b) (6), because I had a coupon. I am not sure of the exact date or timeframe, but I could easily get this information from the emergency services vet she saw. Within 24 hours she had developed a very high fever and was lethargic and developed some troubling seizure type behavior. I brought her to the ER. Her temp was over 105. I told them the only thing I had given her differently was the chicken jerky. They examined her and put her on antibiotics. She recovered very well over the next several days. THE DAY AFTER I brought her in I saw the article on msnbc about chicken jerky. I called and discussed this event with the ER vet, and also my own vet. They were not aware of the problem. I was able to retrieve the bag, with product inside, from the ER vet, b/c I had brought it with me. I kept it for a time, but when I read that the affected products were all mfg in CHina, I discarded it. I was concerned someone in the house give her another treat accidentally. I'm sorry I wish I had more information. As stated above, I do know where I bought it, and I can get you the exact date. (b) (6) was otherwise perfectly healthy, and shd did become quite ill. It was very scary. She was smoking hot to the touch and seizing. My children were very upset.</p>
WAGGIN TRAIN WHOLESOME CHICKEN JERKY TENDERS	Dog	Dachshund (unspecified)	4	Years	Female	11	Pound	Lethargic and Diarrhea
Waggin' Train Wholesome Chicken Jerky Tenders, VitaLife Plus Healthy Hips & Joints Chicken Tenders	Dog	Chihuahua	9	Years	Female	10	Pound	<p>In addition to dry dog food from a reputable US company, (b) (6) seemed to love chicken jerky treats. We provided them several times a day to supplement her evening feeding of dog food. The primary ones provided were chicken jerky tenders from the brand Waggin' Train. This continued for at least 5 or more years. She slowly became less and less active, preferring to lay around much of the day. We felt this was due to advancing age and her hip problems. We even changed the treats to VitaLife Plus Healthy Hips & Joints Chicken Jerky on occasion due to the addition of Glucosamine and Chondroitin in their treats. However, (b) (6) favorites were the Waggin' Train ones so they continued to be the primary treat.</p> <p>In late January of 2012, (b) (6) began to become very sedentary and seemed to be in pain whenever she moved. She also began to drink extremely large volumes of water and developed runny and bloody stools. We took her to our veterinarian, (b) (6), on 01/27/2012. He was puzzled with her symptoms initially, but blood work and later examination showed that her kidneys were shutting down. The plan of treatment was to flush fluids through the kidneys and see if he could revive them. This continued through the weekend and he called me over the weekend to let me know the "numbers" were somewhat improving on the kidneys, but still unacceptable and he needed to keep her for a few more days. On Monday morning, 01/30/2012, he called and told me that her kidneys were shutting down and she was slowly and painfully dying. He suggested my wife and I get to his office as soon as possible to see her before she died. We did go and observed her painfully trying to stand up for us but being too weak to do so. He showed us that her tongue was turning white due to decay of the skin on the tongue. We could see her pain and asked him to please euthanize her so that her pain would cease. He did as we requested.</p> <p>An autopsy was done and he felt that some toxin destroyed her kidneys and sent the kidneys and other information to (b) (6) for analysis. The results showed massive kidney failure, but the toxin was not identified, as far as I know. He was going to try and speak with the Doctor at the University for additional information.</p> <p>Yesterday I was shocked to open an article on MSN.com that discussed the illnesses and deaths attributed to Waggin' Train and other brands of chicken jerky treats. It appears that these were attributed specifically to kidney failures due to heavy metals and/or other problems with these treats, which for the first time I discovered were made in China. Although there was discussion that your agency had put out some sort of notice of possible problems with these in the fall of 2011, neither my wife nor I had heard or read any information on this situation. We would certainly have discontinued giving these had we known. Whether stopping at that point after years of consumption might have enabled her survival of the damage is anyone's guess.</p> <p>These products were purchased almost every time from Wal-Mart stores.</p>

waggin train jerky treats	Dog	Mixed (Dog)	7	Years	Male	75	Pound	Upon reading the article of the problem with the Waggin Train dog treats, I realized what happened to (b) (6) in November 2011 was possibly a result of ingesting these treats. The week of November 12th or so I purchased the usual 40+ lbs of Purina Dog Chow at our local Walmart and discovered upon opening it there was a pack of the Waggin Train Jerky treats located inside. I do not remember which day around the week of November 27th I gave these treats to my two dogs. On Sunday November 27th, both dogs appeared to be fine then about 5:00 p.m. I heard (b) (6) crying and he was having difficulty getting up and appeared to be in pain in his hind area. On Monday morning November 28, 2011 he was still sick and we had to lift him to get him in the car and take him to the vet. He was examined by our vet with blood drawn and xrays, the only conclusion that could be arrived at was a possible intestinal infection. (b) (6) was given antibiotics and other medication and came home. By Tuesday he was able to get up and down some but was still sick. He remained lethargic and I had to physically feed him the next three days and give him his medicine as prescribed by the vet. Finally by Friday, December 2 or so he appeared to be on the mend. By Saturday he was starting to eat on his own and finally started getting up from his bed and laying in the yard with our other dog. I feel certain that in light of his symptoms and what I have been reading regarding these dog treats, this may have been the cause of his mysterious sudden illness. I am thankful he has recovered and I feel that if these treats are the result of these types of problems then measures should be taken to withdraw these products from the shelf. (b) (6) is a large dog and our other dog, his sister, who ingested these treats is larger than he is, which may explain why she did not get sick herself and why he was able to recover. It is my understanding the smaller dogs who have ingested these products and fallen ill have not been able to fight off the illness and the results have been fatal. I pray the more information acquired about this will result in permanent measures being taken to keep this from happening again.
Milo's Kitchen Chicken Jerky	Dog	Beagle	11	Years	Male	135	Pound	But we bought a ton of Milo's chicken jerky treats months ago because they were a new product and we got a great deal on them with coupons. We give our dog 1 per day as a treat. We bought them because he has a sensitive stomach and they were all natural with few ingredients. Our dog for some random reason has been throwing up since October. Sometimes weekly, daily, it depends. I was not aware of this problem until I read the article on MSNBC.com yesterday. But issues have been reported since November. I've been potentially poisoning my dog since then. WE still have 5 bags of these treats. We will throw them away! I hope our dog does not get kidney issues or die and i hope these products get recalled.
Dogswell Happy Hips Chicken Breast Glucosamine and Chondroitin	Dog	Terrier - Yorkshire	13	Years	Male	8	Pound	I gave both dogs the Happy Hips chicken jerky treats in November, 2011. By Thanksgiving (b) (6) was sick. He lost weight, became weak, drank and urinated more frequently and was throwing up with little to no appetite. Both dogs saw their vet the last week in October and were deemed healthy for their ages with no unusual findings. Took him to the vet the first week in December where they ran blood and chem panels and diagnosed him with acute renal disease. My vet was baffled about what could have possibly sent him into an acute renal situation so suddenly.
¿Canyon Creek Ranch (Nestle Purina) ¿Milo's Kitchen								Please start making pet food companies plainly label where the food is coming from.. I will not buy anything imported from China due to the health issues it gives my dog. I try to limit the amount of by product. I give her sweetpotatoes or yams and duck. she has multiple skin issues and allergies type shedding... once I removed Canyon Creek duck/yam treats and started using products made in the US.. all issues have stopped. These products are still on the shelves... very misleading
Waggin Train Jerky Treats Duck Dog Treats	Dog	Crossbred Canine/dog	12	Years	Female	12	Pound	(b) (6) ate duck and chicken treats from Costco for the last 4 or 5 years. As of late, she had increased her consumption of them from one or two in the morning to begging for them, often successfully, constantly. This winter she began to show signs of illness, I thought she had been injured jumping out of our truck. In January she was refusing food and mostly sleeping, for a couple of weeks before I took her to the vet. I was told she was in the advanced stages of kidney failure. The vet kept her for 2 days to administer tests and IV fluids. She had to be revived at one point, I was told. I took her home after she was stabilized. She was still unable to eat much and mostly slept. She was very weak/shaky and in a fragile condition. I was given an IV kit and instructed to give her fluids every other day, which I did several times. She lived another 6 weeks approximately after that. She never recovered fully after that.
Canyon Creek Ranch Brand Home Style Ham	Dog	Shepherd Dog - Australian	3	Years	Male	50	Pound	(b) (6) became sick within 3-5 hours after having a single slice (about 1.5 x 3") piece of Canyon Creek Ranch Homestyle Ham product. Symptoms included trembling, severe pain reaction to light touch, yelping and lethargy. Subsequently, he was treated the following day at a veterinarian's office (b) (6). The veterinarian did blood work, but levels appeared normal. The dog eventually recovered after being given IV fluids, but remained weakened. Since that time, there have been several more occurrences of a less severe nature, though still characterized by pain sensitivity, lack of desire to eat, and lethargy.
Petshoppe chicken jerky premium chicken dog treats	Dog	Shih Tzu	4	Years	Male	18	Pound	I had been giving the dog a particular brand of chicken jerky and decided to try another brand I found in Walgreens. The brand is Petshoppe premium chicken dog treats. I only give the dog one treat in early afternoon per day. By the next morning (b) (6) had a very bad case of diarrhea and lethargy. He was also urinating much more frequently. It was probably a week before I realized he began getting sick only after I began giving him this product. I discontinued use and he has been getting better slowly.
Waggin' Train Jerky Tenders	Dog	Beagle	10	Years	Male	40	Pound	Dog was adopted in June 2010. His kidney function was evaluated in July 2010 and serum creatinine was normal. We fed Waggin' Train Jerky Treats at the rate of approximately 2 treats per day. In April 2010, his serum creatinine was noted to be above the normal range. Serum creatinine was remeasured a few months later, and remained high. Approximately January 2012, we ceased feeding the Waggin' Train Jerky Treats, or any other jerky treats.

Kingdom Pets Chicken Jerky	Dog	Retriever - Golden	9	Years	Female	179	Pound	(b) (6) became very lethargic for about 12 hrs then excessive vomiting for 12 hours.
kingdom pets chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland	5		Female	70		(b) (6) would not eat, was very withdrawn & went into extreme pain in hindquarters -tried to vomit . She was treated with antibiotics & improved to some degree. At that time I again fed her the chicken jerky treats (not knowing of course!) she was sick again within a matter of 5 days. she went back to the veterinary,back on antibiotics for almost 2months! Almost to the point of being dead -I saw on the news about the chicken jerky making dogs sick. continued with the antibiotics & she pulled thru. called the vet & the store where we bought the product.
Chicken Jerky	Dog	Terrier - Cairn	5	Years	Male	15	Pound	(b) (6) got chicken jerky as a Christmas gift. Because he loved it so much, I started giving him a strip each morning prior to leaving for work. He eventually got to the point of having accidents in the house every day. At first I could not figure out what was upsetting his stomach. I tried changing his food and limited the number of treats he got every day. I was still giving him his chicken jerky in the morning. It was not until I took away the chicken jerky that his stomach settled down and he has not had any issues since.
Milo's Kitchen home-style dog treats	Dog	Schnauzer (unspecified)	11	Weeks	Male	10	Pound	I purchased a brand new puppy from a very well respected breeder from New York. I paid \$1,800 for this pup and another \$300 to have it shipped to me. I received this puppy on March 4, 2012 from the Kent County Airport. Starting right away, I began to use Milo's chicken strips to reward him for his potty training. By Wednesday, March 7, I started getting a little concerned about them so I withdrew them and went to Petco and purchased different training treats. On Thursday, March 8th, he began to act lethargic and sickly. That is when the vomiting began. He continued to throw up and could no longer hold down fluids or food. I took him to my vet on Friday, March 8th. They were very concerned for his health. They took Xrays and ultrasound looking for a possible blockage of his stomach. The could find nothing so they sent him home with special food and told me if he threw up anymore to call them in the morning. I slept with him that night and he continued to throw up and no hold anything down. In the morning I contacted my vet again to inform them he was still not doing well. They were very concerned for his health and suggest the emergency clinic in (b) (6) . I took him there on Saturday morning. When they got him, he was severely dehydrated and very very sick. They immediately put an IV in him and started fluids. Did Xrays and other blood work. After a nights stay in basically "intensive care", he was doing better the following day. He was able to return to our home on Sunday, March 11th. I am convinced beyond any doubt that the chicken strips are what made my pet deathly ill. He is doing much better now. Still has some weight to gain but I believe he will make a full recovery. In this process of saving my Standard Schnauzer, I have approximately \$1,920 in veterinary bills. I hope someone will be able to have these pulled from the shelves as soon as possible. If you want to contact me, please feel free to at any time. Thank you!
waggin train wholesome chicken jerky tenders	Dog	Dachshund - Standard Smooth-haired	4	Years	Male	28	Pound	In January 2012 I woke up to find my 4 year old Dacshund had been extremely ill during the night. He was extrmeley nausiated. He had thrown up several times and he had diarrhea. this dog has not used the bathroom in the house in over three years. I had my mother take him to the vet and she diagnosed him with a kidney infection and put him on antibiotics. He took the entire round of antibiotics and seemed fine. Approximately a week after finishing his antibiotics i woke up one morning to find the same thing. He had been sick during the night. My mother again took him to the vet and she said that maybe he had a pancreatic infection and put him on some stronger antibiotics and some steroids to help build his immune system. While on these drugs he even bit my father. he has never even threatened to bite let alone someone that has been around him his whole life. He seems to be doing well now. I have wondered what caused all these pblems then today I read on the msn homepage about waggin train jerky treats causing kidney problems. This dog has eaten waggin train products on a regular basis for about 3 years. I came home earlier and threw two bags of these treats away. I have been purchasing these in a price range of about a dollar and ounce only to find out that this almost killed the family pet. I am very disappointed and very upset over this. I will also be contacting the company. Thanks for your time. (b) (6)
Milo Chicken Jerky Treats and Wagon Train Chicken Jerky Treats	Dog	Wild Dog	3	Years	Female	92	Pound	We had been feeding (b) (6) Milo Chicken Jerky treats and Waggon Train Chicken Jerky treats for over 2 years - on Feb 10th,2012 (b) (6) acted as if she was ill - I took her to the vet and they felt that she might have a urinary infection - provided IV steroids and antibiotic, and oral antibiotics and sent her home. Blood work was performed but had to be sent out - results were due back on that Monday. (b) (6) grew progrssively worse over the weekend and we rushed her to emergency vet care Sunday afternoon where she died within 15 minutes of arriving. She had totally juandiced and was in systemic shock according to the emergency vet.

Sorry return package to Costoc	Dog	Chihuahua	5	Years	Female	6	Pound	<p>On February 3rd, 2012, I took (b) (6) into the vet ((b) (6)) to get her teeth cleaned. When they tested her blood, they found her liver level were in the high 400's. They took more tests and sent them into the lab; the results from the lab showed her levels were even higher, but she did not test positive for any of the liver diseases. They put her on antibiotic and a pill for liver disease.</p> <p>Once we found out her liver levels were so high, we took her off the Chinese chicken treats that we purchased from Costco. And, spoke to a manager at the store to inform them of this concern. Not sure if there was any follow up. She was eating at least one of the chicken treat a day, sometimes even two a day. Her brother also had higher than normal liver rates, but still in the lower to mid 100s. As he is double her size and it didn't affect him.</p> <p>After four weeks, March 6th, 2012; her livers levels have return to the low to mid 100s.</p> <p>In our investigation around the Phoenix area; we could not find a lot of pet stores selling US brand, and those few US brands that we did find -charge an amazing amount for their treats. This is a very serious issue and I believe we need to take a more active approach to banning these treats.</p>
Milo's Kitchen home-style dog treats Chicken Jerky, SHEP CHICKEN Chips SELECT PREMIUM DOG SNACK	Dog	Siberian Husky	10	Years	Female	65	Pound	Bloodwork indicated that her alkaline phosphatase (liver enzyme) was extremely elevated. No other bloodwork parameters were abnormal. She does not exhibit symptoms of any conditions which would cause the elevated enzyme level. The vet has indicated that she does not believe the dog has Cushings.
Vitality Chicken Jerky Treats	Dog	Other Canine/dog	47	Years	Male	9056	Pound	Fed Vitality Chicken Jerky treats March 7, 2012. (b) (6) developed vomiting within a few hours, started with bloody diarrhea March 8 PM and was presented to us on March 9. (b) (6) began with mild diarrhea over last week.
Wagon Train Jerky Treats	Dog	Shih Tzu	10	Years	Male	12	Pound	(b) (6) had been previously very healthy and his favorite treat throughout his life was anything chicken so we found these treats and thought he might like them. Shortly after eating the treats he started having blood in his stools and over the next 9 months we continued to give him these treat 4-5 times a week. Throughout the next 9 months to a year we had him in the vet emergently with significant rectal bleeding, requiring meds, IV fluids etc. Initially we thought it was a fluke or just a GI infection but after the second event, we really looked at what he was eating etc and decided to stop feeding him the jerky treats. From the moment we stopped his rectal bleeding has stopped and we have had no further issues related to this. I guess we have always warned others of this treat but did not have knowledge of a place to report what we experienced. Thank you so much for giving us the opportunity to tell you our story and not let this happen to other pets.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Male	85	Pound	I have been giving my dog chicken jerky for over 3 years. I apparently bought a bad batch (on Feb. 14) and he vomitted which is out of character. After a few episodes , about five days went by and he vomitted almost every day I took him to his Vet. Preliminary blood test showed Stage 3 Kidney Failure, urine test showed protein not being filtered. All tests ruled out any other cause of kidney failure. The treats were toxic .
Waggin Train Chicken Jerky Treats	Dog	Corgi - Welsh Pembroke	11	Years	Male	40	Pound	(b) (6) was fed 2-3 Waggin Train Jerky treats daily for approximately 5 years. He developed a cough approximately 1 year ago. After much testing and diagnosis, it was determined that he has chronic renal failure. In the last year, he has also developed high blood pressure, seizures and degenerative myopathy. Unfortunately, it is not expected that he will last very long and is not very comfortable at the present time. It is also very costly, as he is currently receiving 5 different medications and sub-cutaneous fluids twice daily, along with the multitude of vet visits.
Waggin Train Jerky Tenders	Dog	Spitz - German Pomeranian	12	Years	Male	3	Pound	This all began around August 1st, 2008. After feeding both Pomeranians Wagon Train Chicken Jerky Treats for a couple of months, I noticed that the smaller, older one started to get lethargic and was walking funny. We took him to the vet, but the results were inconclusive at the time. He continued to be lethargic and became uninterested in food. The vet said he had kidney problems and meds were given. We also had to give him subcutaneous fluids 3 times a week. He was losing weight rapidly and was down almost 4 pounds by November. The vet advised me that it was time to let him go as he was in renal failure. I just couldn't do it at that time, but by the end of January he was down to 3 pounds and could no longer walk outside to go to the bathroom. We had to carry him everywhere and I knew it was time to let him go.

Waggin Train Jerky Tenders	Dog	Mixed (Dog)	4	Years	Male	8	Pound	<p>The dog is a registered maltipo (didn't see listed above). While I'm saddened to see what has happened with the product, I am just glad to know what was the cause of what happened to him. (b) (6) was perfect before this started. He began acting so bizarre early last fall. He couldn't sleep. He would just lay down at night and get right back up. He would walk all over the room then try to go back to sleep, but would immediately get back up. When getting up on the bed, he would just walk around in circles. He walked around like he was confused all day. When he finally could get to sleep it was like he died. As soon as he got back up, it started again. This is odd....when that happened, he also started pawing at things - like a cat! He did this for about 6-8 weeks and we honestly thought we may have to put him down. He was miserable! Since that time, he has began having bowel movements in the house. He never had those before. It's sad, because we take him out at the same times, give him the same food, etc. He also has occasionally "leaks" which he never had before.</p> <p>I ended up taking him to his vet. She thought maybe he need prozac. But that made the problem MUCH WORSE. So we took him off that.</p> <p>He is able to rest now and isn't walking around confused anymore. However, the pawing, indoor bowel movements, and occasional "leaks" still occur.</p> <p>NOTE: my other dog, (b) (6), is a registered cockapoo. He is 12 and weighs 16 pounds. He was given the same product. However, he didn't eat them as much. He also acted strange during that time and also being urinating in the house. HE NEVER did this before. He is now fine. However, we now have both dogs in our room overnight to avoid problems. However, (b) (6) still will "leak" occasionally at night.</p> <p>These issues may not be related to this product. But they had them on a regular basis. However, when I saw the report back the first of the year, I quit giving them Wagon Train products and switched to another brand that was not listed.</p> <p>ALL DATES ARE ESTIMATES. With 4 kids, my dad having a brain tumor, and the holidays, keeping up with the dogs was further down on my list. Hope this helps you with your research.</p>
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	13	Years	Male	80	Pound	<p>I had been feeding my 2 dogs the Waggin' Train Wholesome Chicken Jerky Tenders for the last year or so. We purchased the large bag every 2 weeks from our local Wal-Mart in (b) (6). (b) (6) (who ate more than his share of these) had never been sick a day in his life. 5 weeks ago, he stopped eating, was very lethargic, and was vomiting and sleeping a lot. After a few days of this, I figured it wasn't a lizard or something he ate in the yard, and took him to our vet. The vet reported that he had, what he considered, "stomach tumours like he's never seen in any dog that has come into his practice, and his kidney's were shutting down." (b) (6) had to be put to sleep right away; he'd just turned 13 in January. In the beginning of the year I'd heard on the news that these treats were bad and pets everywhere were being sickened by them, so I did not purchase them again. However, I have to wonder, how could such a healthy animal suddenly present with massive stomach cancer and kidney failure out of nowhere? Did these treats play a part in him becoming so ill in such a short time? I do not have lot #'s or any of that information now; it's too late. But I thought I should report this since he was eating them and then became gravely ill. And of course, we are completely devastated by his loss.</p>
Waggin Tail Chicken Jerkey	Dog	Mixed (Dog)	9		Female			<p>Our family dog (b) (6) suddenly became lethargic, unable to eat, and under her eyes was swollen. My mother took her to the vet and went through a battery of tests. The next day they said her calcium levels were extremely high and so they scheduled an ultrasound. The next day they called my mother and told her that she has kidney failure. Now she is back at my mothers house but is only getting worse. She won't eat. She no longer wants to go for a walk, which was a daily thing for her. I believe this was caused by the treats she's been fed over the past couple of years. Waggin Tail chicken jerkey. Her symptoms sound just like so many other poor dogs who suffered through this. I hope that these "treats" will be recalled as soon as possible. Before more dogs are lost.</p>
Breathies Chicken Breast Jerky Treats with Mint and Parsley by Dogswell	Dog	Poodle (unspecified)	7	Years	Male	22	Pound	<p>I gave my 22 lb. dog 1 Dogswell Breathies Chicken Strip on 2/25/12 in the early evening, and 1 strip the next morning, around 10 am. By evening, he had non-stop diarrhea and vomiting, which continued for 2 days, with a third day of residual sluggishness. There had been no changes in my dogs diet (he gets the same half can of Wellness brand wet dog food--duck flavor--every day, and he had been given no other treats or scraps. I threw away the product and wrote to the store I had purchashed them from to make them aware of a potential problem.</p>
Waggin Train Jerky Tenders	Dog	Shih Tzu	4	Years	Mixed Populati on of Female and Male	15	Pound	<p>Some vomitting, off their food but still drinking water</p>

Waggin' Tails Chicken Jerky	Dog	Spitz - German Pomeranian	6	Years	Female	7	Pound	Shortly after we began giving my 6 year old Pomeranian Waggin' Tails Chicken Jerky she began to exhibit signs of being ill. She first began with increased thirst and urination. She then lost control of her bladder and was unable to keep her food down. At that point she was taken to our vet and when labs were drawn it was determined that she was in severe renal failure. We took her to a specialist who told us that she was too far gone at that point and it was best to euthanize her. She went from a healthy 7-8lbs to about 4lb within a 2-4 week period. At the end of her life she was in pain and she was suffering. She died a horrible death.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Terrier - Yorkshire	10	Years	Male	5	Pound	developed kidney failure after eating the Chicken Jerky treats from Walmart.
Wagon Train Jerky Tenders	Dog	Spaniel - King Charles Cavalier	11	Years	Male	21	Pound	The only treats we ever fed our dogs is a milk bone and the Wagon Train Jerky Tenders. We would give them about One pcs a day. Two Sundays ago we were down to the end of the bag and we gave them the last of the bag which was a couple of small pcs. well a day later my male had diarrhea on Monday and then the following night he vomited several times all over the room and kept vomiting until 5:30am. We noticed that he had accident in the hallway and my wife went to clean it up and noticed blood. That morning we took him for a walk and he continued to poop pure blood and no poop. The diarrhea didn't even had a stool smell. Called the Vet that morning. He was admitted Tuesday and had to stay until Thursday afternoon. The condition was called Hemorrhagic Pancreatic with gastroenteritis causing him severe vomiting and diarrhea. Not to mention we almost lost him and a bill of over \$900.00. Even after taking him home he still had diarrhea for several days. Finally yesterday the 12th of March is when the stool became full.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	1	Years	Female	18	Pound	She began throwing up for no known reason
Kingdom Pets Chicken Jerky	Dog	Shih Tzu	7	Years	Female	12	Pound	We have fed our dog Chicken Jerkey as a treat once a day for about two years. They are always purchased at Costco and in the past months Costco changed brands and since then our dog has had three events of vomiting and just this past time she had vomiting and dyaria. I read the article about the problem with chicken jerky on a friends facebook page. I hadn't heard this before now. I have thrown out all treats from china, and hope this will be made more well known to pet owners.
Waggin Train Chicken Jerky Treats	Dog	Retriever - Golden	10	Years	Female	90	Pound	First, I must state that I only give my dog food that I make. It is good enough that I would even eat it. I make her a mixture brown rice, chicken, vegetables, and oats. I added Waggin' Train Chicken Jerky treats to her diet and she started feeling very lethargic, and would not eat. I started giving these once a week for the past 5 to 6 weeks. This week we gave her treats two days in a row. The next day she threw up. She threw up a couple of weeks ago too which I thought was strange. When we would give her the treat she would get 3 pieces for her 90lb weight. This is definitely making her sick. She has not been her normal self. I even took her into the vet a few weeks ago to have her blood drawn to see if there was anything wrong. They could not see anything from the blood panel results. Please investigate this problem. She is a great example of being a dog who is on great high quality food, so a controlled substance, and then we gave her treats which she has reacted very negatively towards. The quality control on this product is NOT good. Random batch testing needs to be done.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	50	Pound	The last few weeks before I had to put her down, she was vomiting constantly, she stopped eating most of her food, she was almost exhausted in a 5 minutes walk at the point of not moving at all, because of those reactions we took her to the vet for a check up, the doctor said when dogs get sick they eat anything to mitigate the discomfort they feel, so, my dog eat a rock and that's when the doctor thought it was something more serious, after he removed the rock noticed her kidney wasn't working right, after a few days of fluids and not improvement the doctor told us her kidney were shutting down that's why she wasn't getting any better.
Waggin Train Jerk Tenders	Dog	Chihuahua	10	Years	Male	10	Pound	Vomitting, diaharria bloody stool, not willing to eat any thing for tree days.
Waggin Trail Jerky Tenders Duck Dog Treats, Waggin Train Chicken Jerky Treats	Dog	Lhasa Apso	13	Years	Female	15	Pound	All three of my dogs have been eating the Waggin Train Chicken Jerky Treats that I purchase from Wal-Mart, Walgreens and Petsmart. There have been no issues until this year. In January, my Lhasa, (who was in very good health for her age, and only has some disc issues in her back) Became lethargic, and began throwing up and having diarrhea..she would not eat, but did drink water.. she began sleeping excessively and had no interest in anything.... I took her to the Vet, and she was tested, and the Vet informed me she had liver disease. Her count was in excess of 1000. The Vet gave me some medication and I put her on a different diet, and stopped all Chicken Jerky treats.. she has improved, until this week. I gave her some of the Jerky Treats and she has been throwing up several times per day. She's not eating, and is very sleepy.. Not as bad as it was, but definitely sick again. This began within a day or two of feeding her the treat. Also, my Schnauzer who is about 6 years old and ate the treats.. also began throwing up... and my mini-poodle has thrown up, but he is not as bad as the other two dogs.

chicken-flavored meatballs	Dog	Beagle	10	Years	Male	26	Pound	(b) (6) was given chicken-flavored meatballs purchased at a Big Lots by his dog sitter in our absence. When we returned home, one night later he was in some distress--almost seizure-like event. Took him to the vet the next day and vet diagnosed - through blood work - salmonella caused by the chicken-flavored treats. He ran a 105 degree fever for two days. I never knew that you could feel a dog's fever by feeling his forehead. He was given an antibiotic shot and two prescriptions for antibiotics. Did not do any good and had to be hospitalized and put on an IV. His throat was so sore that he could not swallow and drooled. He also could not bark. He was so sick that if he were a cat he would have lost at least two of his lives.
Milo's Homestyle Chicken Meatballs								Dog began to retain unusual amount of fluids which had to be drained with follow up visit again for extreme fluid retention. On one visit 2 liters of fluid were drained. Veterinarian ordered some tests, took x-rays, etc. but could not reach conclusive diagnosis other than our dog was retaining fluid. She was placed on medication which did not provide relief and eventually began vomiting, had difficulty breathing and moving about. She eventually reached the point where just sitting up and attempting to walk brought on bouts of vomiting.
Waggin Train Jerky Treats	Dog	Hound (unspecified)	8	Years	Female	66	Pound	The only specifics I can give is that the Waggin Train Jerky Treats were a favorite of my dog and she had them many times over the past 2-3 years. About 3-4 months ago I noticed that she would have blood in her stool. I figured she wasn't chewing them well or they weren't digesting properly and causing issues so I stopped giving them to her. Yesterday I took my dog to the vet and she was having liver/kidney problems and I ended up having to put her down. I just read the report about these treats on msnbc.com today and I feel very much like they are connected. I will follow up with my vet tomorrow and give them the information as well even though it is too late
Chuck Waggin Chicken Jerky Treats	Dog	Pointing Dog - Italian	4	Years	Male	80	Pound	(b) (6) was a very healthy 4 year old Bracco Italiano until I started feeding him the waggin train chicken jerky treats that I purchased at Costco. First of all the FDA needs to ask, "how can chicken be so inexpensive"? I get plastic products from China..but food...chicken...really? These were the only treats that (b) (6) received. In April he started throwing up and dripping blood from his penis. The vets could not figure out the cause for the symptoms in an otherwise healthy dog. There was not history of kidney failure or illnesses with any of his siblings or the blood line. His blood line included World Champions including his Mom. The vet recommended that (b) (6) be neutered and perhaps that would stop the bleeding from his penis after being on antibiotics for a few weeks with no improvements. When the vet went to neuter (b) (6) it was found that he was in kidney failure. He was immediately hospitalized to try and flush the kidneys but there was no improvement. I took (b) (6) to the University of PA hospital to see if anything could be done. The vets there also were puzzled by how a 4 year old dog could be kidney failure. My instincts told me it was the Waggin Train treats and I am glad other consumers are coming forward to put the pieces of the puzzle together. An otherwise healthy 4 year old male dog does not just develop kidney failure. Sadly, I lost (b) (6) to kidney failure 3 months later after spending \$15,000 in vet bills over \$3 treats!!!! I am certain it is these treats that took the life of my beloved friend and companion and I only hope that the FDA has the balls to do something about it! It would be nice to see our Government stand up for our pets! I would be happy to share all medical reports!
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Terrier (unspecified)	15	Months	Male	55	Pound	In January of 2012, our young dog experienced lack of appetite (he refused even treats, which was very unusual, he normally guards his food), vomiting, diarrhea, lethargy, weight loss. He used to love the chicken jerky, ate 4-5 pieces per day as a reward. But he began to refuse them and so we knew something was wrong. Took him to the vet and she ran some tests, including xrays and bloodwork, barium series; she said he had ileus but due to unknown cause. Blood work appeared normal and barium series showed no blockage. After 4-5 days, he still would not eat and was deteriorating; the vet did exploratory abdominal surgery and found no blockage, but took an intestinal biopsy, which later suggested inflammatory cell infiltrate and enlarged/swollen lymph nodes, and the vet diagnosed it as inflammatory bowel disease. (b) (6) has since recovered and only eats a special veterinary prescription diet (Purina EN) and is doing well. But eats no treats at all, only the prescribed food. The treats he ate were Canyon Ranch brand, lot number G1CA5144A.
Canyon Creek Ranch Banana & Chicken Wraps (also purchased their chicken/apple and chicken/PBJ treats), Waggin Train Jerky Tenders	Dog	Poodle - Miniature	5	Years	Male	20	Pound	Symptoms ranged from vomiting and indications of nausea (lip-smacking, repeated swallowing) and subsequent diarrhea, sometimes bloody, to the addition of shivering/shaking, crying/whining, obvious weakness and lengthy sleeping. He also would not eat anything, and consumed very little water. I've taken him to the vet several times over the last two years; he was in very serious condition, and the last time he was admitted into the animal hospital for a total of about 30 hours. Extensive tests were performed, but no definitive conclusions were reached. (About \$2000 total in vet bills over the last two years.) I was beginning to suspect it might be these chicken treats, and then saw the article on the MSNBC website. In the beginning, about two years ago, I'd purchased only the "Waggin Train" treats from Costco, and about a year ago I stopped giving him those. I then gave him the "Canyon Creek Ranch" chicken/banana, chicken/apple and chicken/PBJ treats. (Beginning about a year ago.) At first the "Canyon Creek" treats didn't seem to upset him, but one day I'd given him several because we were out away from home for a long time and he was hungry, and he was sick for several days afterward with similar symptoms.
Wagon Trail chicken jerky								I just read an article about potential problems from these jerky treats and want to express that I have been feeding them to my dog for the whole time since 2007 and have no adverse problems. I have followed the package instructions. I also, do not feed any other type of treat to my dog. Check what other treats are being fed to these dogs as well as whether they are feeding other things or leaving food out where it can go rancid. Please do not remove these from the stores.

Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	4	Years	Male	100	Pound	Shortly after we got our dog, he began throwing up, for two years he randomly vomited. After two and 1/2 years, of this and not being able to find a solution, he started with bloody diarrhea, and we stopped all food. We gave him a liquid diet, then rice, and slowly introduced food, adding one snack at a time. The only thing we never added back was the Kingdom Pets Chicken Jerky, which he had been getting intermittantly as a snack since shortly after we got him. We had adopted another dog several months before, and she immediately threw up after having this same snack, so we knew she had a problem with it.
Waggin' Train Wholesome Chicken Jerky Tenders Chick Dog Treats	Dog	Boxer (German Boxer)	3	Years	Male	58	Pound	After feeding our dog, (b) (6), Waggin' Train Wholesome Chicken Jery Tenders (Chicken Dog Treats), we noticed loose, runny stool in his bowel movements. Normal bowel movements for (b) (6) are solid. His bowel movements were more frequent and appeared painful. We took (b) (6) to the veterinarian and he was prescribed Metronidazole (250 mg) -- the doctor then bumped him up to 500 mg on our next refill because he was not improving after the first week of doses. We are now finishing his refill doses.
waggin train jerky tenders-chicken	Dog	Beagle	10	Years	Female	22	Pound	(b) (6) is a dog that thrives on taking her morning walks with me every morning. Because she has had gas so much we decided to take her off beef and do turkey and chicken. We were giving her beggin strips. About 7 months ago we changed to waggin trains chicken jerkey because we were not doing the beef. For the past severa months, she has deveoped a neurologica jerk as if she is having a stroke, or a seizure. To make a long story short, last week we went for our morning walk and she was no where to be found. (we live in the country) All of a sudden she came running down the street with an unusual cough (lilfe a person with copd). she was so happy to see me, but as she approached, she fell out, could nto get her balance, turned over as if she was stroking out. She looked at me as if to say .."what is happening to me?' i grabbed her up, ran back home with her in my arms because i thought she was going to die on me. My husband took her to the vet hospital. they could not find anything wrong and could not pinpoint the problem. our vet asked many questions trying to narrow it down. one question asked was had she beeb given anything toxic or eaten anything toxic? we , at the time said no. she is very finigy and only eats little ceasars, purina one and an occassional treat-chicken waggin train. we were so glad to see this article on msn becaues we have been baffled by this sudden onset of our dog. she continues to have these jerks everyday. please keep us informed via emal or telephone. we are praying that (b) (6) pulls out of this. we will call our vet tomorrow and alert them as to this unidentified illness so that they can put their pet owners on alert. for now we will hold on to the bags...because we have two..but we will never give her another one of these treats..ever. we just hope she pulls through. (b) (6)
Wagon Trail chicken jerky tenders and Wagon Trail Chik&N Biscuits	Dog	American Pit Bull Terrier	15	Years	Female	54	Pound	Our dog's favorite treats were wagon trails jerky treats and bisquits wrapped with the jerky. Our dog started getting sick took her to emergency vet, then her kidney's and liver started failing. We tried differnt methods from IV treatment and finally made the call to put her to sleep.
WAGGIN TRAIN Jerky Tenders(Wholesome Chicken)	Dog	Spaniel - King Charles Cavalier	1	Years	Mixed Populati on of Female and Male	25	Pound	Both dogs are in perfect health. One is 1.5 yrs and the other is 2.5 years old. They have eaten bones, treats, dog food and no problems. They both see a vet regularly and have had no problems, EVER. Until we gave them Waggin Train chicken jerky. After a 1-2 weeks of them having the jerky, both dogs were throwing up on a regular basis. We took them to the vet and had many tests done to see if they had a parasite, etc. Nothing was found. We stopped giving the dogs the treats and after a week, no more throwing up. I'm sorry, but if anyone says these treats are not dangerous, I will tell them they are lying. There is nothing normal about 2 healthy dogs throwing up every day. And when we took the Waggin Train treats out of their diet & gave them regular milk bones, both dogs were back to being fine. THERE IS SOMETHING WRONG WITH THESE TREATS!!!!!!
Waggin Train PBJ	Dog	Schnauzer (unspecified)	4	Years	Male	25	Pound	I gave (b) (6) a couple of Waggin Train treats before bedtime. He woke me up twice by throwing up in the bed. Later in the day, he threw up 3 more times. He acted lathargic and refused to eat or drink the whole day. He is usually very active but all he wanted to do was lay down all day. I was going to call the vet the next day he seemed back to his normal self the next day.
Waggin Train Jerky Tenders, Milo's Kitchen	Dog	Mixed (Dog)	8	Years	Female	40	Pound	dog started vomiting and had blood in stool. Took dog to vet and they initially treated her for a parasite and started her on medication. Her fecal sample came back negative and she continued to vomit and became lethargic. Took her back to the vet and they ran x-rays which came back clear and did a blood test. The results of the blood test indicated kidney failure. Took her to a specialist hospital and was admitted and put on 24 hour a day IV fluid. After a week, it was determined that her kidneys could not be saved and her counts were not coming down and she was put to sleep.
Milo Chicken Jerkey	Dog	Basset - Artesian Norman	10	Years	Male	55	Pound	My dog was given Milo chicken jerkey treats and loved them. Had a couple on second day and on the 3rd day. I noticed that my dog had a "very gaseous gastrointestinal tract awhile after eating on each on the 3 days. All his other food and treats were the usual ones. I therefore gave no more Milo treats, and there has been no recurrence. I am quite strict about buying safe and healthy foods, but on this occasion I allowed for "processed in China". I am grateful that my dog is healthy, and I have returned to never buying foods processed outside the USA.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	16 Years	Male	50 Pound	He developed a kidney/bladder infection. He was given antibiotics but they didn't help. He refused to eat his regular food (chicken and rice and chicken FreshPet). He began drinking water excessively and has had frequent accidents in the house (we have a doggy-door and he has never done this before) The vet gave him a different kind of antibiotic and we are waiting to see if this helps. He is still drinking a lot of water and peeing a lot. He was tested for diabetes which came back negative. He is eating again but refuses to touch any made with chicken.
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	14 Years	Male	78 Pound	He went into kidney failure very quickly after Christmas of 2011, after giving him chicken jerky treats as a Christmas present.
Waggin Trails Chicken Fillets	Dog	Retriever - Golden	2 Years	Female	35 Pound	We were alarmed when our perfectly healthy dog awoke in the night numerous times with unexplained bloody discharge/diarrhea. We took her to the vet twice and they did an exam, including a rectal exam and UTI testing to find nothing. Described that she must have some type of irritation to our intestines on the second visit. Originally, we suspected a UTI because she had more like bloody discharge. She was given the same dog food she had been eating her entire life, and nothing else except we had just started her second bag of the Waggin Train Chicken Fillet Dog treats purchased at Sam's Club. She had no exposure to unsupervised time outside where she could have eaten other things. During the few months in between the bag of treats she had no incidents. As soon as we started the second bag of treats, it happened again. Total problematic events was 4 times. I started to do some internet research and came across one of the first articles published about the possibility of chicken treats causing incidents, and immediately stopped giving the treats to the dog. She had no further incidents and seems to be in good health, although we've had no doctor's assessment since making this change. We believe the first bag was purchase at Sam's Club in (b) (6) in March or April 2011, and the second bag was purchase at Sam's Club (b) (6) in July or August, 2011. We have no doubt that these treats caused these adverse health problems.
waggin train wholesome chicken						my six year old cocker spaniel died. liver and kidney failure high temerature (b) (6)
Waggin Train Chicken Jerky	Dog	Shih Tzu	9 Years	Female	9 Pound	She stopped eating, had problems urinating too much and having accidents, vet says kidney function is shutting down.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	5 Years	Male	57 Pound	<p>We began feeding our dog Waggin Train chicken treats shortly after we got him in July of 2006. We fed these treats to him daily up until November of 2011 when I came across an article online regarding mysterious illnesses in dogs. I have summarized (b) (6) battle with renal failure below and have supporting vet and lab results that track the progression of his kidney disease since diagnosed in July of 2010. (b) (6) was about 4 years old when we determined that kidney disease was what was causing his weight loss and passed away a couple months before he would have turned 6.</p> <p>We took our dog into the vet on 7/21/2010 because we were concerned about weight loss that he was having. We noticed that his spine had become more pronounced over the last 4 to 6 weeks. Prior to this visit our dog had been healthy and active. There were not any alarming signs to the vet that anything was wrong, but to be safe our vet suggested having a more comprehensive test performed. The test results showed that (b) (6) was having a significant protein loss in his urine. (b) (6) prescribed Enalapril and that we monitor and recheck the urine periodically. (b) (6) adjusted and added medications as (b) (6) disease worsened.</p> <p>The protein loss continued with other symptoms and complications. On 7/20/2011 (b) (6) recommended we see an internal specialist. We took (b) (6) to (b) (6) on 7/21/2011 and saw (b) (6) for an ultrasound and additional testing to determine what was causing the renal failure.</p> <p>(b) (6) were unable to find a cause of the progressing renal failure and continued to correspond with one another and recommend additional testing. (b) (6) condition continued to worsen. We began to have trouble getting Remi to eat sufficient quantities of food and he continued to lose weight, became lethargic, and occasionally vomitted. (b) (6) food was switched to KD diet that was specially formulated for kidney problems. Over time he stopped eating this food and the vet recommended a homeade kidney diet.</p> <p>On 1/15/2011 we rushed (b) (6) to the emergency (b) (6) because he had bloody/watery stool and vomit. (b) (6) was severely dehydrated and hospitalized for three days. We were able to bring him home on 1/17/2011. (b) (6) condition began to worsen in early February and he did not have enough energy to do normal functions anymore. He was more lethargic and the little food he was eating he vomitted hours later. Towards the end, the food that he vomitted six to eight hours later looked completely undigested. The last couple of days he would yelp in pain when touched. On 2/8/2011 after consulting our vet we ended (b) (6) suffering.</p>
Canyon Creek Ranch Apple & Chicken Wraps	Dog	Retriever - Labrador	2 Years	Male	79 Pound	We received Canyon Creek Ranch Jerky Apple Treats as a Christmas gift for our dog. Around mid January I had begun feeding them to my dog one each morning before I went to work. Within a few days my dog began not eating. He would go about 3 days without eating (a dog who normally eats 6 cups of food a day) until (I believe) he was hungry enough he would eat a meal or two. In the meantime he was vomiting bile, drinking excessive amounts of water, and lethargic. He was given antacids and anti nausea medication which in the first week did not help him. In the height of his illness he vomited 6 times in 2.5 days without eating. When we noticed his illness we had ceased all additional food (treats) while we tried to figure out what was wrong with him. Upon returning to our veterinarian we had taken a stool sample which our vet indicated was negative of any findings, had an x ray to rule out bowel obstruction, also negative, and sent blood panels out to a private lab, which had no findings. We switched our dog to rice and boiled hamburger diet. We maintained this diet for 2 weeks as he slowly began improving. (In that time the treats were stopped as well). It was then that I heard and researched the treats we had given him and discovered he had most of the symptoms of Fanconi syndrome. A urinalysis was never done so high blood sugar could not have been detected. My dog has luckily since recovered with no seeming long term effects or damage. (Possibly due to young age, 2, and larger size?)

Canyon Creek Chicken Tenders. Boots and Barkley Chicken Sticks Waggon Train	Dog	Terrier - Yorkshire	4	Years	Male	5	Pound	On a weekly basis I purchased various Chicken Treats for my 3 dogs (Waggon Train/Canyon Creek/Boots and Barkley) The first dog (b) (6) became ill last year and the vet thought it was Rat Poison, but we dont use any poison at our home. she started to bleed from her rectum. extremely dehydrated and shaking uncontrollably . After lots of shots and antibiotics and several doctor visits over 2 weeks she began to show improvment. That was in 2011. The same duplication happened in Jan 2012 with my two males after eating the treats they began to bleed through their rectum's, It was at that time I started to think of what they eat daily and the only thing that made sense was the treats. The same treatment was done for my two male's it was a long and paining process but I have taken my pets off of all China products and haven't had any issues, they have gained their weight back. I did let the store manager in Pet Smart and Target know what had happened but no reaction so far.
WAGGIN TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS	Dog	Mixed (Dog)	4	Years	Female	11	Pound	(b) (6) developed diarrhea and vomiting for two days. We were concerned about dehydration and took her to the local Pet Smart Clinic due to her Vet being closed on the weekend. The Clini Vet gave (b) (6) fluids because she was becoming dehydrated due to the vomitng and diarrhea. They also put her on a fat free dog food diet. It probably took three more days until she was back to normal. The diarrhea had gotten so bad she was bleeding at times. We could not figure out what the problem was because they tested her and found no sign of parasites or worms. The symptoms just appeared. We had bought Waggin Train Yam Good Chicken Wrapped Yams. I was not aware of the recall until today, March 13, 2012.
Waggin' Train Chicken Tenders Chicken Dog Treats 97% Fat Free	Dog	Terrier - Fox Smooth	10	Years	Female	22		I purchased a 48 oz (3 lb) bag of Waggin' Train Chicken Tender treats from Costco in October. I had previously fed them to my dog intermittently for over a year. The bag fell on the floor while we were not at home and she ate at approximately a pound of treats. She fell ill within a week despite over \$600 of treatment including antibiotics and saline drips, her liver failed and she had to be euthanized on my wife's birthday. I am 100% convinced that those treats killed my dog!
Dogswell VITALITY ChickenBreast with Flaxseed & Vitamins	Dog	Puli	8	Years	Male	30	Pound	Every time I gave my dog one of these treats, he vomited - no exceptions.
Waggin's Train	Dog	Retriever - Labrador	7	Years	Female	65	Pound	When my seven year old Lab, (b) (6) started acting different, I started to look up things that could possibly have went wrong. After weeks of her acting very strange, I went to let her outside to go play and do her business, when she got up, she was limping. I wasnt that considered about her limping, I just figured that her arthitus was bothering her, but then her back and hips went out. After doing some research about this event, I found that she could have had a stroke or could have bone cancer. About a week or two before she started to act like this, I fed her the "Waggin' Train" chicken flavored treats. After a day of her not being able to walk at all, I took her to the vet and they said that their was nothing to do and that they had no clue what had happened to my poor dog. They then put her down. And now thanks to Waggin' Train, I have no companion or buddy to look forward to coming home to. Mind you that im only a young teenager who loved this dog to death and cant believe she is gone.
Waggin Train Chicken Treats	Dog	Rottweiler	2	Years	Female	90	Pound	She was well after being diagnosed with the shunt - in dec she became ill & dr thought intenstinal infection & she was treated - she lost weight rapidly and died on Jan 5th
Waggin Train	Dog	Mastiff	5	Years	Male	125	Pound	During the 1-2 months or so that I was giving both my female American Bulldog and my male Boerboel Waggin Train chicken jerky strips, their stool was loose with a bacterial like film enveloping it. I couldn't figure out what they had eaten. Once the bag was finished, and within 2 days, the slimy sickly stool cleared up and became normal again.
Waggin' Train Jerky Tenders	Dog	Schnauzer - Miniature	12	Years	Female	29	Pound	Stopped eating, started vomiting, had diarrhea, lost all her energy, became dehydrated
Waggin' Train Jerky Tenders	Dog	Retriever (unspecified)	10	Years	Male	65	Pound	(b) (6) appetite slowly started decreasing in late October 2011. After a few days he would not eat his food at all. He slowed down on drinking water and was basically curled up on his bed most of the time. (b) (6) is normally a very active dog, and is always interested in eating. It was clear that something was dreadfully wrong. So I took him to the vet, they did numerous tests including blood tests and an ultra sound. The results showed there was sludge in his gall bladder and his liver enzymes were way out of line. Over the course of 2 weeks (b) (6) lost 10 lbs. He had a surgical consult and we considered exploratory surgery, but decided to just wait a while, this seemed drastic. We were making boiled chicken/rice and he still would not eat much. We had stopped giving him any treats(including chicken jerky) because he was having such trouble digesting. (b) (6) was prescribed Denamarin to support the liver, and Tramadol for pain. We switched his food to canned low fat food and he ate for a few days then stopped again. When (b) (6) lost 18 lbs we took him to an Internist, they did another ultrasound. This also proved inconclusive and they thought that surgery was going to be our best option. We wanted to wait until after the x-mas holiday so we just wanted to keep him comfortable. Ursodial was prescribed to aid his gallbladder. Slowly (b) (6) began to get better. He started eating his dry food again and has stayed on his meds. He has gained 6 lbs and no longer needs his pain meds. While we are grateful our pet is getting better, it has taken 4 months to get to where we are and he is not out of the woods. We have spend about \$2500 in vet bills and medicines.
canyon creek ranch natural chicken tenders	Dog	Shepherd Dog - German	14	Months	Male	70	Pound	product was purchased at Petsmart on sunday March 11, 2012. Gave several jerky sticks to dog that day and several jerky sticks the next day. Dog thru-up on sunday and monday night. Tuesday was reading article about tainted treats, and the brand was one that was mentioned.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	2	Years	Male	85	Pound	I just read the article about chicken jerky illness-Ijust spent \$400.00 at the vet with my dog-he had a seizure type episode after eating one of your jerky treats. Waggin Train Brand Jerky Tenders

Waggin Train Yam Good Wholesome Chicken Wrapped Yams	Dog	Mixed (Dog)	5	Years	Female	19	Pound	(b) (6) developed diarrhea and vomiting for two days. We were concerned about dehydration and took her to the local Pet Smart Clinic due to her Vet being closed on the weekend. The Clini Vet gave (b) (6) fluids because she was becoming dehydrated due to the vomitng and diarrhea. They also put her on a fat free dog food diet. It probably took three more days until she was back to normal. The diarrhea had gotten so bad she was bleeding at times. We could not figure out what the problem was because they tested her and found no sign of parasites or worms. The symptoms just appeared. We had bought Waggin Train Yam Good Chicken Wrapped Yams. I was not aware of the recall until today, March 13, 2012.
Cats Well Happy Hips- Chicken Breast	Dog	Shepherd Dog - Australian	10	Months	Female	40	Pound	Over a period of 3-4 days lethargic, lack of appetite, dehydrated. Took (b) (6) to our vet where she was xrayed and over 3 days she was given IV's of antibiotics/ fluids. (Full Vet report available). Treated for low red blood count/ possible infection. The vet was unable todetermine cause of sickness. I believe it was tied to the Happy Hips Chicken jerky I had given her the previous weekend.
Waggin Train Chicken Jerky Tenders	Dog	Mixed (Dog)	20	Months	Male	33	Pound	Fed one Waggin Train Jerky treat from bag just opened that morning per dog on Wednesday 02/29/12 at about 10AM. (b) (6) ate less dinner that evening. Did not eat normal lams dog biscuits that night. Thursday AM ate almost no scrambled eggs with other dogs. (b) (6) also was slightly less interested in the same food. Dinner had consisted of organic chicken thigh, a little organic brown rice, some organic carrots. Do not think (b) (6) at dinner on Thursday at all, (b) (6) maybe a little. Sometime after 11pm on Thursday and before 4am both dogs began to vomit. (b) (6) 3 times between 4 & 6am then she stopped. (b) (6) conitnued to vomit a large amount of mucous all day. he could not keep anything down but he keep drinking water. (b) (6) did not eat but was drinking and seemed better. Saturday 6AM (b) (6) was still vomiting if he drank water. He was taken to the vet in the morning. he was mildly dedydrated. Blood tests were taken. He stayed a few hours, was given a shot to stop vomiting and medication to take home. He was about to drink 2-3 oz of water every 15 minutes from 4pm untill 1AM. I could not afford to have him stay at the vet overnight. At about 9Am vet (b) (6) called and said (b) (6) was very ill and needed to be brought back in. I determined that I would take him to the vet near our home that we normally use since they have staff on all night. (b) (6) died before they could even start on IV. They tried CPR but were unable to start his heart. His organs has shut down.
Waggin Train Chicken Strips	Dog	Terrier - Yorkshire	4	Years	Mixed Populati on of Female and Male	6	Pound	Both of my dogs started throwing up and had constant runny contined diarrreaha. They became lathargic and stopped eating. The larger dog almost died as he would steal the small dogs strips and eat his own so he was the sickest of the two. He would go to the vet and after being on IVs for several days would improve and go home. After being at home a few days it would start all over again. I noticed they became sick after they would resume eating the strips so I withheld the strips and they got better. The larger dog now has to eat a special food for his digestive system due to the damage done by the chemicals in the strips. My co-worker's small poodle went thru the same senario - visits, IV's, etc. Last trip to the vet her liver had stopped working. Our government needs to stop allowing these to be sold.
wAGGIN tRAIN cHICKEN dOG tREATS	Dog	Poodle - Standard	7		Female			I feed both dogs Waggin Train treats - one vomited the other vomited and foamed at mouth. The next day the younger one was hospitalized and is fighting for her life. They think she has been poisoned - She is on IV's and her temp is 105 F since Friday March 9. She can barely walk and is not eating. She is being treated at (b) (6). LOT NUMNER W1CA5291A- Product of China UPC 8 07020 77740 6
Waggin Train Jerky Tenders	Dog	Chihuahua	8	Years	Female	9	Pound	About 10 hrs after eating (1) Waggin Train Jerky Tender, she got very sick. Crying in pain & throwing up. I didn't realize it was this product. A wk later she had another jerky tender & got very sick again, throwing up blood. I took her to the vet a day later but she was feeling better but I still had the Vet do a complete blood work up & check up done. They don't know what the problem was Again after eating a jerky tender she wasn't feeling well, she didn't eat the whole thing. NOW I realize it is this product!!
Waggin Train Jerkey Tenders	Dog	Beagle	6	Years	Female	29	Pound	She started to have urination issues that led to reoccurring Urinary tract infections and bladder infections that eventually required surgery because of the frequency and severity. She is now suffering from problems with her liver and is taking medications.
Dingo Meat in the Middle Rawhide Chew	Dog	Corgi - Welsh Pembroke	4	Years	Female	30	Pound	(b) (6) started with symptoms of an urinary infection. The infection seemed to clear up and then come back. She also has loss of appetite which eventually led to us running bloodwork. This is when we discovered she had kidney disease of unknown origin. Following this her appetite decreased dramatically and she progressed into kidney failure.

Milo's Kitchen & Waggin Train Jerky	Dog	Retriever - Labrador	7	Years	Male	90	Pound	Our Yellow Lab was in perfect health when suddenly in September, 2011, he started to show lethargic behavior and wouldn't drink or eat. We took him to our Vet and she said he was extremely dehydrated with complete kidney failure and that we immediately had to take him to emergency care to hydrate him with fluids for a couple of days which cost close to \$5000. We then brought him home and he seemed to recover after a month or so but by the end of November the same symptoms re-appeared and we took him to our Vet again and she said that his kidney was failing but we should try and feed him and give him as much water as possible. Within a month, he was in so much pain and would neither eat or drink or was capable of walking that we decided to put him down to stop his suffering. A week or two after that I read an article in MSNBC about tainted chicken and beef jerky from China causing death and kidney failure in dogs. I also bought Waggin Train jerky treats at Whole Foods and Milo's Chicken Jerky at Ralphs. I told Ralph's about what happened but they refused to take Milo's off their shelves. You can confirm all this with our Vet, (b) (6) Within three months our perfectly healthy Lab who never had any prior problems completely deteriorated.
Milo's Kitchen - Chicken Jerky	Dog	Havanese	3	Years	Male	10	Pound	Every time I gave a small piece (1/3 of 1 chicken strip) of Milo's Kitchen Chicken Jerky to my dog he would become violently sick to his stomach / throwing up and lethargic. I had given him these treats for a long time with no problem, but then with the last bag this started and I ceased. Stomach is still sensitive, but not sure if due to strips.
Waggin' Train Jerky Tenders	Dog	Spitz - American Eskimo Dog	11	Years	Male	20	Pound	Dog became diabetic, had multiple health issues and died after being given these treats for probably 4-5 months.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Standard Smooth-haired	7	Years	Male	10	Pound	We gave (b) (6) 1-2 jerky treats and noticed that (b) (6) was lethargic and vomited. We did not give him any more jerky treats. I also gave some of the jerky treats to my daughter for her dog (b) (6). Shortly after (b) (6) was sick I read an article about the jerky treats and threw mine out. I told my mom and daughter to not give (b) (6) any more but my mom continued to give him the jerky treats. One day (b) (6) was lethargic and had what seemed like a seizure. My daughter then threw away the treats.
Waggin train jerky treats milo chicken jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	3	Years	Male	12	Pound	Discovered Waggin Train treats as well as Milo chicken jerky treats, both were purchased at my local Walmart. Both of my dogs are very picky eaters but they loved these treats. Over a few months my family noticed both dogs to have diarrhea, throwing up and my smaller dog (b) (6) was very sick one night where we had to sit up with her (not knowing that the dog treats might have been the cause). My dogs are on a steady diet of beneficial dog food and were given the waggin train and milo as a treat twice a day. After reading the article regarding these treats on MSN everything just fell into place regarding the dogs health issues. My dog (b) (6) seemed to have an iron stomach and seem to tolerate just about anything, but these treats gave him diarrhea and made him heave and throw up a lot.
Waggin Train chicken jerky & Milo chicken jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	3	Years	Female	5	Pound	Discovered Waggin Train treats as well as Milo chicken jerky treats, both were purchased at my local Walmart. Both of my dogs are very picky eaters but they loved these treats. Over a few months my family noticed both dogs to have diarrhea, throwing up and my smaller dog (b) (6) was very sick one night where we had to sit up with her (not knowing that the dog treats might have been the cause). My dogs are on a steady diet of beneficial dog food and were given the waggin train and milo as a treat twice a day. After reading the article regarding these treats on MSN everything just fell into place regarding the dogs health issues
Canyon Creek Ranch Natural Chicken Tenders	Dog	Mixed (Dog)	7	Years	Male	71	Pound	My dog, (b) (6) who is a pit bull and black lab mix (age 7.5) became very ill November 2011 with a serious case of Pancreatitis. His health has always been exceptional and resilient with no pre-existing conditions; he has attended the same vet clinic (multiple doctors) for his whole life, so the records of his health are in one system. His weight before and after the illness is classified as "ideal" and his health record spotless. In November, he became violently ill and his weight slid from 71 to 61 pounds. At the time, he started eating Canyon Creek Ranch Natural Chicken Tenders dehydrated chicken jerky treats from the 30-oz (907g, red) "bag"-style package. The symptoms were loose, bloody stool, vomiting of undigested food, and dehydration. The symptoms appeared within 2 weeks of my starting to feed him the treats. I would give him three strips each morning as an "after breakfast treat." I am certain that they caused his illness because I've since stopped feeding him these treats and his condition has improved. The treats were the only change to his diet at the time--he was also eating Evo Weight Management low fat dry food at the time, which he had been eating for years. He was fine. Enter the treats, and two weeks later he's sent to the emergency room twice! Connect the dots as I have? Since the illness, at the vet's direction, I switched (b) (6) from Evo dry food to Hill's i/d Gastrointestinal Health prescription formula wet and dry food (a 75%/25% mix, respectively). His health has recovered to full pre-illness state. Unfortunately, I returned the unused portion of the jerky I had to the store where I bought them: the (b) (6). I didn't think to retain the packaging such as to obtain the lot number, nor do I have any of the product left. I did not notice a foul odor or color, and my dog loved eating them. There was nothing visibly wrong with the packaging, nor was a foreign object present in the treats. His vet is (b) (6). The blood test done after his second rush to the emergency room confirmed pancreatitis.
Waggin Tails Big Blast Wrapped with Chicken	Dog	Retriever - Labrador	7	Years	Male	75	Pound	(b) (6) was given Waggin Tails Big Blast Wrapped with Chicken treats after exercise as a treat. We left home for about two hours and when we returned (b) (6) was still in the same spot he was in when we left him earlier. Upon checking on him we found him to be not breathing. He was taken to the emergency vet and pronounced dead. No cause of death was probed, but after seeing the recent reports of pets having issues after eating these treats I now believe that they may have contributed to his sudden death.

Waggin Train Chicken Tender Jerky	Dog	Shepherd Dog - German	5	Years	Female	120	Pound	We were giving her Waggin Train Chicken Tenders, purchased at Sam's Club.. She loved them... Shortly after we started giving them to her, she began having bouts of severe diarrhea... We didn't make the connection right away but after several months of this on and off, I saw an article about these chicken tenders. We never gave them to her again and she has not had one episode of the severe diarrhea since we stopped giving them to her.. Prior to that she was having these bouts every two to three weeks...
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pit Bull	4	Years	Female	40	Pound	The beginning of January of this year 2012 my husband,dog, and I were visiting family in (b) (6) . We were out of treats that we had brought so we went to the local Wal-Mart to buy some. My mother had seen the Waggin' Train Brand of treats Chicken Jerky Tenders and so thats what we decided to buy since our dog loves treats of this nature. They were stored at Room Temperature and kept in the sealed plastic bag that they came in. We opened them the next morning once we had taken our dog outside. After that and about 5 times throughout the day our dog had vomitted and had diarrhea. Also she would not eat or drink anything else. Our dog is very healthy and in the four years we have had her she has only vomitted one other time from eating to fast so we were alarmed to the sickness that had taken her over. We ruled out every factor and decided it was the treats and immediately threw them out. I refused to give her anymore. Now since the beginning of January till now she has been fine and I am convinced it was the Waggin' Train Chicken Jerky Tenders that made her so ill. Needless to say being worried we cut our trip short with family and returned to PA two days after when we felt our dog could make the trip home.
Kingdom Pets Chicken Jerky	Dog	Dobermann	1	Years	Male	83		He began throwing up and got diarrhea and after a couple of days blood showed up in his diarrhea. We took him to the vet with a stool sample and the vet said there was a high level of bacteria in his stool. The vet said it was likely the problem came from something the dog had eaten. The vet prescribed antibiotics.
Wagon Train Chicekn & Jerky Treat Wagon Train Chicken & Apple Treats Wagon Train Apples & Yams Treats.	Dog	Terrier - Yorkshire	3	Years	Female	6	Pound	(b) (6) began getting Wagon Train treats in or around September of 2011. We thought they were healthy for her and good for her b/c they contained ONLY the best ingredients and not a lot of fillers. Her worst bout of illness came when she started to feel bad in late December early January, after losing weight, seeming depressed and her stomach making terrible noises we took her to the vet. There we were told that her right kidney was compeltely gone, had shut down and had to come out. She had right kidney removal on February 13, 2012. They also found sever pancreatits at the time. After the surgery she seemed to be recovering, then a week to 2 weeks ago she started to declined once again,her stomach making the same noises and she was in a great deal of pain. She died by ethnization on Friday, March 9, 2012. We could not bare ti see her in the pain she was in. She had a bout of illness back in the spring of 2011 but overcame that illness, thrived, gained weight and seemed to be ok until this past December. Her previous illness was not the same as this time. Something was definately different, the kidney was one thing but something else was wrong.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	2	Years	Male	70	Pound	We fed Milo's "natural" chicken jerky as occasional treats (1-3 a day) for a period of a few weeks last fall. My dog lost his appetite and was vomiting, and would not eat his regular food during this time. No other changes to his diet were made, and he does not have access to food outside (he stays indoors except when on walks) or human food. When I read the notice last November, I promptly stopped feeding the treats and he returned to normal in a few days.
Waggin Train Cowboy Steaks..6oz Waggin Train Chic' N Biscuits..6oz, Waggin Train Yam Good Chicken wrapped yams..5oz	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	4	Years	Male	13	Pound	(b) (6) became sick. Wouldn't eat, barely drank, vomited when he tried. Took him to the vet and he had a severe bacterial infection and was extremely dehydrated. He had ate nothing new. No new food change. The only thing he ate a lot of before he became sick was Waggin Train treats. Unfortunately because of a Vet error we lost him on Nov. 17th.
Canyon Creek Ranch® Chicken Tenders Dog Treats	Dog	Rottweiler	6	Years	Female	98	Pound	In January 2012, I noticed that (b) (6) had swollen lymph glands in her neck. I took her to the vet, and after he examined her he diagnosed her with cancer, lymphoma. He said (b) (6) has up to 6 months to live. He prescribed 40 mg. prednisone, which (b) (6) has been taking since the end of January two times per day. (b) (6) had been eating Canyon Creek Ranch treats since May - June 2011.
waggin tail or trail jerky Milos Chicken Jerky Any treats Made in China.	Dog	Poodle (unspecified)	5	Years	Male	15	Pound	Deficated Blood in his poo.
Waggin' Train Wholesome chicken Jerky Treats								This is just an observation concerning the Waggin Train chicken Jerky Treats. There is a white packet inside the packages labelled " deoxidizer do not eat". Often these packets are very warm and almost hot even quite awhile after I've opened the package. This may not mean anything but I am sending this information to see if it will help in any way to find out what is causing the illness that reports say may be linked to these treats. My dogs eat these treats every day and have had no problems. I buy them at Sams in the 40 oz bags. Thank you and please disregard this if it is not of any help.
Dogswell Veggie Life "Vitality" Chicken and Apple with Flaxseed and Vitamins	Dog	Terrier - Silky	6	Years	Female	8	Pound	Hemorrhaging from the rectum and vomiting. Preliminary diagnosis: gastroenteritis. Dog did not improve with initial treatment. Further testing revealed a "contamiment". In reviewing dog's daily intake, the jerky treat was deemed the obvious source. Dog is presently being treated with an EN food and anitbiotics as of March 13, 2012.

Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	4	Years	Female	12	Pound	I have two dogs, one is a Yorkshire Terrier and one is a mixed breed. My mother has a Yorkshire/Poodle mix, and my grandmother had two Shiz Tzus. We have all fed our dogs the Waggin Train brand of chicken and duck treats for several years. My grandmother's two Shiz Tzus became ill at the beginning of January 2012. (b) (6) is only two years old and (b) (6) was about 13. They both had severe diaherria and vomiting. My grandmother took them to the vet and he told her to give the Pepto Bismol (b) (6) ended up getting better after a few weeks of constant diaherria and vomiting, but (b) (6) continued to get worse and ended up passing away at the beginning of March 2012. (b) (6) my mom's Poodle/Yorkshire mix was the next one to come down with the illness, she had diaherria and vomiting for a week. My mom took her to the vet, too and they had her give her Pepto Bismol as well. She became better in about a week. My dog (b) (6) became violently about two weeks ago. She threw up everything she ate or drank and had bad diaherria. There were clots of blood in her diaherria. She had it four about five days. Then last week (b) (6) had bad diaherria. They all seem to be better now with the exception of (b) (6) death. All bags of the Waggin Train treats were purchased at Wal-Mart in (b) (6) or Sam's Club in (b) (6). I still have about a quarter of the bag left, but will not be giving it to my dogs any longer. I don't remember the exact dates the products were bought. I suspect the treats caused the illness because that is the only common denominator in all five dogs.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	13	Months	Male	75	Pound	On February 23, 2012, (b) (6), a Bouvier des Flandres, began acting more sedate than his normal energetic self. By February 25, 2012, (b) (6) was vomitting and was not willing to sit or lie down. His body began to shake, and he was taken to the vet. Upon arrival at the animal hospital, (b) (6) temperature was taken, which read slightly above normal. Because of concerns that he may have eaten something that was causing a blockage of the intestine, x-rays were done of his abdomen. Nothing out of the ordinary was visible. The vet also ran blood work which came back with an extremely elevated white blood cell count, predominantly NEU (29.24K/mL) and MONO (4.68 K/mL). Additionally, the blood work showed elevated ALT (120 U/L) and ALKP (475 U/L). (b) (6) was injected with penicillin and was sent home with antibiotics (Clavamox). For 3 days (b) (6) received only white rice and Metamucil. By February 29, 2012, (b) (6) was put back on his regular diet of 5-6 cups of Nature's Domain Salmon and Sweet Potato dry kibble with 1/2 cup of ground beef and vegetables per day. He also received about 1-2 Waggin' Train Chicken Jerkey treats per day. On March 6, 2012, (b) (6) was having difficulty deficating. He was taken back to the vet where he was diagnosed with an enlarged prostate. He was sent home with Prednisone and Trimethoprim-sulfa. He is still taking these medications and although he is able to deficate, his energy level is not normal. He is extremely lethargic and lacks energy. Following the March 6th vet visit, (b) (6) continued his regular diet of dry kibble, ground beef, and Waggin' Train Chicken Jerkey Treats. On March 13, 2012, I read an article on msn.com concerning contaminant concerns with the Waggin' Train Chicken Jerkey Treats and the potential for kidney failure. I have stopped giving (b) (6) these treats. The remaining treats are in the original packaging and are available for testing. They were originally purchased from Costco Wholesale located at (b) (6) on February 6, 2012.
Dingo	Dog	Little Lion Dog	8	Years	Male	13	Pound	I have a full breed Pomeranian, which isn't in the list of breeds to choose from. He has been checked routinely for a high kidney count and was put on specific food to keep that number in check. This particular veterinarian just watched the status but didn't link the number to an issue with any intake of food or treats. My dog started to drink high amounts of water, he had some changes in behavior that were unusual for him. I took him to a new vet due to a move and I discussed with that vet the food I was told o give him and that his kidney count was being monitored. I also discussed the increase in water and the changes in behavior. Upon doing this the new vet checked the sugar level as a possible reason to the drinking but also the kidney numbers. They came back extremely high which could lead to failure. She asked if i was feeding him treats, since the food was appropriate, from China. I discussed that I fed him several items in the Dingo brand. She said for me to immediately stop those brands she had seen other animals with health issues linked to food from China. Once I did and went to American made his number came back in line and has been checked twice since and still good. I feed him Purina, which I thought was American made; however, he has been drinking more in recent months and I was starting to be concerned. Upon reading the new press on Purina I am concerned I feeding him items that may cause serious health issues. But due that and the fact Dingo wasn't named I wanted you to know the turn around that transpired when I stopped feeding him the Dingo brand.
Wagginz Train treats	Dog	Chihuahua	3	Years	Female	19	Pound	My dog is normally very active but after eating a treat, she just sat around and didnt respond well . This went on for about 1 month ! i then started to notice tht she had diarrhea quite a bit and it took her longer than normal to recover from it !! From there she started throwing up and just not acting like her normal bouncy self. I quit giving her treats and she has recovered somewhat but still has a hard time using the bathroom and it does take her longer to do both !! This was her only treat and she has never had any reaction to regular dog food !!
Milos Kitchen home style dog treats Chicken Jerky	Dog	Beagle	2	Years	Male	40	Pound	Everytime he ate dog food I would see new bumps on his body. He did not want to eat and lost 8 lbs he was already very lean. I did the allegic food chase and moved him to lamb based grain free food, Stopped giving him any chicken based food. His bumps started receding. One day I gave him one of the Milos kitchen chicken jerky and the bumps started to come back! He cannot eat anything with chicken now, he will get bumps that turn scabby on his body and will loose hair in the area. After changing him several times to a different protein I finally settled for a Turkey based Grain Free diet and he has no more bumps. and his hair is almost 100% recovered and he gained his weight back plus a little more.

Canyon Creek Ranch Chicken / Duck Jerkey	Dog	Foxhound - American	4	Years	Female	50	Pound	Purhased 2 bags of Canyon Creek Ranch jerkey from Petsmart, (b) (6) in November 2011. Kept them in a drawer in the kitchen unopened. Opened the chicken packet in early January of 2012 and fed my dog 3 pieces of jerkey per day for 3 days. Along with Alpo oven baked treats and her usual Natural food. Over the course of the 3 days she vomitted each day typically in the morning bringing up her meal from the night before. Once she had vomitted she was fine within herself. As we had just introduced the Canyon Creek jerkey I stopped and there was no more vomitting. I then checked on the internet and found the reports of the other cases of kidney failure etc. Both bags were thrown out. She hasn't had anymore issues since.
WAGGIN' TRAIN JERKY TENDERS	Dog	Pug	4	Years	Female	12	Pound	JULY 1 2011, BOTH DOGS HAD VET VISITS AND WERE BOTH IN EXCELLENT PHYSICAL HEALTH. IN LATE JULY, THE PUGS (b) (6) HEALTH BEGAN TO DETERIORATE AND THE POMERANIAN/ESKIMO MIX (b) (6) BEGAN LOSING DRASTIC WEIGHT AND EXTREME LOSS OF FUR. THE PUG DIED AT THE BEGINNING OF AUGUST. THE POM/ESKIMO MIX ORIGINALLY 20 POUNDS, LOST DOWN TO 11 POUNDS AND HER COAT WAS VERY SPARSE. BECAUSE BOTH DOGS HAD RECEIVED THEIR RABIES VACCINE, THE VET AND PHARMACEUTICAL COMPANY WERE CONTACTED AND REPORTS GIVEN. NOT UNTIL LATE DECEMBER/EARLY JANUARY DID THE POM MIX BEGIN GETTING HER WINTER COAT. THE FAMILY HAS BEEN DEVASTATED BY THE LOSS OF THE PUG TO A SEEMINGLY UNKNOWN CAUSE.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Chihuahua						Dog had ate a canyon creek ranch brand of chicken tenders treat. owner went to work and came home to find dog deceased in cage.
Waggon Train Chicken Jerky	Dog	Maltese	5	Years	Female	7	Pound	Kidneys failing
Waggin Train Chicken and Cheese treats	Dog	Pug	3	Years	Male	20	Pound	I purchased Waggin Train Chicken and Cheese treats for my dogs for the first time, and after eating them both dogs were vomiting. Pomeranian not as much, but the pug was throwing up for 24 hours straight. And then on and off for a few more days.
Waggin' Trails Wholesome Chicken Jerky Treats	Dog	Poodle - Medium size	33	Months	Male	20	Pound	Our dog has been drinking a very abnormally high amount of water in the week since he had the first of these jerky treats. His water bowl is continuously empty and he flips it around the kitchen to ask for more. He's asking to go outside frequently and has had a rare bowel accident in the house. He's also been vomiting. He's vomited bright green and has also vomited liquid.
Milo's kitchen home style dog treats	Dog	Terrier (unspecified)	6	Years	Female	25	Pound	She has been incontient of urine with bloody clots in it. This is new for her. She has to frequently go to the bathroom. Appetitie is poor, she has lost weight.
Waggin trails chicken jerky treats	Dog	Terrier - Yorkshire	10	Years	Female	6	Pound	severe diarhea after eating chicken jerky. Same problem two dogs. one 10 years old, one 1 year old. Corrected w/anti-diarhea medication. diarhea started again after medication was finished. Elimination of various foods was tried until condition was remedied by ceasing eating of chicken jerky treats. All brand listed were tried, waggins trails,etc.. All made in china. !0 year old dog continues to have stomach sensitivity issues(diarhea) aout 1-2 times per week even though food sources remain very limited and constant. Prior to this, this dog could eat just about anything and not be affected.
Duck Jerky Treats from Petsmart (made in China)	Dog	Pit Bull	3	Years	Male	70	Pound	I gave her a duck jerky treat purchased from Petsmart (made in China) shortly after eating the treat, she threw up. I told my sister about it and she said her golden doodle had done the exact same thing, same treat. I did not feed her any more treats and called Petsmart headquarters to find out if they have any quality control in the factory in China. Person on the phone basically was of no help. She told me to inform the store manager, which I did.
Waggin Train PPJ peanut butter flavored biscuits (wrapped with Chicken)	Dog	Bichon Frise	13	Years	Male	22	Pound	We noticed that afery each time we gave him this kind of treat he would have a very Bad BM. (he needed a bath) When going to do a BM would take a lot longer and dog acted like he knew he had a bad BM. We only gave him about 4 of these treats due to the problems...we thought it might be due to changing from his normal "Milkbone" treats. He is having normal BM's now
Waggin Train	Dog	Ridgeback - Rhodesian	12		Male	90		I purchased a bag of Waggin Train chicken jerky at target in January 2012 ((b) (6)) a week or so later (b) (6) developed diarrahea that would not go away. took him to the vet and he had an intestinal infection as well as the vet found a huge fatty tumor on his thigh joint that was not noted before. he was given antibiotics as well as a wormer as it was found he had tape worms. he recovered but then had a relapse in the diarreah again was again put on anti biotics as well as had to have a diet of rice and boiled hamburger for two weeks. I never saw any warnings on the jerky treats ANYWHERE and (b) (6) loves them, but they are expensive so he does not get them often . It had been several months since his last bag as well as the first time I had ever purchased them form target. dates below are approximate as i would have to check vet records.
Waggin train chicken	Dog	Boxer (German Boxer)	1	Years	Female	50		(b) (6) was diagnosed with Kidney disease and given a few months to live

WAGGIN TRAIN CHICKEN JERKY TENDERS	Dog	Retriever - Labrador	5	Years	Male	95	Pound	Our dog is a thorough bred pedigreed Yellow Lab. He began to have seizures that were very intense and painful, lasting a few minutes and rendering him completely immobile. We consulted the vet and then, monitored him very closely. After speaking to a holistic pet shop owner, we were advised to remove all products that are not organic in nature and particularly those manufactured outside the US. We had been treating our pet to the WAGGIN TRAIN CHICKEN JERKY in addition to other chicken treats from Costco and we stopped that immediately. After this, our dog has not had any seizures but has been impacted visually and cannot navigate around the home without assistance. After reading this report on todays news, it could be that he was actually in the gripes of severe kidney pain that we could have mistaken as seizures. Currently, we have switched to the Good Life brand of Salmon raw food kibbles that has helped him tremendously.
Waggin Train Chicken Treats	Dog	Beagle	3	Years	Female	60	Pound	After our dog was given chicken jerky treats, she developed liver damage.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Golden	1	Years	Female	47	Pound	After seeing problems reported with Waggin Train Chicken Jerky I wanted to report that my young puppy did consume this product and has since been diagnosed with Renal Dysplasia (Kidney Failure), unsure of the cause of the disease but thought it was worth reporting.
Waggin Train Wholesome Chicken Jerky Tenders.	Dog	Retriever - Labrador	10		Male	58		Vomiting, excessive diarrhea & urination.
Wagon Trail Chicken Jerky Tenders	Dog	Bichon Frise	5	Years	Male	15	Pound	(b) (6) has developed cystine stones, has had 2 bladder surgeries, had to be neutered and also had a urethostomy. He has been at the animal hospital for 3 weeks do date. I should be bringing him home on March 16, 2012, if all is well. (b) (6) has consumed many packs of the chicken jerky treats made in China, along with the products made by Milo.
Milo's Kitchen Chicken Jerky	Dog	Rottweiler	6	Years	Female	118	Pound	(b) (6) was feed 1 and one half pieces of chicken jerky a day for several weeks. She eventually began passing small amounts of diarrhea and stopped eating. Blood work from a visit to the vet indicated that two enzymes associated with the liver were twice and ten times the normal levels.
Waggon Train Jerky Tenders	Dog	Pointer (unspecified)	14	Years	Male	60	Pound	My Vet diagnosed my beloved dog with kidney disease.
Milo's Kitchen Chicken Jerky	Dog	Terrier - Boston	3	Years	Female	13	Pound	A few hours after feeding my dogs the suggested serving size of Milo's Kitchen Chicken Jerky treats, they both became ill with diarrhea, wich was yellow in color. Both refused to eat their normal food (organic dry) but continued to drink water. One of my dogs wanted to eat grass. This lasted for 2 days before both returned back to normal.
Waggin Train Jerky Tenders	Dog	Dachshund - Miniature	3	Years	Female	13	Pound	We noticed that the dog was lethargic and reacted in pain when we scratched her tummy. She was needing to urinate repeatedly and had bloody stool, confirmed by the vet visit. She vomited a brown water substance with bile in it and the next morning I took her to the vet. She was severely dehydrated and I was told she had blood in her stool. She was given an antibiotic,something to increase her appetite and an antibiotic and IV fluids. It took all week to make her feel better and the cause was unclear as to what happened until I came across this article today and that was the only variable that was matching.
Wagon Train Chicken Jerky (I think)	Dog	Retriever - Labrador	11	Years	Female	77	Pound	The dog has to have her blood checked every six months. When she had this done at the beginning of February the count was higher than normal so I took her off the Wagon Train chicken strips. She had ber blood checked just last week and it was back to the readings she had been having. The only thing that I changed was giving her the chicken strips.
Waggin Train Jerky Tenders	Dog	Dachshund - Miniature	11	Years	Female	12	Pound	(b) (6) developed bladder cancer, which apparently is unusual in dogs. I can not link this disease to the chicken turkey treats that I've given my dogs for the last few years, but am reporting it due to this food being in the news quite a bit and apparently causing deaths in dogs nationwide. She is no longer alive.
Milo's Kitchen , Wagon Train chicken Jerky	Dog	Retriever - Labrador	10	Years	Female	80	Pound	We had given our chocolate lab Wagon Train Chicken Jerky as a treat for awhile. We are not exactly sure when we began giving them to her, but about a year ago we discovered that she was peeing quite often and drinking excessive amounts of water. Last March we took her in to get tested and discovered that she has diabetes. Diabetes is a very rare condition for a labrador to get, of which out veterinarian has only ever seen on other chocolate lab with. In the beginning we did not associate her diabetes with the treats we were giving her, but this is a condition that we have to deal with everyday for the rest of her life. We recently switched treats from Wagon Train Chicken Jerky to Milo's Kitchen and have been unable to keep her glucose at a normal level.
Waggin Train Jerky Tenders								I have given my dog the Waggin Trails Jerky treats for the first time and realized after a couple of days he was not acting normal. All he wanted to do was sleep. He was not eating his food, or drinking any water. If he did eat anything he would throw it up.

Canyon Creek Chicken Jerky Treats	Dog	Retriever - Golden	1	Years	Male	75	Pound	My dog was receiving 1-3 canyon creek jerky treats a day and was healthy. On high exercise days I would give him 3-6 for the extra protein. He went about a week of high exercise where he was receiving 3-6 treats daily and became lethargic and had diarrhea. I went about another week before I started researching his symptoms. I got numerous responses online about the canyon creek treats making dogs sick, (both lethargic and diarrhea). I promptly stopped giving him the treats and switched to blue buffalo brand treats. His diarrhea stopped in 2 days and he seemed to be back to full energy a week later. I was duped by the cover of the bag by thinking the treats were made in the U.S. because it says an American owned company on the cover. I only realized after he was sick that they were made in China. Thank you for your time
wagon trails wholesome chicken jerky tenders chicken dog treats	Dog	Bullmastiff	5	Years	Female	140	Pound	I gave my dog the wagon trail chicken jerky just one piece and left for work and returned 4 hours later and there was vomit and diarrhea in every room of the house and it continued for 2 days she couldn't help but to go in the house because when she got up from a laying position it would just come out
Cadet Gourmet Sweet Potato & Chicken Wraps	Dog	Terrier - Yorkshire	10	Years	Male	7	Pound	My dog got severe diarrhea after eating treats (Sweet Potato & Chicken Wraps). I had to take him to the vet. He was negative for parasites or foreign objects, so he's still taking medication and the diarrhea has stopped. I read online that there was a problem with chicken jerky treats and think this is probably what caused the problem.
Waggin Train Wholesome Big Blast	Dog	Retriever - Golden	12	Years	Male	120	Pound	Starting vomiting, diarrhea, would not eat. The only change in his diet was I gave him a new brand of dog treat.
Waggin Train Jerky Treats	Dog	Terrier - Silky	3	Years	Female	9	Pound	(b) (6) is one of 2 dogs that we gave Waggin Train Jerky Treats to on a somewhat regular basis. (b) (6) a 4 year old, 5 lb Yorkshire Terrier was also given the Treats. (b) (6) experienced a significant amount of bleeding diarrhea. (b) (6) lives most of the time with my daughter a mile up the road, and spends some time with me. Zoey was put on a strict diet, to try to narrow down the problem, along with cutting out all treats. Shortly thereafter, (b) (6) started getting bloody diarrhea as well. The only thing they had in common were the Waggin Train Jerky Treats. When we stopped BOTH from the treats, the bleeding stopped. THEN we heard about the problem with the treats from China. We also heard there was no proof. No, we don't have "proof" either, but we know for sure it was those treats. I don't know the dates, but could find out from vet if need be.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Crossbred Canine/dog	3	Years	Female	31	Pound	Soon after giving our dog 2-3 Canyon Creek Chicken Tenders to our dog per day, she started having episodes of vomiting, and hacking. This vomit was yellow colored and more liquid. She also seemed to be lethargic and she lay around the house more. Since the only new item we were giving her was the Canyon Creek Chicken Tenders, we decided to stop giving the tenders to her, she soon stopped having episodes of vomiting and returned to her normal activity within a couple days.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	10	Years	Female	53	Pound	(b) (6) began having leakage/urination problems while she was sleeping. It progressively got worse. She began regurgitating. I took her to the vet. He said she had lost 12 pounds over a few months. During her stay at the vet, her kidneys began to fail, and she passed away. I had been giving her Waggin Train Chicken Jerky treats to her for years. That was her favorite treat.
waggin train jerky tenders	Dog	Retriever - Golden	10	Years	Female	89	Pound	She became very lethargic.....by the time I got her to the vet her kidney was failing.....I had read about these treats and had stopped giving them to her a little prior but before that she had them everyday until I saw the articles on msn and followed up with my vet that said they were dangerous.....we did some dialysis on her but saw no way of curing the kidney.....I had to put her down.....this was my baby and I have been unconsoleable.....all this crap from China needs to be taken off the shelves and if not properly marked MADE IN CHINA.....I can have my vet send you a report if necessary
Wagon Trail Chicken Strips	Dog	Shih Tzu	11	Years	Female	15	Pound	Skin irritation, constant scratching.
Waggin Tails Chicken Jerky	Dog	Retriever - Labrador	10	Years	Female	64	Pound	Last fall our Chocolate Lab developed some very unusual behaviors. She started hiding, would not get up off the floor when called and acted frightened all the time. At night when she was let out and a light was turned on to find her she would just freeze and not move for minutes at a time unless I walked out and physically moved her. We took her to the vet and there was no apparent illness so blood work was done and all the tests were off the charts but no tumors etc. to cause the high levels. It was at this time she would not come out of her crate in the morning and another trip to the vet showed indicated a swollen liver and blockages in her intestines, again no apparent illness. I was searching the internet and found a blog that indicated some of the same things could be related to the Jerky treats which she had every day. We stopped the treats and kept her on plain dog food and water. Within 3 weeks she was back running and in 6 weeks she was her old self. We returned some unopened treats to Sam's and never purchased them again. Our vet never could identify an illness and we spent \$400 to \$500 on testing. Thanks, (b) (6)

Canyon Creek Ranch - Chicken & Banana	Dog	Retriever - Labrador	3	Years	Male	70	Pound	I used the above mentioned treats as my pup's trail treats for a few months. He then started having monthly episodes (lasting 4-7 days) of nausea, vomiting, diarrhea. I discontinued the use on 7/30 as I started seeing a trend of the same symptoms. Since then he has been in/out of ERs, vets, specialists. He's undergone at least \$4k worth of exams/ultrasounds/procedures.
Waggin Tails Chicken Jerky and the Kind made by that famous chef/man.	Dog	Beagle	11	Days	Male	32	Pound	Both (b) (6) the beagle, and (b) (6) a pit mix, were eating chicken jerky made in China and suddenly developed uncontrollable bladder problems. Both are house broken. Both just peed all over everything and seemed shocked that it had happened as if they had no idea they needed to go. I happened to see a report on the Humane Society website that recommended not giving the dogs these treats and stopped immediately. The problem disappeared.
Wagon Train Jerky Tenders	Dog	Retriever - Labrador	5		Male	86		In January 2011 my pet (b) (6) was diagnosed with kidney failure. He had to stay at the veterinarian for three days until his kidney function could be regulated to safe levels. I do not remember the exact chemicals that were monitored. But, the levels in his kidneys were extremely high. Again, in March 2012 he had a yearly exam and his kidneys were again heading toward failure due to the obscene high levels of chemicals. I read recently that treats made in China were reported causing kidney failure in animals. I am concerned that (b) (6) may have been contaminated by these tainted treats that are made in China.
waggon Tail Chicken Jerky Treats from China								My little (b) (6) has eaten Chicken Jerky Treats from China for the past 4 years with no problems until Oct 2011 he ill with vomiting and he was taken to the Vet. and given a pepic for upset stomach. This did not help at all he would not eat and was vomiting what little he did eat which was frothy, I then took him back to the Vet. We changed his dog food to less fatty. Still not doing any better took him back again and insisted that they do blood work to find out what was going on, I mentioned the Jerky that he was eating this was removed as well. Blood work came back all ok liver a little high. He was put on Metoclopramide syrup not jerky and he is getting better slowly now.
Wagon Train chicken jerky	Dog	Alaskan Malamute	14	Years	Male	20	Pound	I was giving my dog chicken jerky every night as a treat thinking that it was all natural and that it would be safe. He started feeling ill with diarrhea and vomiting for several days. He had to be hospitalized overnight due to lack of hydration. We spent over \$1000.00 for tests to rule out any other problems. I immediately quit giving him the chicken jerky and he has been great ever since. I truly believe it was the jerky and I would highly recommend that this product be taken off the market.
Waggin Tail Chicken Jerky Treats	Dog	Shih Tzu	3	Years	Female	12	Pound	(b) (6) began eating the Waggin Tail chicken jerky treats several months with no other change in her diet. Last month she developed severe kidney dysfunction and had to have emergency abdominal surgery to save her life as her bladder was completely full of kidney stones. She so obstructed that she could no longer urinate. This was sudden and extremely painful for her.
Waggin Train Chicken stix chicken and rawhide snack	Dog	Mixed (Dog)	3	Months	Female	2	Gram	Severe Diarrhea, lethargy vomiting
Waggin' Train WHOLESOME CHICKEN 16 oz. Chicken Dog Treats								I've been using Waggin' Train Dog Treats, specifically Chicken flavored strips for several months. I've noticed what appears to be digestive problems, although not having any kind of real experience in the detection of such maladies, I cannot state with certainty that she is in distress. She is a Yorkie mix about 14 months old. I read the article on the internet this morning about this product being linked to illnesses and death. I immediately called Walmart and informed them for which their representative quickly distanced themselves from any liability for any illness my dog might contract. She told me to contact the manufacturer. In the meantime, I will of course cease using this product but I'm very concerned about possible health issues for my pet. She is a companion animal and as I live on a fixed income, I'm afraid I won't be able to afford veterinary bills arising out of this.
"WagginTrain/Chicken Jerky treats"; Miloes Kitchen Chicken Jerky, Milo's Kitchen homestyle dog treats	Dog	Crossbred Canine/dog	11	Years	Female	32	Pound	I use the 'Waggin Tail,' Train, chicken jerky treats and milos kitchen, Religiously, daily!! 2 big bags per week or 10 days 4 3 dogs, so use them allot! My Vet said, she was poisoned, food poison!! I thought was going to lose her, she is getting old but, the symptoms were soo bad I truly thought she was going to die!! And yes, took to Vet she spent the night, flushed with fluids and the diarrhea, was by then BLOOD, as stated I thought it was Parvo!! We must do something about this, our pets are too important to we Americans and who ever dont like it well, they can bite me!! O, and I did have a larger dog and he was very healthy! but he died very mysteriously in 2007, the vet then said he really didn't know! My pets are sooo special to me, like family members and it hurts so to lose them. My dogs are my BFF's I trust them more than most people.
WAGGIN TRAIN JERKY TENDERS	Dog	Terrier - Yorkshire	11		Female	9	Pound	SHE BECAME LISTLESS AND TOTALLY INACTIVE. THOUGHT IT WAS JUST AGE SO TOOK HER TO THE VET. SHE RAN TESTS AND FOUND OUT HER KIDNEYS WERE SHUTTING DOWN - RENAL INSUFFICIENCY.
Canyon Creek Ranch Chicken tenders	Dog	Shepherd Dog - German	3	Years	Male	75	Pound	Dog became very sick- explosive diarrhea, sometimes with blood, as well as vomiting. Not tolerating food well.
Milo's Kitchen home-style dog treats / Chicken Jerky	Dog	Shih Tzu	2	Years	Male	25	Pound	Loose stool / regurgitating undigested food

wagon trail chicken treats and wagon trail duck treats	Dog	Mixed (Dog)	10		Female	65	she became ill over christmas and was taken to the vets who confirm that she had some adominal issues and that xray and surgery were needed, also blood work, which identified that she had internal bleeding and the xray reveled that it was her spleen that was bleeding. so surgery was preformed and she did not survive, the vet said that they notice a large sist on her liver and her kidneys look inflamed you can imagine our greif we expected to bring home our dog that day but instead we had to bury her	
Wagon Train Jerky Tenders	Dog	Retriever - Labrador	6	Years	Male	77	Pound	After feeding my dog the Wagon Train chicken jerky treats, over a period of months, he began to throw up and have diarrhea and was very lethargic. He would get better after a few days, but then would throw up again. This went on for months. The vet couldn't explain it. I never even thought about the treats. He is no longer eating the treats and he is back to normal. No more throwing up, and no more diarrhea.
Wagon Train Jerky Tenders	Dog	Retriever (unspecified)	11	Years	Male	84	Pound	I have been feeding my dogs Milo chicken treats and Wagon Trail Chicken Jerky for the past year daily 2-4 treats each dog. In February my 9 year old springer spaniel was diagnosed with diabetes and my 11 year old lab was diagnosed with renal failure both within 1 week of each other. My lab is dying of renal failure and so far our vet bills/medicine/food have cost us over \$2000.00 not to mention the psychological pain and stress it has put on me as I watch my pet die.
WAGGIN TRAIN JERKY TENDERS	Dog	Schnauzer - Miniature	4	Hours	Male	27	Pound	We have given him -Waggin Train - Jerky Tenders for couple years that we purchase them from Costco, and our dog loves them. he throws up at times, and we just thought that he may have bad stomach. Recently we decide to stop givin him the Waggin Train tenders, and his symptons seems has improved. We think the problem has been accumulated from the past few years, and we just did not realize it is caused by the Jerky that is carried by a good store like COSTCO.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	11	Years	Female	55	Pound	Developed liver disease which steadily got worse over about a four month period until we had to have her put to sleep because she was not eating.
WAGGIN TRAIN JERKY CHICKEN TREATS	Dog	Great Dane	1	Years	Female	186	Pound	I bought this particular dog treats called "Waggin Train" jerky chicken treats at a Sam's club store in North Carolina last February 2012. Upon arrival to NJ, I feed my Great Dane (b) (6) 2 sticks of the treats, later that night my dog started having loose bowel, couldn't hold her feaces, her stool was so loose it was every where, which was very unusual. After days of not knowing what the cause is and was still giving her the treats on a daily bases. I decided to take her to the Vet at which point he asked what type of food was I feeding the dog and I mentioned the Waggin dog treats. He immediately told not to give her those treats because he heard alot of negative report on that particular brand. I paid \$1,250 vet fee for my (b) (6) to get back to norm.
Waggin' Train Jerky Tenders	Dog	Retriever - Golden	13	Years	Male	85		In May of last year, he just got sick suddenly. We took him to the vet and he was in kidney failure. While he had been on Rymidel for artheritis, we had him checked every year for any adverse reaction, so we were surprised when he suddenly got ill and the vet reported he was in kidney failure. Due to his age everyone just assumed that is what had caused his issue. Now that reports are surfacing about these treats, We now wonder if they may be the cause. We had no idea about this so did not investagate it at the time.
WAGON TRAIN JERKY TENDERS	Dog	Retriever - Labrador	9	Years	Male	85	Pound	(b) (6) HAD JUST TURNED 9 ON 10/31/2011. I HAVE BEEN GIVING HIM WAGON TRAIN JERKKEY TENDERS FOR A LONG TIME. I ALSO GAVE HIM WAGON TRAIN CHICKEN WRAPPED CHEWS. (b) (6) WAS VERY HEALTHY AND ENERGETIC. TOWARDS THE END OF NOVEMBER HE BECAME FINICKY ABOUT HIS FOOD AND QUIT EATING. I BROUGHT HIM TO THE VET WHO HAD JUST SEEN HIM APPROXIMATELY 6 WEEKS EARLIER AND HE WAS DIAGNOSED WITH SEVERE KIDNEY DISEASE. HE HAD GOTTEN SICK SO QUICKLY THAT EVEN THOUGH THEY TRIED A TREATMENT, IT DID NOT WORK AND (b) (6) DIED.
Waggin' Train	Dog	Poodle - Standard	8	Years	Male	85	Pound	I gave my dog Wagin' train jerky treat on Saturday & Sunday, by Thursday the dog was visibly ill. I brought the dog to the Vets on Friday. he tested positive for renal failure. He had blood work done 2 months before and was perfect. The doctor said we should have him for a few more months until the inevitable. On Sunday morning I called the Doctor & had my dog euthanized as he was vomiting & dedicating at the same time. It was horrible
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	9	Years	Male	28	Pound	Several Waggin Train chicken jerky treats were given daily. (b) (6) went in for a standard dental cleaning and the vet phoned back saying they couldn't put him under because his liver values were off. Potential liver damage. I had JUST read about these treats and had just stopped giving him them a week earlier. (b) (6) was given medicine for 6 weeks and liver values returned to better levels.
Milo's Kitchen home style dog treats. Chicken Jerky	Dog	Shepherd (unspecified)	13	Years	Female	65		My two dogs (other dog is age 2) have been eating the Milo's kitchen Chicken Jerky treats for 2-3 months and about 1 month ago the older job developed rapid weight loss. About 2 weeks ago she stopped going on walks and a few days after that stopped eating. The vet was called in (3/1/12) and we were told she had severe kidney failure. We tried to give her IVs and appetite stimulants, but she could not hold down any food or water and on 3/5/12 she was euthanized. in the last week she was also unable to stand and go outside to go to the bathroom. Her breathing was all labored, she was extremely confused, and her eyes became opaque.
Milo's Kitchen Chicken Jerky	Dog	Spaniel - Cocker American	15	Years	Male	15	Pound	(b) (6) began urinating, vomiting and defacating all over the house. He stopped eating and drinking almost completely, but kept up with going to the bathroom all over the house (my mother-in-law's house in Florida). We couldn't figure out where everything was coming from. This went on for several weeks, apparently, before we got there to visit. She and the vet made the decision to put him down, as they felt that was the best option for him. We brought all of his food/treats back to NC with us so I could donate. I noticed that the treats she sent back were the Milo's Kitchen Chicken Jerky treats. Later that week, I started seeing reports about the Chicken Jerky treats.
Waggin' Train Chicken Jerky Treats	Dog	Pit Bull	2	Years	Female	45	Pound	(b) (6) became more and more lethargic and didn't feel like eating much, so we went to the vet, (b) (6) . The x-rays showed there was no blockage in her bowels, so we took her home. I was the Labor Day week end, so we took her back to the vet on 9/6/2011. That is when it was determined she was in renal failure. They gave her transfusions and tried flushing her kidneys, but it was too late and she was miserable so we had to put her down.

waggin tails chicken jerky treats	Dog	Dobermann	6	Years	Male	70	Pound	bought jerky treats at Sams Club. Waggin brand. Gave treats to my dog, but he kept throwing up. I decided to throw the whole bag out after i saw they were from China.
Waggin' Train 22oz Chicken Jerky Tenders Dog Treats, Beggin Strips Dog Treats, Waggin' Train 7ct Bacon Wrapped Big Blast Dog Treats	Dog	Mixed (Dog)	10	Years	Female	52	Pound	I have been giving (b) (6) Wagging Chicken Treats, Begging Strips, Wagging Train bacon sticks for around 3-4 years now. In the last year we noticed her belly increasing in size. We took her to the vet. After numerous tests and blood work, he found out she had Cushion's Disease. We started treatment and after two months he told us that he was worried her belly was not reducing in size. So he recommended a specialist. After more tests were done and an ultrasound of her stomach, they concluded that she had a tumor in her liver. We discussed what we were feeding her as well as previous problems she ever had. The vet told us to stop feeding any treat coming from China. Basically all treats we ever gave (b) (6) were already coming from China. So of course we were extremely upset. We threw everything out and started treatment for her liver. They couldn't remove the liver because she had a very high chance of not surviving the operations and would die of liver failure. We have spent thousandsssss of dollars since we started her treatment as well as all the tests and blood work. In addition, because of her tumor, her belly has to be drain every 3-4 weeks.
Milo's Kitchen Home Style Dog Treats Chicken Jerkey	Dog	Retriever - Labrador	7	Years	Male	90	Pound	After consuming Milo's Kitchen Chicken Jerky, (b) (6) would vomit 8-10 times a day. He was unable to keep any food down and became lethargic. This occurred after everytime that he consumed the product. His vet was consulted, and they felt he must have eaten something outside(he lives inside and only goes out to go to the bathroom). I realized that the only food item in his diet that changed was the addition of the chicken jerky. Unfortunately, it did take several feedings of the treat before I connected his sickness and the treats. Once I stopped given him the chicken jerky, his symptoms were alleviated and he returned to his normal self. I just read a report online regarding the FDA and sickness in dogs from chicken jerky. I feel most certain that this is what caused my dog's sickness.
Canyon Creek Ranch Jerky Treats Chicken and Banana Duck wrapped yam Yam Good	Dog	Greyhound - Italian	12	Years	Female	17	Pound	I started giving (b) (6) Canyon Creek jerky treats (1 per day) last year in the summer. After a few weeks she began drinking excessive amounts of water and being constantly thirsty. She would get up in the middle of the night and drink 6 oz straight. I didn't connect it with the jerky treats until I read about the kidney damage and failure in other dogs. In November I read about the FDA warning and immediately discontinued the treats, although I still hadn't connected the thirst with the product. It was only after noticing over the last 4 months that her thirst had returned to completely normal that I realized what was wrong.
Beefeaters Chicken Fillets Natural Dog Treats	Dog	Shepherd Dog - German	4	Years	Female	85	Pound	My dog had been enjoying these treats for a couple of years, but one night about 5 weeks ago I gave her a couple of treats around 9 pm. About 1:30 am I awoke due to (b) (6) pacing back and forth in the bedroom and sort of gagging. I took her outside where she tried to vomit a number of times, but nothing came up so we went back inside. I stayed up with her and debated on taking her to the emergency vet. After about another 1/2 hour of this, I began to get dressed which is when she finally did vomit. It was pretty much liquid except for one chunk of the chicken fillet. There has been no repeat of the problem since I ditched the treats.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shih Tzu	8	Years	Female	10	Pound	Our dog regurgitated the treat after eating.
Canyon Creek Ranch Ducker Tenders	Dog	Beagle	13	Years	Male	30	Pound	We began purchasing Canyon Creek Ranch Duck Tenders late last year. We do not recall the specific date, but understand they were introduced to the market for sale late August of 2011, so it would have been after that point. We fed (b) (6) one a day (occasionally 2, if the pieces were very small) with his dinner each evening. We began noticing his tummy occasionally gurgling, usually at night (he slept in bed with us) & sporadic bouts of eating grass & vomiting (usually in the mornings) late in 2011, but he would return to normal afterward & the upset tummy would subside. We did notice he seemed to be drinking a lot more water some time in late December or early January, but didn't realize there was a problem. We thought perhaps it was the dry heat in the house from our heating system. We have a pet door & fenced in back yard, so (b) (6) came in & out whenever he desired & we didn't monitor his every visit to the "bathroom". He went from eating 2 meals a day, once in the morning & once in the evening, to only wanting to eat in the evening around the same time. We thought he was just not wanting to eat as much because he was getting older, but didn't know why the upset tummy. The vet suggested we give (b) (6) Prilosec for the upset tummy whenever it occurred & to be careful what we fed him. We were very careful to feed him good quality pet food & treats, or so we thought. We always checked packaging on treats to avoid made in China products & somehow came to the conclusion that the Canyon Creek Ranch duck tenders were American made, when in fact, they are made in China. (b) (6) started going to bed early on his own during this period. He had always went to bed with us in the past, so we were surprised when he would go ahead of us & again explained it away as he was just getting older. He seemed to have bursts of energy & playfulness, like his normal self, in particular during the later afternoon hours & continued wanting to go for walks. Then things drastically took a turn for the worse. He began vomiting on the bed during the early morning hours of Sunday, January 22, 2012. He had never been sick in the house before. We cleaned up the bed & a while later he vomited again, then a 3rd time. We considered taking him to the emergency vet, but the vomiting seemed to finally stop & we watched over him all day Sunday. He refused to eat anything that day, but drank quite a bit of water. Finally, he ate some chicken & rice I cooked for him on Sunday evening & seemed to hold it down & feel better. We thought whatever it was had passed. Monday morning, he still seemed not to feel very good, but no sign of vomiting that we saw & we thought he was probably a little weak from the early Sunday sickness. We reluctantly worked away from the home from early morning until mid afternoon. He still seemed not to feel very good when we returned home, but did eat dinner. Tuesday morning, he got up & started showing signs of distress, going in circles, lying down, whimpering, getting back up, etc. We realized whatever had caused the vomiting early Sunday was not just something that had passed, but there must be a serious issue & rushed him to the vet. Tests were completed & the news was not good. The Pancreatitis was flared up, but the more serious issue was (b) (6) was in kidney failure & his values were totally off the chart. He spent all day Tuesday & all day Wednesday at the vet hospital on IV fluids to flush the kidneys, but came home with us during the evenings for over night. He began getting worse during the night after bringing him home on Wednesday evening, lost control of his bladder on the bed, started vomiting again & was in serious distress. We called his vet's emergency number around 3:30 AM & were instructed to give (b) (6) his prescription pain pill & have him back in as soon as the vet opened. We got him back in early Thursday morning & the vet suggested we leave him there on constant IV fluids for 48 uninterrupted hours, along with

Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	9	Years	Male		After feeding (b) (6) the "Waggin Train Chicken Jerky Strips" he developed severe kidney problems and severe diareah(sp?). I took him to the teaching hospital at (b) (6). He was diagnosed a spossibly having ulcerative colitis. He had never shown the above symptoms until after consuming the jerky treats. I started feeding him meals prepared myself from a recipre found on (b) (6) website. He has shown no other symptoms since I stopped giving him the jerky treats.
Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	7	Months	Male	45 Pound	Vomiting once or twice a day..Didn't link it to the Waggin Treat until I read something on the internet. Also we have a one year old 4 pound Yorkie, female that would vomit after eating it so we discontinued giving it to her. As of today, I will be throwing out the Waggin Treats.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Standard Wire-haired	4	Years	Male	16 Pound	Several years ago I gave my dog Waggin Train chicken jerky treats on a daily basis. He became very ill on several occasions which prompted visits to the vet. Each time the vet was unable to find a cause of his illness. At one point he was hospitalized due to uncontrollable vomiting and diarrhea for a period of several days. There was never a diagnosis made as to what caused his illness. Many tests were run, but nothing was ever determined. It wasn't until recently that I was reading about the jerky treats causing these types of symptoms that I put it together.
Milo's Kitchen home-style dog treats	Dog	Shih Tzu	11	Years	Male	22 Pound	I bought the Milo's Kitchen Chicken Jerky and it changed the dogs attitude to like a animal in shock. He is in pain.
Wagon Train milos	Dog	Terrier - Yorkshire	3	Years	Male	15 Pound	Benn eating Wagon Train and Milos chicken jerky and has now developed excessive urination, painting, respiratory difficulity, decreased appetiate
Waggin Tails Chicken Jerky Treats	Dog	Mixed (Dog)	6	Years	Male	100	(b) (6) ate about 4 of the Waggin Tail jerky treats a day. He developed diabetes so severely that we were unable to control it. It casued him to have kidney failure and many other symtoms that I have seen described on internet by other people. We ended up putting our baby to sleep in Dec. after he lost 40 pounds in 2.5 weeks and nothing the vet tried worked
Waggin Train Jerky Treats	Dog	Boxer (German Boxer)	5	Years	Male	56 Pound	Approximately seven months ago. I purchased Waggin Train Jerky Tenders for my 5 year old male Boxer. He receives one to two treats per day. After purchasing and giving the Jerky Tenders to him he began to have diarrhea severely. I discontinued the use of the treats, thinking he may have just gotten a bug. Once the diarrhea subsided, after about a week I continued with the treats. The diarrhea came back with a vengeance and I had to notify the Vet to prescribe some K-Pectin. I discarded the Jerky Treats and (b) (6) has recovered fully with not one episode of diarrhea since.
Waggin Train Chicken Stix	Dog	Basset - Griffon Vendeen Large	2	Years	Male	71 Pound	Healthy dog that started eating treat a few days prior to becoming very ill. Vet was baffled by nausea, vomiting,diahrea, and lack of emergy.
Waggin Trail	Dog	Mixed (Dog)	3	Years	Male	50 Pound	After feeding him waggin trail treats he would have seizures. Our dog had seizures for quite a while. Vet checked him and said his blood levels were good and the cause of the seizures were unknown. We quit feeding him the waggin trail treats and he has not had a seizure in over a month.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Female	25 Pound	On 2 occasions, I gave (b) (6) one Waggin Train chicken jerky tender treat and she became sick both times. The first time she vomited 10+ times, shaking tremendously, and was breathing heavily and was very lethargic. I called the (b) (6) emergency vet at 10:30pm that evening because I thought I was going to lose her. I mentioned to my husband that maybe someone poisoned her while she was outside, because that's how she seemed. She stopped vomiting soon after the call to the vet and I chose to gamble and kept vigil on her during the night and she was clearly coming out of her sickness by the next morning. The second time I gave her one of the same treats was last night and she vomited just minutes after consuming the one treat. It hit me that it was the treat that was not agreeing with her. She has not been shaking, but she is extremely lethargic and still has not eaten a thing since vomiting 4 times last night. The treat came up in pieces, so I am hoping she was recover quickly. My 13 year old dog had the same amount of treats, but hasn't vomited, is still eating, but is extremely lethargic and I am praying he will be okay as well. Both dogs are mutts, with (b) (6) being part Irish Wolfhound and my 13 year old dog being part Border Collie.
Milo's Kitchen Chicken Jerky Treat (Unknown exact discarded package)	Dog	Rottweiler	8	Years	Female	90 Pound	Dogs fed Milo's Kitchen jerky treats in the morning of February 9, 2012. Previous meal 12-14 hours prior (regular portion of dry dog food with no changes to food type or amount for years). Dogs rarely receive scraps/treats, but have had jerky and other dry treats before. Upon return home, dog in digestive distress. Loose stool in the home, anxious to go out.
Milo's Kitchen home style dog treats Beef Sausage Slices with Rice	Dog	Mixed (Dog)	9	Years	Female	12 Pound	I bought 2 bags of Milos Home Style Beef Sausage Slices with Rice at Wal-Mart about 2-3 weeks ago. I had never bought them for her, but I wanted to give her something special besides her usual treats. I noticed that they were so hard, I couldn't break them up in small pieces for her. I had to use a knife to cut them into small pieces for her to chew. She is a small dog with a tiny mouth so I didn't want her to choke on them. I did notice that some days she just acts like she doesn't feel good. I never associated the treats with her not feeling well, as I only give her 1/3 a treat every other day as they are big pieces, and she didn't need a whole one. I don't know if it is associated or not that she wasn't feeling well. I did not take her to the vet, because she just seemed out of sorts with no real symptoms except not being active and just laying with a sad look on her face.
Waggin Train Jerky Tenders	Dog	Terrier - Jack Russell	5	Years	Male	25 Pound	For three days my dog was shaking after eating the Waggin Train chicken treats that I purchased at Marden's. He then laid around not acting himself for about two weeks.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Hound - Basset	5	Years	Mixed Population of Female and Male	62	Pound	I purchased a bag of Purina Adult dog food, and it came with a free pouch of Waggin' Train Wholesome Chicken Jerky Tenders. I gave all 4 of my dogs each 1 peice of the treat. ((b) (6) , Basset Hound, 62 pounds, 5 years old, Spayed, Healthy; (b) (6) , Basset Hound, 45 pounds, 4 years old, Spayed, Healthy; (b) (6) Pyrenese/German Shepherd Mix, 55 pounds, 8 months, Spayed, Healthy; and (b) (6) Pyrenese/German Shepherd Mix, 67 pounds, 8 months, Neutered, Healthy). Within 5 minutes, all of the dogs were acting lethargic. After 10 minutes, (b) (6) began vomiting. She continued to vomit for about 10 more minutes. Since she appeared to have vomited all of the treat, I did not contact our veterinarian. I have not notice any other long term side effects.
milo's kitchen homestlye chicken jerky	Dog	Unknown	8	Years	Female	185	Pound	fed (b) (6) 1 milo's kitchen homestlye chicken jerky and the next day she became very sick to her stomach,loss of appatite and no energy. A day or two later she was fine. About a week later I fed her anothe piece of chicken jerky and got sick all over again. I threw the stuff out and will never buy again.
wagon trail chicken strips	Dog	Pointing Dog - German Short-haired	12	Years	Female	70	Pound	feed WAGON TRAIL CHICKEN STRIPS as treat, 2 to 3 strips daily. soon after starting of feeding strips, dog had watery loose stool, was larghic, drank larger amounts of water and was lissless. We heard of problem with Wagon trail and stop feeding. Dog is back to more normal, still drinking more water then in past, but has better energy and seems more sprited. We feed lass then 1/3 bag of the strips to the dog.
WAGGIN TRAILS CHICKEN JERKY	Dog	Boxer (German Boxer)	2	Years	Female	48	Pound	We noticed periodic blod in her bowel movement and the movements were usually loose when we were giving the jerky product. We discontinued the product when we saw an article on MSN a number of months ago. Since then, her bowel movements have returned to normal consistency with no blood. We also returned the product to the point of purchase (both trhe unopened and opened) with a copy of the article. We were given a full refund. These products are on trhe shelf to this day, but we continue to spread the word to our friends and they no longer use the product or never did
Waggin Train Jerky Tenders	Dog	Retriever - Golden	9		Male	90	Pound	(b) (6) exhibited signs following eating these treats on a daily basis for about six months. He lost his appetite, drank copious amounts of water and began to retain fluid in his abdomen.
Canyon Creek Ranch Brand: Natural Duck Tenders	Dog	Terrier - Airedale	8	Years	Male	98	Pound	On January 10th (b) (6) became sick, showed signs of throwing up bile. Previously (b) (6) has had intestinal blockages, twice before. I drove (b) (6) to the vet about 6 hours after first observation, and he was diagnosed via blood tests. He showed signs of pancreatitis, hepitis, Kidney or Liver problems (not sure which). Approximately two weeks latter (b) (6) regained his health. He had injested over the holiday raw hide dones, dog food and table scraps. But I became aware of a possible link to illness from Canyon Creek Ranch Tenders (in this case duck) from an internet article. I thought I should be dilligent and report the possibility of a link to my vet.. I still have the tenders in the packaging.
WAGGIN' TRAIN WHOLESOME CHICKEN ALL NATURAL CHICKEN FILLETS	Dog	Siberian Husky	10	Years	Male	52	Pound	Severe vomiting, diaherria, lethargic, stopped eating and drinking, bloody stool, large growths on hind leg size of a golf ball. All these symptoms appeared within one week of being given chicken tenders (Waggin Train variety) purchased at Walmart and Kroger for November 2011 to January 2012. Symptoms began with the growth popping up within 2-3 days after being given the treat 3 times per day in mid-December 2011. Growth was removed end of December by our vet and was determined it was cancerous. This brand of chicken tender was once again given to my dog the first week of Jan 2012 and within hours severe vomiting and severe diaherria began and he could not keep anything down. Veternarian treated him and took him off all food, drink and gave him antibiotics, medicine for vomiting and diaherria. Veterinary bills totalled over \$1000. My dog has not had that treat since and is doing fine. My neighbors dog also fell sick with same symptoms during the same time period. I gave them a bag of this same brand of chicken tenders, when they stopped giving the dog the treat the dog improved. IMPORTANT NOTE: My dog NEVER gets sick! He has been in EXCELLENT HEALTH! I strongly feel it was these dog treats that made my dog very ill. The bag said "MADE IN CHINA"
waggin train chicken jerky treats	Dog	Terrier - Yorkshire	11	Years	Female	10	Pound	fed her and our 6 year old male yorkie waggin train chicken jerky treats. both the female and male came down with diarerha, very lethargic and would not eat. this lasted for about 2 weeks. we immediatly suspected the waggin train treats as i checked on the internet and saw an article about the treats. we consulted with a vet who advised us on the proper treatment for both dogs.
Wagon Train Chicken Jerky Tenders	Dog	Boxer (German Boxer)	2	Years	Male	49	Pound	vomitting
Waggin Trail wholesome chicken jerky tenders	Dog	Dachshund - Standard Long-haired	12	Years	Female	20	Pound	(b) (6) became sick for about 2 weeks, vomiting, not eating, not drinking, not very active. Did nothing but sleep and vomitt. She was only given one piece of jerky to my knowledge.
Waggin train Chicken Tenders	Dog	Bulldog	6		Male	70		I purchased chicken tenders from my local Costco for our dog. A few days later he was not him self, he couldn't hardly walk, and had yellow diarrhea. We took our dog to vet and they recommended that we take him to the emergency pet clinic. They had to keep him for a few days, they ran a few tests and gave him some IV's because he was dehydrated. They vet did not know what was wrong that it could be kidney failure and we might have to put him down. We told him what we gave him and he said that was most likely what made him this sick. There is something in there that I believe is bad for dogs and causing kidney failure. I called Costco to notify them and to pull the product off the shelves before other dogs get sick, they did not. I called and emailed the manufacturer but never hear a work back from them. I have proof from the vet and a \$1,000 vet bill for treatment. It needs to be pulled from the shelves immediately.
Waggin Train Chicken Tenders	Dog	Retriever - Labrador	11	Years	Female	65	Pound	Animal was fed the Chicken treats purchased at Sam's Club on aregular basis for at least two years. Animal developed a type of skin cancer and Ultamately was euthanized.

Waggin Train Jerky Chicken Treats	Dog	Samoyed	12	Years	Female	65	Pound	we gave our Samoyeds, Waggin Train Chicken Treats and she developed bladder problems. we now have to give her meds to control her bladder. Vet told us to stop giving her those treats. there maybe a problem with them.
Dick Van Patten's Natural Balance Limited Ingredient Diets Sweet Potato and Chicken Formula, Milos Chicken Jerky Treats	Dog	Retriever - Labrador	5	Years	Male	80	Pound	Five year old labrador retriever died of kidney failure March 3, 2012. Our dog had been fed the Milo's Chicken Jerky treats in December 2011. However, more recently had also switched dog food on February 1, 2012 to Dick Van Patten's Natural Balance chicken and sweet potato flavor. Our dog readily ate this dog food for the first two weeks and then declined to eat it a couple of weeks before passing away. We are unsure if the jerky treats may have led up to his kidney failure or if the new dog good was the problem. He was a perfectly healthy and active lab up until then. His symptoms began the middle of February 2012 and his diagnosis of kidney failure was on Feb. 24, 2012.
Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	13	Years	Male	44	Pound	I began to give our dog Taylor Waggin' Train's jerky treats, eventually he became dehydrated and anemic as well as had kidney problems. We had to put him down due to the kidney problems on January 31st. I believe that the jerky treats were a cause of his kidney failure because he was in great health prior to eating the treats.
The Kingdom Pets Chicken Jerky	Dog	Terrier - Yorkshire	9	Years	Female	9	Pound	She stopped eating became very lethargic. Took her to the vet and her kidneys were failing. We had to put her to sleep because she was suffering.
Waggin Train Chicken Tenders	Dog	Brittany	10	Years	Female	52	Pound	Within in 2 mos time period started showing signs of arthritis begining of August 2010, Rapidly went down hill in Sept took to vet and had exam. dog started to go blind in one eye (clear and heathy looking). within 10 days went totally blind and was euthanized. Classic signs of liver, kidney failure or possible immune system attack. Blood tests had confirmed liver and kidney problems. Dog had been being feed Chicken Tenders Treats daily about 3 or 4.
Milo's Pet Treats	Dog	Poodle - Toy	7	Years	Male	18	Pound	Developed Renal Failure for no apparent reason, had been eating the Milo's jerky treats and his usual other food. Vet unable to determine cause, not "chronic", stayed at vet x3 days before having to be put to sleep due to worsening and pain.
Waggin Train Jerky Tenders	Dog	Black Forest Hound	7		Female	20	Pound	My Boston Terrier, (b) (6), became seriously ill last November and ultimately we had to put her down. She developed kidney failure completely out of the blue - we recognized some serious issues (near constant vomiting, lethargy, and not eating) on a Thursday, brought her to her vet on Friday, checked her into the emergency vet clinic the same day, and were heartbroken to learn that we had to euthanize her on that Sunday. Her kidneys were beyond treatment. This was a previously healthy dog full of MAJOR energy and life! We had been giving her Waggin Train Chicken Jerky Tender Treats in her Kong and never thought twice about it - UNTIL I saw an article today on MSNBC. I don't know if I still have that particular package but I do still have a package that may be the same one. Needless to say, I will not be feeding the remaining product to either of my two dogs. I will hold onto this should you need it. I thought I would submit this because the vets did not have a good explanantion of what happened to our beloved (b) (6) girl, and it has been gnawing at us since. She was covered under a VPI pet health plan, always up to date on vaccinations, and in good health. We consider our pets family, and if this product had anything to do with her death we want to get it off the shelves and save others the pain we've experienced. Please feel free to contact me via email or phone. Thank you for what you do to protect American pets. (b) (6)
Milo's Kitchen Home-style chicken jerky dog treats	Dog	Great Dane	1	Years	Female	130	Pound	Chicken Jerky caused vomitting.
waggin train jerky chicken tender	Dog	Mixed (Dog)	3	Years	Male	71	Pound	We buy my dog the waggin tail chicken treats, an he loved them. I came home one day and my dog was not walking, i took him to the vet and theycouldn't fingd what was wrong with him, after an MRI we found that he had fluids in his brain with poor prognosis, so we have to put him down on August 2011. I still have all the medical records and tests that were run on him including the MRI
Canyon Creek Ranch chicken treats	Dog	Retriever - Labrador	9	Months	Male	70	Pound	The treats gave him severe diarrhea which led to dehydration and obvious discomfort. He had to go outside multiple times and could not hold his bowels throughout the night. I originally associated this with his Blue Buffalo puppy food and switched but that did not help. I talked to the manager of PetSmart who suggested that he may have a chicken allergy. I immediately took away all of his chicken treats and his symptoms immediately stopped. I still had to take him to the vet for checkups to make sure that no damage was done.
Waggin Train Chicken Jerky dog treats	Dog	Mixed (Dog)	8	Years	Male	70	Pound	(b) (6) would wake up in the middle of the night vomiting for no apparent reason. This dog was supervised closely and had nothing to eat except dog food, milk bone treats and waggin train chicken jerky. After reading about the dangers associated with the chicken jerky, threw away the remaining product and stopped feeding it to the dog. Have had NO problems with unexplained vomiting since.

Waggin Trains Chicken Jerky	Dog	Mixed (Dog)	7	Years	Male	78	Pound	Approximately two years ago (b) (6) became very ill and was taken to his veterinarian. He had been lethargic, unwilling to eat and walked with his back hunched up from abdominal pain. The vet diagnosed pancreatitis and asked what I had been feeding him. He has been given Canidae All Life Stage dog food since he was 10 weeks old so the only thing that I had given him recently that was different was the Waggin Trains Chicken Jerky. Because it was "all chicken" I assumed it was safe for him to eat. (b) (6) needed to remain over night at the veterinary hospital and slowly began to recover the second day there. I feel I am one of the lucky ones. In researching this product I discovered that in China it is irradiated using old nuclear reactor rods. I also learned that even then, people were reporting their dogs dying or becoming ill after consuming this product. I immediately went to the Calais Walmart and spoke with the manager about pulling this product from their shelves. He of course refused stating that no one else had complained about the jerky. I am glad this problem that has been ongoing is finally getting the attention it deserves. I'm sorry so many dogs had to die or become ill in order for this to be taken seriously. I will never again purchase jerky, a dog treat or any animal product that has the green "friendly" looking sign on the back that says it has been irradiated. Why is it illegal to do this to human foods but not pet food?? (b) (6) has gone on to live his life but I don't know if he has any permanent damage from ingesting this product.
Waggin Train Chicken Jerky Tenders	Dog	Terrier - Border	6	Years	Female	16	Pound	We purchased Waggin Train Chicken Jerky from CostCo for many months -- our dog, (b) (6) loved them. After some months of consumption, she began vomiting without provocation. We initially thought it was stomach upset or allergies, but after switching food began to suspect the jerky. We removed it from her diet and have not had any issues since. Saw an article this morning -- http://vitals.msnbc.msn.com/_news/2012/03/13/10657635-3-big-brands-may-be-tied-to-chicken-jerky-illness-in-dogs-fda-records-show -- and felt it was important to add our experience. Given the sudden stop of the issue when we stopped giving her this product, believe there is a real tie. We took her to the vet while she was having the issue, and they could not find anything wrong from an external exam.
Dogswell Vitality Chicken Breast with Flaxseed and Vitamins	Dog	Great Pyrenees	3	Years	Female	69	Pound	My dog (b) (6) started having having soft stools. I had been giving her chicken jerky treats for a few months. At first it was not severe, but after about a week, it became projectile and watery (today). I took her to a vet today. They found excessive bacteria in her stool and gave me Edosorb and Metronidazole to give her.
Milo's Kitchen Chicken Jerky Dog Treats	Dog	Maltese	4	Months	Female	5	Pound	After eating only 1 of the Chicken Jerky dog treats (broken up into small pieces throughout a day), the puppy experienced excessive thirst and eventually suffered a seizure. She was taken to the animal hospital where she was admitted and given treatment for Sodium ION poisoning.
Kingdom Pets Chicken Jerkey	Dog	Shepherd Dog - German	2	Years	Male	100	Pound	We gave our dog chicken jerky from costco as a treat around Oct 2011. By 10/12/11 he wouldn't eat his normal dog food, he was vomiting, and drinking tons of water. He would only eat his treats and be sick within hours of eating them. We couldn't get him to eat anything else besides the chicken jerky. We took him to vet and they couldn't find anything wrong with him. So we waited a few days and he got worse with the vomiting, so we took him back to the vet and they ran blood test and he had kidney failure and had to be euthanized. There was nothing the vet could do for him. He would have been 3 years old on 10/31/11.
Waggin' Train Big Blast, Waggin' Train Chicken Tenders, Cadet Duck Breat	Dog	Retriever - Labrador	11	Months	Female	70	Pound	I used "Waggin Train" chicken jerky treats for 2weeks on training walks. Pup urinated indoors for the first time in months. Vomited x1. Refused meals for 24 hours. Very tired. Very thirsty. Problem seemed to resolve itself 24 hours later. Then I received notice from web site Dogfoodadvisor.com that FDA is issuing caution about chicken jerky treats from China.
Milo's Kitchen Home-style Dog Treats - Chicken Jerky (No artificial flavors or colors)	Dog	Retriever - Labrador	10	Years	Male	80	Pound	We bought "Milo's Kitchen Chicken Jerky Dog Treats". We fed our dog one after dinner - the next morning he threw up. A day or two later, as a treat, we gave him one and he threw up that night. We checked websites after this and found out that many dogs have had problems with Chicken Jerky treats (we thought these would be a healthy treat option; we did not know the potential hazards since they were on sale at Target). These particular treats are made in China. Since we stopped feeding him the treats, he has not gotten sick once (and he did not really get sick before this). We have not taken him to a vet to see if any permanent damage is done, as we just found out today that this was the likely source (I suspected it because it was the only "new" part of his diet/life, but today we saw a story in the Hartford Courant newspaper).
PCI Chicken breast Nibbles, Waggin Train Chick'nBiscuits, PCI Quackers, Dogswell Vitality Chicken Breast, PCI Chicken breast Tenders	Dog	Terrier - West Highland White	9	Years	Female	18	Pound	Severe gastroenteritis, bloody diarrhea, cramps, vomiting, bladder infection caused by high sugar in urine, increased thirst, pain in abdomen when lying down (indicated by loud moaning noises).

Waggin Tails Chicken Jerky Treats	Dog	Greyhound	10	Years	Female	65	Pound	Shortly after giving Chicken Jerky Treats, my Greyhound started drinking a lot of water, urinating frequently, loosing some control of bladder, stopped eating her dog food, and would only eat the Chciken Jerky Treats, so more were given to sutain her. Within weeks, she started vomiting with tinges of blood, had dirrahea, so was rushed to my Vet. Tests were run on the feces, as well as blood test, including a full panel. My Vet advised that complaints have been made regarding the treats, and use should be stopped immediately. Medication for the vomiting was given, and she started to seem better, but within a week, I found her dying upon returning home from an outing of 4 hours. The blood test resulted in levels to indicate she had high creatin levels, and kidney failure. I still have the test results, as well as the full container of treats. (b) (6) (Pg (b) (6)) a retired racing Greyhound died on 8-18-2009.
Cadet Chicken Breast Tenders	Dog	Bulldog - French	8	Months	Female	21	Pound	Opened new package of chicken breast tenders & gave dog 1. She proceeded to vomit in large amounts twice during the evening. Upon further inspection of the pouch the product came in, I noticed a strange odor coming from the bag. They did not smell like the normal treats would smell. Also, they were rather soft and usually these treats are hard. I returned the product to the pet store only to hear from the manager that there have been several posts online about dogs getting sick after eating this product.
Waggin' train chicken jerky tenders	Dog	Shepherd Dog - German	5	Years	Female	95	Pound	Both of my German Shepherds got violently ill after feeding them 2 strips of waggin jerky treats, just these two dogs in my home. My other dogs were at doggie day care. Both were vomiting and had very bad diarrhea. I rushed them both into the vet, where they received fluids, by sub q. Both never left that hospital, as I lost both of them the next day. I am outraged, and disgusted that I fed them a treat, not knowing that they were tainted with poison, and made in China. I want this company to pay for what they have put me through, these dogs were my family and protectors. I have been going through a bad depression since losing them, they were young and healthy, they did not ask for this. My dogs are my world. I want this company held responsible for their deaths. I know it was these treats as all my other dogs are fine.. I am so upset.
Milos Kitchen	Dog	Other Canine/dog	4	Years	Female	27	Pound	My dog vomited after ingesting Milos Kitchen chicken jerky. Appears to have recovered, however, I am not sure of the long term effects.
Waggin Train Chicken Jerky Tenders	Dog	Greyhound - Italian	7	Years	Female	18	Pound	Lats summer 2011 I started buying Waggin Train Chicken Jerky Tenders for my Italian Greyhound (b) (6). I started in May 2011 and she recieved 1-2 tenders every day untill August 8th 2011, when she stopped eatting. At first I didn't think anything of it, but after 3 days of not eating I called my Vet and we went in for an appointment. At first the Vet could not find anything wrong. Many tests were done. I was given Nutritional suppliments to syring force feed her. She was only 18 pounds to start with and went down to 14 pounds. in just 2 weeks. After many tests and Blood work it was decided that she had Addison's Disease. She was put on medication and had to have blood work every week for 2 months while the Vet adjusted the medication for her system. Durring that time She did start to eat again but the Vet and I had talked about her food/treats and her food was ok but her treats were from China and the Vet said to stop them. I had already done so anyhow when she had become sick in August. She got her diagnosis Aug. 31, 2011. It took till Nov 2011 to get her stable. Now for the rest of her life she will be on medication 2x a day, need blood work every 3-6 months and I have to watch her for any stress. Stressfull situations can make the disease worse and send them into attacks were they can die. Surgurys are not good for them either. I have to be very careful with her and keep her very happy IG.
Beefeaters Chicken Fillets	Dog	Collie (unspecified)	6	Years	Female	30	Pound	we had taken our health girl to get her teeth cleaned and she was not wanting to eat, so thinking she needed to eat we tried various things we knew she liked, the only thing she would eat was the chicken fillets, she just kept getting worse.. We had her to the vet twice, being hospitalize with iv's... They could not believe she had got so sick so quickly. After many test they determined she had kidney failure. After several weeks of seeing our beloved (b) (6) lose her will to go on, we had our vet come to our house and end her suffering.. We did not think it could have been a issue with something we gave her until reading a article in our local paper about this causing other family pets health issues.
Dogswell Happy Hips Chicken Breast	Dog	Terrier - Jack Russell	8	Years	Female	15	Pound	After opening a new package of Dogswell brand Chicken Breast flavor Happy Hips (basically a chicken jerky product) and feeding them to our dog, the dog exhibited sluggishness, anxiety and constant diarrhea for two days. On the second day, after thinking through everything about the dog's environment that had changed, we came to the conclusion that the only thing that had changed was the new bag of jerky treats we'd opened and given her. Other than these, her diet of dogfood was normal and unchanged. And we hadn't given her any other new or unusual foods. After ceasing the chicken jerky treats, she immediately improved.
Waggin Trails Chicken Jerky	Dog	Dogo Argentino	10	Months	Male	90	Pound	My dog consumed the Waggin Trails Chicken Jerky, after eating this, I have noticed that he does not drink as much water as he used to. He is losing hair and has some type of rash. I did not know what was causing this at first so my dog has had about 3 pouches of the Waggin Trails Chicken Jerky. After seeing the story on the Fox CT news, I have noticed many complaints about this product and have seen similar symptoms. This is very concerning.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Retriever - Golden	6	Years	Female	105	Pound	owner gave pet jerkey treat in the am. a few hours later, pet collapsed outside. she had a bout of diarrhea before coming to the vet. she had rapid breathing when she arrived at the clinic. she had pale mucous membranes.

Doctors Foster and Smith Healthy Snax Dog Snacks Sweet Potato Fries	Dog	Terrier - Yorkshire	6	Years	Female	2	Kilogram	The owner began feeding sweet potato treats approximately 5-6 weeks ago, as she was looking for a hypoallergenic treat to feed (b) (6). Since starting the treats the owner noticed that (b) (6) was more thirsty than normal. For the past 2 weeks she had increasing inappetence, lethargy and polyuria. (b) (6) was referred to Ohio State for work-up on March 5. I found that she was dehydrated, hypokalemic, hypophosphatemic, and acidotic. Her urine contained glucosuria (with concurrent eu- to hypoglycemia) and proteinuria. Fanconi's syndrome is suspected. An amino aciduria profile has been submitted to the University of Pennsylvania and is pending. Leptospirosis titers are also pending, although the dog is low risk for Lepto based on her lifestyle. (b) (6) has been hospitalized for the past two days to correct her dyhradtion, acidosis, hypokalemia, and hypophosphatemia. She remains markedly glucosuric. She is being discharged tonight on oral supplementation with potassium citrate and dicalcium phosphate.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Coonhound - Redbone	7	Years	Female	50	Pound	Two days after eating a few of these treats the dog could not hold her urine. It smelled foul--like something out of a horror story. She's never had an accident in the house until now. I brought her to the vet and he did numerous blood and urine tests and figured out that it was a massive kidney failure due to an infection. He thought it was most likely because of these treats. She is on Cypro for another few days and then I have to bring her back to re-do the tests to make sure all is better.
Waggin Train Chicken Jerky	Dog	Poodle - Toy	12	Years	Female	11	Pound	Vet diagnosed Kidney failure. 03/01/2011. I read on the internet in February 2012 that this is a symtom from comsuming Chicken Jerky made in China. Dog has been taking medicine daily for kidney failure since 03/2011. She seems to be doing somewhat better since I discontinued giving her chicken jerky.
Doctors Foster and Smith Healthy Snax Dog Snacks: Sweet Potato Fries	Dog	Dachshund - Miniature	6	Years	Female	11	Pound	Owners have been giving both pets (only (b) (6) is having a problem) Dr. Fosters and Smith Sweet Potato Fries (made in China) for a while. Recently, as of 2/28/12, (b) (6) began to urinate and drink excessively. This also coincides to the owner changing the manor of giving the treats-previously they had been soaked in water prior to administration (by owner). Physical exam findings are unremarkable. No weight changes. Labwork shows dilute urine (USG 1.008), trace glucosuria, normoglycemia (74mg/dL), AST 115 (twice normal baseline for lab). BUN is low normal at 5mg/dL. Magnesium slightly elevated at 2.8 mg/dL Thyroid 1.0ug/dL. triglycerides: 849 (20-150) mg/dL. These treats have been withheld.
Milo's kitchen chicken jerky	Dog	Mixed (Dog)	3	Years	Male	50	Pound	Diarrhea started about 3 days after first given the Milo's kitchen chicken jerky, and I had given my dog about 1-2 strips a day. All day Friday he had diarrhea, with the last diarrhea having blood. When he showed signs of diarrhea, I stopped giving him the treat & withheld food. Saturday he had several bloody diarrhea bowels so i went to the Vet & he gave us antibiotics. So far only one diarrhea poop after the first few doses of antibiotics and so far has not had any other bowel movements, and has his appetite back.
Dingo Jerky Chews - Chicken Chips, Waggin train Chicken Jerky	Dog	Mixed (Dog)	6	Years	Female	91	Pound	Morning of 2/29/2012 dog was lethargic. No vomiting, no diarrhea. Owner brought dog to me early afternoon that day. Dog was in hypovolemic shock, very difficult to obtain blood sample and place IV catheter. Blood work showed hyperglycemia, renal failure with sever hyperphosphatemia, and liver failure. All signs were sudden and acute. By 830 pm, dog died on her own in spite of pain medication, diuresis, and intralipids. Shortly before death, she began vomitting bloody fluid - no food.
waggin train chicken jerky treats	Dog	Mixed (Dog)			Female			Dog became very ill with profuse vomiting that induced dehydration. Afte vet visit it was dicovered to be a poisoning from Chicken Jerky. Intestinal systems were shutting down and the prognosis was poor, but with medication and attentive care she recovered.
Waggin' Tail Jerky Tenders Chicken Dog Treats	Dog	Dachshund - Standard Long-haired	3	Years	Female	23	Pound	My two dogs refused to eat their dog food, they both vomited, the drank much more water than normal, they acted very tired for 4 days while they were given these treats.
Dentley's with real chicken Wrapped Rawhide Sticks	Dog	Terrier - Yorkshire	4	Years	Male	6	Kilogram	(b) (6) is a 4 year old male castrated Yorkshire terrier referred to the (b) (6) Emergency Service for anorexia and previous history of vomiting. 8 days prior to the referral (b) (6) started acting lethargic and refusing to eat. He was seen vomiting greenish-bile. On 2/11 he was brought to his family veterinarian. Bloodwork was drawn at his rDVM and indicated that he was dehydrated with a slight elevation in bile acids, no other significant abnormalities were found. (b) (6) was given fluids, an injection of antiemetic and antibiotic. He was sent home on antiemetic and continues on this. He has not vomited since but refused to eat and was very lethargic. (b) (6) was brought to (b) (6) where mild increase of his kidney values was noted. He stayed in hospitalization and excessive work up was performed to reveal the cause of his anorexia. He was diagnosed with proximal tubular injury of his kidneys and urinalysis sent to Pennsylvania University confirmed Fanconi syndrome. Clinical signs, laboratory abnormalities and history was very suspicious of chicken jerky treat associated kidney injury. Owners reported that (b) (6) has been fed chicken jerky treats for a long time (2 a day). About a month or two ago, the owners switch to a different type of these treats made in China. On his recheck on 3/1/2012 (b) (6) is doing beetter, still not eating normally, still having glucose in his urine. Unfortunately, his kidney values increased significantly. We can't tell yet if this will be permanent kidney damage - this will be determined on his rechecks over the next 3 months.

Waggin Train Chicken Jerky Tenders	Dog	Lhasa Apso	2	Years	Male	25	Pound	All dogs given 1 as daily treat. Opened new pack Wed AM (b) (6) has less appetite for eve meal. Lethargic licking lips and drinking more water than normal Thurs. Did not eat dinner. During night he began to excessively vomit foul smelling mucus> stopped and then 4 hours later had more vomiting. He is very lethargic and looks ill. Vet said wait 24 hours. All dogs ate the treat, all are not eating well now, one other had one vomiting episode. None of them would eat the organic chicken & rice I prepared for them. I am unemployed and will not be able to afford much medical care for my dogs. I have used these prouducts for over a year. ! a day, every morining as a treat for good behavior. Never again.
Dogswell Vitality Checken Breast	Dog	Retriever - Labrador	7	Years	Mixed Populati on of Female and Male	80	Pound	Ate Dogswell Vitality Chicken treats. For several days later, would wake up in the middle of the night in a panic and eat ANYTHING could. Grass, clothes, leaves, swallow toys, eat rugs, etc. Would lick the carpet as well until would throw up several times. Would calm down after several hours, but happened for over a week every night. After taking our dog off everything, it eventually went away (we didn't determine the cause). In January the symptoms started again and at the time we thought it was a chicken intolerance and gave the treats to a friend to give to his dog (springer spaniel, female) and the same thing is currently happening to that dog. The only commonality is the treats.
Milo's Kitchen chicken jerky	Dog	Other Canine/dog	10	Years	Female	35	Pound	I took my dog in on Wednesday, February 22, 2012 with vomiting, diarrhea, no energy (almost lifeless) and no appetite. The vet went over what I had fed the dog and the minute I said chicken jerky, she showed me the FDA's warning. My dog had every symptom on that sheet. She died on Friday, February 24, 2012.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	5	Years	Female	50	Pound	Diarrhea when providing the chicken strips from China to my lab and my friends lab. No other changes to their diet or with thier snacks. Experienced diarrhea for one week, then I threw away the chicken strips and both dogs became regular again with their stools.
Kingdom Pets	Dog	Pekingese	5	Years	Male	18	Pound	On 01/31/2012 I purchased from Costco dog treats brand name Kingdom Pets, chicken jerky. My dog has never had seizures before but on 02/02/2012 and 02/04/2012 he had them. The vet checked him over and took blood for tests and said he could not find any reason for the seizures. He had another one on 02/27/2012. On 02/28/2012 I heard on the local news about animals becoming sick from eating treats made in China. I checked the product and found that it was made in China. I returned the product to Costco and received a refund and they put the reason on some slip of paper that was to be turned in to whomever. I will let you know if he has another seizure. Some Consequence Huh! (b) (6)
Josty Exquisites Checken steak for dogs (strips)	Dog	Sheepdog - Shetland	6	Months	Female	9	Kilogram	Our perfectly healthy sheltie jung dog recieved a chicken jerky type treat for the first time and 4- 6 hours later developed terrible vomiting and diareah. We had no change in diet, routine or anything else. She had an extremely foul odor from her mouth and stool, unlike a normal diareah smell. She has been sick for 2 full days now and still has watery stool we have contacted the vet and will go intoday. We also contacted the store and the store headquarters. Here in Switzerland No one seems to know anything about this warning, Please make this an international warning so it is published in othet countries.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	11	Years	Male	25	Pound	(b) (6) became lethargic, lost weight, had occasional vomiting. His normal diet included both wet and dry dog foods and chicken jerky treats. We took him to the veterinarian who found nothing wrong with his kidneys or blood work though his enzymes were kind of high. They even did an ultra sound. We changed his diet to chicken and rice, with fewer chicken jerky treats. Since then he has more energy, has far fewer instances of vomiting. After reading about the possible problem with the Waggin' Train Chicken Jerky treats we are more than disturbed that the opportunity to avoid this product was not offered to us by the FDA. We hope the problems will further disappear now that we will stop using this product.
Chicken Jerky Treats	Dog	Mastiff	10	Years	Male	115	Pound	(b) (6) experienced anorexia and weight loss over a 6 month period. All diagnostic tests were normal- cbc, chemistries, survey radiographs. No intestinal biopsies or further diagnostics were performed. The owner had been feeding chicken jerky treats from China for the past year. Once they stopped feeding the treats his appetite and weight improved. The owners requested I file a complaint with the FDA in his behalf although we have not ruled out other causes of anorexia.
Beefeaters Chicken Jerky	Dog	Mixed (Dog)	14	Years	Female	40	Pound	She has arthristis and had been taking Rimadyl for a few years. When I moved to Florida in 2009 my new vet suggested Previcox. She had been on that for 2 years when I decided to switch vets again. She has lost 6 pounds in 2 years and they ran bloodwork on her. She has severe kidney failure. I believe it wasn't because of the Previcox but because of the Beefeaters Chicken Jerky. She is due to go back to the vet next week to get her bloodwork run again as she has been taken off the Previcox and on a special kidney food diet.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Terrier (unspecified)	2	Years	Female	17	Pound	On February 22, 2012 (b) (6) began vomiting and having diarrhea. This continued through the night. By the next morning (b) (6) began shaking and panting. She refused water and food. We took her to the vet at 9:00 a.m. on February 23, 2012. She was treated with an IV to reverse the dehydration and treated with four different types of medication. She spent the night and the entire next day at the vet. We picked (b) (6) up on Friday, February 24, 2012 at 6:00 pm. (b) (6) has not had any more chicken jerky treats and has not had any additional symptoms.

Waggin' Train Chicken Jerky Treats	Dog	Beagle	4	Years	Male	25	Pound	(b) (6) was given a treat (1) of the Waggin' Train Chicken Jerky. He began not eating and just laying around. He started laying down, panting, and started writhing around on his side in circles. He continued for 15 to 20 minutes. His front leg twitched. He vomited several times during the night and had a soft unformed bowel movement. When I took him in to the vet, he was refusing water. He didn't even flinch when they drew blood from his neck. His liver function was elevated but other functions looked good on the test. He was given sub Q fluids, an anti-nausea injection, and an antibiotic injection. I also had to take him home with antibiotics for 10 days twice a day. That night, I had to force water in him with a syringe as he wouldn't drink again and was breathing very rapid shallow breaths. I did not think he was going to make it that night. He was put on a chicken and rice diet. He is doing better. I saw a report on the local news regarding this product and it has some of the same symptoms that (b) (6) has. Since he has felt better he has been drinking a lot of water.
Pet Shoppe Chicken Jerky Treats	Dog	Schnauzer - Miniature	5	Years	Male	5	Pound	Fed the dog Pet shoppe chicken jerky treats on Sat. Dog got sick Sunday night and Monday - diarrhea and bloody stools. Still sick
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Pug	3	Years	Female	21	Pound	Started with mucus, runny like stools with some blood. Vomiting after meals with undigested food. Drinking lots of water, lethargic at times. This went on for about 3 days before I took her to the vet on Friday, 2/24. Vet put her on special diet food and antibiotic. Checked her for blockage. She has been on this special diet for 3 days and is still vomiting and feeling sick. Goes back to the vet tomorrow. A friend posted today an article regarding chicken strips from China causing dogs to be sick and even causing death. Her symptoms matched. Found your contact information on the fda.gov site.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Cairn	4	Years	Female	21	Pound	Vomiting, diarrhea, malaise
Canyon Creek Chicken Tenders	Dog	Beagle	15	Years	Male	50	Pound	Fed all 3 dogs jerky treats made in China, not knowing of adverse effects in other dogs. They all became ill . I was informed by a friend that these types of treats were making pets sick so I stopped giving them to my pets. The other 2 dogs recovered but Vader, perhaps due to his age, did not. I had to have him put down on Dec. 2,2011.
Dogswell brand Breathies / Mint & Parsley Chicken Jerky Treats	Dog	Ridgeback - Rhodesian	4	Years	Female	80	Pound	My dog was given Dogswell brand chicken jerky treats over the course of two days, and within hours began vomiting and having severe diarrhea which last 4 days. She was given half of the recommended amount of treats on the package for her weight (recommended amount is 6-8 per day). We have notified the store where we bought these treats, but they are still selling them even though they were previously aware of the problem.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	8	Years	Female	70	Pound	In May 2011, we fed both dogs Chicken Jerky treats from Waggin Train - we had thought we were purchasing a product from the USA. Within a month, (b) (6) began having sporadic episodes of diarrhea eventually leading to vomit containg blood and mucus. She was hospitalized with dehydration and severe intestinal distrss. She was placed on IV fluids and underwent numerous diagnostic tests. The vet asked me if she had consumed and chicken jerky treats as he had seen these same symptions recently and the common denominator in these dogs was chicken jerky treats. (b) (6) developed a mild case of mucus diarrhea wich stopped when the treats stopped.
Kingdom pets chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland	16	Years	Female	35	Pound	Diarrhea vomiting Uncontrollable urination
Waggin Train Chicken Stix Chicken and Rawhide Snack	Dog	Maltese	16	Months	Female	5	Pound	Bought Waggin Train Chicken Stix from Wal Mart in New Braunfels Texas the week of February 15, 2012. On about the fourth day of giving my dog half a peice only once a day, she threw up three times. The next day she had no appetite and wanted to sleep all day. She has never been sick in the past, and I strongly feel this is what caused her to vomit. I stopped giving her the treats, and saw on the news last night that other consumers were complaing as well, and nothing is being done about it. I believe this product needs to be recalled until the problem is found. Not leave it on the shelves because you cannot find a problem. It is becoming evident many dogs are getting sick and dying, and this should be enough for a recall.

Kingdom Pets	Dog	Spaniel - King Charles Cavalier	18	Months	Female	15	Pound	<p>To whom it may concern, February 25, 2012</p> <p>Our Cavalier King Charles Spaniel, (b) (6), recently had a very severe gastrointestinal reaction to Chicken Jerky treats. This product was purchased at COSTCO. At the onset of bloody vomit and diarrhea, we took (b) (6) to a nearby animal hospital. Attached is a complete description of the incident in the format suggested by the FDA. This information has also been submitted to the FDA. We are hoping that submitting this information to COSTCO and the FDA will help identify the issue and prevent other animals from becoming sick. Sincerely, (b) (6)</p> <p>Attachment: Exact name of the product and product description (as stated on the product label) KINGDOM PETS CHICKEN JERKY Type of container (e.g. box, bag, can, pouch, etc.) PLASTIC BAG Product intended to be refrigerated, frozen, or stored at room temperature INSTRUCTION SAY STORE AT ROOM TEMPRATURE</p> <p>Lot number - The lot number is very important as it helps us determined the manufacturing plant as well as the production date.</p> <p>AKKPC03B323 Best by, best before or expiration date MAY 25, 2013 UPC code (also known as the bar code) 8471300020 Net weight 48 OZ Purchase date and exact location where purchased. FEB 13, 2012. COSTCO #747 (b) (6) Results of any laboratory testing performed on the pet food product N/A ĩ WE STILL HAVE THE PRODUCT, BUT PLAN TO RETURN IT COSTCO SOON. How the food was stored, prepared, and handled AS DIRECTED, AT ROOM TEMPERATURE Foul odor, off color</p> <p>UNKNOWN, FIRST TIME BUYER OF PRODUCT Swollen can or pouch, leaking container NO Foreign object found in the product. NO Species (dog, cat, rabbit, fish, bird, other) CAVALIER KING CHARLES SPANIEL DOG Age, weight, breed, pregnant, spayed/neutered CAVALIER KING CHARLES SPANIEL DOG AGE 18 MONTHS, WEIGHT 15 LBS SPAYED Previous health status of pet GOOD, WITH REGULAR PREVENTIVE VISITS TO VETERANARIAN Any pre-existing conditions your pet has NONE Whether you give your pet any other foods, treats, dietary supplements or drugs (b) (6) HAS CONSUMED OTHER BRANDS OF CHICKEN JERKY AS HER MAIN TREAT, PLUS PURE DEHYDRATED LIVER SPRINKLES (LIVER IS ONLY INGREDIENT). How much of the suspected product your pet normally consumes TWO PIECES PER DAY How much of the ĩsuspectĩ product was consumed from the package? ESTIMATE SIX PIECES How much of the product you still have ESTIMATE 90% OF PRODUCT Clinical signs exhibited by your pet (such as vomiting, diarrhea, lethargy) BLOODY, PROFUSE VOMIT AND BLOODY DIARRHEA How soon after consuming the product the clinical signs appeared BETWEEN 6 AND 72 HOURS.</p> <p>Your veterinarian's contact information, diagnosis and medical records for your pet EMERGENCY CARE PROVIDED BY; (b) (6)</p> <p>REGULAR PREVENTIVE CARE PROVIDED BY; (b) (6)</p> <p>Results of any diagnostic laboratory testing performed on your pet BLOODWORK REVEALED SLIGHTLY LOW POTASSIUM AND ELEVATED AMYLASE AND LIPASE ENZYME LEVELS. GIARDIA SNAP TEST WAS NEGATIVE. URINALYSIS SHOWED CONCENTRATED URINE (>1.050), THE PRESENCE OF AMORPHOUS PHOSPHATE CRYSTALS, URINE pH OF 8, AND 2 PLUS PROTEIN, NEGATIVE GLUCOSE. ABDOMINAL RADIOGRAPHS REVEALED FLUID AND GAS DILATED SMALL AND LARGE BOWEL. PHYSICAL EXAM REVEALED FLUID FILLED GUT LOOPS, DILATED RECTUM WITH FLUID AND BLOODY DIARRHEA. How many pets consuming the product exhibited clinical symptoms</p> <p>UNKNOWN, (b) (6) IS OUR ONLY PET IN THE HOME Whether any pets that consumed the product are not affected N/A Whether your pet spends time outdoors unsupervised YES, IN SMALL FULLY FENCED YARD ALL TIME OUTSIDE THE FENCED PROPERTY IS CLOSELY SUPERVISED. Why you suspect the pet food caused the illness</p>
Waggin Train Chik'nBiscuits	Dog	Mixed (Dog)	6	Years	Female	70	Pound	Increased water consumption and inability to control urination
Loving Pets Gourmet Wraps Carrot wrapped with chicken, Loving Pets Gourmet Wraps sweet potato wrapped with chicken, Loving Pets Gourmet Wraps apple wrapped with chicken, Loving Pets Vita Hide Pure chicken breast wrapped around natural rawhide, Beefeaters Sweet Potato Twists, Beefeaters Sweet Potato Snacks for dogs	Dog	Maltese	2	Years	Male	13	Pound	Patient presented with a 6 month history of increased urinating/drinking. Bloodwork and urinalysis were performed. CBC/Chemistry noted hypokalemia otherwise normal. U/A noted glucosuria. Urine culture negative. Lepto titres neg. Ultrasound performed - normal kidney architecture. Patient was eating Beefeaters and Loving Pets brand of treats (both from China). Patient has been diagnosed with fanconi-like syndrome with primary renal glucosuria most likely as a result of toxicity from treats from China.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Newfoundland	6	Years	Female	100	Pound	Over the course of 5 days, (b) (6) was staying in my home and was given a Waggin' Train Chicken Jerky treat 2 - 3 times a day. She then began having diarrhea which lasted over 24 hours. Her veterinarian ran tests and saw no signs of tape worms, so diagnosed her with an upset stomach.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Newfoundland	6	Years	Female	100	Pound	She had diarrhea all night, after eating chicken jerky treats from Canyon Creek brand, after not eating for 24 hours she was given regular dog food and had solid stool. Not recognizing the treats were the problem she was given them again quantity 1 and had diarrhea again. Taken to the vet, bacteria found probably in intestinal tract. continues to have loose stool at this time with minimal traces of blood.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Retriever - Labrador	8	Years	Male	57	Pound	(b) (6) suddenly became very lethargic and suffered a complete loss of appetite. In the days prior to this, he was drinking excessive amounts of water. Alarmed by his loss of appetite and sudden change of disposition, he was brought to the vet. He was admitted on 1/21/2012. A full CBC was done to try and diagnose the condition of the dog. CBC counts indicated infection and elevated liver enzymes. Signs of dehydration were also exhibited. He was released with antibiotics and a hepato support supplement. After his release, (b) (6) was on a restricted diet and eventually transitioned back to a dog food. His condition has improved since his release.
Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	6	Years	Female	80	Pound	She is currently in the hospital with pancreatitis. The vet believes it is due to the consumption of the chicken jerky treats. He says that he has seen many cases of this recently. She has been receiving antibiotics and fluids to reduce the inflammation and infection. She began to throw up everything on 2/19/12, by the 3rd day (2/21/12) we took her to the vet and they ran test on her and admitted her to the hospital and began treatment. On 2/22/12 they released her. By the next day 2/23/12 we had to bring her back in to the hospital as she still couldn't keep her food down. She is still in the hospital receiving fluids and antibiotics.

Natural Chicken Fillets Waggin Train Jerky Tenders	Dog	Mixed (Dog)	10	Years	Mixed Populati on of Female and Male	80	Pound	<p>I had to fill in random numbers because your form doesn't take more than one entry. Many thousands of dogs of all ages, breeds, weight, and ages have had these products, and over 500 have been sickened or died in the last few months. The product is treats made in China - many brands involved, some specifically Waggin Train Jerky Tenders, Milo's Jerky, Dogswell treats, Canyon Creek...</p> <p>FDA knows about this problem but refuses to recall them, because they say they can't find any toxins. Now we believe it could be Arsenic, and we know the FDA does not test for Arsenic in food products. YOU NEED TO. Please see below email I received from a group member (group's cause is to get all this Chinese crap off the shelves).</p> <p>(b) (6) and (b) (6) are both urging the FDA to take care of the problem - dogs are dying of kidney failure, liver failure, they are having bloody diarrhea and vomiting, but the FDA refuses to recall these products. Here is the new information. We expect the FDA will do the honorable thing and immediately TEST FOR ARSENIC.</p> <p>(b) (6) 2.24.2012 Please research that Pfizer made a product called Roxarsone that was feed to chickens that contained arsenic. In china, there is no regulation and their chickens were loaded with arsenic. The FDA got them to stop producing it last Summer. The FDA doesn't check for arsenic in food products...just water. This is why the FDA reports are coming back negative. This is really terrible with what's happening to our pets. The FDA is hoping the problem will cease now that Pfizer discontinued maker the product. FYI...Roxansone has been made since 1944, and it is very soluble in water. It has gotten into the ground water and has been showing up in other vegetables and meat products. Chicken manure, containing arsenic, has been used as a fertilizer for growing hay, alfalfa and arsenic is appearing in meat products. I will not let our dog's unnecessary death go without the guilty parties paying for their negligence and greed.</p> <p>----- and I found this link: http://news.consumerreports.org/health/2011/06/pfizer-pulls-chicken-drug-roxarsone-due-to-arsenic-threat.html</p>
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	14	Years	Female	36	Pound	Patient was fed Waggin' Train Jerky Tenders and presented with severe renal failure. Prior labwork (11/15/2010) demonstrated normal kidney values.
Waggin Train Chicken Jerky Tenders 48 oz	Dog	Unknown	6	Years	Male	70	Pound	I had purchased 2 large bags of Waggin Train Chicken Jerky treats (purina) and given as treats during the summer/fall. During this time period, occasionally I noticed my dog drinking/urinating more often, but not consistently. In November, I began to notice him consistently drinking a lot more than normal, and urinating a lot more than normal, even having an accident in the house and having to go out at night. He energy level decreased. I took him to the vet 11/17/11, where urine tests showed a very low gravity level. Coincidentally, (and very luckily) about this time I ran out of the treats. The vet was not sure what caused this, as there were no signs of infection etc. A repeat test later showed improved urine, and after stopping these treats he began to recover and return to his normal activity. It was only after the fact, that I read about the chicken jerky and put it all together! I was very fortunate. I'm quite sure if I hadn't stopped the treats that his health could have deteriorated!
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	7	Years	Male	28	Pound	I bought Waggin Train chicken jerky treats for dog about 4-6 months ago. Dog had episode of diarrhea and I took him to the vet. he was treated with anti-diarrhea meds which made him a little better but did not seem to work as well as expected. I thought the diarrhea may have been caused from anxiety as it continued even while on meds. when we were out of the pills, i called vet and got more pills. they still did not work well. It wasn't until my husband heard on the radio that there had been reports of dogs getting sick from eating chicken jerky treats with "made in China" on the back. Sure enough, I looked at the back of the Waggin Trains pouch and it said made in China. I immediately stopped giving my dog the Waggin Train treats and took him off of the meds and within a week to 2 weeks, he was back to normal again. There is no doubt that those treats affected my dog and I just hope that there is no permanent internal damage to him. Please let me know if you need any additional information. I do not normally take the time to report things, but in this case, I feel strongly that the chicken jerky pet treats made in China should be recalled at the very least. Thank you. (b) (6)
Milo's Kitchen Chicken Jerky								Bought a package of Milo's Kitchen Chicken Jerky at Petco. A 10 month old dog is having problems with severe bloody yellow diarrhea and vomiting. Please investigate and recall this product.
Dingo Meaty Middles	Dog	Chihuahua	5	Years	Female	12	Pound	For over a year, my dogs have enjoyed these rawhide treats on a daily basis. Then, in mid-January 2012, 3 of the dogs vomited immediately after eating these treats. They displayed the same vomiting reaction 2 more times within the next couple weeks after eating them. I had 2 unopened bags, which I returned to my local Walmart.
Waggin Train	Dog	Pinscher - Miniature	8	Years	Female	11	Pound	Spiked sugar, could not be brought down with increased insulin. Dog passed away
canyon creek ranch	Dog	Great Pyrenees	3	Years	Male	125	Pound	<p>Skin rash that progressed to an infection. Sores and crusty blisters appeared. This continued for several months with antibiotics and special baths to try to clear it up. As soon as he went off the antibiotics it came back. He had to be shaved in infected areas. We spent over a \$1,000 on treatment and also did a thyroid test. He was losing his undercoat with this as well.</p> <p>I recieved an e-mail warning from a friend about the chicken jerky from China. This was his favorite treat. He consumed one to two a treats a day. We stopped them cold and have had no other problems since. I provided the information to his vet as well.</p> <p>We were poisoning our dog with his own treats! I buy nothing made in China now!!!!</p>

Waggin Train Chicken Jerky Treats	Dog	Retriever - Labrador	10	Years	Male	75	Pound	We purchased Waggin Train Chicken Jerky Treats for our dogs over the holidays. After giving them the treats for a few weeks our Lab was diagnosed with Renal Failure on January 25, 2012.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Retriever - Nova Scotia Duck Tolling	9	Years	Female	40	Pound	My dog fell ill in December for apparently unknown reasons. She gradually became more and more lethargic, and reached a point where she could no longer stand up. She also refused to eat. after taking her to the vet, it was determined that she had liver and kidney failure, and we bought hundreds of dollars worth of antibiotics to nurse her back to health. She has not yet fully recovered. The vet could not determine what caused the illness. Throughout this time period, I had been giving my dog Waggon Train chicken dog treats, which are now being investigated by the FDA. Today, I stopped giving them to her after reading an article my wife sent me.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	10	Years	Male	80	Pound	(b) (6) water intake increased dramatically along with his urination. He would vommit from time to time then became more frequent towards the end. Over several months, his appetite became finicky and decreased immensely until he no longer wanted anything to eat. He became weak and collapsed and ended up at the vet. He was diagnosed with total kidney failure, with little or no chance of survival. He spent 5 days in ICU, with little improvement, we brought him home and he died of kidney failure Dec. 27, 2011.
Waggin Train Chicken Crispy Puffs	Dog	Terrier - Jack Russell	5	Years	Female	15	Pound	Sudden onset of increased thirst/urination. Urine showed white blood cell clumps but no infection. Bloodwork showed slightly increased BUN levels. Urinary accidents in house. Leaking urine when sleeping. Currently on antibiotics.
Waggin Train Cowboy Steaks with natural chicken Waggin Train jerky treats chicken dog Treats Milo's kitchen Dod Treats chicken Jerky	Dog	Other Canine/dog	10	Years	Female	12	Pound	The two dogs started getting sick, as time went on the got sicker and sicker. back and forth to the vet. Then we found out from the vet there was a FDA warning out since Nov. 2011. Waggin Train chicken jerky treats and Milo's Chicke strips products the vet is pritty sure this is why the 2 dogs got sick. They both ended up with kidney infections and one of the dogs had to be put down for kidney failer. We will find out for sure when the test come back if in fact this is the reason why she had to go.
Chewy Louie Premium Chicken Breast Jerky	Dog	Bichon Frise	9	Years	Male	12	Pound	3 seperate occassions of vomitting and uncontrollable watery diarrhea since started to offer chicken jerky treats.
Kingdom Pet Chicken Jerky treats								I bought Kingdom Pet Chicken Jerky treats for my dog at Costco approximately 1 month ago. My dog started drinking a lot more than usual and also became incontinent. She was sleeping and urinating without realizing it. She is a senior dog so I thought that this was something normal. I came across a complaint about the treats and I took her to a vet. They said that she is in Chronic Renal Failure possibly from these treats.
Waggin Train Chicken Jerky Treats	Dog	Sheepdog - Shetland	8	Years	Male	27	Pound	I bought him some Waggin Train Chicken Jerky treats from PetSmart and after eating three of them in 2 days, he started vomiting and having diarrhea. I am a former vet tech, so I immediately decided to investigate if there was a recall on his food or the new treats. None. I came across alot of info about how 400 dogs have allegedly died after eating these type of treats and am concerned as to why they are still being allowed on the shelves. I understand there is no known toxin causing an issue, but until the problem is found I believe they should stop production. I am happy to report that (b) (6) has bounced back and seems to be back to his old self again. I will no longer buy products for my pets unless I can be assured that they meet or exceed FDA standards. Thank you.
Waggin Train	Dog	Mixed (Dog)	10	Years	Male	58	Pound	(b) (6) was given jerky treat made in China and now has kidney issues. He has undergone numerous tests at the vet, and now they have determined his kidneys are not functioning properly. His symptoms were increased water consumption and increased urination.
Happy Hips chicken breast	Dog	Beagle	10	Years	Female	23	Pound	Documented kidney failure
Canyon Creek ranch Chicken Jerky treats	Dog	Shih Tzu	9	Years	Male			(b) (6) consumed Waggin Tail / Canyon Creek Ranch Chicken Jerky treats and died on liver and kidnet failure
Milos Kitchen Chicken Jerky	Dog	American Pit Bull Terrier	3		Male	54		Dog was give Milo Chicken Jerky Strips as a treat during for a period of about 2 weeks. Noticed a bloody stool containing mucus and water Dog suffered a severe lack of energy Dog suffered from frequent bowl movements that led to severe dehydration A Doctor visit required blood work, and fluids given on an IV Also medication and special diet

Waggin Train PBJ	Dog	Corgi - Welsh Pembroke	6	Months	Female	18	Pound	(b) (6) In December I bought Waggin Train PBJ, at Costco, as a Christmas treat for my dogs. They are peanut butter biscuits wrapped with a small piece of chicken jerky. I had never bought these treats, or anything like them before. The Lot number is 62NC1005A Best Before 031913. A few days before Christmas, I opened the bag. I read the feeding directions, and followed them. I didn't feed the treats every day, the dogs didn't have very many at all. January 5th (b) (6), my 6 month old Corgi, threw up bile in the morning but ate breakfast. I thought she was ok and I left for work. I came home to vomit and diarrhea puddles, and she was quiet but I thought the worst was past. At 2 am (b) (6) started puking again, and the diarrhea started again. It was one or the other, every 20 to 30 minutes for the next 7 or 8 hours. She was at the vet first thing that morning, put on i.v. fluids and antibiotics, and anti-nausea medication. She was dehydrated. Her PCV was 72. We had just weighed her the day before, she weighed in at the vets 2 pounds lighter & she is only 18 pounds to start with. She vomited again that afternoon, which is very unusual with the medication she was given, so the vet suspect a blockage and started barium xrays. She had no blockage. The vet suspected antifreeze poisoning, but there's no antifreeze here for her to get into. The vet said if she continues to vomit, she would suggest exploratory surgery. I was holding (b) (6), and heard splashing on the floor. Her bowels had let go, but it was liquid, like urine and a huge amount. There was some white gunk in the puddle, and the vet tech said it looked like she was shedding her intestinal lining. But she'd tested negative for Parvo. They wanted to keep her on the i.v. and monitor her. She improved overnight, and I was able to bring her home the next afternoon. She's continued improving, but for at least 3 weeks she slept almost all the time. Just after (b) (6) came home, my two labs, (b) (6) and (b) (6), started to have diarrhea. They also started sleeping more and didn't have much energy. (b) (6) is 10 and was diagnosed with kidney disease just a few weeks before she was poisoned. She's just had new blood tests, and I'm waiting to talk to the vet about the results. All I've been told so far is that it's not good, but not horrible. It's been a little over 6 weeks, and (b) (6) is doing well, but (b) (6) and (b) (6) still have low energy and occasional diarrhea. The Waggin Train PBJ treats were the only newly introduced food, I also feed milkbones and dehydrated liver treats but have been feeding them for months without incident, and continue to feed them without incident.
Chicken Jerky Barnsdale Farms All Natural Dog Treats	Dog	Shepherd Dog - German	15	Months	Female	64	Pound	Fed one strip of chicken jerky. Approximately 6 hrs. later, the dog had diarrhea and vomiting which did not clear up for 3 days so I took her to the emergency vet clinic.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Collie - Border	9		Female	49	Pound	Several days of moderate diahreah.
WAGGIN TRAIN WHOLESOM CHICKEN JERKY TENDERS	Dog	Bichon Frise	4	Years	Male	11	Pound	HE WAS EATING "WAGGIN TRAIN" JERKY TENDERS - HE STARTED HAVING DIARRIAH, LOSING WEIGHT AND WOULD NOT EAT - WE TREATED HIM WITH NUMEROUS MEDICATIONS PRESCRIBED BY THE VET - HE WOULD NOT EAT ANYTHING AND CONSEQUENTLY DID NO HAVE ANY CHICHEN TREATS. HE STARTED GETTING BETTER WITH THE MEDICATIONS, STARTED GAINING BACK HIS WEIGHT AND APPITITE, AND WE STARTED GIVING HIM THE TREATS AGAIN, NOT REALIZING THEY WERE MAKING HIM SICK, AND HE BEGAN WITH THE SAME SYMTOMS AGAIN. OBVIOUSLY WE ARE NOT GIVING HIM THE TREATS ANYMORE AND THANKS TO WCPO TV IN CINCINNATI AND JOHN MATTORESE, WHO DID A STORY ABOUT THIS, (b) (6) IS HOPEFULLY GOING TO RECOVER.
Dogswell Vitality Chicken biscuits with glucosamine chondrotin	Dog	Pinscher - Miniature	3	Years	Male	18	Pound	After feeding my 2 dogs Dogswell biscuits (b) (6) became ill and vomited twice a day for 3 days.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	11	Years	Female	11	Kilogram	The patient began vomiting, became lethargic, developed diarrhea. She was presented to her regular daytime veterinarian who took abdominal radiographs and did blood tests, diagnosing kidney disease, possible kidney failure. The patient presented to our hospital urgent care service 2/18/12 with a BUN = 233, creatinine = 9.8, phosphorus > 16.1, PCV = 61.7%. She is hospitalized on IV fluids, famotidine, maropitant, oral aluminum hydroxide as an oral phosphate binder.
Waggin train	Dog	Dobermann	8	Months	Mixed Population of Female and Male	70	Pound	Had bought waggin train chicken jerk treats and had given my dobermans a couple pices that i had broken off. Not the whole treat. The next day my male Doberman had sever Diarrhea and my female Doberma has bloody vomiting.. i didn't give them anymore treats and about two weeks we are starting to see improvement.
Kingdom Pets Premium Dog Treats Chicken Jerky 16-Ounce Bag	Dog	Terrier - Welsh	8	Years	Female	21	Pound	Kingdom Pets Chicken Jerky made her sick. She is hospitalized and on IV fluids. Her chemistry data (ICD) on 2/19/2012 indicates ALKP = 1,649; ALT = 247; Creatinine = 2.4; NEU = 21.09 Please note, the 2nd dog, a male Welsh terrier from the same litter, has not yet been tested for toxins/kidney issues. However, we intend to follow up.
canyon creek ranch yams, canyon creek ranch brand yams	Dog	Mixed (Dog)	13	Years	Male	40	Pound	(b) (6) started loosing wieght,loss of energy,increased thirst and water intake,increased urination and urinating on the floor

Waggin trails don't have the bags..sorry	Dog	Boxer (German Boxer)	2	Years	Mixed Population of Female and Male	70	Pound	My dogs had been vomiting and the only thing that had changed was giving them the waggin jerky treats, well I had only seen the warning say the jerky treats so I quit giving them to them and it stopped, well I gave them another type of treat and they seemed to be becoming themselves again.. Tried them on another couple treats from the same company and back to vomiting. I don't know what is in the food and I am not trying to get any kind of settlement just want people to be aware.. My boxers are my babies..
Waggin Train Puppy Chow	Dog	Chihuahua	3	Months	Mixed Population of Female and Male	1	Pound	I was feeding these puppies puppy chow and opened the bag and found a bag of waggin train dog treats. i fed each of them a small piece of the treat. that night all three dogs were lethargic, couldnt hold their heads up, drooling bad. foaming at the mouth and vomiting everywhere aswell as runny pooping everywhere. i rushed the one to a vet in (b) (6) because she wasn't coming out of it like the other two did at the time. they said it was like she was given antifreeze....a week later she died. that next day i fed the same treats to the other two...again this happened. i didn't think it was the treats at the time. i actually didn't realize it till recently when other ppl stood up saying their pets died the same way. at any rate i took (b) (6) to the vet in a different town of (b) (6). that vet took her blood and said the same thing that it was like she was poisoned. she spent the night there and her blood sugar was in the 400s. which is lethal for small dogs. it hasn't happened to them since i ran out of those treats.(b) (6) and (b) (6) are still alive to this day and healthy. (b) (6) is buried in my back yard. I was told by the vet that it seemed like her insides just fell apart...Please please look into this
Canyon Creek Ranch Brand Yam Good Chicken Fillet Wrapped Yams	Dog	Spitz - American Eskimo Dog	3	Years	Male	21	Pound	I bought Canyon Creek Ranch Yam Good Chicken Treats on a Saturday and by Wednesday evening, (b) (6) became so lethargic he wasn't getting up. He was taken to the vet on Thursday and has an elevated white blood cell count, elevated urine glucose and bleeding from his penis. He was given antibiotics and fluids. It is now Saturday, his energy is back but he is still bleeding.= and we don't know if he will have further problems since the veterinarian says he has symptoms of acquired Fanconi syndrome and she is not that familiar with treating this.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Mixed (Dog)	12	Years	Female	40	Pound	Sudden onset of diarrhea. (b) (6) never has digestive issues. I didn't feed her anything different except for the chicken jerky. This occurred at the same time my other dog, (b) (6), also developed bowel pain and diarrhea. Both had the exact same diet except for the addition of chicken jerky. They have had chicken jerky before without any reaction, which made me wonder if there is some contaminant in this bag.
Wagon Train chicken Jerky Treats	Dog	Other Canine/dog	7		Female	10		I fed wagon trails chicken Jerky Treats over a weeks time on Jan 9 2012 She would not get up wouldnt eat drink or interact. Took her to Vet and vet said renal failure and couldnt be saved.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	6	Years	Male	10	Pound	Our dog typically eats another brand chicken jerky treats on a daily basis, however 1-3 days after eating the Waggin Train chicken jerky treats, (b) (6) had severe and persistant vomiting and diarrhea approximately 12 hours after his last treat. The vet was called and reported he needed to come due to the symptoms above, as well as continued lethargy and probable dehydration. During and following the sickness (but before taking him to the vet), (b) (6) would not eat, drink, void, defecate and had to be prompted and pulled to stand up and would not walk.
Waggin Train jerky treats	Dog	Terrier (unspecified)	9	Months	Female	15	Pound	My dog died as a result of feeding it tainted treats from Purina brand foods.
Canyon Creek Ranch (aka. Waggin Train Purina/Nestle), Canyon Creek Ranch	Dog	Lhasa Apso	9	Years	Male	33	Pound	I feed my 3 dogs 1/3 a treat 3 times per week & my (b) (6) became extremely thirsty, uncontrolled urination & then very exhausted & weak. I rushed him to the vet on 2/14 & they found his blood work 5 times the limit for kidney & liver failure & he had a very low body temperature. The vet began IV & kept him. He died shortly after I left from visiting on 2/15/12 6:15pm. He was a great dog & is missed terribly, please get these poisonous 'treats' off the market immediately before more dogs suffer & die leaving holes in so many families that will be forever irreplaceable!2/
Waggin' Train Yam Good	Dog	Chihuahua	6	Years	Male	5	Pound	(b) (6) experienced lethargy, diarrhea, blood in stool, vomiting and decreased appetite.
WAGON TRAIN CHICKEN JERKY	Dog	Dobermann	1		Male	80		I HAVE HAD MY DOG SINCE HE WAS A PUPPY. I GAVE HIM WAGON TRAIN CHICKEN JERKY TREATS EVER SINCE I GOT HIM 7/4/2010. I THOUGHT THEY WERE FROM AMERICA. INGREDIENTS NOW I KNOW ARE FROM CHINA. HE TURNS TWO IN JULY. HE STOPPED GROWING AND IS VERY THIN. HE EATS A GOOD HOLOISTIC GRAIN FREE FOOD. I EVEN OVERFEED HIM TRYING TO PUT WEIGHT ON HIM. I WILL TAKE TO VET TO GET TEST RAN ON HIM. SCARE WARNING ABOUT THIS PRODUCT. I HAD TWO PRIOR DOGS DIED OF KIDNEY FAILURE AFTER THE LAST SCARE IN 2007 AND 2008. A ROTTWEILER 7YR /145 LBS AND CHIHUAUAH 9 YR / 6 LBS
Waggin' Train Chicken Jerky	Dog	Shar Pei	13	Years	Male	50	Pound	He became unresponsive, could not stand or walk.
Dogswell Vitality for Dogs	Dog	Chihuahua	7	Years	Female	8	Pound	in the Summer of 2010 I began feeding my dogs treats" by Dogswell Brand; Chicken Jerky treats. My dogs are very picky eaters, and when I noticed they always gravitated towards this particular treat, I increased the feedings. My one dog (b) (6) (Long-Haired Chihuahua-7 years old) had a life threatening, SUDDEN ONSET of Addison's Disease in Early Spring 2011. She now requires life long medication. My second dog also didn't seem like herself for quite some time now. She has walked less and less, hides, sleeps much more, has chronic diarrhea. I recently moved and have been more busy, so again, unknowingly have increased the Chicken Jerky Treats. When I saw the MSN article just 1 week ago, I immediately eliminated the Chicken Jerky treats from their diet. The change is BOTH dogs is quite "miraculous". They both have more energy, are not hiding, sleep less, started to play together (it has been a couple years since they have played). I know my dogs very well and I am certain these treats were the culprit.

Natural Chicken Fillets Waggin Train Jerky Tenders	Dog	Poodle - Medium size	8	Years	Female	18	Pound	(b) (6) a very happy active poodle mix became very tired warn out, just acting plain sick. We had been giving her this treat for a couple of weeks or so and by the way she loved them. After a few days of her not getting better I made her appointment to see the vet. A bunch of test were done because prior to this (b) (6) had no problems. It was determined that she did have Lime Disease a slight case of that but a very serious Urinary Tract Infection, a fever and just one sick puppy. We went through a list of things she might have got a hold and nothing came to mind until I ritualized that the only new thing she has was the dog treats. A day or so later we heard the report about the Waggin Treats Chicken flavor and felt sick that we did not know and we had made our dog sick. I will also contact the complaint line as well for someone to take responsibility and all I ask is that the manufacturer and or company pay for (b) (6) treatments. She has had to rounds of antibiotics since this happen blood work and office visits. She can not even be treated for the lime disease until we get that UTI better. Next visit they may do the ultrasound. We don't have that kind of money and are racking up a hug Vet Bill. We don't expect to put a claim in for the lime disease but I want the medical bills for her UTI and possible Kidney infection. I can give all the phone numbers of vets copies of bills what ever they need.
Chicken Jerky Treats from China	Dog	Dobermann			Unknow n			I just thought I would mention that xylitol poisoning symptoms are very similar to what we are seeing with the chicken jerky treats from china. Have you guys tested them for xylitol? It is a sweetener and not toxic to most animals but is to dogs.
Uncle Sams's Duck Strips - Sergeant's Pet Care Products CHINA!	Dog	Unknown	5	Years	Unknow n	100		I am writing for a friend who does not have access to a computer. She thought she would treat her dog, a Hungarian Vizla, to something healthy and bought Uncle Sam's duck treats. Within the next 12 hrs. her dog had violent diarrhea with blood in it. The dog continued to be sick the next day not wanting to eat and throwing up. I don't understand why American companies keep using China to produce their treats?? (Chicken Strips and Duck Strips) I guess money is always the bottom line rather than the safety of our pets. So sad that we can't even trust our own country to do the right thing. I will also report this to the FDA along with all the other recall lists I subscribe to. Uncle Sam's Duck treats are made by Segeants' Pet Care Products in CHINA and sold in Publix supermarkets in Florida.
Waggon Train chicken Jerky Treats mini size	Dog	Retriever - Labrador	8	Years	Male	49	Pound	After eating Waggon Train chicken jerky treats, my dog started acting different. He began to pant,would not look at us,and would it eat or drink. He stayed for 1 day at the vet with an IV for fluids. He also had an X-ray of abdomen. 2 days later, he started stretching his neck up and made small yawns with his mouth. Took him to vet for another X-ray and he had exploratory abdominal surgery with nothing found.
Chicken breast strips	Dog	Australian Kelpie	6	Years	Male	45	Pound	Went into acute kidney failure after eating chicken breast treats from Big Lots, rushed to emergency clinic and was there overnight but all treatment to save his life failed and we had to put him down at the recommendation of the veterinarian the next morning. It was DEVASTATING. He was veyr healthy all his life and right before this episode. He was young.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Manchester	4	Years	Female	60	Pound	Dog began vomitting for 24 hrs. after first given treats. Continued to eat carpet, grass and shrubs while vomitted every 1-2 hours. This lasted for 24 hrs..
Waggin' Trails Chicken Jerky	Dog	Retriever - Golden	1	Years	Female	45	Pound	I had gotten (b) (6) as a 9 week old puppy, and she had had all her shots by the time this event occurred. She was always fed quality dog food such as Blue Buffalo and Castor and Pollux and had vet visits for any and all problems. She was a very healthy year and a half old dog. Prior to 7-21-11, which was the date she became violently ill, I had purchased Waggin' Train chicken jerky for her from WalMart. That was the only new addition to her food. She had eaten one bag of chicken jerky, 2-3 pieces a day and I had purchased a second bag. She went to bed well (a house dog) and I woke up the next morning (7-21-11) to multiple piles of vomit and multiple piles of bloody diarrhea and my dog back in the corner of her crate like sick dogs do. I rushed her to her vet, an older, very experienced vet, who immediately hospitalized her, started an IV due to severe dehydration, and performed a barium study to rule out obstruction. There was none found. She was released the next day after 2 liters of IV fluid and iv antibiotics. She continued to take the following for a week: 20 mg Omeprazole daily, 60 mg Cerenia for 4 days, 68 mg Baytril, and 400 mg amoxitabs. My vet told me a second day without treatment would have caused her death. I am now fanatical about calling pet food and treat companies, and my dog will never eat anything from outside the US. I also have learned "made in the US" is not enough-one must also know where the individual products are from. All pet food should have to define that also as well as listing not only %protein and %fat, but also %carbs, as, in this search I've done, I also found out "diet" dog foods decrease fat but increase carbs. This event cost me \$626.40 to save my (b) (6) life (which I spent without hesitation, but some people couldn't) and may cause future problems. (b) (6) will never eat anything from China again. I suspect that China has contaminated their soil, their, food products, their animals, and their people.
waggin tails chicken jerky	Dog	American Pit Bull Terrier	8	Years	Female	65	Pound	dog suddenly began vomiting, even after ingesting only water; veterinarian diagnosed auto-immune hemolytic anemia; we treated dog with prescribed medications, she seemed to be responding, but her appetite was gone and the only thing we could get her to eat was chicken jerky treats
Milos Kitchen Chicken Jerky	Dog	Lhasa Apso	4	Years	Male	16	Pound	Dog vomitted one night about 20 times and had blood in diarrhea. Rushed to hospital at 3 AM(this was not our normal vet because they are not opened 24 hours), had to stay for a few days. The following happened a week later, took him to our vet. They did make me aware of the problems with Chicken Jerky treats from China. I checked the bag when I got home and the Milos Kitchen Chicken Jerky treats I was giving to my dog were made in China.

Waggin train jerky tenders	Dog	Basenji	11	Years	Male	20	Pound	This past summer my dogs thirst seemed to be increasing and he was urinating much more frequently and could not hold it inside. He seemed to be a little more lethargic. I took him to my vet and he was diagnosed with type 1 diabetes. I have been giving him the Waggin Train chicken jerky treats for a while. I would give him one per day, a few times a week.
Mini Dingo Jerky Chewz Chicken Chips	Dog	Shepherd Dog - German	8	Months	Male	78	Pound	After giving my dog the Dingo brand chicken jerky chips treat he started throwing up and was very thirsty for the remainder of the day. The next day he way fine until I gave him another one of the treats and he became sick again with the same symptoms as the day before. After seeing the pattern of illness related to the chicken dog treats I removed the treats from the pantry and called the Walgreens customer service number to let them know about the issue, the customer service rep for Walgreens took my information and informed me that the distributor for the dog treats would get in touch with me within a few days.
Wagon Train Jerky Treats	Dog	Terrier - Jack Russell	10	Years	Male	20	Pound	<p>I had fed my three dogs chicken jerky treats from Smiths and Walmart (same brand). They were Wagon Train brand. I had been feeding it to them for a few months. During that time all three stopped eating as much as they used to. (b) (6) in particular stopped eating his food and ended up losing 5 pounds. He grew very thin and his equilibrium got VERY bad. We thought it was due to the brain tumor...but my vet could not figure out why it was effecting his appetite and making him lose so much weight. We did blood work and it all actually looked good. (b) (6) declined very quickly and started having seizures. On January 2nd he had a very bad one and I ended up having to put him to sleep. I stopped feeding the jerky treats at time. My other two dogs have since regained their appetites and are eating again.</p> <p>Today I saw the report on the jerky treats on line and called my vet. The office manager said that he also had a dog that had been effected but recovered. Like my other two dogs....his was healthy and did recover. (b) (6) was already dealing with the brain tumor and we think that this was more than his body could handle. I do have a 15 year old mini-schnauzer and fortunately she appears to be OK.</p> <p>This makes me VERY upset that I was feeding (b) (6) something that may have actually caused his death. I thought I was feeding him something healthy. There are no words to describe how horrible this feels.....knowing I may have actually been poisoning him. I will never again buy anything that is not made in the US. I will read every label VERY closely.</p>
Wagon Train Chicken Jerky	Dog	Chihuahua	1	Years	Female	10	Pound	<p>I have purchased Wagon Train Chicken Jerky for a number of months. My first dog (b) (6), a chihuahua/yorkie mix first starting throwing up and passing blood in May of 2011. I took her to the vet they checked her for parvo wich was negative and after paying the vet bill of \$180 and charcoal tablets she died that night. The following week (b) (6), and (b) (6) both full blooded chihuahuas started throwing up and passing blood as well as (b) (6) who was a chihuahua/yorkie mix and only 10 weeks old. I took all three of them to the vet and they too were tested for parvo all negative and given charcoal pills. That vet bill was \$320.00.They got woarse during the night and I took all three back to another vet the next morning and had to pay a deposit of \$500 before he would see them He too tested them all for parvo but all came back negative. He then determined that there was some type poisoning and gave them all fluids. I was to return with all three and three of my other dogs the next morning in order for him to test all but (b) (6) and (b) (6) both passed during the night. I took (b) (6) and (b) (6) and (b) (6) and had them all seen and all showed signs of the same yet (b) (6) passed away in the vets office. I withheld all treats from all the other dogs for about a week and have not had any problems since that time.</p> <p>To make a long story short I lost 4 very precious dogs in a matter of a week and could have lost more because of a product that was sold at Pet Supply Plus and Brunos. Not to mention that it cost me around \$1,000 in a week in vet bills yet still had 4 dogs die.</p>
Milo's Kitchen Home-style Dog Treats -- Chicken Jerkey	Dog	Retriever (unspecified)	12	Years	Male	85	Pound	dog began vomiting and had bloody diarrhea. nothing had changed in his routine; food the same (dry canidae platinum), fresh water, no table scraps. my mother purchased milo's kitchen chicken jerky treats (best used by date = 03-20-12; 1300HV A) and within a few days he was vomiting and had violent attacks of bloody diarrhea. he had no more than 2 treats/day preceding this behavior. we took him to the vet and they ran a blood panel, took x-rays...all came back within normal range although the x-rays showed a large amount of gas in the intestine and he was dehydrated. he was treated with an injectable anti-nausea/vomiting and received liquids subcutaneously and is on oral anti-vomit, anti-diarrhea meds for the next week. within 24 hours he made significant improvement. am just reporting this as the jerky treats were the only change in his usual routine of things he eats and so it seems his reaction was from eating them although this obviously isn't sufficient to be more that an anecdotal account...but one the can now be added to all of the others. we threw the treats away and will no longer be feeding any treats made in china to any of our family dogs as a precaution. the stress of seeing him so ill plus the cost of the vet diagnosis make this seem a reasonable course of action.
Waggin' Train (I called it Waggin' TAILS in the beginning of my report) Big Blast Pork Skin Twists with Chicken Liver Center	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	8	Years	Male	60	Pound	I've been feeding my dog Purina One and 1 Waggin' Tails Pork Twist Roll for at least the past year. In Feb 2011, he had a seizure of unknown cause. At that time his liver and kidney levels were not right. He had repeat blood work a month later and his kidneys still weren't right but wasn't enough for the vet to be alarmed and he didn't have any dietary restrictions. Earlier this month he went in for a dental procedure and they did blood work before and his kidneys are still not functioning right and now he has to be on special food and I'm no longer feeding the Waggin' Tails (and that was before I saw the info about the Waggin' Tails). Now, I realize it was the jerky that people were reporting problems with but I wanted to make sure to get my report in in case the problems expand to some of the other treats.

Happy Hips Chicken Breast	Dog	Collie - Border	11	Years	Unknown	44	Pound	Starting four or five days ago we started giving our dog a new brand of treats- Happy Hips Chicken Breast. He had one per day, so maybe 5 total. About three days his bowel movements were softer and last night he was up every hour with diarrhea and vomited twice. This morning he's had wet stool tinged with blood. He woke up with no appetite and eventually came around to eating his food, later than usual. Not sure if the treats caused the problem but they were made in China and look like chicken jerky. Our dog has had occasional soft runny stools in the past which usually clears up with a little rice, but not this time, as he wouldn't eat it. He hasn't had these problems in many months though.
Canyon creek	Dog	Shepherd (unspecified)	13	Years	Female	40	Pound	(b) (6) began vomiting, experienced prolonged diarrhea, lethargy. Took to vet several times for check ups. Blood test showed elevated liver values. This went on for months. Finally realized it was related to the chicken jerky treats that we were giving her. We stopped giving her the treats, and she has been improving. Not fully recovered, but appetite came back, vomiting stopped, and diarrhea stopped. 100% sure this is completely related to treats. Happy to speak to you if you need more details. This product needs to be taken off of the market. Found out they are manufactured in china, and other dogs have had exact same issues. Very upset that these are still available for purchase. Two brands I fed her-waggin train and canyon creek
Dogswell Happy Hips Duck Breast, Waggin Train Chicken Jerky Tenders , Dogswell Happy Hips Chicken Breast	Dog	Terrier - Boston	10	Years	Mixed Population of Female and Male	25	Pound	Lethargy; decreased appetite; vomiting; frequent urination & increased water consumption
Wagon Train Chicken Jerky Treats	Dog	Lundehund	2	Years	Male	12	Pound	Acute development of profuse vomiting, blood in the vomit. Progression over 8 hours to severe hemorrhagic diarrhea. Marked depression with pale gums.
Waggin' Train Chicken Tenders Chicken Jerky	Dog	Great Dane	10	Years	Female	97	Pound	Very uncomfortable, could not lay in one place for longer than 30 seconds, constant whining, occasionally barking.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	7	Years	Female	35	Pound	Had been feeding dog chicken jerky for a years when a few months ago she started urinating in the house which she hasn't done since she was a puppy and it was very large amounts. She also had at least one bowel movement that was very, very hard and covered in mucus which was also in the house and unprecedented. I read an article about chicken jerky made in China causing problems so I removed that from the diet and she has not had any other incidents.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Shepherd Dog - German	3	Hours	Female	98	Pound	My dogs (b) (6) and (b) (6) had uncontrollable bouts of diahrea within 2 hours of giving 2 Canyon Creek Ranch Natural Chicken Tenders to them. They have been drinking large amounts of water since I began giving them these treats and it finally occurred to me that these treats were making them sick. UPC # 0702082010 LOT # B1CA5456A Exp. 11/12/2013 MADE IN CHINA
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Retriever - Golden	5	Years	Male	76	Pound	(b) (6) started to vomit between the trird and fourth day after I started feeding him the treats. His water intake has also increased. They both have been sluggish as well.
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Retriever - Labrador	2	Years	Male	100	Pound	(b) (6) was the first of our two dogs to become ill. He vomited the second day after I started feeding the Waggin Train Western Grill assorted dog treats. He has also at least doubled his water intake.
Canyon Creek Chicken Jerky Treats	Dog	Sheepdog - Shetland	7		Male	40		My daughter bought Canyon Creek chicken jerky treats for (b) (6) birthday. She gave him the treats on a Friday and he was sick by Sunday. My husband called me on my cell phone and said R (b) (6) had some kind of spell and fell and was rolling around like he was having a seizure. I made a vets appointment on Monday and the Vet immediately asked me if he could have been poisoned. I was shocked and I said I don't think so we have a 6 foot fence in our back yard. She took blood tests and x-rays and said that his white blood cells were attacking his red blood cells. She also thought from the x-rays that something looked suspicious around his Kidneys. We had to take him to this other Vet Emergency Center to get a more thorough test run on his kidneys and other organs. They said there was no cancer to be found. The Vet gave us a prescription to see if it would take care of his blood problem. We went for two visits both getting worse. Then my daughter came home for lunch and saw (b) (6) with one of his eyes closed and took him to the Emergency facility. They told us that whatever was causing this blood disorder was progressing so fast that there was nothing he could do for him. We had to have him put to sleep. After (b) (6) dying I heard on tv about this dog treat that was killing dogs and guess what it was the same dog treat that was given to (b) (6) and (b) (6). (b) (6) was 7 and my daughter gave him more than the other dog (b) (6). (b) (6) is over weight and she only gave him one. (b) (6) is also only 2 years old. I really think that this Canyon Creek needs to pay for everything that they have put me and my family through. They also need to take this treat out of all of the stores, but they haven't. I want someone to pay for all of the animals they have killed. Please do this for all of our pets, please.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Silky	11	Years	Female	12	Pound	I have 3 Yorkies and one Silky. I purchased the Waggin'Train Wholesome Chicken Jerky Tenders at WalMart. I started giving these "Natural Chicken Fillets" after adopting a Yorkie from a rescue organization. (b) (6) our rescue, only has 2 teeth and needed to be hand fed when we brought her home. I gave these fillets to my 2 Yorkies and Silky to keep them busy while I hand fed (b) (6) as it took them a while to eat them and it gave me one on one time to feed her. I started this on Sunday, October 16, 2011. After 4 days I noticed something was not quite right with my Silky, (b) (6). The first thing I noticed was that she looked at me with a totally empty look. On Thursday, October 20, 2011 she would just stand in one spot and would look at me in a puzzling manner. She refused to go off of the deck in the back yard and would just stand still. It took some coaxing to get her down the steps. I had no idea what was going on with her. I at first thought maybe she was constipated and maybe had poop stuck to her, but after checking this out I found that was not it. She slept that night okay and on the morning of October 21, 2011 she seemed a little better and ate her breakfast as usual. She did not go outside once again and just stood staring at me. Her eyes were trying to tell me something, but I could not figure it out. Once again I checked to see if she had poop stuck to her, but she did not. I did talk to our Vet's assistant to tell her that (b) (6) was not feeling good and to let our Vet know in case we would need him on the weekend. On Friday when we returned from work @ 6 p.m. she did have poop stuck to her so we thought that was the problem. We washed her up, but she still did not seem herself. That evening @ 10 p.m. she started having some rapid respirations and her body temperature seemed cool which was out of the ordinary. At 3 a.m. Saturday, October 22, 2011 she was having difficulty breathing and we tried getting ahold of our Vet and had to leave a message. I did get ahold of his assistant and she said she would get ahold of him right away in the morning. (b) (6) calmed down after giving her half of a pain pill and she was able to rest after about 2 hours, of which she stood most of. Our Vet called @ 8:15 a.m. and I immediately took her in. Her temperature had dropped and the roof of her mouth and gums were white. She had severe anemia and was toxic. She was in shock. After some testing they found that she was getting fluid built up around her lungs so he drained some of it off and she seemed to breathe a little better. The fluid that he drained was blood tinged. The Vet gave her a steroid shot, an antibiotic, vitamin K, and vitamin C. He said it was like she had eaten rat poison, but we have no poison around. I left her there telling her I was sorry, but that she would be okay. She kissed me as if to tell me not to worry, which was just like her. When I got home my Vet called to ask me some more questions. What kind of food she was eating and what kind of treats she was eating? The only thing different was the Waggin'Train Jerky Tenders. He asked if they were made in China? He said that there is an ingredient in treats that are made in China that can cause problems. Of course I immediately got the bag and turned it over only to see first "Waggin'Train is an American owned company." I thought "whew!" only to look over to the left and see "Made in China!" My heart sank. Why had I not known about this I wondered???? My Vet gave me an update about every 3 hours or so. First call @ 11:10 a.m. she was not any worse, but not any better. 2nd call @ 2:45 p.m she was a little better, she even met him at the front of the kennel and licked him as she wagged her tail. 3rd call @ 5:25 p.m. she had gotten worse and he removed more fluid off of her lungs. 4th and final call 8:29 p.m. SILENCE...I have some bad news for you! (b) (6) died @ 8 p.m.! Lots of crying followed. (b) (6) was a kind and gentle spirit. She loved life. She was 11 years 8 month
Milo's Kitchen Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	8	Years	Male	60	Pound	On Monday evening, February 6, 2012 - I gave (b) (6) a piece of the Milo's Kitchen Chicken Jerky at 6PM. My husband gave him another strip of Milo's Kitchen Chicken Jerky at 9PM. At 3:00 AM, my husband woke to find (b) (6) violently throwing up and having massive amounts of watery diarrhea. (b) (6) became extremely lethargic, wouldn't eat, drink, and refused to even lift his head. At 12:30PM, my husband took (b) (6) the Vet. We ran through everything (b) (6) had eaten but completely forgot about the Milo's Chicken Jerky. We had never given our dog this "treat" before. For two - three days, (b) (6) was lethargic, barely eating, not wanting to drink any water. It wasn't until yesterday, Saturday, February 11, when my husband was researching everything in our kitchen (b) (6) would have come into contact he remember we both had given our dog strips of the Chicken jerky. Upon researching further - (b) (6) symptoms were exactly what other's have described.
wagon wheel chicken strips	Dog	Shar Pei	9	Years	Male	50	Pound	had two shar pei's that we started given chicken strips to from local store, both got sick, kidneys failed them, within two months of each other, had to have both put down
Home 360 Pet chicken jerky treats, Home 360 Pet snack steakz, milo's kitchen chicken meatballs, Ol'Roy bark n bacon dog treats	Dog	Dogo Argentino	2	Years	Male	107	Pound	I have been feeding (b) (6) Home 360 jerky treats, home 360 snack steakz, milos kitchen chicken meatballs, and olroy bark n bacon. I had not heard about the poisoning. For a month he has been vomiting 3 or 4 times a week and drinking much more water and has been lethargic. I thought he had picked up a bug but Today i found the article on the recent poisonings and I am now certain that he has been sick from eating these dog treats. He has never had any stomach problems at anytime before this and the symptoms started when he ate those treats.
Waggin Train chicken jerky tenders	Dog	Siberian Husky	10	Years	Male	60	Pound	We had given (b) (6) this same treat, same brand for several years when one day he threw it up not long after I gave him one. About 5 hrs later my boyfriend gave him one when he got home and the same thing happened. For the next few days I watched him seriously, did not give him any treats, and found (b) (6) I wasn't eating correctly, and he was having diarrhea - I put him on boiled chicken breast with rice diet and that seemed to help, so after 5 days I gave him another treat and POOF! within minutes he threw it up and it was another 5 days of diarrhea and boiled chicken breast with rice for him - about two weeks later, after I had returned the treats and (b) (6) was back on a regular diet, he suddenly couldn't urinate or pass any stool - my vet gave him a cortisone shot for inflammation of the intestine, antibiotics, and a anti-nauseous pill, just in case he started to get sick again - this problem passed, (b) (6) seems ok now, but we have not given him any type of dried chicken treat since. I have noticed he does not lay down in the same position he used to after this event, so he never seems to be able to relax all the way - my vet thinks I worry to much about it but its like he liked to lay this way for almost 11 yrs and now he wont or cant- I have told everyone i know NOT to purchase this product or anything like it.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	12	Years	Female	14	Pound	She became very sick lost a lot of weight...we have spent \$700.00 on vet bills and it came on the news about the chicken jerky we gave ours the wagon train brand.... (b) (6) was once a healthy chubby dog and now she is a shell of a dog ... does not gain weight and can barely walk due to the poison her body consumed!
wagging tails	Dog	Maltese	7	Years	Female	14	Pound	started chocking
Healthy select for passionate pet parents chicken breast Strip treats								My dog started vomiting after I've given him them treats as I see now there's an issue with a similar products but different name he has stopped and seems better now I stopped giving them to him after I noticed that he was vomiting

Waggin' Train (wholesome chicken) Jerky Tenders	Dog	Akita	12	Years	Female	75	Pound	I always gave my dog a 'morning' treat (usually a beef flavored dog biscuit), one morning (11/11/2011) I had ran out of her regular biscuits and remembered getting 'free' dog treats out of the dog food bag (Alpo) that I had saved, I started giving (b) (6) these 'treats' on the morning of 11/11/2011, she started acting 'weird' the next day after giving her a second treat on 11/12/2011, she was slow to walk and respond to comands, she had also lost her appetite and would not eat 'any' food, I also noticed that her rear legs were 'wobbly'. The day before she died I had given her a small piece of steak and she ate it, the next day (11/14/2011) she was moving fine in the morning and she liked to walk with me to the mailbox (about 4:00pm) and I went out to get her and she was lying dead on the back porch with blood (or some internal fluid) coming out of both her mouth and rectum, her body was still warm and flexable. Several days later I saw (on the internet) that there was a problem and recall of 'chicken jerky products from CHINA' and that is what I fed her. I still have one treat (in the bag) left along with the Alpo bag from which it came from as a free sample. All of these products Alpo and the chicken jerky treats were perched from our local K-mart.
DOGSWELL VITALITY CHICKEN BREAST with Flaxseed & Vitamins Help Maintain Eyes Skin & Coat Canyon Creek Ranch Chicken Jerky	Dog	Shepherd Dog - German	12	Weeks	Female	18	Pound	Gave the puppy a small piece (about the size of a quarter), she vomited the piece about 15 minutes later. She then began to appear ill and nauseous. Her ears were going sideways and in odd directions. Mild whimpering/crying off and on. Symptoms lasted for about 2 hours.
	Dog	Mastiff	25	Months	Male	180	Pound	Vomiting and Diarrhea after eating just one treat.
Dogswell Vitality Chicken Breast with Flaxseed	Dog	Pug	6	Years	Male	15	Pound	After giving our dogs Dogswell Vitality Chicken strips (purchased on 12/16) over the course of two weeks our dogs both became ill and one eventually had to be euthanized. On 1/1/2012 our four year old Shih tzu, (b) (6), began vomiting, was urinating a lot and acting generally unwell. She vomited multiple times over the course of three days and then our pug, (b) (6) got sick on the third day (Jan.4, 2012) (b) (6) continued to worsen, vomiting multiple times each day over the course of the next 4 days. We took (b) (6) to the vet on Tuesday, 01/10 where he was found to be in acute renal failure. We brought (b) (6) in and she too was in renal failure. (b) (6) BUN numbers were well over three times the normal number (63 BUN), (b) (6) BUN was well over 10 times at 249. Our vetrinarian kept (b) (6) on fluids, hoping to flush out his kidneys. His numbers never budged. After over 72 hours of fluids, his numbers were basically the same (BUN was 241 on 01/10) we were told there was nothing they could do. We got him as comfortable as possible, loaded him with fluids so that he could come home for the weekend. He deteriorated over the weekend, stopped eating and drinking, developed ulcers in his mouth and on Tuesday, 01/17 was put to sleep.
Milo's Kitchen Chicken Jerkey	Dog	Mixed (Dog)			Female	15	Pound	I fed my dog Milos Kitchen Jerkey Treats. I have done this occasionally in the past and she has been ok with it. I gave her a few treats one moring (2 or 3?) and went out for the afternoon. When I got home that evening, she was very ill. She had peed blood all over the floor. She was very lethargic and would not eat or drink (I actually though I was going to lose her) I had not heard of the warnings about the treats and just though something was wrong, or her medication had caused a problem, and was surprised how quickly she had gone from fine to ill. Took her to the vet first thing the next morning - the vet said the meds were ok and shouldn't have caused her symptoms. She ran blood and tests. Said nothing showed up, could be an infction, and sent her home with antibiotics. She recovered after a few days. She is now fine. I avoided all her treats at first because I was worried it would upset her stomach, it wasn't until later that I heard about the chicken warning, and threw all of those away. (This was all back in November 2011 - dates are approximate, but I can get exact date from vet if needed)
chicken jerky	Dog	Retriever - Golden	8		Female	55		diarrhea, large volume stools for both dogs. dogs are 8 yrs old and 4 yrs old.
Waggin Train Chicken Jerkey Treats	Dog	Spaniel - Cocker American	10	Years	Female	34	Pound	My dog became very lathargic, would not eat, and she loves her food. After a few days of decline, I took her to the vet. Dignosed with Gastric Distress.
Milo's Kitchen home-style dog treats Chicken Jerky - No artificial flavors or colors	Dog	Retriever - Labrador	6	Years	Female	70	Pound	We noticed our dog started having very bad smelling gas, occasionally vomited after she ate and was very lethargic off and on since December 2011, which is when we purchased Milo's Kitchen chicken jerky as a Christmas treat. Since December, the dog has had one or two pieces of chicken jerky a week. Recently the dog started drinking two to three times more water than usual throughout the day, vomiting after meals, sleeping more than usual and had three days and nights of horrible smelling gas. She is a very healthy, well cared for dog and we could not figure out what was wrong with her until I read an article about dogs getting sick from eating chicken jerky made in China. We had last given her a strip of Milo's Kitchen chicken jerky a few nights earlier (on 2/8/2012) as a treat.
Dogswell Biscuits with Benefits Vitality	Dog	Spaniel - Cocker American	14	Years	Male	24	Pound	Shortly after starting to give Dogswell Biscuits with Benefits, dog started having urinary urgency and accidents and increased water consumption. I sent urine in to vet for UA and am waiting results. Then just read about problems with these treats with other dogs where increased urination and water consumption were on the list of symptoms to watch out for.

Waggin Train Pork Skin Twists with Chicken Liver Center	Dog	Terrier - Jack Russell	4	Years	Male	19	Pound	I started giving (b) (6) the Waggin Train dog treats because they claimed to be all natural. He loved them and did not have any reaction at first. He saw the vet regularly and had excellent health. About 2 weeks after I started giving him the Waggin Train dog treats he completely stopped eating(dry dog food, treats, wet dog food etc) and every time he tried to eat he would just throw it up , so I took him to the vet. They did numerous tests but everything came back normal. He continued to get worse the next couple days to the point he wouldn't even drink water, his stools became liquid and yellow. He went from weighing 19 pounds to 11 pounds within 2 weeks. I took him to the vet twice a week and having ultrasounds and blood-tests done because just kept getting worse. The vet tried putting him on all kinds of medication to try and increase his appetite and none of them worked. I put him down within 4 weeks of me giving him the Waggin Train dog treats because the vet believed he was in such bad condition he wouldn't have made it through the weekend and that he was suffering. The vet was so shocked at how quickly he went down hill from being in such excellent condition. The day he died I got the test results from the ultrasound that was given 5 days prior, he was diagnosed with the worst case of liver cancer. The vet told me that is was very possible it could have been caused by the Waggin Train dog treats or any treats Made in China because she priorly had a few dogs that she was treating that had died after been given dog treats made in China.
Unsure as vet wanted dog on natural home cooked food after seizures	Dog	Terrier - Jack Russell	3	Years	Female	15	Pound	Dog started having seizures out nowhere, for seemingly no reason. After talking to the owner of the dog to try to trace back when they started (dog is about 4 1/2 - 5 1/2 now, but it seems that when these chewy jerky treats were first reported to have cause health issues were possibly when these seizures started. This country was also getting reports of childrens' jewelry from China contained lead or mercury, seems we've had several problems with meds, food products, etc. having issues...has it possibly occurred to ANYONE that China has had some really long term goals in mind for our children and animals? They already practically own us, I understand that through dummy corporations or greedy individuals that they're buying property from our own Dept. of the Interior of very isolated stretches of lots of acreage (in Ky., Col. and several other states that are either rather close to nuclear power plants, places like Ft. Knox, big military bases). Could these girls in NY been affected by something they've eaten or had on their persons that were made by the Chinese; could that explain why so many children are autistic; could these things be the explanation of some of these so-called mystery diseases that no cause can be found for in adults, all of which are weakening our society? Could most of the things we see in our stores...everything from towels, pots and pans, dishes...things that we expose to heat as we cook or use those products have toxic chemicals embedded in them that are slowly but surely getting into our systems and destroying us without the Chinese risking a loss of life? Not only are they buying up houses in the Atlanta area; there have been reports on TV news of them buying up entire housing subdivisions where the developers had gone broke, in some of the nicer towns. Would that be, not so much for the profit, but for possibly for those families of a future military and ruling party in our country? I'm not some radical, but I do remember very clearly what one of my very brilliant professors said towards the end of our year with him in a Russian History class (hated history, but he had an outstanding reputation as being a really interesting and inspiring teacher). He was from S. America, I think was Harvard educated, had been offered a position there but refused it to teach at our small womens' college outside of Boston, he had taught for many years in both China and Russia. Back then, you heard little about China...you might have said we were in those years of the cold war with Russia with fear of Russians being paramount. But he wanted us to remember his warning after the years he spend teaching in both countries...that China was the country we had the most to worry about; that they were able to wait to reach their goals for decades and even centuries...that they would be our main adversary. So, could ANY of these coincidental happenings be tied in to them reaching their goals? I myself was diagnosed decades with something that was considered to be all in my head...then some of us were considered the canary in the coal mines...there's still no answer, sometimes skepticism about what I and many have. Something seems awfully fishy, not in Denmark but in China and maybe many of their products
Unknown--Costco chicken jerky	Dog	Retriever - Labrador	5	Years	Female	100	Pound	Developed head shaking-as petit mal seizures
Waggon Train Chicken Jerky Tenders	Dog	Mixed (Dog)	6	Years	Female	61		They loved the treats and this one was our favorite, so she got them all day long as long as she wanted them and she knew how to ask for them.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats. Natural Chicken Fillets LOT NO: B1CA5318A	Dog	Retriever - Labrador	8	Years	Male	95	Pound	My roommate bought Chicken Jerky treats a week ago for their dog and gave some to my dog who has now shown signs of illness since then. Subsequently, my lab, who is in excellent health started shaking, eating grass and has had progressively worse diarrhea. Further, last night he virtually slept on top of me, which may not sound like a symptom, but it is for my dog. He is very independent and only seems to get physically close to me at night if he is super cold or ill. Today, after seeing a headline for this story, I went looking in the cupboard for my roommate's dog treats and discovered that indeed, they had a new bag of chicken jerky treats. The bag said "American company" so i started to put it away, but then noticed at the last second that it said "made in China" in another place. So i called my roommate to discuss and she admitted to feeding my dog some of these treats over the last week - one each morning. As to the state of health of their dog, it cannot be known with certainty, since their dog is in general ill health. Further, they don't walk their dog so did not know if (b) (6) has had diarrhea or not, but I can attest that she seems to be drinking more water lately. My dog generally does his business on our daily walks, so I've noticed that his stools have been getting progressively worse. His diet is steady except for these treats that she has fed to him, so they remain my sole suspicion.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Mixed (Dog)	2	Years	Female	46	Pound	Just took my dog to the vet yesterday. She has been vomiting and lethargic off and on for over a month. The vet performed several tests. The tests factors concerning her kidneys and liver were slightly off, but the vet could not find any other problems. She is now on antibiotics. I just read a message a friend posted to Facebook about the possibility of negative affects due to Chinese made chicken strip dog treats. We do give these to our dog. They are her favorite treat. We will no longer buy these treats. Thank you Facebook!

Waggin' Train Jerky Tenders. Natural Chicken Fillets	Dog	Collie - Border	11	Years	Female	28	Pound	I was rewardiong (b) (6) with Chicken Jerky Treats (China) over a period of 3 months October to December 2011 (3 to 4 treats/day). After about 6 weeks, (b) (6) developed diarrhea, and urinary incontinence. She was taken to our Veterinarian (b) (6) and he proscribed estrogen therapy for the urinary issue. Her urinary incontinence stopped but the diarrhea continued at a reduced rate. By the end of an additional month (approx. the 15th of Decenber) she began to show a drop in activity and began to refuse her food. By the end of December 2011, she would not even eat her favorite foods and was very listless. We feared she might have cancer and took her for a repeat visit to our Veterinarian. He ran a CBC and Canine Chem scan and found several issues, chief being signs of terminal acute kidney failure. He suggested euthanization and we agreed.
Milos Kitchen Chicken Jerky	Dog	Beagle	6	Years	Female	37	Pound	I have been feeding my dog chicken jerky from Milos Kitchen. She has now been dignosed with kidney failure. Milos Kitchen jerky is from China.
Canyon Creek Ranch Dried Yams	Dog	Mixed (Dog)	6	Years	Female	95		12/23/2011 (b) (6) was first examined because she was urinating more frequently. Polyuria and polydipsia began around 12/17/2011 and owner purchased Dried Yams at beginning of December. Urinalysis reveals that dog is not concentrating her urine. Specific gravity of urine 1.000. Was Lyme + on 4DX on 12/23/2011 and was started on Doxycycline once per day for 30 days. No protein in the urine. Chemistry revealed Albumin of 4.6 (N 2.5-4.4), Alk phos of 2167 (N 20-150), Glucose of 112 (N 60-110). Urine cortisol:creat ratio low at <0.2. Saw dog again on 2/3/12 and still had polydipsia/polyuria. Eating fine. Difficulty jumping. Urine specific gravity still 1.000. Checked thyroid level and T4 low at 0.8 (N1.1-4.0). Began Levothyroxine 0.8 mg bid. Eyes also tearing more and dog panting alot.
Waggin Trail Chicken Jerky	Dog	Hound (unspecified)	9	Years	Male	185		I have been feeding my dogs Waggin Trails chicken jerky for about 3 months now. I have noticed a decline in my dogs appetites, lethargic and having diarrheal stools. They haven't even had much interest in eating their favorite people food over the past several weeks. I was not sure what was going on with them at all and then when I saw the report about the waggin Trail Chicken jerky it was like a light bulb went off. I said that sounds just like my dogs. I still have a bag open that they have been eating the past week and I will save it. I had just bought 2 more bags yesterday morning to which I returned today. I also was babysitting a dog over the weekend 3 weekends ago and gave her some of these treats. My that Wednesday night she started getting sick and deteriorated to point she died within a week. Her owners spent thousands trying to save her so they have medical records that might be able to help with finding out if this could have caused her death. My dogs are still sick today. I am going to quit giving them the treats and see if they start eating better and get more energy. I am very concerned that this is what happened to (b) (6) the dog that was perfectly healthy when she came to my house for the weekend and ended up dying a week later.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	4	Years	Male	78	Pound	Purchased Mio's Kitchen Chicken Jerky treats. Opened bag and gave to (b) (6) around noon on Wednesday, February 8. Around 7:00 pm that evening, he started with diarrhea and it has continued for the past two days. Coincidentally that evening, I received an email from an organization called NOLA Lab Rescue, and they provided a link to your website warning about chicken jerky products made in China. Because I try to purchase only quality products for my dog, I couldn't believe that Milo's Kitchen was one of the brands listed. I also have their products, beef sausage and chicken meatballs for him, and when I went to check the bags the only item made in China was the chicken jerky. I called the company and asked them why the chicken was made in China, and they told me it was because it was dehydrated and not as available in the United States. I told them it was more like it was probably cheaper to produce in China. I will be returning the product to Petco where I purchased it and bringing the notice from the FDA with me. I am going to ask them to please remove it from their shelves or at least put up the notice that it may cause harm to dogs.
waggin tails chicken	Dog	Terrier (unspecified)	4	Years	Female	20	Pound	gave dog a waggin tail chicken treat and in about a hour she started throwing up yellow foaming looking stuff. . and did not give anymore treats . thinking it must have been the treats. i threw them away. she has never throwed up before. this happened in jan. i saw a news article on our local news about this product last night and they said if you have used this product to contact fda if your dog had got sick from the treats. . luckily i was smart enough not to give anymore treats once she got sick. for a couple days she just laid around and did not eat .. i waqs going to take her to vet because she would not eat . but she did start eating.
Happy Hips Chicken Breast	Dog	Unknown	5	Years	Male	25	Pound	After feeding the jerky treats to my dog an hour or so later he would start shaking and gulping and acted like he had dry mouth. We would shiver and press against me. Going to the bathroom he would have diarrhea and orange urine.
DINGO "Meat In The Middle" (meat and rawhide chew)	Dog	Terrier - Scottish	8	Years	Male	38	Pound	Dog ate a medium size DINGO rawhide bone with real dried chicken. After ingestion symptoms were vomiting, lethargy, no appetite. The first time in 8 years this dog did not have an appetite. Took to Vet. Was given an injection of antibiotic and anti nausea medication. Gave anti nausea and amoxocillin pills at home. Seems to have fully recovered.
Waggon Train Jerky Tenders	Dog	Mixed (Dog)	4	Years	Female	11	Pound	we have owned (b) (6) (mixed breed shih-zu/poodle) since age 6 months in perfect health and (b) (6) is 9 months old (mixed breed Shih-zu/spitz) and she has had horrible reactions immediately when eating these "treats"...it was first thought she had training issues, but upon many many consultations with the local vet and animal shelter specialists it has proven to be a result of eating this product. Both dogs have always had regular vet visits timely with no health issues. Both treated timely with heartworm medication,etc. as directed by their veterinarian. About 6 months ago, I started purchasing Waggon Train Jerky Treats and they have both since lost appetite, vomiting, diarhea, thirst and chronic urination problems that they did not have prior to eating these treats. I removed these from their diet of proper dog food though the occurances of illness still persist.
Dogswell Happy Heart Chicken Breast with Flaxseed & Taurine	Dog	Retriever - Golden	100	Years	Male	50	Pound	Diarrhea, going to the vet tomorrow 2-10-2012

Canyon Creek Apple&Chicken wraps	Dog	Siberian Husky	9	Years	Female	85	Pound	diarreha, drinking water alot and frequent urination
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Terrier - Cairn	11	Years	Female	16	Pound	(b) (6) vomited 4 times in succession, became listless with rapid shallow breathing, extremely thirsty, no appetite. Had an increase in urination a couple of days before this. Taken to vet who did blood work. Tests showed some infection (not unusual because of skin allergy) and her kidneys were operating at less than 25 percent. She died less than 48 hrs. later. Less than 2 weeks later, our very healthy lab pup was dead with the dsame symptoms minus the vomiting and his blood work was completely normal. Both dogs had been eating Waggin Train treats.
petshoppe chicken jerky premium chicken dog treats	Dog	Pug	11	Years	Female	18	Pound	After eating Pet Shoppe chicken jerky treats (distributed by Walgreen's, made in China lot#Y103H28A12168) (b) (6) developed severe diarrhea that required treatment with Flagyl. This is the only new food given within the past month.
Waggin Train PBJ Peanut Butter Flavored Biscuits Wrapped with Chicken	Dog	Schnauzer - Miniature	3	Years	Mixed Populati on of Female and Male	22	Pound	After feeding my two dogs "Waggin Tails" Peanut Butter and chicken jerky treats for a few days (they each were given two treats per day as indicated by the instructions on the bag for their weight) they became violently ill within approx 64 hours of each other. Sunday morning January 29th my dog (b) (6) became violently ill, I returned from being away for a workout and came home to find several pools of blood in the house, and several spots where she had vomited. I found her lying on the couch lethargic and clearly very ill. I called my vet and told her what happened she instructed me to go directly to the ER, they could not figure out exactly what was wrong with (b) (6) but treated her symptoms and kept her overnight. In the morning I transported her from the ER to my vet for followup care. Three days later on Wednesday at 2:00am my other dog (b) (6) woke up and began vomiting and would not stop, he became lethargic and I called they ER and they advised me to bring him into their facility. He was treated for symptoms and sent home again, they could not find the cause only treating the symptoms. In the morning he began defecating blood and he was immediately taken to the vet. They could not figure out the cause so x rays were taken, no blockage or foreign object was found. They treated the symptoms and he was allowed to come home late in the day. My dogs are young up to date with all their medical needs and they eat the same organic grain free food that they have for months. No other changes expect these treats. \$1200+ later and suffering for them and all from eating "treats"..... horrible. Waggin Tail Peanut Putter and Jerky (chicken) treats Bar code # 0702099641 Lot# G2CA5339A Best Buy Date 05/01/13
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	4		Male	45		Explosive diaherrea- Bloody discharge
Milo's Kitchen Chicken Jerky	Dog	Other Canine/dog	2	Years	Mixed Populati on of Female and Male	80	Pound	vomiting blood after eating several Milo's Kitchen chicken jerky treats
Waggin' Train wholesome Big Blast chicken jerky wrapped pork skin twists with chicken liver center.	Dog	Beagle	11	Years	Female	34	Pound	She was given Waggin Trails Chicken jerky treats bought at BJ's in (b) (6), every day for a couple weeks when she started having diarrhea, vomiting, loss of appetite and acting very sick. After a few days of trying different bland foods, etc. we took her in for an emergency vet visit. \$500, an injection, prescription and prescription food later, she is starting to recover.
Waggin' Train Chicken Jerky	Dog	American Pit Bull Terrier	4	Years	Male	65	Pound	Over the coarse of a year, I was feeding all my dogs Waggin' Train Chicken Jerky. My dog (b) (6) started throwing up his regular food shortly after I gave him this treat. It was happening over and over intermittenly between 6 months. It then evolved to diarhea with blood, lathargy & drinking water heavily. I took him to the vet and they gave me anti throw up meds and suggested he was allergic to chicken or had been poisoned, so I stopped feeding him this product and he recovered. He has not thrown up or had any problems in the last 4 months that I have not given him this treat. He is much healthier/energetic too.
Veggie Life Vitality Dogswell Chicken & Apple	Dog	Maltese	30	Months	Female	6	Pound	A few months ago her appetite was dropping, and it was accelerating, she began to be less active and was urinating a lot more than before. Sometimes even agitated which is unusual for her. We had been feeding her Dogswell Chicken Wrapped Apple Treats and Waggin Tail Jerky Treats as well as her regular food (Evo) We were so concerned and figured she had grown tired of her regular food. So we changed to Science Diet and stopped all treats. IN a day or so she began to eat a little and now is eating fairly well. We were going to try her old food again to see how she reacted. We had stopped the treats as we thought maybe they were filling her up. She ate her Evo just fine tonight. We now believe it was the treats and suddenly found info saying they might be recalled. I am alarmed and thought this info should be known.
Milo's Kitchen home-style dog treats Chicken Jerky 100% Real No artificial flavors or colors	Dog	Pit Bull	12	Years	Female	60	Pound	I can't remember the last time (b) (6) vomited until several nights ago. She has been lethargic and drinks more water than ever before.

Cadet Gourmet Duck Breast	Dog	Maltese	10	Years	Female	10	Pound	I used to give my dog Cadet Duck Breast from Costco. This are a product from China. I recently bought a few new bags, and my dog has refused the treat. However, she tried a couple the other day and had diaharrea for two days, the second day with some blood. At that point I took her to the vet who did a fecal sample (negative) and gave her medicine to stop the diaharrea. She is now ok, but I wondered if there has been any other reports about this product.
Waggin Train Wholesome Chicken Jerky Tenders <u>Chicken Dog Treats</u>	Dog	Collie - Border	8	Years	Male	65	Pound	(b) (6) has been experiencing bloody, mucas filled diarrhea after being feed these Chicken jerky treats. I have given him my own home made chicken jerky for years with no ill effect. Both my dogs are experiencing the same symtens.
Chew master Cicken strips	Dog	Collie - Border	4	Years	Female	35	Pound	I have fed chew masters chicken strips to all of my dogs as a treat for the last 3 yrs from Costco. the last package i open did not smell good, it had a odor. I am taking one of my dogs in for a vet check tomorrow as she is frequently urinating. She has not had any health problems in the past.
Waggin Train Chicken Jerky Tenders, Dogswell Chicken Jerky	Dog	Shepherd Dog - German	4	Years	Female	90	Pound	About 6 months ago we noticed that our dog would get diarrhea about 15 minutes after eating a Waggin Train or Dogswell Chicken Jerky Strip. So we stopped giving them to her. However, at the time we did not think it was something that was poisoning her.
Canyon Creek Ranch Yam Dog Treats	Dog	Mixed (Dog)	12	Years	Female	29	Pound	I had been feeding my dogs Canyon Creek Sweet Potato treats. I have 2 very small dogs and they did not eat very much of the treat. However my larger dog loved them and would eat at least 2/day. Last week she began having bloody diarrhea and vomiting. I called my vet and made the dog NPO except for water. 24 hours after she stopped having diarrhea/vomiting, I fed her rice and chicken. I fed her this for 2 days. Her GI symptoms resolved. I did not correlate her illness to any of her foods or treats. I read an article by Pet Pardons News the other day and realized she might have become ill due to the treats. I have thrown all those treats away.
Waggin Train Wholeome Chicken Jerky Tender	Dog	Mixed (Dog)	3		Female	80		We bought Waggin' Train Wholesome Chicken treats at Sam's and gave her a few as a treat for the first time last night. A couple of hours later she was throwing up everything she had in her system...not once but 4 times! And she was very restless until 2 a.m. I beleive this product should have been pulled from all shelves years ago!
Milo's Kitchen home-style dog treats Beef Jerky	Dog	Brittany	7	Years	Male	60	Pound	Over the last 2 weeks, his appetite has been subdued, his bowel movements have been inconsistent and runny, he has been lethargic, and he has been drinking water and urinating much more. I just now read an article stating that dog treats imported from China can be hazardous and cause these types of symptoms. Then I saw on the list the "Milo's Kitchen" treats, which he has never had until my Mom mailed us a bag of them a few weeks back.
Kindom Pets Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	2	Years	Mixed Populati on of Female and Male	30	Pound	Chicken jerky treats causes severe vomiting, frothing at mouth, diarrhea, loss of appetite and general suffering in both dogs.
Waggon Train	Dog	Terrier - West Highland White			Female			I had given my dog Waggon Train treats, she has since had a decese in appetite, and activity. Inccressed water intake and vomiting. She's very lethargic and not her normal self.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Rat	3	Years	Male	17	Pound	Ate the chicken treat 2 different times a few days apart & threw up both times
Canyon Creek Ranch Duck-Wrapped Big Blast	Dog	Mixed (Dog)	4	Years	Male	36	Pound	I didn't think anything of it until I read an article that a friend posted on Facebook at http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/ One of the symptoms listed is vomiting, and he has been vomiting routinely every day. Then I looked at the list of manufacturers in the article, and realized that he loves eating the treats called "Duck-Wrapped Big Blast" manufactured by Canyon Creek Ranch. Seems too coincidental to be just coincidence, so I am reporting it just in case. *The date I have listed as the start date is approximate.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	12	Years	Female	50	Pound	(b) (6) had six episodes of vomiting. During one of the episodes I had fed her a Waggin Train chicken jerky treat which she threw up. Two days later she had several episodes of diarrhea. There was two occasions when some blood was found in her stool. She had no temperature but was very lethargic.
Dingos	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	5	Years	Female	14	Pound	I fed my dogs Dingo's brand dog treats. Both times (b) (6) reacted immediately with massive vomiting for the next several hours.

Canyon Creek Ranch "Yams"	Dog	Dachshund - Miniature	3	Years	Male	17	Pound	I got my dog (b) (6) from a shelter. He is 1-2 pounds overweight. I began feeding both of my dogs dehydrated sweet potato treats by Canyon Creek Ranch from Petsmart. I have noticed in both decreased appetite when previously there was none, in fact they ate pretty quickly with good appetite. I did some research this morning on their foods and treats and found that their treat brand has been found to be contaminated and decreased appetite and decreased activity is on the list. Neither have diarrhea. Both increased their water intake and urination. Neither display sick, but differences in them have been noted. http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/
Canyon Creek Ranch "Yams"	Dog	Mixed (Dog)	6	Years	Male	20	Pound	I got my dog (b) (6) from a shelter. He had kidney issues, but he is on prescription food from the vet and has been said to be in excellent health. I began feeding both of my dogs dehydrated sweet potato treats by Canyon Creek Ranch from Petsmart. I have noticed in both decreased appetite when previously there was none, in fact they ate pretty quickly with good appetite. I did some research this morning on their foods and treats and found that their treat brand has been found to be contaminated and decreased appetite and decreased activity is on the list. Neither have diarrhea. Both increased their water intake and urination. Neither display sick, but differences in them have been noted. http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/
Freebirds Chicken Apple Dog Treats	Dog	Rottweiler	10	Years	Female	80	Pound	We began giving our dog these treats around the first of January 2012. We started noticing she was going outside more often and waking up in the middle of the night crying to go outside. This is very unlike her. She had diarrhea. We started to think about things that had changed and realized we had given her new treats. Thought maybe they were too rich for her. We quit giving them to her and she returned to normal. Now after reading this information, I'm concerned they could have caused additional damage.
waggin train, Milo's kitchen	Dog	Spaniel - King Charles Cavalier	1	Years	Male	25	Pound	Explosive diarrhea with general weakness
Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)			Female			I gave my dog a Waggin' Train pork skin twist with chicken liver center and the next day she had diarrhea, loss of appetite, and vomiting. I was unaware of the recall so attributed the reaction to overeating.
Dogswell Healthy Hips Happy Hips	Dog	Lhasa Apso	13	Years	Male	13	Pound	we were giving our dog the Dogswell treats (we still have the bags) and he started having accidents in the house daily. we finally had tests done at the vet and it came back that there was increased protein in his urine and liver (i can't completely remember on this - vet has report). we changed his diet to a low-protein food, stopped the treats and the urination has stopped.
Wagon Train Dog Treats	Dog	Retriever - Chesapeake Bay	2	Years	Male	86	Pound	After ingesting Wagon Train treats, (b) (6) began vomiting and having recurring bouts of diahrea.
Milos Kitchen	Dog	Dachshund - Miniature	10	Years	Mixed Population of Female and Male	10	Pound	Slow decline in health, weight loss, increased urination
Dingo - peanut butter bones plain mini dingos dingo chicken bones	Dog	Dachshund - Miniature	5	Years	Female	12	Pound	My dachshund has always been in excellent health and has never been overweight. She has always been a little over 12 pounds in weight. She loves Dingo products and typically has one daily. In early November 2011 she went in to get the recommended canine flu shot. She had lost a pound of weight - she was then 11 lbs 4 oz which was a total of 1 whole pound down from her previous weight. I was concerned with her weight loss and noted her ribs were sticking out more. She remained active and was eating well so we decided to continue to observe her weight. Approximately a month later she began having uncontrollable diarrhea and she lost another pounds getting to an alarming 10 pounds. My veterinarian ran many tests on her with no conclusive results. I have had to change her from Royal Canine Dachshund food to Royal Canine GI food which I can only buy from the vet (and is quite costly in comparison to what was already a high end dog food). After cutting Dingos, etc from her diet we have gotten back to 11 lbs 10 oz. Now she only gets more organic treats. I recently read concerns about the health effects of Dingos and other imported dog treats and their adverse effects. It really concerns me that Dingos could have been the cause for these almost lethal effects to my beloved dog. Please investigate these products and ensure their safety before allowing them for mass consumption to the beloved pets of our great nation.
Dingos Dental Treats	Dog	Dachshund - Standard Smooth-haired	6	Months	Female	12	Pound	We bought the Dingo dental treat and gave them to our dog. The next day she began experiencing extreme vomiting and diarrhea. She became very lethargic. We had to take her to an Emergency Pet Hospital where they gave her medication to stop the vomiting and diarrhea. After I saw the FDA warning about these products I had to share my story. Our dog is better now but she was extremely sick for several days.
Waggin Train jerky treats	Dog	Greyhound	9	Years	Male	90	Pound	unknown if this is related, but I have fed my dogs Waggin Train Jerky treats for a number of years. This greyhound developed kidney disease and eventually died as a result. Another dog we currently have, a beagle, drinks a lot of water and urinates excessively. It had come to our attention that these symptoms may have been brought about by feeding these Waggin Train dog treats. We have since switched to a different dog treat.

waggin train chicken jerky treats	Dog	Poodle - Toy	5 Years	Female	5 Pound	I was giving Waggin Train chicken jerky treats to my dogs, a total of 1 complete strip each a day until the package was used up. The smaller of my two dogs sickened after about 7 days of feeding the treats, and had extreme abdominal pain and tenderness, lethargy and wouldn't eat her regular food (Royal canin for small adult dogs). We took her to the emergency vet, and the next morning, to her regular vet. The xrays and diagnosis came up with an suspected pancreatitis.
Waggin' Train Jerky Tenders	Dog	Shepherd Dog - Australian	4 Years	Female	56 Pound	She has been vomiting and only receives one treat a day. I took her off of them a month ago b/c at the time Waggin' Train claimed on their website there had been no complaints or complications with their chicken jerky. They insist it's all natural. Why is it necessary to make natural chicken jerky in China? A month passed with no chicken treats and no vomiting. I gave her one on Friday and she vomited on Friday, Saturday, and Sunday from just one piece. She will not have anymore of them.
Milo's Kitchen, Waggin' Trail and Milo's Kitchen	Dog	Shepherd Dog - German	1 Years	Male	65 Pound	Stopped eating and increase in drinking water... Stopped playing and being active
Waggin Train treats	Dog	Terrier - Yorkshire	10 Years	Female	4 Pound	(b) (6) has always been healthy. Until the last month or so. In the last few weeks, she has, been urinating alot, wanting water all of the time. She urinates in the floor constantly now. When I'm at work she will urinate in the kitchen floor and by the time I get home its like glue. Very sticky, almost like it has sugar in it. And has just recently stopped eating, and has lost significant weight as well. I got her some different treats last weekend....and normally she loves treats...but won't even touch them at all. I was giving her waggin train treats, chicken flavor...(because that is what she loves) before all of this started. I don't know what to do now. She is like my child. A valuable member of my family.
Waggin Train Chicken Jerky Treats	Dog	Akita	6 Years	Female	93 Pound	My dog suddenly got sick. I took her to the vet and her BUN was 156 (normal less than 24) and her creatinine was 9.8 (normal is less than 1.2) She was not exposed to any known toxins except I had been giving her the Chicken Jerky Treats and the chicken covered Yams from Waggin Train.
MILO'S KITCHEN MEATBALLS	Dog	Rottweiler	9 Years	Male	90 Pound	I GAVE (b) (6) AND (b) (6) (A 2 YEAR OLD FEMALE PIT BULL) SOME "MEATBALL" TREATS FROM THE COMPANY MILO'S KITCHEN. FOR THE NEXT 2 DAYS, (b) (6) WAS LETHARGIC AND LISTLESS AND I COULDN'T FIGURE OUT WHAT WAS WRONG WITH HIM. HE SEEMED TO BE IN PAIN AND WAS BREATHING HARD. I GAVE HIM PROBIOTICS AND HE SEEMS BETTER NOW. (b) (6) WAS ALSO LETHARGIC WHEN SHE USUALLY RUNS IN CIRCLES. I ALSO GAVE HER PROBIOTICS. WHEN I READ ABOUT PRODUCTS FROM CHINA BEING TOXIC TO DOGS, IT SUDDENLY MADE SENSE. I AM THROWING THE TREATS OUT AND WILL NEVER BUY ANYTHING MADE IN CHINA AGAIN FOR MY PETS. PLEASE PULL THESE TYPES OF PRODUCTS OFF THE MARKET. YOU KNOW THEY ARE HARMFUL TO OUR PETS.
Milos Kitchen	Dog	Shepherd Dog - German	9 Years	Mixed Population of Female and Male	100 Pound	The older dog (9) had the worst symptoms and is now recovering. The dog was a very healthy dog who we would take on a 1 mile walk every day. Now she can only go out to the backyard to use the restroom. It started with Vomiting and diarrhea. She then Became unable to walk and kept falling. Excessive drooling. Sleeping a lot. After consuming Milo's kitchen treats from Walmart. I thought she was going to die. We looked the symptoms up and it looked like poisoning. the younger dog age 1, drank excessive water and did not use the restroom much. He had vomiting for a week. He is fully recovered now. We bought the product at Walmart's, there was a promotion to buy Milo's treats for free if you bought Milk bones. I give my dogs Purina dog chow and milk bones and bought the Milo's treats as a promotional sale. This makes me feel very angry that the company will not pull this product off the shelf and all these dogs are suffering and dieting. Purebred dogs, such as German Shepard's cost a lot of money to buy, any where from \$500.00 to \$3,000 dollars. And they are part of our family. My daughter and I have been crying about the old dog, because it was the last present he bought my daughter before he died with a heart attack in 2003. I hope you do something about this?
Waggin Train Chicken Jerky Tenders	Dog	Shepherd Dog - Australian	7 Years	Male	45 Pound	was feeding him Waggin Train Chicken Jerky Treats and my dog (b) (6) had to be euthinized just before Christmas 2010 due to Kidney Failure.
Milo's Kitchen chicken Jerky	Dog	Mixed (Dog)	9 Years	Female	40 Pound	After being fed Milo's chicken jerky, she began to urinate frequently and had an accident in the house. We took her to the vet to see is she had a bladder infection. She had an unusual reading, but they weren't sure if the sample was contaminated. So they got a sterile sample a the vet's office. The test came back ok. The symptoms started to subside. She was fed the jerky again and the panicked frequent urination started again. That's when we heard the announcement on t.v. about the problems with Milo's chicken jerky.
Waggin' Train Wholesome Chicken Jerky Tenders, Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Other Canine/dog	4 Years	Male	73 Pound	Dog would get very nauseated, heartburn like and some heaving, had red rash on underside of ear, drank more water than normal, some lethargy. I was giving this treat off and on and symptoms also came off and on, first noticeably in March 2011. Took dog to Vet and we could not figure out what was causing this. Subsequently I received information about the chicken jerky treats and immediately quit giving them to the dog. Nausea subsided in 8 days. Rash on ears still visible but less after three weeks. Energy and water consumption back to normal in about two weeks after discontinuing treat. See attachment for more information.
Canyon Creek Ranch Chicken Jerky	Dog	Terrier - Yorkshire	2 Years	Male	7 Pound	Vomiting, diarrhea, increased water consumption, would not eat I took him to the ER on xmas day and was treated and did recover completely. After this happened I heard on the news about dogs getting sick from eating chicken jerky treats made in china. He did eat some of those treats. This is ridiculous that you knew about this and did not pull these items from the shelves. It should also be a law that if a product is made in china it should be clearly visible on the label, not in very small print on the back.

Waggin Train--chicken Jerky treats	Dog	Bichon Frise	11	Years	Female	20	Pound	(b) (6) had exhibited signs of more frequent, thirst, urination, not as active, and lost some of her appetite... she had been eating chicken as a treat every day for a while--it was one of her favorite treats..... and for the last month to two months of her life, she was not as active, had lost some of her appetite, more frequent thirst and drinking of water, and lots more frequent urination... she was okay until December 19, and became very ill... took to vet.... did tests, she had went into kidney failure and we had to make the decision to have her "put" down.... we lost a very treasure and loved part of our family..... and then lo and behold with the week this came out about chicken jerky that was made in china..... and looked at bag and it was from China... (Waggin Train) brand...something needs to be done about this.....
WAGGIN TRAIN WHOLESOME WESTERN GRILL ASSORTED DOG TREATS	Dog	Other Canine/dog	5	Years	Female	19	Pound	Hello.. I bought my dog a bag of waggin train treats .. only ate 2 chicken jerky and thought I was going to loose her.. (b) (6) is my mini pincher .. 5yrs old ,, never been sick.. I didn't know about the warning or I would not have bought them..the vet gave her anitbotics and pain meds , high fever and liver enyzems were very high.. .. after two wks.. she was feeling better.. { i thought} fever gone.. liver ok.. but now .. her blood is too thick.. the vet warned me not to leave her for long pierods ... she is a walking time bomb.. nothing to do but hope it gets better.. I contacted WT and the claims dept contacted me.. I have sent in vet bills.. they said the would see about reinbursement.. I hope they stand for their word..
WAGGIN TRAIN CHICKEN JERKY	Dog	Pit Bull	9	Years	Female	44	Pound	My mother purchased a package of Waggin Train Chicken Jerky for Major at Big Y, in (b) (6) on January 25, 2012. The dog belongs to my son,s girlfriend, (b) (6) .(b) (6) is a medical student & was in MD for her OB/GYN clerkship. I was visiting my son in (b) (6) . His routine is to give Major a treat after her morning walk. I gave her a piece of the aforementioned Chicken Jerky the following day. She probably had 5 pieces total before developing jaundice. My son took her to the vet, and she is currently in a veterinary hospital being treated for liver failure, due to ingestion of a toxic substance. The only thing DIFFERENT that the dog had was WAGGIN TRAIN CHICKEN JERKY treats.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Lhasa Apso	13	Years	Female	25	Pound	Fed both my dogs chicken strip treats from Costco. My older dog, (b) (6) 13 yrs appx, was aging but in excellent health. She started slowing down, walking slow, vomiting etc. Took her to the vet and she was in kidney failure. I was not aware of the issues with dried chicken breast treats from China. So I assumed it was her age. My 2nd dog became deathly sick in 12/2011. My vet has not been able to figure out exactly what is wrong w/him. He sent me to a specailist last week. He asked what (b) (6) has eaten since becoming sick in 12/2011. He immediately said throw away the The Costco Chicken treats from China and never feed those to my animals again. At first, when (b) (6) came down with sudden kidney failure, I thought it was just her age. Now that my 2nd dog is gravely ill, I have to wonder if it was these treats and now I get to live with wondering if I poisoned my own pets! I know you are trying to figure out what is in these treats, but why have they not been recalled and why are stores able to still sell them? I have the almost empty bad that both dogs had eaten from and I have a 2nd bag I bought last month that only (b) (6) has eaten from. I would like to mail these two bags to you if possible!
BEEFEATERS CHICKEN FILLETS NATURAL DOG TREATS	Dog	Mixed (Dog)	11	Years	Female	13	Pound	(b) (6) was given small portions of the checken fillet treat several times daily. Assumption is there was a cumulative effect:(b) (6) defecated during the night in the house 3 nights in a row. In the approximately 8 years we have her she has NEVER done this before. Also observed her to 'ask' to be taken out for a walk much more frequently than is her usual. and noted her to be somewhat sluggish in behavior and not wanting to be out of my site.
Cadet Real Chicken Treats Gourmet Chicken Breasts	Dog	Mixed (Dog)	2	Years	Male	11	Pound	After consuming chicken jerky from China (Cadet brand) he quit eating food - even things he previously couldn't resist. He vomited, became lethargic, drank copious amounts of water. Upon having blood tests at the Vet, he was found to be in kidney failure. Treatment followed but no improvement in three days.
Milo's Chicken Jerky	Dog	Chihuahua	7	Years	Female	10	Pound	I had been giving (b) (6) the Milo's chicken Jerky Strip treats for several months, I noticed recently she was having loose, dark bowel movements, occasionally vomiting and did not have her normal appetite. I took her for an examination and ther ewere no apparent signs of a physical problem. I saw an article on Yahoo dealing with a Vet in Tampa that had found what appeared to be kidney / liver problem in a dog that had been given chicken jerky treats. I did more research and found that the FDA was concerned about these treats that were manufactured in China. I stopped giving(b) (6) the treats and she appears to be normal again.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Collie - Border	12	Years	Female	72	Pound	(b) (6) had her yearly checkup in July 2011 and was found to be fit and healthy for her age. In December 2011 I began seeing a lack of energy, excessive thirst, progressively heavier breathing and what seemed to be a bit of depression. Just after Christmas 2011 her condition became noticeably worse and I took her into our Vet. The Vet examined her and suggested x-rays which showed fluid in both her abdomen and chest as well as masses in both cavities. He told me that with the masses in both cavities surgery and further treatment was not in her best interest. (b) (6) died on January 11, 2012. The only difference introduced in the last year was the chicken jerkey treats I had given her prior to finding out that they could be toxic in October 2011. Her daily diet consisted of weight maintenance Blue Buffalo dog food. I held onto the last bag of chicken jerkey strips when I found out what they can do just in case so that is still in my posession.
sweet potato & fish formula treats	Dog	Shepherd Dog - German	6	Years	Male	76	Pound	severe diarrhea
Beefeaters BBQ'S	Dog	Chihuahua	5		Male	12		Gave dog chicken rawhide dog treat on two separate occasions and on both occasions the dog got diarrhea and acted in discomfort.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	9	Years	Male	40	Pound	After Feeding Waggin Train Chicken Dog Treats His Kidneys shut down and Had to be Hospitalized, It got to the point that it was all he would eat is these treats. then he started drinking 6 to 7 liters of water a day and soaking 6 or 8 Pad's a day. could not keep anything down. and was close to death.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	2	Years	Female	9	Pound	(b) (6) has coughing/gagging spells. Sometimes vomitting foamy stuff. Having diarrhea and drinking a lot of water.sleeps a lot for such a young dog.
Waggin Train wholesome Chicken Jerky Tenders	Dog	Schnauzer - Miniature	11		Female	12	Pound	Owner feeding Wagon Trail Chicken Tenders made in china. owner noticed increased drinking and urination since starting Waggin trail treats in June 2011. Highly cellular urinary sediment- this may be secondary to Urinary tract infection but also may be caused by Waggin Treats according to Canada Veterinarian reports and internet reports.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	15	Years	Male	9	Pound	After eating Waggin Train chicken Jerky Tenders he experienced : lethargy, hunched over, vomiting, excessive drinking and urination. This has happened before I took the treats away thinking that they were the cause.... He felt better after a few days. I did not throw the bag away....The dog was given the treats by someone who did not know...and again he got very sick...up all night. After calling the company, they told me to throw the bag away they would send me coupons for new ones. I asked them if they had any complaints of this and the man said no. After that I got on the computer and did some research and realized that there are thousands of complaints. Its noted that the product has been tested and there is not of yet any findings. I find this very hard to believe. I'm am taking my boy to the vet later this afternoon for blood tests and whatever the vet recommends. The gov't. should have these products taken off the market.
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Beagle	3	Years	Female	43	Pound	On 1-26-2012 We discovered our dog would not eat, had severe chills, high fever 104.4, drinking lots of water & was lethargic. On 1-27-2012 we took her to our vet and learned she was mildly dehydrated, had elevated ALT (578) & ALP (194). X-rays were taken, has enlarged liver. (b) (6) got SQ fluids and prescription for Metronidazole & Amoxicillin. Dr submitted leptospirosis titer, waiting for urine culture. 1-28-2012 Temp continues to increase - not eating, still very lethargic, drinking excessive amounts of water 1-29-2012 (b) (6) taken to Animal Emergency Clinic due to 104.7 temperature, vomiting and heavy panting. (b) (6) admitted to hospital for IV fluids. Discharged from emergency hospital 24 hours later on 1-30-2012 with temp of 102.8. Two hours after discharge temp spiked to 103.9, rushed to rDVM at temp reached 104.4. rDVM advised us to take (b) (6) to (b) (6) (b) (6), DVM, DACVIM saw (b) (6). (b) (6) ordered an ultrasound- the liver is mildly increased in size and has mixed exhogenicity. The urinary bladder, kidneys, adrena glands, spleen, galladder pancreas and intestinal tract appears within normal limits. Apsirate of the liver showed moderate to marked mixed inflammation & chemistry panel showed: Glucose 67, AST 240, ALT 533 ALP 455 BUN 7 Problem/Diagnosis: Fever of unknown origin, Mild hepatomegaly and mild increases in liver values, polyuria and polydipsia (b) (6) is currently taking Doxycycline 100 mg tablets, one every 12 hours & Baytril 136 mg tablets, one per day as well as an appetite stimulant. (b) (6) continues to drink water excessively and is finally starting to eat. She is carefully eating baby food & some small amount of dog food.
Kingdom Pets Chicken Jerky	Dog	Chihuahua	7	Years	Female	4	Pound	The large dog is 65 pound dalmation mix, she had uncontrollable diarrhea for a day. The smaller dog, chihuahua wasn't eating, was crying and her stomach was bloated. She spent the night at the vet clinic which they diagnosed her with an intestinal infection called Gastroenteritis.
Milo's Kitchen Chicken Strip Treats	Dog	Spaniel - Cocker American	10	Years	Female	55	Pound	We would give (b) (6) Milo's Kitchen chicken strip treats. After some time (b) (6) got where she would not eat her regular dog food and the only thing we could get her to eat was the Milo's chicken strip treats. The more we fed her the treats the sicker she got. Then she started to pass out and loose control of her bladder. We took her to our vet, (b) (6) (b) (6), and he diagnosed her with Immune-Mediated Hemolytic Anemia and put her on medications for that. He said it affected her liver enzymes and did not have a good chance of surviving. We gave (b) (6) her meds as prescribed and more treats because that was the only thing she would eat. The vet said that it was not the treats causing the problem. During the next week (b) (6) continued to get worse. She would get up to go outside and pass out. Her oxygen levels were 30%. By the end of the week (b) (6) could not even get up to go outside. Then she stopped eating and drinking all together. It was after hours and we ended up taking her to (b) (6) (b) (6) there they examined her and she had an oxygen level if 10%. They said she was so bad they could not save her. We could not let (b) (6) suffer any more. A week after we had Abby put to rest (b) (6) called and asked if we had any of (b) (6) treats left that he could test. Unfortunately we did not. The pain of loosing our beloved (b) (6) was to much to handle and we got rid of all the food and treats. (b) (6) proceeded to tell us that he had three other dogs that exhibited the same symptoms as (b) (6) and that the only common thread between all the Dogs were the Milo's kitchen Chicken Strip Treats. So I want to get it out to everyone that the Milo's Kitchen dog treats and food is killing our pets.

dogswell happy hips chicken breast glucosamine and chondroitin	Dog	Boxer (German Boxer)	2	Years	Female	60		i had my dog on nature's balance regular pet food for months and started giving her treats (Happy Hips Glucosamine/Chondroitin Chicken Jerky Treats - from CHINA) for training purposes. She got sick about 1-2 weeks after giving her them. No other change in diet, no table food, to scraps, etc. She began to have diarrhea for a week, problems with loss of bladder control and some vomiting. I took her to the vet after one month of this and with the diarrhea getting to the point of watery stools with mucous in it. The vet gave antibiotics and we stopped the treats. They did bloodwork, but she was still incontinent of urine at times. Months later, we are still dealing with the incontinence of urine. The vet said her urine was diluted. She was drinking water incessantly and urinating like crazy - thought she had diabetes, but bloodwork showed no sign of it. The date this started is approximate - I would have to look into her vet records for the exact dates. I am currently dealing with her issues of incontinence which the vet said is very unusual for a pup her age.
Canyon Creek Ranch Brand Wholesome Chicken Breast Tenders Snack	Dog	Terrier - Yorkshire	6	Years	Male	14	Pound	My Yorkie was perfectly healthy until I gave him Canyon Creek Ranch Brand * Wholesome * Chicken Breast Tenders Snack. I gave him 1 treat per day over the course of a week and skipped a few days. The package said he could consume up to 6 per day based on his weight, I did not come close to that. A week later, he stopped eating. A day after that, he was suffering from acute kidney failure. He was hospitalized for about 6 days and treated and he died on Friday January 27th, 2012. I also gave this very same product to my Lab on the very same day(s) and he suffered from severe diarrhea. He was treated and is slowly getting better but since the death of my Yorkie on Friday, our vet now wants to test the Lab as a precaution. He is going in this morning for blood work.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Years	Male	24	Pound	We bought (b) (6) a new treat, Waggin Train Chicken Jerky Tenders and after he had been eating them for a few days, he became very ill. He vomited only once but he had diarrhea so badly that he was bleeding from his bottom. After several days of this we took him to the veterinarians in which the Dr. asked what was different with his diet. The only change were these treats. The dog had a fever of 101 degrees and was given two types of medication. After a week, (b) (6) was back to his normal self. I still have the remainder treats but fear to give him any more.
Cadet Gourmet Chicken Breast www.ims.pet.com product of China IMS Pet Ind Inc. 34 Passaic Street Wood-Ridge NJ 07075 date stamp 04-11-2013 lot 102053	Dog	Siberian Husky	14	Years	Male	58	Pound	First day (Sunday) given one-two pieces of jerky. No obvious signs of trouble. Second day (Monday), found dog had vomited while away. Didn't attribute it to jerky, gave him a few pieces. Third day (Tuesday), found vomit again, he started becoming lethargic. Still didn't attribute it to jerky. Gave one to two pieces. Fourth day (Wednesday), found vomit, still lethargic, eating less. Gave rest of package to him since he liked them and ate something. Fifth day (Thursday), vomit again. Called Vet. Friday (today 27JAN2012) at vet found blood work to be extremely elevated for BUN and creatinine. Found FDA warning about jerky. (b) (6) is staying at vet over the weekend with an IV line to flush him out and blood work to be done on Monday. 30JAN2012.
WAGGIN' TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS, WAGGIN' TRAIN WHOLESOME WESTERN GRILL MIXED FAVORITES	Dog	Terrier - Fox Smooth	9	Years	Male	35	Pound	Over a few months, (b) (6) was becoming lethargic, less active, ate less, urinated a lot. I took him to the vet on 01/05/2012 - I thought maybe he had a toothache because he was now just nosing his food away. The doc said his teeth were fine, and he took blood tests. The shocking results indicated imminent kidney failure. For the next 8 days, he had IV fluids all day, then I took him home at night. His blood work never improved enough for him to be out of the woods. He threw up often, bile, then mucus and blood clots. The last time that he vomited when there was anything in it (on 01/05/2012), there were pieces of partially digested material. (I saved those pieces to show to the vet) After hearing about the danger of Chicken Jerky treats from China, specifically Waggin' Train, I realized that that is what was in his vomit. Those are the exact treats that I had been giving him, in fact it was one of the few things he still ate (when he was still eating).
Waggin' Train Jerky Tenders	Dog	Beagle	1	Years	Male	35	Pound	I gave my dog Waggin Train Jerky Treats about mid day, he seemed relatively lethargic compared to how he usually acts (he is a purebred Beagle--young, and typically has loads of energy). Later in the afternoon, he began to throw up his dog food (which he has been eating--this was not a new bag of dog food (Purina) he usually eats the dog food and has shown no health concerns after consuming it)--he was crying and ended up throwing up multiple times. I was warned about the Chicken Jerky treats from China, however, I gave it little thought because of the apparently low incidence of complaints, however, I am concerned that they may have been contaminated and disposed of them.
benni & penni jerky wraps, Milo's Kitchen Home-style dog treats Chicken Jerkey	Dog	Poodle (unspecified)	2	Years	Female	20	Pound	Diarrhea, thirst and lethargic
Canyon Creek Ranch brand Chicken Tenders	Dog	Rottweiler	10	Years	Female	75	Pound	After reading the warning about chicken jerky from China this shed some light on my dog's illness a few weeks back. She was lethargic, vomiting with diarrhea. She was drinking an inordinate amount of water and not eating any solid food. This was completely unexplained until reading this. She had most symptoms, if not all symptoms associated with eating chicken jerky from Canyon Creek Ranch. I typically would give her one, on occasion two per day.

Waggin' Train wholesome chicken Jerky Tenders	Dog	Terrier - Bull	5	Years	Female	80	Pound	After ingesting three Chicken Jerky treats, my dog exhibited signs of stomach distress. She was lethargic, expelling flatus that was very smelly. This occurred about twenty minutes after eating the treat. She continued being gassy, later had diarrhea that was liquid, and in the morning she vomited a yellow liquid. Would not eat. Not her usual self afterwards, sleeping. awaking to vomit again, a small amount of yellow gravy. Back to sleep again. no interest in activity.
WAGGIN' TRAIN	Dog	Dachshund - Miniature	8		Female	9		lethargy for 3 days. would not wake up. diarrhea, anorexia for 4 days. took her to vet after reading about wagon' train chicken treats. blood work showed extreme dehydration, kidney and liver problems. IV'S for 2 days and ate one bite of food. released to home on antibiotics. temp. was 100.9. is now drinking but still weak and one bite of food is all she will eat. started her on this product one month prior. has never had a treat ever until then and only had a small fraction each twice daily when she went outside. easy to find the casue since she eats organic food her whole life and just added the treat. will have blood work repeated this week. (b) (6). lot number J4CA3838A.. I AM HAVING IT TESTED
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Bulldog	1	Years	Female	50	Pound	Within a few hours of giving my dogs Waggin Train Jerky Chicken Tenders they both started throwing up, had bloody liquidy stool and were very lathargic into the next day. I didn't know that the FDA had given a warning on this product til my daughter told me and then I looked it up online. I emailed the company, they replied with a stock email. I know it had to be The Waggin Train Jerky Treats cause besides their regular food, that was all that they were given.
Waggin' Train Wholesome Chicken Jerky Tenders-Chicken Dog Treats	Dog	Terrier - Yorkshire	3	Years	Female	5	Pound	(b) (6) was brought to the vet on January 2, 2012. The dog was not acting normal as she was sleeping a lot, she began to vomit, excessive drinking, on and off liquid stool unrelated to actual diet as her diet has not changed and she appeared to have pain in her hind legs. Blood work was done at the vet and revealed elevated Urea/Nitrogen levels of 64 where normal is 6-21. Also she had elevated Creatinine levels. Condition was said to be critical/grave. I remembered hearing something on TV about a recall on Jerky treats and immediately stopped giving the Waggin' Train Chicken Jerky Tender dog treats to (b) (6). We followed up as the vet recommended (ten days later) for an Ultra Sound at a specialty vet's office to look at the dog's kidney's. Since the visit with the second vet I have noticed a great improvement in the dog's overall well being. She is eating well and acting as usual. Results of the Ultra Sound showed no kidney disfunction and repeat bloodwork was done and showed market improvement. The doctor recommended to stop feeding Waggin' Train treats that were made in China to the dog. Bloodwork was going to be repeated in a month which would show that the kidney problem was related to the Chicken Jerky Treats.
Waggin Train Jerky Tenders	Dog	Spaniel - Cocker American	8	Months	Male	25	Pound	About 45 minutes to 1 hour after eating Waggin Train Jerky Tenders, my dog's head and body began to shake uncontrollably. He also had difficulty moving his hind legs.
Waggin Train Chik'n Biscuits	Dog	Terrier - Rat	3	Years	Male	8	Pound	Within days of being fed Waggin Train Chik'n Biscuit which contains chicken jerky for the first time in his life my toy rat terrier collapsed and almost died. His blood pressure and body temperature were so low that he was going into organ failure. He was ill for over 10 days and spent 2 nites in an emergency hospital at the cost of over \$2400. We would do anything to save our dog and he is finally on the mend but not out of the woods. These treats are dangerous and those of us who love our pets need to know that our government is there to have our backs, to protect our family members from harm. The packaging on this product is deceitful, it makes you think that the product is made and manufactured in Anderson, South Carolina but elsewhere on the packaging it states Made in China. I had to beg borrow and plead for money to save my dog and we may lose my home because we were forced to use our house payment funds to pay veterinary bills. Please have these products removed from store shelves. Save your own pet!
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shar Pei	8	Months	Male	45	Pound	A while after feeding our dog 2 "Waggin Train Chicken Jerky Tenders" our dog seemed uncomfortable, he developed bad gas, was very thirsty, and later defecated diarrhea on our floor. He has not had any accidents in 4 months, it was very unusual. We didn't relate it to the chicken jerky until after giving it to him on two separate days (after the first incident) he experienced similar symptoms.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	3	Years	Male	5	Pound	Animal was sleeping/resting in my lap. (b) (6) suddenly started having spasms with legs jerking which caused him to fall off my lap. The attack continued with legs and body having major spasms. Slight spittle from mouth and what appeared to be his breathing becoming labored and stopping. I gave him chest compressions and he seemed to respond to the compressions. This was on a Sunday evening and no vet care was readily in area. after a period of 20 minutes he appeared to greatly improve although he wanted to be held. In the days prior to this episode all three dogs i own were drinking more water than normal. I provided two types of treats to my pets. One is a small biscuit made by lams "lams Proactive Health" biscuit. The other Waggin Train Chicken Strips. The treats were never fed whole, the chicken strips were broken into pieces under 2 inches so the total daily amount was approximately one complete strip. The small biscuits were broken in half and would be equal to two biscuits. My other two dogs, both Italian Greyhounds each had identical symptoms after the attack the chihuahua had, all taking place over a two week period. the grayhounds were fed a whole small biscuit and half a chicken strip.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Setter - Irish Red	7	Years	Male	85	Pound	Sudden onset PU/PD. Intermittent flare-ups persist to date.
Waggin' Train Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Female	13	Pound	We had another dog who just died of kidney failure due to Waggin Train chicken jerky treats. Prior to that (b) (6) got sick first back in August 2012. She was lethargic, vomiting, not eating, and leaking urine as she slept. We immediately took her to the vet who told us she was diabetic. After researching our other dog's death, we found out about Fanconi Syndrome which is often misdiagnosed as diabetes. We also found out that treating this as diabetes can be fatal to dogs. She still suffers from occasional vomiting, and not eating. We are extremely concerned about her health. She ate Waggin' Train Chicken jerky until she became sick.

Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Pit Bull	12	Years	Male	50	Pound	A family member bought a bag of Canyon Creek Ranch Duck Tenders for my dog as a christmas present. I started giving him the treats on the 26th of Dec. 2011, he's 50lbs and the bag said he may have 5 treats a day so i abided by that. [There have been no other changes in his life or diet (he has always had Brita filtered water to drink, his whole life)]. On the 13th day of Jan 2012 he began vomiting and shooting out black watery liquid/bile, with a trace of blood-every two to three hrs. This is still ongoing day and night for 72 hours. He cannot keep any food or liquids down-he vomits everything up along with a gel like goop. He is exhausted, back legs are weak from squatting and he is beginning to cry when he tries to squat and gathers all of his muscles to strain and push this black bile out of his rectum. I have been advised that he is in the process of kidney and liver failure-I have no transportation to the vet and lack the 1000 dollars the vet quoted at the minimal price to try and give my dog a few more months to live. All I can do is give my dog salt, vitamin c, and lemon water enemas to maintain hydration [(since he can't keep anything down orally), the vet said my dog will retain the enema rather than discharging it and this will help replenish the blood]. All I can do is keep my dog comfortable and loved until he slips into a coma and dies.
Waggin Train Chicken Jerky Tenders sample	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	5	Years	Male	60	Pound	We have received a free bag of Waggin Train Chicken Jerky Tenders in each bag of our Purina dog food and fed 2 bags of them, which contain 4 or 5 treats in each bag, to him over the course of a week or so and he started vomiting, didn't want to eat, but still drank heavily. He would be really sick for a couple of days and be ok for a couple of days. After a couple of weeks he'd lost a considerable amount of weight and became very lethargic. We took him to the vet and they found that his gut bacteria was too high in bad bacteria and too low in good bacteria, and a blood test revealed deathly high creatinine levels. Healthy kidneys function at about 25 and his were 224. We had him on IV fluids and lots of drugs for a week, but only brought the kidney number down to 111 which is still over the failing number of 45. We agonized over the decision to euthanize, but did so. The vet suspected that he ingested something toxic, but we couldn't think of anything at the time that was out of the ordinary. It was after a news article that we realized that we'd fed these sample bags of treats to him.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Shepherd Dog - Belgian (unspecified)	12		Male	130		We purchased a large bag of Purina Dog Food from Walmart that contained a free bag of Waggin Train Chicken Jerky Treat. We feed our dog a half of a slither of the treat. The following day, our dog began vomiting and had diarrhea. Within a couple of days of this episode, he began to get weak, high heart rate, lethargic, blood in his urine and stool. We took him to the vet and he gave the dog medicine to stop the vomiting and diarrhea. He bounced back to normal, within a few more days his condition repeated itself and he was a little bit worse including excessive drinking of water, weight loss, he would try to walk and he would fall down, he also had an odor and his hair looked extremely dull. Vet treated him with B12, Dexasone and antibiotic. Urine test at first showed nothing irregular, retest showed an irregularity. My dog would bounce back and a few days later he would decline worse than the last time. This started in November and he lost his battle this past Sunday.
Waggin' Train County Style Drumettes	Dog	Chihuahua	1	Years	Female	6	Pound	Patient developed vomiting and diarrhea after eating one treat that day.
Waggin' Train PBJ Peanut Butter Flavored Biscuits Wrapped with Chicken	Dog	Other Canine/dog	9	Years	Female	50	Pound	My dog has had sever diarrhea after giving her the PBJ Favlored Biscuits Wrapped with Chicken Jerky made by Waggin' Train. This product is made in China
ever pet jerky strips								was giving my dog a treat and found hard plastic pieces in it when i broke it apart
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chow Chow	7	Years	Male	50	Pound	(b) (6) was given a Chicken jerky treat on November 18, 2011. 3 AM ,five hours later he started vomiting, again at 6 A.M. he vomited all food and water weekend of November 19 and 20. We took him to his Vet monday, Nov. 21. He was given fluids SQ and meds to stop vomiting. He would not eat for the next five days. He was taken to Emergency Animal Clinic on November 25,2011. He was given more fluids SQ and meds for vomiting, liver protection, antibiotics, and fluids SQ for home. We returned to clinic Nov. 28 for sonogram and blood test. Sonogram revealed liquid in abdomen and infection in Pancreas, liver failure. (b) (6) was admitted to stay for a few days. Tuesday, true cut biopsies were recommended. Upon arrival, Nov. 30, we were informed that he might be too weak for surgery, and lab results indicated small improvement. An infusion of Albumen was recommended to help leakage into abdomen. We agreed. Thursday, Dec. 1,2011, we received a call that his labs had fallen, and the Vets had nowhere to go except bioopsy. We returned to Clinic for discussion. We asled to see (b) (6), and he had to be helped to walk with a towel under his abdomen. When we placed him on an exam table, on a pad, he was too weak to sit up, his legs shaking He was extremely lethargic and weak. He could not endure the surgery. Our options at that point was Euthanasia or allow hin to die slowly on his own. The decision was tough, but he had suffered enough. I chose Euthanasia.
milo's kitchen chicken jerky	Dog	Bichon Frise	7	Years	Female	15	Pound	(b) (6) became violently sick after consuming Milo's Kitchen chicken jerky. She was diagnosed with Hemorrhagic Gastroenteritis.
Happy Hips Chicken Breasts with Glucosamine & Chondroitin	Dog	Corgi - Welsh Pembroke	8	Years	Female	30	Pound	Both dogs were given Dogswell Happy Hips chicken breast jerky. They were not given the chicken as food, but only as occasional treats. We followed the instructins on the bag. (b) (6) was the first to go on Feb 5, 2011 (b) (6) died April 9, 2011. Both were treated at the (b) (6). Both were in late stage renal failure. Our Vets tried to save them both but were unable to as the diagnosis was made too late.
Milos Kitchen home style dog treats Chicken Jerky	Dog	Shepherd (unspecified)	12	Years	Female	52	Pound	diarrhea and excess water consumption, urination in house, diarrhea in house.

Milo's Kitchen home-style dog treats	Dog	Retriever - Labrador	10	Years	Female	80	Pound	Approximately 1 hour after ingesting the third chicken jerky treat of the day, our dog became quite sick, drooling, pacing about and generally unwell. We took her to the vets and they proceeded to run a number of tests amounting to over \$900. We had been with her all day and she had eaten only her normal food and the chicken jerky.
Waggin Train Jerky Tenders	Dog	Greyhound - Italian	7	Years	Female	17	Pound	Pet started drinking excessive amounts of water and urinating often. Vomits often and is very lazy. I assumed she was developing diabetes, but was told by the vet her kidneys were starting to fail.
I don't have it! I threw it away after putting it in a storage container. I know I bought it at Costco and it was a product of China.	Dog	Spaniel - King Charles Cavalier	4	Years	Female	18	Pound	She started throwing up, had diarrhea, was lethargic and lost her appetite. These symptoms came and went for a couple of weeks before I took her to the vet. After many tests she was found to have pancreatitis and inflamed intestines which were causing a blockage as found through barium xrays. She was hospitalized for 3 nights at a total cost of over \$1,400.
Waggin Tails chicken Jerky	Dog	Poodle (unspecified)	10	Months	Female	9	Pound	I bought The Waggin Train Jerky Treats at VG'S market in (b) (6) at 10:30 pm on Dec 30 2011.. Gave my dog a treat when I got home around 11pm. The following day she seemed lethargic but ok. She is a puppy and always wants to play but was laying around most of the day. She would not eat any of her food either. She started vomiting a pink foam that smelled almost metallic like and continued to do so for about 4 hours every half hour to hour. We monitored her and fell asleep with her on the floor. I then woke up around 5am to see bloody diarrhea on the kitchen floor and her under the table which is where she goes when she does something mischievous because she knows to go outside and basically always has. We took her to the emergency vet at 6am on Jan 1st where she was tested for certain diseases and given antibiotics and something to coat her stomach and was to be given to her twice a day for 7 days.
Milo's Kitchen Chicken Jerky Treats, Waggin Tails Chicken Jerky Treats	Dog	Terrier - Yorkshire	3	Years	Male	8	Pound	I have bought Milo's CHicken Jerky TReats and Waggin Tails Chicken Jerky Treats for the last year and have noticed that my dog now has to urinate during the night, he is thirsty more than usual and lethargic. I thought I was giving him healthy treats because on the bag it says that there are no preservatives and no artificial flavors in these treats-- I now believe that these treats MADE IN CHINA are causing a change in my dogs health. I URGE THE US FDA TO PULL ALL MADE IN CHINA DOG PRODUCTS OFF our store shelves....I will never purchase another made in china pet item again!!! Please do not allow our pets to be harmed any further. I urge you to recall such products and anything made in China for the sake of our pets' health.
Waggin' Train Chicken Tenders	Dog	Chihuahua	3	Years	Female	9	Pound	I have been buying Waggin' Train Chicken Jerky treats for my dogs for about one year. No huge problems had occurred until last week. I gave (b) (6) chicken treats. She ate them and soon started vomitting. That's all she ate that day. She couldn't ate anything else after eating the treats. It never crossed my mind that it could be the chicken treats making her sick. But looking back, the days she started feeling better, she didn't vomit, have diarrhea, was acting normal. I gave her another treat and soon she started vomiting and the diarrhea started all over again. Now my other chihuahua, (b) (6) is experiencing the same thing. Since she is a little chubby, she has been on a diet and cannot have treats all the time. But that day she was being such a good girl that I gave her that treat. To this day she still has diarrhea.
Doctors Foster and Smith Fruit Wraps for Dogs Variety mix	Dog	Terrier - Yorkshire	11	Years	Male	6	Pound	Trouble urinatinig, decreased appetite, Frequent attempts to urinate
Waggin Trail Wholesome Western Grill Mixed Favorites	Dog	Dachshund - Miniature	11	Years	Female	10	Pound	(b) (6) was given Waggin Train Western Grill Mixed Favorites bought from Wal-mart over several days. She began to vomit a little then got severe diarrhea. She has now been diagnosed with Immune Mediated Hemolytic Disease which I believe was caused by these dog treats. She was in excellent health before this event and now her health has decreased rapidly and has made her so anemic that she needs a blood transfusion. Please inquire the public NOT to buy any treats from China.
Waggin Train Jerky Tenders	Dog	American Pit Bull Terrier	7	Months	Female	46	Pound	We gave both dogs about a 1-2 inch piece of the Chicken Jerky Treat 1x after dinner. The next morning we gave them both same amount after breakfast. About 1.5 hours after eating (b) (6) threw up. Immediately she broke out in huge hives all over her body and her eyes swelled shut. Her breathing became very labored. I didn't know what was happening I thought her blood vessels were getting ready to burst. It was a Sunday so I started to look up an emergency vet then I thought I would try and see what these lumps were and I found pictures like what she had and it said hives and that you could give a benadryl. So I gave her one and within about 5 minutes the hives started disappearing. I still wanted to get to the bottom of what could have caused such a violent reaction and I looked up Come and Get It and then found the Wagon Train Chicken Jerky treats and all of the dogs that have gotten sick and how many have died. PLEASE issue a recall on this product. Why would you just sit on this information and not recall this product when over 355 dogs have become sick and how many more probably hundreds that don't even know it's the Chicken Jerky treats that have caused their dogs to die. I was lucky my dog had an allergic reaction before we had given her enough to shut her kidneys down! We depend on the FDA to protect us and you have this information and are doing nothing about it. I don't care if you can or cannot figure out exactly what in the CJT is causing sickness and death. Who cares after this many incidents you have to warn people not to buy them or take them off the market. Shame on you! How can you sleep at night knowing this is happening to all of these famlies!

Waggin Train Western Grill Dog Treats	Dog	Retriever - Golden	3	Years	Male	90	Pound	Waggin Train treats were just purchased and opened on New Year's Eve. Our dog was fed two of the treats. Within a couple of hours he began scratching, shaking his body and ears non-stop. He was rubbing his face on the carpet non-stop as well. He was up all night scratching, rubbing, etc. By morning his right eye was almost swollen shut, and his body was completely swelled. Due to him shaking his ears we looked in them and there were open sores oozing blood and puss non-stop. He had light red bumps on his stomach area as well. We watched him for a few hours, and his breathing was getting shallow so we took him into the emergency vet, as it was new years day at this point. The vet stated it looked as though he had been poisoned, but could not pin point exactly what it was. He was given a prescription for steroids and antibiotics. He appeared to be getting better after starting the medications, and had returned for the most part to himself. His ears were healing, the spots and swelling had gone down significantly. Because we did not know the cause of the reaction, we were very careful about letting him outside, checked the home for things he could have gotten into etc. On Thursday night the 5th, we gave him two more of the Waggin Train treats, not thinking it could ever be treats sold in stores and on the shelves. Within hours of giving him two of the treats he began to scratch his body, shake his head, rub his face all over again and could not get to sleep. I checked him and found his face and eye was beginning to swell again, his stomach had broke out in what appeared to be hives, very bright red and swollen spots. I found these also appeared under his fur all over his underside, and most prominently under his legs where they connect to his body. I immediately gave him a half a steroid although he was starting to be weaned off of them and down to 1/2 a pill a day. The next morning I took him into our regular vet along with the bag of treats and she stated she firmly believed it was the treats that caused the reaction, as had seen many dogs very sick off of the treats made in China. Particularly treats made from chicken in China. Our dog had to be put on a stronger dose of steroids, and start a prescription all over again until he can be weaned from them. He continued on the anitbiotics he had already been prescribed and been taking.
Kingdom Pets Chicken Jerky	Dog	Retriever - Golden	9	Years	Female	55	Pound	(b) (6) was getting chronic kidney infections. After a month or two on antibiotics and special diet, the vet started looking into what else she was eating. We stopped giving her the chicken jerky treats and her kidney infection cleared up shortly after. The second dog who was also eating the treats, weighs about 85 lbs. She did not get a kidney infection but she weighs a LOT more than the dog that got sick.
Waggin Train Wholesome Chicken Jerky Tenders								I gave my dog who is an 8 year old toy yorkie one chicken treat a day. He loved them I thought it would be good for his teeth and gums. He's a small dog and sometimes he gets upset and he'll vomit,so when he vomited I didn't get to worried. Then he started not eating his regular food and peeing on the floor something was very wrong !!!!! We heard about these dog chicken treats on the news we stoped giving them to our dog and he seems to be eating better and not getting sick. I hope he's ok I'm going to keep an eye on him!!!!
Milo's Kitchen Chicken Jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	2		Male	16		On December 12, 2011, I had given him the Milo's Kitchen Chicken Meatballs. Within a day, he started vomiting and had diarrhea and became extremely lethargic. I took him to the Vet. I do not have the information on the Chicken Meatballs, because I threw them out. The same thing happened again on January 4, 2012 after eating Milo's Kitchen Chicken Jerky. I took him back to the Vet on January 5, 2012.
Canyon Creek Ranch Brand Natural Chicken Tenders (Lot #W1CA5141A)	Dog	Dachshund (unspecified)	7	Years	Male	14	Pound	Dog ate Canyon Creek Ranch Brand Natural Chicken Tenders (Lot #W1CA5141A) which were produced in China. Dog first ate the product around 12/25/11. He was seen for bruising by his primary veterinarian on 12/30/11 and diagnosed with thrombocytopenia. Dog came to our emergency facility on 1/1/12 for vomiting blood. Despite 6 days of hospitalization, aggressive treatment, and multiple transfusions of packed red blood cells and fresh frozen plasma the dog did not respond to treatment and eventually passed away. We are unsure if the chicken jerky product caused this unusual reaction or not.
Waggin Tails Chicken Treats	Dog	Beagle	9	Years	Female	33	Pound	Both our dogs have eaten waggin tails chicken jerkey occasionally over the last 3-4 months. (b) (6) ate more than our small dog. She has progressively had more and more problems with frequent and excessive unriination and lethargy. Last month I took a urine sample to the vet thinking she might have a bladder infection, but it turned out she is showing an imbalance the vet said indicates kidney disease/failure. Our small dog is now showing the same symptoms and I discovered I am not the only dog owner who has tied these treats to kidney failure and other problems in their pets. My children are devistated. Please take these off comsumer shelves.
Happy Hips Duck Breasts-Jerky	Dog	Maltese	2	Years	Female	6	Pound	Dog was given "happy hips" jerky (after seeing report on msnbc found in small print on bag-- made in china. Observed dog and she had no problem swallowing the treat. Next morning she was lethargic, diarrhea,vomiting. I rushed her to after hours emergency clinic. After tests received a diagnosis of pancreatitis. Today little dog remains ill. Will probably take her some where for another opinion and wait till my vet is open. This little dog is my life!!! I have no family and I just can't lose her too.

Waggin Train Chicken Stix Chicken and Rawhide Snack	Dog	Retriever - Labrador	4	Months	Female	20	Pound	My wife gave (b) (6) a Waggin Train Chicken Stix Thursday, December 15th. Late that night, (b) (6) developed severe diarrhea that lasted through Sunday, December 18th. We took (b) (6) to the vet Sunday, December 18th on an emergency basis. She became very lethargic during this time frame and had spells of diarrhea at least once an hour. At the time, we did not think anything about the Waggin Train Stix that we gave her. We feel it is awfully coincidental that she got sick right after eating the recalled dog treats. We did not put all the facts together until we heard of the recall on the news. (b) (6) was given a medication to help ease the diarrhea. She took the meds for 10 days and it seems like she has recovered from the incident.
Kingdom Pets Chicken Jerky	Dog	Terrier - Rat	2	Years	Female	6	Pound	We bought a new bag of chicken jerky for pets at Costco. Fed the dog a small amount every day for about 2 weeks. Then she was given a larger amount one day [1 whole strip] and the next day she got very ill. First diahrea for about 5 hours then vomiting and diahrea chills and fever for 6 more hours. Not Knowing the cause , a few days later she was fed some chicken jerky again and responded in this exact way.
Waggin Train Chicken Jerky Tenders	Dog	Terrier - Jack Russell	11	Years	Female	12	Pound	When we woke Tuesday, 1/3/2012 my dog looked very bad, he refused to eat and wanted just to lay down. We found some "throw-up in the living room. We worked Tuesday so at 7:00 AM we left her out and she went #1. I returned home to check on her at 9:00 AM. Shae looked worst then I have ever seen her, I left her out and she was throwing up and doing #2 at the same time. I called and made an apointment with our vet and stayed home with her. At 2:00 PM I took her to the vet for her apointment and the vet said she was dehydrated. He injected water under her skin at her shoulder and gave a rectal exam. He then gave her Maropitant Citrate injection and Cerenia, Citrate injection 24mg pills, as well as Matronidazole anti biotic pills to give her the next 5 days. He said not to feed her Tuesday and gradually increase a bland diet after that. Each day she seemed a little better. Currently she seems almost her old self. As I said I worked from home Tuesday after 9:00 AM and my wife stayed home with her on Wednesday. My boss asked me on Friday if we had given her any chickeb jerky as he had read an article on MSN about the Chicken Jerky issue. He said my ogs simptoms seemed the same. It surposed me when he said that because I don't normally give her checken jerky but we had gotten some for Christmas. We are very careful how we fed her. I gave her 1 pc on Christmas morning, she threw up later in the day, we assumed that because of the excitment she hadn't chewed it properly. Then on Monday, 1/2/2012 I gave her another pc. We purposely made sure that we got here back on her schedule because of going back to work. The only different thing that we fed here was the chicken jerky. This is why it struck me when my boss asked me about it. I then looked up the simptoms online and they fit.
Waggin Train wholesome chicken jerky treats	Dog	Pug	10	Years	Female	26	Pound	Please help me, My father died last January after he died I took in his dog and my brother bought her a bag of the Waggin Train chicken jerky treats made in China, after I gave the dog back to my mother I continued to buy the same treats for my 10 year old pug. In the summer my dog started urinating more by fall she started losing weight and in the beginning of November she was not eating, vomiting, diarrhea, decreased activity, I took her to the vet on November 12th blood tests were taken and two days later we got the call that she had kidney failure, we put her on medication & fluids from 9-4 pm that day and by the end of the day she was worse so we had her put down because our next step was a kidney transplant. A week after my dog was gone our friend gave us a new puppy and I was feeding her the chicken jerky treats too from the same bag the pug ate from, last week I seen the FDA warning on those treats from China, I went to the bag and seen I had Waggin Train made from China, first I took the bag and the FDA warning to my vet and he believed I could be right that this is what took my pug because she had all those symptoms. I called the company and gave them the details on the pug and told them that the puppy was eating them too, they opened up a case on the pug and said claims would contact me and they wanted me to mail them my bag, I haven't done so yet because I wanted to speak with you first and keep playing phone tag with the FDA's 1-800 number, two days ago my puppy was not acting herself and yesterday she started throwing up, today my husband took her to the same vet and the blood test came back the same as the pug (kidney failure) the puppy is in the hospital for the weekend on fluids & medication in serious condition, I called Waggin Train back & again they want their bag & treats back and they opened a case on the puppy, I told her I needed to speak with a few people one being the FDA before I would release the bag. When someone has a chance could you please give me a call? I can be reached at (b) (6). If it's Monday through Friday I work from 7:30- 4 pm, I'm on lunch from 11:30-12 pm (If you call then please call me right at 11:30 so I have time to talk. Thank you (b) (6)
Waggin Train Chicken Jerky	Dog	Maltese	3	Years	Female	23	Pound	I gave my dog Waggin' Train Brand, Chicken Jerky treats on Christmas day. My dog (b) (6) health has been deteriorating since this event. Following the week after Christmas she has not been herself. My dog lies all day in bed, whimpers throughout the day, lost of appetite, and has been having termors. I took her to the vet this past wednesday, January 4th and received blood work last night. Vet diagnosed that my dog's liver is not working properly. She also said that due to her liver malfunction, she now has significant increase in white blood cells and is anemic. Antibiotics have been prescribed and I am watching her progress but it is too soon to tell. This is the only type of treat that I give to my dogs and it needs to be recalled asap before other animals health is affected.

Catswell chicken Jerky	Cat	Oriental	1 Years	Male	7 Pound	In July of 2011, I bought chicken jerky treats from 'Catswell' from Centinela Pet Food in (b) (6). Two of our five cats liked them and requested treats several times a day. (b) (6) ate more than our other cat, (b) (6). We gave them these treats for a few days and, all of a sudden, both of them lost their appetite, became inactive, started vomiting and had diarrhea - with blood. They both started drinking quite a lot of water. We went to the vet with both of them and he said that they might suffer from food poisoning. He also gave us medicine to improve liver and kidney function. We immediately switched out all food and fed them Innova, one of the brands our vet recommended. Unfortunately, we didn't think of the chicken jerky treats (didn't even mention those to our vet) and since both of them requested these treats, we continued to give these to them - we had no idea that that might have been the issue... we were 'happy' that they at least wanted to eat "something." They both got sicker, we went to the vet again and again, who became concerned after blood tests showed that the liver was getting worse.. and we had to force-feed both, (b) (6) and (b) (6). At that point, they didn't even want to eat the treats anymore. (b) (6) mom, (b) (6), who is 3 years old, slowly got better but (b) (6) died on August 21, 2011. Since non of our other three cats (who did not eat the Catswell chicken jerky treats) got sick my husband and I came to the conclusion that this must have been the problem. (b) (6) was only 1 1/2 years old and we were/are extremely sad that this extremely healthy young boy had to leave us so early in his life. I put together a video to create awareness regarding pet food and informed my friends on Facebook to be careful what they feed their pets - I did not know where else to report this until a friend on Facebook gave me this link today. I'll be happy to give you more information if needed.
Waggin' Train Chicken Jerky Treats	Dog	Retriever - Flat-coated	5 Years	Female	55 Pound	My dogs, (b) (6) and (b) (6), have enjoyed Waggin' Train Chicken Jerky Treats for over one year that I purchase at my local Sam's Club in (b) (6). No problems as reported by FDA. Opened new bag on Monday, January 2, 2012. By that evening, (b) (6) began drinking bowlfuls of water. This is VERY uncharacteristic of her. I remembered the article about the FDA warning concerning chicken jerky treats and have not given them any more. (b) (6) still drinking a lot of water. Looked up the article again and reviewed the symptoms. Called my local vet. The vet I talked to was unfamiliar with the warning, but after review the information did tell me to not give them to my dogs anymore. She also wanted me to bring (b) (6) in for blood and urine test to make sure she was okay given the excess water consumption. (b) (6) was completely fine with no symptoms prior to this newest bag of Waggin' Train Chicken Jerky Treats being opened last Monday.
Canyon Creek Ranch Brand Tasty and Delicious Apple & Chicken Wraps	Dog	Mixed (Dog)	9 Months	Male	23 Pound	I gave (b) (6) 1 treat per day on Saturday, Dec 24, Sunday, Dec 25 and Monday, Dec 26. By Monday afternoon he was acting sluggish and not eating. On Tuesday morning he had severe diahrea, would not eat and drank several bowls of water one after the other. I associated it with the treats being too rich, but then later in the day saw an MSN article involving chicken jerky from China. These treats are made in China. I contacted his vet and she said it would be difficult to tell if the reaction was from the treats themselves or simply dietary discretion because I had introduced a new treat to him that he hadn't had before.
Waggin' Trail Natural Chicken Fillets wholesome chicken jerky tenders chicken dog treats 97% fat free made in China	Dog	Dalmatian	12 Years	Female	60 Pound	Dog being introduced to wheelchair, using 3 chicken strips broken into small pieces to intice dog to move toward chicken treat. This was Dec 24th, 2011. Awakened next morning to find dog in pool of foul-smelling diarrhea in bed. Dog and surroundings cleaned up. Dog visibly sickened all day. Two days later vomiting. Return to vet; urine culture. Return of e-Coli urinary tract infection discovered and recommend more antibiotic therapy (6 weeks).
Dogswell Vitality Chicken Breast	Dog	Terrier - Rat	15 Years	Female	8 Pound	Dog was completely healthy. Over a period of 2 weeks she was given chicken jerky. She then developed kidney failure and died.
Wagon Train Chicken Crispy Puffs Treats for Dog	Dog	Dachshund - Miniature	2	Male	16	Bought our dog a treat on Dec. 9th. Opened the package on Dec. 22 and gave him 2 treats from the package. Fri. and Sat. he had a tremor. Christmas day he started have more tremers and throwing up. Took him in to our Vets the 27th of Dec.
Canyon Creek dried yam	Dog	Retriever - Golden	2 Years	Female	68 Pound	A neighbor brought a bag of Canyon Creek dried yam slices for a holiday gift for my dog. She fed the dog 4 treats, and her face swelled up within 3 minutes of eating them. I called the vet, and gave the dog some Benedryl, which seemed to reduce the swelling a bit. However, within 6 hours, the dog was covered in hives, and was itching and scratching constantly. This was during the night, so first thing in the morning I took her to the office. She was given a shot, and blood work was recommended to test if her liver was ok. It took her tow days before she was not swollen or itchy. She was on Benedryl and Pepcid for 5 days as a precaution. She is fine now. This was a frightening and expensive experience.
Happy Hips	Dog	Maltese	2 Years	Female	10 Pound	After eating Happy Hipps strips she began vomiting and pooping blood
Chicken Jerky Treats	Dog	Terrier - Yorkshire	9 Years	Female	15 Pound	Excessive urination - wet the bed in her sleep. This occured a few times then I saw a report about the Chicken Jerky Treats causing animal to be sick on our local news station. I give my dogs these treats all the time but will not purchase any more. The news reported these treats were made in China and have been given a warning on two different times since 2007.
Canyon Creek Ranch natural chicken tenders	Dog	Akita	8 Years	Female	58 Pound	My dog developed diarrhea about 2 days after eating the Canyon Creek chicken tenders. She has also been unusually thirsty.
Waggin Train wholesome Chicken Jerky Tenders	Dog	Akita	8 Years	Male	122 Pound	We noticed after feeding (b) (6) the chicken jerky he would vomit and later consume plenty of water. His activity level would also decrease throughout the day. We took him to the Vet and he gave us medication for the vomiting.
Waggin Train Chicken Jerky Tenders	Dog	Newfoundland	18 Months	Male	118 Pound	(b) (6) was/is throwing up several times daily, even after discontinuing the treats. His appetite has diminished to the point where he only eats one meal (he usually eats 2x's daily) every other day. He's drinking a lot of water and throwing that up too. He's very lethargic and started whimpering last night like he was in pain.

Waggin Train Yam Good wholesome chicken wrapped yams	Dog	Terrier - Yorkshire	2	Years	Male	9	Pound	Gave Yam wrapped chicken treats from 12-28-2011. Presented the next day with vomiting and bloody diarrhea. put on ranitidine, amoxicillin and gave vit K1 inject and Depomedrol. Got better and the first thing the dog ate was the treat and had bloody diarrhea again the next day
petshoppe chicken jerky premium chicken dog treats	Dog	Spaniel - Springer English	7	Years	Male	48	Pound	For 4 days after receiving two strips of chicken jerky (made in China), (b) (6) had diarrhea.
Waggin'train wholesome chicken jerky tenders	Dog	Mixed (Dog)	5	Years	Male	11	Pound	no appetite, severe diarrhea, lethargic, for several days, contacted emergency vet clinic by phone, was told to put on bland diet. problem resolved with strict bland diet
waggin'train jerky tenders	Dog	Spaniel - Cocker American			Male			severe diarrhea for 5 days, no appetite, and very lethargic
Dogswell Happy Hips Chicken Breast with Glucosamine & Chondroitin, Milos Kitchen home-stle dog trests Chicken Jerky	Dog	Boxer (German Boxer)	2	Years	Female	75	Pound	I opened two bags of Chicken Jerky Treats at the same time. One is Dogswell Happy Hips Chicken Breast, the other Milos Kitchen Chicken Jerky on December 29, 2011. I gave (b) (6) 2 treats from each bag. During the night (b) (6) had severe Diaherra. We could not figure out why. Again, on December 30, I gave (b) (6) a total of 2 treats from each bag. Again, during the night she had severe diaherra. She didn't seem to feel good. My daughter told me about the problems with Chicken Products made in China. She had seen it on MSM on line. We took the treats away immediately, and I went to the FDA Website and saw the caution. Today is Monday, Jan. 2, 2012, and (b) (6) is 100% back to her old self.
Waggin' Train Chik'n Biscuits	Dog	Retriever - Golden	11	Years	Female	75	Pound	First, I noticed a change in her fur from thick and glossy to brittle. People used to comment on her hair. Then it started falling out in clumps. Five vacuum bags in a week. That would be abnormal for a spring shedding and it was December when her fur she become thicker. Her downy under fur fell out completely. She started drinking 2 to 3 times as much water and asking to go out during the night and then she started vomiting. Coincidentally, the news reported a problem with chicken jerky treats for dogs! Sure enough, we had started giving her that brand about 6 months ago and all of these problems have developed since then.
waggin train chicken jerky	Dog	Great Dane	8	Years	Female	136		For about 3 weeks prior to the incident being reported my dog had become incontinent of urine in her sleep about 1-2 days in a row approximately weekly. During these days she would go off her food and have diarrhea. On the date in question she started vomiting, having diarrhea, and lethargy. By 4 am she couldn't even walk. Rushed to emergency. Given subcutaneous IV,(because I could not afford the \$1000/day in patient care quoted to me), Medications, Xrays. 2 more emergency/specialist visits, then 3 visits with regular vet. Total 2 xrays, 1 cat scan, 5 urinalysis, 3 bloodwork and \$2500 bill.
Happy Hips Chicken Breast	Dog	Terrier - Yorkshire	8	Years	Male	20		We had been giving (b) (6) about 1 Happy Hips chicken jerky a day, half after his morning walk and half after his late afternoon walk. It did seem to help with his hip problem. We have noticed that he has become increasingly irritable, has been drinking more water and urinating more frequently. Also, where his appetite was always good to voracious, he was increasingly leaving food in his bowl. His skin and hair also do not look as healthy as they have been and he has been experiencing significant itching. We stopped feeding him the jerky on Jan 2, 2011 and are now seeking an alternative supplement for his hip.
vitalife plus chicken tenders healthy heart and eyes	Dog	Dachshund - Miniature	5	Years	Female	20	Pound	Received chicken jerky(about 4-5 pieces) on Dec 25 and was violently ill on morning of Dec 29. Diarrhea, vomiting and shivering uncontrollably. Recovered by the end of Dec 30. Only suspicious thing was jerky. Other (bigger) dog may have received one piece but didn't get sick.
Veggie Life Happy Hips with Glucosamine & Chondroitin	Dog	Shih Tzu	1	Years	Male	15	Pound	Hello, I would like to inform you that every time I gave my dog the "Veggie Life Happy Hips" Chicken & Sweet Potato treat he threw up. I gave it to him about 5-6 times since last month, and most recently today and i'm 100% sure its from the treats because its the only thing thats the same each time he threw up! I read about chicken jerky made in china having a problem and I think this might also be poor quality. We purchased this expensive 15oz bag from Wag.com, especially because it says "natural" on the front so the fact that its making my dog sick is alarming. The expiration on it is 8/06/13 SEW11CP0622/01 bar code is 8424413513 Please let me know if there is any other information you need to get this problem resolved. Thanks for your help! (b) (6)

Canyon Creek Ranch Yam Good Duck, Milo's Kitchen Chicken Jerky Strips	Dog	Dachshund - Standard Smooth-haired	4 Years	Male	28 Pound	We got up on Saturday morning and Weber was vomiting. Through out the day he continued to vomit was drinking a large amount of water. He had always been a very active dog, but Saturday he would not get up unless we coaxed him to get up. By Sunday morning he had quit drinking water and would not eat. We took him to an emergency vet clinic. The vet said he seemed to have been poisoned. We discussed any possibilities but did not know about the chicken treats. Monday morning the emergency clinic had us take (b) (6) to our vet. Out vet examined (b) (6) and immediately told us we needed to take (b) (6) to a near by (b) (6). The doctors there said the same thing, some type of poison, but could not come up with what type. Again, discussions of any possibilities that we could think of, and we never mentions that (b) (6) got a treat every day of either Milo's Chicken Jerky or Canyon Creek Ranch Duck Yam Good treats. I had never seen you precautionary warning until a friend mentioned it to us last night. After reading the warning the symptoms were the same as what (b) (6) had. Weber was in intensive care for 3 days. On Wednesday he went into a comma and had to be euthanized. I have already sent emails to Del Monte and Canyon Creek Ranch and plan to go to WalMart where I purchased Milo's and Pets Mart where I purchased Canyon Creek and ask both to consider removing any pet food products that have ingredients made in China. (b) (6) was a very special member of our family, and after spending over \$7000.00 on all the treatment I feel that I have been betrayed by our US companies because they put profits before safety. I hope you can get these products removed.
Sweet Potato snacks for dogs	Dog	Maltese	7 Years	Female	11 Pound	We bought new bags of sweet potatoe treats (fries). They were made differently than the previous batches. Prior batches were dried sweet potatoes. These 3 new bags were processed and cut into fries. Instead of being somewhat soft, they are very hard and the dogs found them difficult to eat. One of the dogs, (b) (6) started vomiting, had a fever, stopped eating, was drink hugh quantities of water, was lethargic. Her last stool had undigested sweet potatoes. Two days later on Monday we took her to the vet. The blood tests comfirmed that she had pancreatitis and was spilling sugar in her urine. She was given a antinausea drug along with an antibiotic, since she had a temperature of 104 degrees. We took her home for several days. She did not get better, no eating etc. She was taken back to the vet and hospitalized for 5 days on IV etc. She is better now, however, she is still drinking lots of water and spilling sugar in her urine.
Waggin Train Jerky Tenders (Chicken) and (Duck)	Dog	Terrier - Jack Russell	7 Years	Mixed Populati on of Female and Male	18 Pound	Last year gave this product to my dogs and they were scratching and itching a lot and thought it might be from outside contaminants but stopped food and seemed to help then about four months later began treats again and symptoms started again one of the dogs had loose stools am concerned this product has been exposed to unknown products causing this condition reporting just in case others are havinig similiar problems our pets are like family am stopping product due to others reporting symptoms would like an official report made to follow up these symptoms in pets ie dogs
Milo's Kitchen Home Style Dog Treats chicken jerky	Dog	Mixed (Dog)	2 Years	Male	51 Pound	a little vomiting a week ago(yellow foamy liquid) but on 12/29/11 vomited large amount of yellow foamy liquid. Had lacked his normal huge amount of energy, tired easily when exercised. Luckily I heard on the news on 12/28/11 that there had been problems with chicken jerky processed in China. I looked on the label of the product that I had purchased for him and it was processed in China. I took him to the vet to be examined. They did blood work on him, but we were unable to get a urine sample. His blood test results were normal. He was given a bland diet for 3 days. He seems to be ok now.
WAGGIN' TRAIN brand "wholesome chicken Jerky Tenders"	Dog	Bichon Frise	9 Years	Male	17 Pound	fed the Waggin' Train "chicken jerky tenders" to our dog (b) (6)(bichon frise) twice, about a week apart. (b) (6)began (1) throwing up (2) developed diarrhea (3) became lethargic and remained so for over a day both times. We did not make the link to the chicken jerky treat until the second occurrence.
Kingdom Pets Chicken Jerky 48 oz size	Dog	Mixed (Dog)	12 Years	Male	45 Pound	I fed my dog Kingdom Pets Chicken Jerky treats that I purchased from CostCo here in (b) (6). This was the first time I had purchased this product. He became ill and had severe diarrhea and vomiting for three days. He is OK now. The treats mentioned above were the only change in his diet or environment during that period.
Wagon Train Chicken Jerky	Dog	Akita	8	Mixed Populati on of Female and Male		Gave two of my three dogs 2 jerky trats each. The 2 both became very ill with diareah and vomitting. Third dog that did not have the treat is fine. Male dog is getting better while female is still having problems.