Carton Labeling

NDC 22884-8103-2

Item No. **8103-08**

Manufactured in the U.S.A. by

# PRE-SCRUB™ BIOMED®

(chlorhexidine gluconate) 4% Solution

**BioMed Systems, Inc.**
**Norwalk, CT 06850**
**(800) 424-5556**

## Surgical Hand Scrub

Single Use

Qty: **240 Brush-Sponges**

1 Case, 8 inner display boxes, 30 Brush-sponges*
per display box * Brush-sponges provided with a nail cleaner and (chlorhexidine gluconate) 4% solution (approximate volume 25 mL).

*Lot Number:*

*Expiration Date:*

30 BRUSH-SPONGES **8103-08**

Dispenser /Carton Labeling (Top) Panel 2

(chlorhexidine gluconate) 4% solution

# Surgical Hand Scrub

(Brush-Sponge and Nail Cleaner)

Single Use

**Directions for Use:**







1. Open package and clean under nails with the nail pick provided. Nails should be maintained with a 1 millimeter free edge.
2. Wet hands and forearms to the elbows with warm water.
3. Wet sponge and squeeze to work up lather.
4. Scrub thoroughly for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces. Use the brush side of the product to clean the nails, cuticles, and interdigital spaces. Use the sponge side of the product when scrubbing the hands and forearms.
5. Rinse thoroughly with warm water and repeat scrub for an additional 3 minutes using the sponge side of the product only.
6. Rinse thoroughly and dry with a sterile towel.

***Warning***

**For External Use Only**

**Other Information**

- store between 20-25°C **(68-77°F)**
- avoid freezing and excessive heat above 40°C **(104°F)**

Labeling for Panel 2 (continued on following page)

Dispenser /Carton Labeling (Top) Panel 1

**8103-08**

**(chlorhexidine gluconate) 4% solution**

# Surgical Hand Scrub

(Brush-Sponge and Nail Cleaner)

Single Use



Remove to check level of contents.

Labeling Panel 1 (continued on following page)

Dispenser /Carton Labeling Panel 2
(continued from previous page) (BOTTOM)

Manufactured in the USA by

**BIOMED® Systems, Inc.**

NORWALK, CT 06850

**Toll Free: (800) 424-5556**

Lot No.:

Exp. Date:

681030828

Labeling Panel 1 (continued from previous page) (BOTTOM)

Dispenser /Carton Labeling

**1 Ea. Scrub Brush-Sponge, 1 Ea. Nail Cleaner,**
**1 Ea. Chlorhexidine gluconate 4% solution**
(Approximate volume 25 mL)
**Quantity: 1 Bx., 30 Ea./Bx.**

To dispense, remove this panel.

Dispenser/Carton Drug Facts
Labeling- Panel 3

**30 BRUSH-SPONGES**

# 8103-08

## Drug Facts

| Active ingredient | Purpose |
|---|---|
| Chlorhexidine Gluconate 4% Solution | Antiseptic |

### Uses

- **surgical hand scrub:** significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care

### Warnings

**For external use only**

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredients in this product
- as a patient preoperative skin preparation (especially of the head and face)
- in contact with meninges • in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter or allowed to remain
- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if**

- irritation, sensitization, or allergic reaction occurs and lasts more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- open package
- wet hands and forearms to the elbows with warm water
- clean under nails with the nail pick provided. Nails should be maintained with a 1 millimeter free edge
- wet sponge and squeeze to work up lather
- scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles, and interdigital spaces. Use the brush side to clean the nails, cuticles, and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms
- rinse thoroughly with warm water
- scrub for an additional 3 minutes using the sponge side
- discard brush-sponge
- rinse hands and forearms thoroughly and dry with a sterile towel

### Other information

- store between 20-25°C (68-77°F)
- avoid freezing and excessive heat above 40°C (104°F)

***Inactive ingredients*** cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol 4%, lauramine oxide, PEG-75 lanolin, purified water, USP, tridecyl alcohol

***Questions?*** **800-424-5556** (Monday to Friday 8 AM - 5 PM)

Individual brush-sponge package labeling

NDC 22884-8103-1
Item No. 8103-08

**BIOMED**

**PRE - SCRUB II™**

(chlorhexidine gluconate) 4% solution

**Surgical Hand Scrub**

Brush-Sponge and nail cleaner

**See carton for Drug Facts Labeling**

| **Active ingredient** | **Purpose** |
|---|---|
| Chlorhexidine gluconate 4% solution | Antiseptic |
| Approximate volume 25 mL | |

**Uses** •**surgical hand scrub:** significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care

***Warnings***

**For external use only**

**Do not use** • if you are allergic to chlorhexidine gluconate or any other ingredients in this product • as a patient preoperative skin preparation (especially of the head & face) • in contact with meninges •in the genital area

**Directions** • open package. • wet hands and forearms to the elbows with warm water • clean under nails with the nail pick provided. Nails should be maintained with a 1 millimeter free edge. • wet sponge and squeeze to work up a lather •scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles and interdigital spaces. Use the brush side to clean the nails, cutioles and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms • rinse thoroughly with warm water • scrub for an additional 3 minutes, using sponge side • discard brush-sponge • rinse hands and forearms thoroughly and dry with sterile towel

store between 20 –25°C (68-77°F) •avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol 4%, lauramine oxide, PEG-75 lanolin, purified water, USP, tridecyl alcohol

Lot No. & Expiration Date embossed on lower peel flap

Made in the U.S.A by: BioMed Systems, Inc. Norwalk, CT 06850
(800) 424-5556

8103-2

**PEEL TO OPEN**

**L8103-2**