DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUN 1 2 2001

Mr. R.H. Hopkins
Technical Director, Metron Medical Australia Pty. Ltd.
57 Aster Avenue
P.O. Box 2164
Carrum Downs, Victoria, Australia 3201

Re: K001897/S2
Trade/Device Name: Multi-Stim, Model MS-100
Regulation Number: 21 CFR 890.5850 and 21 CFR 882.5890
Regulatory Class: II
Product Codes: IPF, GZJ and LIH
Dated: March 28, 2001
Received: April 2, 2001

Dear Mr. Hopkins:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response

to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative and
Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510 (k) NUMBER (IF KNOWN): K001897

DEVICE NAME: Metron Multi-Stim Model MS-100

INDICATIONS FOR USE:

The indications for use are:

1. Relief of chronic intractable pain, acute post traumatic pain or acute post surgical pain (Interferential, TNS and Microcurrent waveforms);
2. Relaxation of muscle spasm (all waveforms except Microcurrent);
3. Prevention or retardation of disuse atrophy (all waveforms except Microcurrent);
4. Increasing local blood flow (all waveforms except Microcurrent);
5. Muscle re-education (all waveforms except Microcurrent);
6. Immediate post-surgical stimulation of calf muscles to prevent venous thrombosis (all waveforms except Microcurrent); and
7. Maintaining or increasing range of motion (all waveforms except Microcurrent).

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use X
(Per 21 CFR 801.109)

OR

Over-The-Counter-Use _____
(Optional Format 1-2-96)

(Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K001897