DEPARTMENT OF HEALTH & HUMAN SERVICES

OCT - 5 2000

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

Dr. P. Armstrong
Regulatory Affairs
Randox Laboratories, Ltd.
Ardmore, Diamond Road
Crumlin, Co. Antrim
United Kingdom
BT29 4QY

Re: K002674
Trade Name: Randox Microalbumin
Regulatory Class: II
Product Code: DDZ
Dated: August 25, 2000
Received: August 28, 2000

Dear Dr. Armstrong:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Steven Gutman

Steven I. Gutman, M.D., M.B.A.
Director
Division of Clinical Laboratory Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): NOT KNOWN K002674

Device Name: MICROALBUMIN

Indications For Use :

The Randox Laboratories Ltd. Microalbumin Test Kit is an *in vitro* diagnostic reagent for the quantitative determination of microalbumin in urine. The method is an immunoturbidimetric assay in which an undiluted urine sample is added to a buffer containing antibody specific for human serum albumin. The absorbance (340nm) of the resulting turbid solution is proportional to the concentration of albumin in the sample urine. The measurement of micoralbumin in urine may be used in the diagnosis and treatment of microalbuminuria (sustained elevated levels of urinary albumin). This test is helpful for the detection and treatment of patients at risk from renal (kidney) disease.

This Application sheet has been developed for the Cobas Mira Analyser and must be used by suitably qualified laboratory personnel under appropriate laboratory conditions.

Jean Cooper
(Division Sign-Off)
Division of Clinical Laboratory Devices
510(k) Number K002674

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓
(Per 21 CFR 801.109)

OR

Over-The-Counter Use_____
(Optional format 1-2-96)