APR 3 0 2001

K003812

December 7, 2000

510(k) Summary

CONTACT:

Douglas L. Harris
Greiner Vacuette North America, Inc.
P.O Box 1026
Monroe, NC 28111

NAME OF DEVICES:

Trade Name:	Vacuette® SPEEDY Quick-Release Holder
Common Names/Descriptions:	Blood Specimen Collection Device Holder
Classification Name:	Needle Holder

PREDICATE DEVICES:

Bio-Plexus Drop-It® Needle Holder (K#963748)

DEVICE DESCRIPTION:

INTENDED USE: The VACUETTE® SPEEDY Quick-Release Holder is a non-sterile, reusable holder with a spring release mechanism designed to facilitate the convenient release of contaminated needles. SPEEDY is to be used with VACUETTE® Multi-Sample Needles and VACUETTE® Luer adapters with blood collection sets, in routine venipuncture procedures. This device is to be used by properly trained healthcare professionals only in accordance with these instructions.

PRODUCT DESCRIPTION: The VACUETTE® SPEEDY Quick-Release Holder is comprised of two main components: a cylindrical body and a spring release mechanism. The product is manufactured from polyoxymethylene plastic and polypropylene. It is intended for limited reuse with Greiner VACUETTE® Multi-sample needles and VACUETTE® Luer Adapters with blood collection sets.

The VACUETTE® SPEEDY Quick-Release Holder and the Bio-Plexus Drop-It® Needle Holder are substantially equivalent in intended use, design and composition.

DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

APR 3 0 2001

Greiner Vacuette North America, Incorporated
C/O Ms. Judi Smith
Principal
Sienna Partners, L.L.C
P.O. Box 6581
Ellicott City, Maryland 21042-0581

Re: K003812
Trade/Device Name: Vacuette Speedy Quick-Release Holder
Regulation Number: 880.5570
Regulatory Class: II
Product Code: FMI
Dated: March 30, 2001
Received: April 2, 2001

Dear Ms. Smith:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements

concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K003812

Device Name: VACUETTE® SPEEDY Quick-Release Holder

Indications For Use: The VACUETTE® SPEEDY Quick-Release Holder is a non-sterile, reusable holder with a spring release mechanism designed to facilitate the convenient release of contaminated needles. SPEEDY is to be used with VACUETTE® Multi-Sample Needles and VACUETTE® Luer adapters with blood collection sets, in routine venipuncture procedures. This device is to be used by properly trained healthcare professionals only in accordance with these instructions. The VACUETTE® SPEEDY Quick-Release Holder is recommended for a maximum of 100 uses.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Patricia Cucente

(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K003812

Prescription Use ✓ OR Over-The-Counter Use _____
(Per 21 CFR 801.109)

(Optional Format 1-2-96)