JUN - 6 2001

K010866

SUMMARY OF SAFETY AND EFFECTIVENESS

This summary of safety and effectiveness information is being submitted in accordance with the requirements of the SMDA 1990 and 21 CFR 807.92.

Submitter:

Homecare Technologies Ltd.,
45 Pinchas Rosen Street
Tel Aviv 69512, Israel
Tel: +972.3.649.8844; Fax: +972.3.649.7707
e-mail: sdotan@hct-pro.com

Name of the Device: Temp-A-Sure

Predicate Devices: The Temp-A-Sure is substantially equivalent to the Memotherm 10, subject of K935280.

Description of the Device: The Temp-A-Sure is an electronic thermometer that measures surface abdominal temperature of children up to the age of 5.

The differences between the systems raise no new issues of safety or effectiveness.

March 20th 2001 — S. Dotan

Date — Mr. Simon Dotan, President

DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUN - 6 2001

Homecare Technologies
C/O Mr. Eli M. Orbach
International Regulatory Consultants
POB 6718
Efrat,
ISRAEL

Re: K010866
Trade/Device Name: Temp-A-Sure
Regulation Number: 880.2910
Regulatory Class: II
Product Code: FLL
Dated: April 24, 2001
Received: April 27, 2001

Dear Mr. Orbach:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements

concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on ycur responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)_____.

Date:_____

Substantial Equivalence

The Temp-A-Sure is
Device Name The Temp-A-Sure.

Indications For Use:

The Temp-A-Sure is indicated for measurement of temperature on the abdominal skin of children to the age of five years.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Patricia Cucente

(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K010866

Prescription Use_____ OR Over The Counter Use_____
(Per 21 CFR 801.109)

(Optional Format 1-2-96)