CVM ADE Comprehensive Clinical Detail Listing:
Cumulative Date Range: 1/1/1987 thru 4/30/2013
Drug Listing: J;K;L;M

[Drug:] Kanamycin
Unknown, Cat

[Sign:] Ataxia
Number of times reported: [1]

[Drug:] Ketamine
Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [68]
[Sign:] Pd-missing, Label(s)
Number of times reported: [62]
[Sign:] Pd-seal, Abn
Number of times reported: [58]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [37]
[Sign:] Pd-solution, Abn
Number of times reported: [26]
[Sign:] Pd-vial(s), Abn
Number of times reported: [20]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [18]
[Sign:] Pd-potency, Lo
Number of times reported: [17]
[Sign:] Pd-missing, Cap
Number of times reported: [14]
[Sign:] Pd-cap(s), Abn
Number of times reported: [12]
[Sign:] Pd-product Defect
Number of times reported: [12]
[Sign:] Pd-underfill, Package
Number of times reported: [12]
[Sign:] Pd-color, Abn
Number of times reported: [9]
[Sign:] Pd-container(s), Damag
Number of times reported: [6]

[Sign:] Pd-contamination
Number of times reported: [3]
[Sign:] Pd-label(s), Abn
Number of times reported: [3]
[Sign:] Ineffect, Anesthesia
Number of times reported: [2]
[Sign:] Pd-defect Unknown
Number of times reported: [2]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-syringe, Abn
Number of times reported: [1]

[Drug:] Ketamine
Missing, Cat

[Sign:] Death
Number of times reported: [9]
[Sign:] Ineffect, Anesthesia
Number of times reported: [8]
[Sign:] Apnea
Number of times reported: [5]
[Sign:] Arrest, Heart
Number of times reported: [4]
[Sign:] Anesth Recov Prolonged
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Ineffect, Sedation
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Cardiomegaly

Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Ketamine
Missing, Dog

[Sign:] Death
Number of times reported: [7]
[Sign:] Ineffect, Anesthesia
Number of times reported: [6]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Pd-potency, Lo
Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Ketamine
Missing, Horse

[Sign:] Ineffect, Anesthesia
Number of times reported: [3]
[Sign:] Ineffect, Sedation
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Distress

Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Ketamine
Missing, Missing Information

[Sign:] Ineffect, Sedation
Number of times reported: [4]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Missing, Mouse

[Sign:] Death
Number of times reported: [1]

[Drug:] Ketamine
Missing, Rat

[Sign:] Anesth Induction Rapid
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Missing, Unknown

[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Ketamine
Missing, Various

[Sign:] Ineffect, Anesthesia
Number of times reported: [4]
[Sign:] Death
Number of times reported: [3]
[Sign:] Ineffect, Sedation
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Drug:] Ketamine
Not Applicable, Dog

[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Drug:] Ketamine
Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Ketamine
Oral, Cat

[Sign:] Death
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]

[Drug:] Ketamine
Oral, Dog

[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Ketamine
Oral, Horse

[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Oral, Human

[Sign:] Dissociation
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Alpaca

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Camel

[Sign:] Apnea
Number of times reported: [2]
[Sign:] Death

Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Cat

[Sign:] Death
Number of times reported: [399]
[Sign:] Ineffect, Anesthesia
Number of times reported: [308]
[Sign:] Apnea
Number of times reported: [176]
[Sign:] Arrest, Heart
Number of times reported: [139]
[Sign:] Anesth Recov Prolonged
Number of times reported: [134]
[Sign:] Ataxia
Number of times reported: [93]
[Sign:] Fever, Body
Number of times reported: [77]
[Sign:] Convulsion(s)
Number of times reported: [63]
[Sign:] Anesth Recov Turbulent
Number of times reported: [45]
[Sign:] Blindness
Number of times reported: [44]
[Sign:] Cyanosis
Number of times reported: [40]
[Sign:] Anorexia
Number of times reported: [36]
[Sign:] Depression/lethargy
Number of times reported: [32]
[Sign:] Hyperactivity
Number of times reported: [32]
[Sign:] Mydriasis
Number of times reported: [31]
[Sign:] Dyspnea
Number of times reported: [29]
[Sign:] Bradycardia
Number of times reported: [22]

[Sign:] Ineffect, Sedation
Number of times reported: [22]
[Sign:] Confusion
Number of times reported: [17]
[Sign:] Aggression
Number of times reported: [16]
[Sign:] Anisocoria
Number of times reported: [16]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [16]
[Sign:] Hypopnea
Number of times reported: [16]
[Sign:] Hypothermia, Body
Number of times reported: [16]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [16]
[Sign:] Trembling
Number of times reported: [16]
[Sign:] Anesth Too Deep
Number of times reported: [15]
[Sign:] Sedation Prolonged
Number of times reported: [15]
[Sign:] Blindness, Temp
Number of times reported: [14]
[Sign:] Head Bobbing
Number of times reported: [14]
[Sign:] Interaction, Drug(s)
Number of times reported: [14]
[Sign:] Tachycardia
Number of times reported: [14]
[Sign:] Vocalization
Number of times reported: [14]
[Sign:] Nystagmus
Number of times reported: [13]
[Sign:] Polypnea
Number of times reported: [13]
[Sign:] Recumbency
Number of times reported: [13]
[Sign:] Behavior Disorder
Number of times reported: [12]
[Sign:] Deafness
Number of times reported: [12]

[Sign:] Death(euthanized)
Number of times reported: [12]
[Sign:] Pd-potency, Lo
Number of times reported: [12]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [12]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [11]
[Sign:] Hypersalivation
Number of times reported: [11]
[Sign:] Spasm
Number of times reported: [11]
[Sign:] Head Tilt
Number of times reported: [10]
[Sign:] Nervousness
Number of times reported: [10]
[Sign:] Neurological Disorder
Number of times reported: [10]
[Sign:] Twitch
Number of times reported: [10]
[Sign:] Pallor, Mucous Membran
Number of times reported: [9]
[Sign:] Pressure Lo, Bld
Number of times reported: [9]
[Sign:] Reflex(es) Abn
Number of times reported: [9]
[Sign:] Vestibular Disorder
Number of times reported: [9]
[Sign:] Circling
Number of times reported: [8]
[Sign:] Hyperesthesia
Number of times reported: [8]
[Sign:] Miosis
Number of times reported: [8]
[Sign:] Shock
Number of times reported: [8]
[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Anaphylaxis/toid
Number of times reported: [7]
[Sign:] Biting/chewing
Number of times reported: [7]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [7]
[Sign:] Collapse
Number of times reported: [7]
[Sign:] Dehydration
Number of times reported: [7]
[Sign:] Distress, Resp
Number of times reported: [7]
[Sign:] Hallucination
Number of times reported: [7]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [7]
[Sign:] Stupor
Number of times reported: [7]
[Sign:] Thrashing/paddling
Number of times reported: [7]
[Sign:] Unconscious
Number of times reported: [7]
[Sign:] Anesth Duration Brief
Number of times reported: [6]
[Sign:] Hypothermia
Number of times reported: [6]
[Sign:] Respiratory Disorder
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [6]
[Sign:] Blindness, Partial
Number of times reported: [5]
[Sign:] Breathing, Periodic
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Cns Disorder
Number of times reported: [5]
[Sign:] Coughing
Number of times reported: [5]
[Sign:] Horner's Syndrome
Number of times reported: [5]
[Sign:] Inj Site Swelling
Number of times reported: [5]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [5]

[Sign:] Pupil(s), Areflexia
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [4]
[Sign:] Pd-potency, Hi
Number of times reported: [4]
[Sign:] Proprioceptive Disorde
Number of times reported: [4]
[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Sound Abn, Respiratory
Number of times reported: [4]
[Sign:] Staggering
Number of times reported: [4]
[Sign:] Vision Disorder
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Breathing Abn
Number of times reported: [3]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Dysmetria
Number of times reported: [3]
[Sign:] Dysphagia
Number of times reported: [3]
[Sign:] Heart Disorder
Number of times reported: [3]
[Sign:] Heart Failure
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Hypertonia
Number of times reported: [3]
[Sign:] Inj Site Necrosis
Number of times reported: [3]

[Sign:] Jerking
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Sedation Too Brief
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Stiffness
Number of times reported: [3]
[Sign:] Swelling, Limb(s)
Number of times reported: [3]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ulcer(s), Tongue
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Anesth Induction Rapid
Number of times reported: [2]
[Sign:] Balance Disorder
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [2]
[Sign:] Bld, Retina
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Deafness, Temp
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Distress
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Edema, Larynx
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Incontinence, Urinary
Number of times reported: [2]
[Sign:] Inj Site Abn
Number of times reported: [2]
[Sign:] Inj Site Edema
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Uveitis
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anesth Induction Prolonged
Number of times reported: [1]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Delirium
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Scrotum
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [1]
[Sign:] Pr-whole Body, Lesion(
Number of times reported: [1]
[Sign:] Sedation Relapse
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tail Chasing
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Chimpanzee

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Dog

[Sign:] Death
Number of times reported: [107]
[Sign:] Ineffect, Anesthesia
Number of times reported: [83]
[Sign:] Convulsion(s)
Number of times reported: [62]
[Sign:] Apnea
Number of times reported: [50]
[Sign:] Arrest, Heart
Number of times reported: [42]
[Sign:] Fever, Body
Number of times reported: [36]
[Sign:] Anesth Recov Prolonged
Number of times reported: [35]
[Sign:] Vomiting
Number of times reported: [29]
[Sign:] Anesth Recov Turbulent
Number of times reported: [24]
[Sign:] Anorexia
Number of times reported: [20]
[Sign:] Depression/lethargy
Number of times reported: [20]
[Sign:] Vocalization
Number of times reported: [19]
[Sign:] Bradycardia
Number of times reported: [16]
[Sign:] Dyspnea
Number of times reported: [14]
[Sign:] Hypopnea
Number of times reported: [10]
[Sign:] Trembling
Number of times reported: [10]
[Sign:] Spasm

Number of times reported: [9]
[Sign:] Tachycardia
Number of times reported: [9]
[Sign:] Ataxia
Number of times reported: [8]
[Sign:] Bun Hi, Bld
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Head Pressing
Number of times reported: [8]
[Sign:] Ineffect, Sedation
Number of times reported: [8]
[Sign:] Creatinine Hi, Bld
Number of times reported: [7]
[Sign:] Hyperpnea
Number of times reported: [7]
[Sign:] Polypnea
Number of times reported: [7]
[Sign:] Thrashing/paddling
Number of times reported: [7]
[Sign:] Bld, Urine
Number of times reported: [6]
[Sign:] Swelling, Head/face
Number of times reported: [6]
[Sign:] Bld, Incision Site
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [5]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Hyperactivity
Number of times reported: [5]
[Sign:] Hypothermia, Body
Number of times reported: [5]
[Sign:] Platelets Lo, Bld
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Urticaria

Number of times reported: [5]
[Sign:] Wbc Hi, Bld
Number of times reported: [5]
[Sign:] Anaphylaxis/toid
Number of times reported: [4]
[Sign:] Anesth Duration Brief
Number of times reported: [4]
[Sign:] Anesth Induc Turbulent
Number of times reported: [4]
[Sign:] Anesth Too Deep
Number of times reported: [4]
[Sign:] Cyanosis
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [4]
[Sign:] Inj Site Slough
Number of times reported: [4]
[Sign:] Interaction, Drug(s)
Number of times reported: [4]
[Sign:] Pallor, Mucous Membran
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Blindness
Number of times reported: [3]
[Sign:] Blindness, Temp
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Hypertonia
Number of times reported: [3]
[Sign:] Inj Site Edema

Number of times reported: [3]
[Sign:] Inj Site Swelling
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Opisthotonos
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Stiffness
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Biting/chewing
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Breathing, Periodic
Number of times reported: [2]
[Sign:] Cardiomegaly
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Coagulation Disorder
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Dehydration

Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hypersensitive, Sound
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Nystagmus, Rotary
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Proprioceptive Disorde
Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Pulse Thready
Number of times reported: [2]
[Sign:] Radiograph(s) Abn

Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Swelling, Tongue
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Volvulus, Stomach
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anesth Induction Prolonged
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld(petechiae)

Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Tongue
Number of times reported: [1]
[Sign:] Enlargement, Salivary Gland
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu

Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Incision Site Discharge
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Inj Site Abn

Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Sterile Absce
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Posture Abn

Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heartworm Disease
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Staggering

Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Unknown
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Goat

[Sign:] Apnea
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [140]
[Sign:] Death
Number of times reported: [19]
[Sign:] Anesth Recov Turbulent
Number of times reported: [17]
[Sign:] Anesth Duration Brief
Number of times reported: [15]
[Sign:] Ineffect, Sedation
Number of times reported: [14]
[Sign:] Anesth Recov Prolonged
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Apnea
Number of times reported: [5]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Collapse
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Spasm
Number of times reported: [5]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Pd-potency, Lo
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Anesth Induction Prolonged
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Sweating
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Anesth Induc Turbulent
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Dyspnea

Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anesth Induction Rapid
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Delirium
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth, Nose

Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Rearing

Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Human

[Sign:] Human Exposure, Hand(s
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Llama

[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Monkey

[Sign:] Death
Number of times reported: [2]
[Sign:] Ineffect, Anesthesia
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Mouse

[Sign:] Death
Number of times reported: [6]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Ineffect, Anesthesia
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Other

[Sign:] Ineffect, Anesthesia
Number of times reported: [6]

[Sign:] Death
Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Uremia
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Pig

[Sign:] Death
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Primate

[Sign:] Ineffect, Anesthesia
Number of times reported: [4]
[Sign:] Death
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Rabbit

[Sign:] Death
Number of times reported: [5]
[Sign:] Ineffect, Anesthesia
Number of times reported: [3]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Anesth Too Deep

Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Rat

[Sign:] Death
Number of times reported: [11]
[Sign:] Ineffect, Anesthesia
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Sheep

[Sign:] Death
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Tiger

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Unknown

[Sign:] Ineffect, Anesthesia
Number of times reported: [2]
[Sign:] Death
Number of times reported: [1]

[Drug:] Ketamine
Parenteral, Various

[Sign:] Ineffect, Anesthesia
Number of times reported: [28]
[Sign:] Ineffect, Sedation
Number of times reported: [10]
[Sign:] Death
Number of times reported: [6]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Drug:] Ketamine
Suppository, Cat

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]

[Drug:] Ketamine
Topical, Human

[Sign:] Pain
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Cat

[Sign:] Ineffect, Anesthesia
Number of times reported: [72]
[Sign:] Death
Number of times reported: [43]
[Sign:] Anesth Recov Prolonged
Number of times reported: [17]
[Sign:] Arrest, Heart
Number of times reported: [15]
[Sign:] Fever, Body
Number of times reported: [15]
[Sign:] Convulsion(s)
Number of times reported: [11]
[Sign:] Apnea
Number of times reported: [10]
[Sign:] Anorexia
Number of times reported: [8]
[Sign:] Anesth Recov Turbulent
Number of times reported: [7]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Dyspnea
Number of times reported: [5]
[Sign:] Blindness
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Ineffect, Sedation
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)

Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Eeg Abn
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gastritis

Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld

Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vision Disorder

Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Dog

[Sign:] Death
Number of times reported: [13]
[Sign:] Convulsion(s)
Number of times reported: [12]
[Sign:] Ineffect, Anesthesia
Number of times reported: [10]
[Sign:] Fever, Body
Number of times reported: [7]
[Sign:] Anesth Recov Prolonged
Number of times reported: [6]
[Sign:] Anesth Recov Turbulent
Number of times reported: [5]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Ineffect, Sedation
Number of times reported: [4]
[Sign:] Arrest, Heart
Number of times reported: [3]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Pd-potency, Lo
Number of times reported: [2]
[Sign:] Pressure Lo, Bld
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Asphyxia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]

[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Ferret

[Sign:] Apnea
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Horse

[Sign:] Ineffect, Anesthesia
Number of times reported: [16]

[Sign:] Ineffect, Sedation
Number of times reported: [4]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Human

[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Human Exposure, Inj
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Llama

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Monkey

[Sign:] Apnea
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Mouse

[Sign:] Death
Number of times reported: [4]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Rabbit

[Sign:] Death
Number of times reported: [2]
[Sign:] Apnea

Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Rat

[Sign:] Death
Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Unknown

[Sign:] Ineffect, Anesthesia
Number of times reported: [4]
[Sign:] Death
Number of times reported: [1]

[Drug:] Ketamine
Unknown, Various

[Sign:] Ineffect, Anesthesia
Number of times reported: [12]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Anesth Recov Turbulent
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Drug:] Ketamine
Various, Cat

[Sign:] Death
Number of times reported: [8]
[Sign:] Ineffect, Anesthesia
Number of times reported: [8]
[Sign:] Arrest, Heart
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity

Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Sedation Delayed
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Ketamine
Various, Dog

[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Ketamine
Various, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Ketamine
Various, Rat

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Ketamine
Various, Various

[Sign:] Ineffect, Anesthesia
Number of times reported: [12]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]

[Drug:] Ketoconazole
Oral, Dog

[Sign:] Death
Number of times reported: [3]
[Sign:] Depression/lethargy

Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polyphagia

Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ketoprofen
Defect, Not Applicable

[Sign:] Pd-color, Abn
Number of times reported: [3]
[Sign:] Pd-missing, Label(s)
Number of times reported: [3]
[Sign:] Pd-seal, Abn
Number of times reported: [3]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Ketoprofen
Missing, Cat

[Sign:] Death
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Drug:] Ketoprofen
Missing, Dog

[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Tissue, Granulation

Number of times reported: [1]

[Drug:] Ketoprofen
Oral, Cat

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Ketoprofen
Oral, Dog

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Cat

[Sign:] Death
Number of times reported: [13]

[Sign:] Anorexia
Number of times reported: [10]
[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Bun Hi, Bld
Number of times reported: [6]
[Sign:] Creatinine Hi, Bld
Number of times reported: [6]
[Sign:] Head Tilt
Number of times reported: [5]
[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Anesth Recov Prolonged
Number of times reported: [3]
[Sign:] Bld(ecchymoses)
Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Pr-lung(s), Edema
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Incision Site
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]

[Sign:] Circling
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Mg Hi, Bld
Number of times reported: [1]
[Sign:] Microoranisms, Urine
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Cattle

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Dog

[Sign:] Vomiting
Number of times reported: [34]
[Sign:] Bun Hi, Bld
Number of times reported: [25]
[Sign:] Depression/lethargy
Number of times reported: [23]
[Sign:] Creatinine Hi, Bld
Number of times reported: [21]
[Sign:] Anorexia
Number of times reported: [19]
[Sign:] Death
Number of times reported: [14]
[Sign:] Wbc Hi, Bld
Number of times reported: [14]

[Sign:] Bld, Incision Site
Number of times reported: [13]
[Sign:] Kidney Failure
Number of times reported: [13]
[Sign:] Polydipsia
Number of times reported: [13]
[Sign:] Fever, Body
Number of times reported: [12]
[Sign:] Coagulation Disorder
Number of times reported: [11]
[Sign:] Vomiting, Bloody
Number of times reported: [11]
[Sign:] Polyuria
Number of times reported: [10]
[Sign:] Anemia
Number of times reported: [9]
[Sign:] Diarrhea
Number of times reported: [9]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [8]
[Sign:] Azotemia
Number of times reported: [7]
[Sign:] Bld, Urine
Number of times reported: [7]
[Sign:] Interaction, Drug(s)
Number of times reported: [7]
[Sign:] Melena
Number of times reported: [7]
[Sign:] Dehydration
Number of times reported: [6]
[Sign:] Diarrhea, Bloody
Number of times reported: [6]
[Sign:] Albumin Lo, Bld
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Na Lo, Bld
Number of times reported: [5]
[Sign:] Pallor, Mucous Membran
Number of times reported: [5]

[Sign:] Platelets Lo, Bld
Number of times reported: [5]
[Sign:] Radiograph(s) Abn
Number of times reported: [5]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [5]
[Sign:] Weight Loss
Number of times reported: [5]
[Sign:] Anesth Recov Prolonged
Number of times reported: [4]
[Sign:] Bld
Number of times reported: [4]
[Sign:] Bld(ecchymoses)
Number of times reported: [4]
[Sign:] Lymphs Lo, Bld
Number of times reported: [4]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Protein, Urine
Number of times reported: [4]
[Sign:] Segs Hi, Bld
Number of times reported: [4]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Ca Hi, Bld
Number of times reported: [3]
[Sign:] Inj Site Bld
Number of times reported: [3]
[Sign:] Kidney Disorder
Number of times reported: [3]
[Sign:] Na Hi, Bld
Number of times reported: [3]
[Sign:] Polycythemia(relative)
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]

[Sign:] Rbc, Nucleated
Number of times reported: [3]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Anemia, Regen
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld(hematoma)
Number of times reported: [2]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Bld, Scrotum
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Gastritis
Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Incontinence, Fecal
Number of times reported: [2]
[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Failure
Number of times reported: [2]
[Sign:] Microoranisms, Urine
Number of times reported: [2]
[Sign:] Papule(s)
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Platelets Hi, Bld
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Wbc, Urine
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]

[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Cloudy Urine
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incision Site Discharge
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Irritation, Esophagus
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mg Hi, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Rbc, Polychrom
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Uremia
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Goat

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Horse

[Sign:] Collapse
Number of times reported: [4]

[Sign:] Inj Site Abscess
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [3]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Stiffness, Neck
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Ketoprofen
Parenteral, Rat

[Sign:] Death
Number of times reported: [1]

[Drug:] Ketoprofen
Suppository, Cat

[Sign:] Bld, Incision Site
Number of times reported: [1]

[Drug:] Ketoprofen
Unknown, Cat

[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]

[Drug:] Ketoprofen
Unknown, Dog

[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Ana Pos
Number of times reported: [1]
[Sign:] Anorexia

Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Ketoprofen
Various, Cat

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Ketoprofen
Various, Dog

[Sign:] Anemia, Bld Loss
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]

[Drug:] Ketoprofen
Various, Various

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Drug:] Lactic Acid
Parenteral, Cattle

[Sign:] Ineffect
Number of times reported: [5]

[Drug:] Lactulose
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [1]

[Drug:] Lantanoprost
Ophthalmic, Cat

[Sign:] Blindness
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Lasalocid
Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn
Number of times reported: [3]
[Sign:] Pd-label(s), Abn
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Drug:] Lasalocid
Missing, Cattle

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]

[Drug:] Lasalocid
Missing, Horse

[Sign:] Death
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Cattle

[Sign:] Death
Number of times reported: [16]
[Sign:] Ineffect, Coccidia

Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Ineffect, Weight Inc
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Ovaries, Cystic

Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Dog

[Sign:] Death
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Palpitations
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Goat

[Sign:] Death
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Horse

[Sign:] Death
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Pig

[Sign:] Abortion

Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Sheep

[Sign:] Death
Number of times reported: [2]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Drug:] Lasalocid
Oral, Various

[Sign:] Death
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Lasalocid
Unknown, Cattle

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]

[Drug:] Lasalocid
Unknown, Horse

[Sign:] Death
Number of times reported: [1]

[Drug:] Lasalocid
Unknown, Turkey

[Sign:] Death
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Drug:] L-asparaginase
Missing, Dog

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] L-asparaginase
Parenteral, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]

[Drug:] Lenperone
Oral, Dog

[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]

[Drug:] Levamisole
Defect, Not Applicable

[Sign:] Pd-bolus, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn

Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Levamisole
Not Applicable, Human

[Sign:] Rash
Number of times reported: [1]

[Drug:] Levamisole
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Levamisole
Oral, Cattle

[Sign:] Death
Number of times reported: [7]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Abortion
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Levamisole
Oral, Dog

[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Death
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation

Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Levamisole
Oral, Goat

[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Levamisole
Oral, Horse

[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Levamisole
Oral, Pig

[Sign:] Death
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Levamisole
Oral, Sheep

[Sign:] Death
Number of times reported: [18]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]

[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Asphyxia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-larynx, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Levamisole
Parenteral, Cattle

[Sign:] Death
Number of times reported: [21]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Anaphylaxis/toid
Number of times reported: [4]
[Sign:] Trembling
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Dyspnea

Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Lungworms
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Tenesmus

Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]

[Drug:] Levamisole
Parenteral, Dog

[Sign:] Death
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Levamisole
Parenteral, Goat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]

[Drug:] Levamisole
Parenteral, Human

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Levamisole
Parenteral, Sheep

[Sign:] Death
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Levamisole
Topical, Buffalo

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]

[Drug:] Levamisole
Topical, Cattle

[Sign:] Alopecia
Number of times reported: [23]
[Sign:] Death
Number of times reported: [23]
[Sign:] Scale(s), Skin

Number of times reported: [21]
[Sign:] Irritation, Skin
Number of times reported: [12]
[Sign:] Slough, Skin
Number of times reported: [9]
[Sign:] Hypersalivation
Number of times reported: [8]
[Sign:] Recumbency
Number of times reported: [8]
[Sign:] Skin Disorder
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Weight Loss
Number of times reported: [4]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Death(stillborn)
Number of times reported: [3]
[Sign:] Exfoliation, Skin
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Ulcer(s), Skin
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Ineffect, Stomach Worm
Number of times reported: [2]
[Sign:] Ineffect, Worms

Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ineffect, Lungworms
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Paralysis

Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Udder, Agalactia
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Levamisole
Topical, Human

[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neuritis
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Levamisole
Topical, Sheep

[Sign:] Death
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Recumbency

Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Levamisole
Unknown, Cattle

[Sign:] Death
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Levamisole
Unknown, Dog

[Sign:] Hypersalivation
Number of times reported: [1]

[Drug:] Levamisole
Unknown, Human

[Sign:] Human Exposure, Hand(s
Number of times reported: [1]
[Sign:] Human Exposure, Inj
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Levamisole
Unknown, Sheep

[Sign:] Death
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Levamisole, Piperazine
Oral, Horse

[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-fetus, Lesion(s)
Number of times reported: [1]
[Sign:] Sweating

Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Levothyroxine
Defect, Not Applicable

[Sign:] Pd-container(s), Damag
Number of times reported: [3]

[Drug:] Levothyroxine
Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Ulcer(s), Skin
Number of times reported: [1]

[Drug:] Levothyroxine
Oral, Human

[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Human Exposure, Ingest
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lidocaine
Parenteral, Dog

[Sign:] Ineffect, Analgesia
Number of times reported: [1]

[Drug:] Lidocaine
Topical, Cat

[Sign:] Death
Number of times reported: [1]

[Drug:] Lincomycin
Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [4]
[Sign:] Pd-cap(s), Abn
Number of times reported: [2]
[Sign:] Pd-dispenser, Abn
Number of times reported: [2]
[Sign:] Pd-label(s), Abn
Number of times reported: [2]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]

[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Drug:] Lincomycin
Oral, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Lincomycin
Oral, Dog

[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Infection, Skin
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Lincomycin
Oral, Pig

[Sign:] Ineffect, Antibiotic
Number of times reported: [10]
[Sign:] Death
Number of times reported: [7]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Gastroenteritis
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Congestion, Skin

Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Drug:] Lincomycin
Oral, Sheep

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Lincomycin
Parenteral, Cat

[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Lincomycin
Parenteral, Dog

[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Lincomycin
Parenteral, Pig

[Sign:] Abortion
Number of times reported: [1]

[Drug:] Lincomycin
Unknown, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lincomycin
Unknown, Human

[Sign:] Inj Site Infect

Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Defect, Not Applicable

[Sign:] Pd-contamination
Number of times reported: [7]
[Sign:] Pd-seal, Abn
Number of times reported: [4]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Oral, Bird

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Oral, Cattle

[Sign:] Death
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Oral, Deer

[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Oral, Pig

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Oral, Quail

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Parenteral, Cattle

[Sign:] Death
Number of times reported: [137]
[Sign:] Dyspnea
Number of times reported: [61]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [49]
[Sign:] Froth, Nose
Number of times reported: [31]
[Sign:] Hypersalivation
Number of times reported: [28]
[Sign:] Recumbency
Number of times reported: [23]
[Sign:] Diarrhea
Number of times reported: [14]
[Sign:] Depression/lethargy
Number of times reported: [13]
[Sign:] Anaphylaxis/toid
Number of times reported: [10]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [9]
[Sign:] Staggering
Number of times reported: [9]
[Sign:] Ataxia
Number of times reported: [8]
[Sign:] Diarrhea, Severe
Number of times reported: [8]
[Sign:] Trembling

Number of times reported: [8]
[Sign:] Weakness
Number of times reported: [8]
[Sign:] Reaction, Unspecified
Number of times reported: [7]
[Sign:] Shock
Number of times reported: [7]
[Sign:] Convulsion(s)
Number of times reported: [6]
[Sign:] Death(euthanized)
Number of times reported: [6]
[Sign:] Hyperpnea
Number of times reported: [6]
[Sign:] Bloat
Number of times reported: [5]
[Sign:] Pr-pleural Effusion
Number of times reported: [5]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [5]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Epistaxis
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Hematochezia
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [3]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [3]
[Sign:] Thrashing/paddling
Number of times reported: [3]
[Sign:] Udder, Agalactia
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Abortion

Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Bld, Mult Sites
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Inj Site Bld
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Urine

Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Displaced Abomasum
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-udder, Lesion(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Residue, Meat

Number of times reported: [1]
[Sign:] Residue, Milk
Number of times reported: [1]
[Sign:] Slough, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Parenteral, Pig

[Sign:] Circling
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Unknown, Cattle

[Sign:] Death
Number of times reported: [9]
[Sign:] Dyspnea
Number of times reported: [6]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Froth, Nose
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Unconscious

Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Lincomycin, Spectinomycin
Various, Cattle

[Sign:] Death
Number of times reported: [7]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [6]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]

[Drug:] Liothyronine
Oral, Dog

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lomustine
Oral, Dog

[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Lufenuron
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [61]
[Sign:] Pd-syringe, Abn
Number of times reported: [59]
[Sign:] Pd-label(s), Abn
Number of times reported: [10]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [8]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [8]
[Sign:] Pd-container(s), Damag
Number of times reported: [6]
[Sign:] Pd-missing, Label(s)
Number of times reported: [5]
[Sign:] Pd-suspension, Abn
Number of times reported: [5]
[Sign:] Pd-underfill, Tube(s)

Number of times reported: [4]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [4]
[Sign:] Pd-product Defect
Number of times reported: [2]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]

[Drug:] Lufenuron
Intrauterine, Dog

[Sign:] Death
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]

[Drug:] Lufenuron
Missing, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lufenuron
Not Applicable, Cat

[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Lufenuron
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Lufenuron
Oral, Cat

[Sign:] Vomiting
Number of times reported: [104]
[Sign:] Depression/lethargy
Number of times reported: [69]
[Sign:] Anorexia
Number of times reported: [64]
[Sign:] Pruritis
Number of times reported: [29]
[Sign:] Diarrhea
Number of times reported: [27]
[Sign:] Alopecia
Number of times reported: [19]
[Sign:] Death
Number of times reported: [16]
[Sign:] Fever, Body
Number of times reported: [13]
[Sign:] Ataxia
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [9]
[Sign:] Bun Hi, Bld
Number of times reported: [8]
[Sign:] Congestion, Skin
Number of times reported: [7]
[Sign:] Convulsion(s)
Number of times reported: [7]
[Sign:] Dehydration
Number of times reported: [7]
[Sign:] Hyperactivity
Number of times reported: [7]

[Sign:] Vocalization
Number of times reported: [7]
[Sign:] Weight Loss
Number of times reported: [7]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [6]
[Sign:] Skin, Scab(s)
Number of times reported: [6]
[Sign:] Trembling
Number of times reported: [6]
[Sign:] Vomiting, Bloody
Number of times reported: [6]
[Sign:] Wbc Hi, Bld
Number of times reported: [6]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Creatinine Hi, Bld
Number of times reported: [5]
[Sign:] Inflam, Skin
Number of times reported: [5]
[Sign:] Polydipsia
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Cyanosis
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Glucose Lo, Bld
Number of times reported: [4]
[Sign:] Heart Disorder
Number of times reported: [4]
[Sign:] Radiograph(s) Abn
Number of times reported: [4]
[Sign:] Skin Abnormal
Number of times reported: [4]
[Sign:] Skin Disorder
Number of times reported: [4]

[Sign:] Spasm
Number of times reported: [4]
[Sign:] Breathing Abn
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Hypothermia
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Licking
Number of times reported: [3]
[Sign:] Lymphs Lo, Bld
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Pr-pleural Effusion
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Sneezing
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Biting/chewing
Number of times reported: [2]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Death(stillborn)
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Globulin Hi, Bld
Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Ldh Hi, Bld
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Nystagmus, Rotary
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [2]
[Sign:] Transudate
Number of times reported: [2]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Birth Deffect(s), Feet
Number of times reported: [1]
[Sign:] Birth, Premature
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Cloudy Urine
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Estrus Too Soon
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s)
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Lesion(s), Ringworm
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]

[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-fetus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Rbc, Micro
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]
[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Drug:] Lufenuron
Oral, Dog

[Sign:] Vomiting
Number of times reported: [274]
[Sign:] Depression/lethargy

Number of times reported: [165]
[Sign:] Pruritis
Number of times reported: [143]
[Sign:] Diarrhea
Number of times reported: [141]
[Sign:] Anorexia
Number of times reported: [99]
[Sign:] Urticaria
Number of times reported: [58]
[Sign:] Congestion, Skin
Number of times reported: [51]
[Sign:] Convulsion(s)
Number of times reported: [46]
[Sign:] Alopecia
Number of times reported: [38]
[Sign:] Fever, Body
Number of times reported: [28]
[Sign:] Ataxia
Number of times reported: [20]
[Sign:] Ineffect, Fleas
Number of times reported: [18]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [17]
[Sign:] Rash
Number of times reported: [17]
[Sign:] Wbc Hi, Bld
Number of times reported: [16]
[Sign:] Death
Number of times reported: [15]
[Sign:] Polydipsia
Number of times reported: [14]
[Sign:] Anaphylaxis/toid
Number of times reported: [13]
[Sign:] Diarrhea, Bloody
Number of times reported: [13]
[Sign:] Trembling
Number of times reported: [13]
[Sign:] Skin Disorder
Number of times reported: [12]
[Sign:] Weakness
Number of times reported: [12]
[Sign:] Hypersalivation

Number of times reported: [10]
[Sign:] Polypnea
Number of times reported: [10]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [10]
[Sign:] Swelling, Head/face
Number of times reported: [10]
[Sign:] Bun Hi, Bld
Number of times reported: [9]
[Sign:] Dyspnea
Number of times reported: [9]
[Sign:] Edema, Head/face
Number of times reported: [9]
[Sign:] Inflam, Skin
Number of times reported: [9]
[Sign:] Confusion
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Infection, Skin
Number of times reported: [8]
[Sign:] Polyuria
Number of times reported: [8]
[Sign:] Anemia
Number of times reported: [7]
[Sign:] Apprehension
Number of times reported: [7]
[Sign:] Eye Disorder
Number of times reported: [7]
[Sign:] Lesion(s), Skin
Number of times reported: [7]
[Sign:] Platelets Lo, Bld
Number of times reported: [7]
[Sign:] Polycythemia
Number of times reported: [7]
[Sign:] Weight Loss
Number of times reported: [7]
[Sign:] Creatinine Hi, Bld
Number of times reported: [6]
[Sign:] Dehydration
Number of times reported: [6]
[Sign:] Diarrhea, Severe

Number of times reported: [6]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [6]
[Sign:] Incontinence, Urinary
Number of times reported: [6]
[Sign:] Radiograph(s) Abn
Number of times reported: [6]
[Sign:] Scale(s), Skin
Number of times reported: [6]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [6]
[Sign:] Vomiting, Bloody
Number of times reported: [6]
[Sign:] Aggression
Number of times reported: [5]
[Sign:] Bld, Urine
Number of times reported: [5]
[Sign:] Blindness
Number of times reported: [5]
[Sign:] Collapse
Number of times reported: [5]
[Sign:] Flatulence
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Hyperactivity
Number of times reported: [5]
[Sign:] Ill
Number of times reported: [5]
[Sign:] Shaking
Number of times reported: [5]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Bld, Skin
Number of times reported: [4]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]
[Sign:] Gastritis
Number of times reported: [4]
[Sign:] Lipase Hi, Bld

Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Papule(s)
Number of times reported: [4]
[Sign:] Pustule(s)
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [4]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [4]
[Sign:] Twitch
Number of times reported: [4]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Coagulation Disorder
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Cpk Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Eruption(s)
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Gi, Abnormal
Number of times reported: [3]
[Sign:] Globulin Lo, Bld

Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Infection, Urinary Tra
Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Neoplasm
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Odor
Number of times reported: [3]
[Sign:] Pacing
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pain, Back
Number of times reported: [3]
[Sign:] P Hi, Bld
Number of times reported: [3]
[Sign:] Pica
Number of times reported: [3]
[Sign:] Pruritis, Ear(s)
Number of times reported: [3]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Anuria

Number of times reported: [2]
[Sign:] Arthritis
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Ca Lo, Bld
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Colitis
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Enlargement(s), Skin
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Globulin Hi, Bld
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Hair, Abn Color

Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Monos Hi, Bld
Number of times reported: [2]
[Sign:] Monos Lo, Bld
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Paralysis, All Limbs
Number of times reported: [2]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [2]
[Sign:] Pd-product Defect
Number of times reported: [2]
[Sign:] Polyphagia

Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Seborrhea
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Skin, Dry
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Joint(s)
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] A/g Ratio Hi, Bld
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s), Head/
Number of times reported: [1]
[Sign:] Biting/chewing

Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Ca/p Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Diabetes Mellitus

Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hematochezia

Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s)
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Microoranisms, Urine

Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neoplasm, Mammary
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nocturia
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Periodontal, Abscess
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Phallitis
Number of times reported: [1]
[Sign:] Pneumonia

Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Rupture

Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stool, Mucoid
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Tenesmus
Number of times reported: [1]
[Sign:] Testicle, Abn
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Urination Abn

Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Vomiting, Severe
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Lufenuron
Oral, Ferret

[Sign:] Collapse
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lufenuron
Oral, Human

[Sign:] Nausea
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]

[Drug:] Lufenuron
Oral, Various

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Drug:] Lufenuron
Parenteral, Cat

[Sign:] Depression/lethargy
Number of times reported: [96]
[Sign:] Inj Site Mass
Number of times reported: [95]
[Sign:] Anorexia
Number of times reported: [82]
[Sign:] Inj Site Swelling
Number of times reported: [74]
[Sign:] Vomiting
Number of times reported: [54]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [46]
[Sign:] Fever, Body
Number of times reported: [39]
[Sign:] Inj Site Abscess
Number of times reported: [39]
[Sign:] Inj Site Inflam
Number of times reported: [28]
[Sign:] Inj Site Pain
Number of times reported: [28]
[Sign:] Inj Site Alopecia
Number of times reported: [27]
[Sign:] Diarrhea
Number of times reported: [15]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [15]
[Sign:] Weight Loss
Number of times reported: [14]
[Sign:] Alopecia
Number of times reported: [13]
[Sign:] Inj Site Neoplasm

Number of times reported: [13]
[Sign:] Inj Site Sterile Absce
Number of times reported: [13]
[Sign:] Death
Number of times reported: [12]
[Sign:] Dehydration
Number of times reported: [12]
[Sign:] Inj Site Pruritis
Number of times reported: [12]
[Sign:] Pruritis
Number of times reported: [12]
[Sign:] Anaphylaxis/toid
Number of times reported: [11]
[Sign:] Hiding
Number of times reported: [11]
[Sign:] Ineffect, Fleas
Number of times reported: [10]
[Sign:] Vocalization
Number of times reported: [10]
[Sign:] Skin, Scab(s)
Number of times reported: [9]
[Sign:] Bun Hi, Bld
Number of times reported: [8]
[Sign:] Dyspnea
Number of times reported: [8]
[Sign:] Inj Site Abn
Number of times reported: [8]
[Sign:] Inj Site Edema
Number of times reported: [8]
[Sign:] Creatinine Hi, Bld
Number of times reported: [7]
[Sign:] Wbc Hi, Bld
Number of times reported: [7]
[Sign:] Granuloma
Number of times reported: [6]
[Sign:] Mass, Skin
Number of times reported: [6]
[Sign:] Platelets Lo, Bld
Number of times reported: [6]
[Sign:] Collapse
Number of times reported: [5]
[Sign:] Mydriasis

Number of times reported: [5]
[Sign:] Pain
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [5]
[Sign:] Ulcer(s), Skin
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Behavior Disorder
Number of times reported: [4]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Hypersalivation
Number of times reported: [4]
[Sign:] Inj Site Infect
Number of times reported: [4]
[Sign:] Lesion(s), Skin
Number of times reported: [4]
[Sign:] Polypnea
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Confusion
Number of times reported: [3]
[Sign:] Cpk Hi, Bld
Number of times reported: [3]
[Sign:] Globulin Hi, Bld
Number of times reported: [3]
[Sign:] Glucose Hi, Bld
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Icterus, Body

Number of times reported: [3]
[Sign:] Licking
Number of times reported: [3]
[Sign:] Lymphs Lo, Bld
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Radiograph(s) Abn
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Tech Error Administrat
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Vomiting, Unproductive
Number of times reported: [3]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Enlargement(s)

Number of times reported: [2]
[Sign:] Eosinos Hi, Bld
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Inj Site Necrosis
Number of times reported: [2]
[Sign:] Inj Site Slough
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Neoplasm
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] P Lo, Bld
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pt Prolonged, Bld
Number of times reported: [2]
[Sign:] Segs Lo, Bld

Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Inj Site, Alopecia
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Sepsis
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Irritation

Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mammary, Hyperplasia
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema

Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld

Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vomiting, Severe
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Lufenuron
Parenteral, Dog

[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Lufenuron
Parenteral, Human

[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Nausea

Number of times reported: [1]

[Drug:] Lufenuron
Topical, Cat

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Lufenuron
Topical, Fish

[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Hatching Abn
Number of times reported: [1]

[Drug:] Lufenuron
Topical, Human

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Lufenuron
Unknown, Cat

[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Death
Number of times reported: [2]
[Sign:] Hiding

Number of times reported: [2]
[Sign:] Inj Site Abscess
Number of times reported: [2]
[Sign:] Inj Site Edema
Number of times reported: [2]
[Sign:] Inj Site Mass
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Fleas
Number of times reported: [1]
[Sign:] Infection

Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Lufenuron
Unknown, Human

[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Marbofloxacin
Defect, Not Applicable

[Sign:] Pd-seal, Abn
Number of times reported: [11]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [7]
[Sign:] Pd-cap(s), Abn
Number of times reported: [4]
[Sign:] Pd-container(s), Abn
Number of times reported: [2]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [2]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-label(s), Abn
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-unknown
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Marbofloxacin
Oral, Cat

[Sign:] Anorexia
Number of times reported: [42]
[Sign:] Vomiting
Number of times reported: [37]
[Sign:] Depression/lethargy
Number of times reported: [35]
[Sign:] Blindness

Number of times reported: [28]
[Sign:] Ineffect, Antibiotic
Number of times reported: [27]
[Sign:] Convulsion(s)
Number of times reported: [25]
[Sign:] Death
Number of times reported: [21]
[Sign:] Ataxia
Number of times reported: [19]
[Sign:] Bun Hi, Bld
Number of times reported: [16]
[Sign:] Death(euthanized)
Number of times reported: [16]
[Sign:] Anemia
Number of times reported: [15]
[Sign:] Wbc Hi, Bld
Number of times reported: [13]
[Sign:] Creatinine Hi, Bld
Number of times reported: [11]
[Sign:] Mydriasis
Number of times reported: [11]
[Sign:] Weight Loss
Number of times reported: [11]
[Sign:] Trembling
Number of times reported: [10]
[Sign:] Bld, Urine
Number of times reported: [9]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [9]
[Sign:] Dyspnea
Number of times reported: [8]
[Sign:] Behavior Disorder
Number of times reported: [7]
[Sign:] Diarrhea
Number of times reported: [7]
[Sign:] Platelets Lo, Bld
Number of times reported: [7]
[Sign:] Vocalization
Number of times reported: [7]
[Sign:] Blindness, Temp
Number of times reported: [6]
[Sign:] Congestion, Skin

Number of times reported: [6]
[Sign:] Fever, Body
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [6]
[Sign:] Pupil(s), Areflexia
Number of times reported: [6]
[Sign:] Aggression
Number of times reported: [5]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [5]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Circling
Number of times reported: [5]
[Sign:] Pruritis
Number of times reported: [5]
[Sign:] Retina Abn
Number of times reported: [5]
[Sign:] Twitch
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Biting/chewing
Number of times reported: [4]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Reflex(es) Abn
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Wbc Lo, Bld
Number of times reported: [4]
[Sign:] Adipsia

Number of times reported: [3]
[Sign:] Anisocoria
Number of times reported: [3]
[Sign:] Blindness, Partial
Number of times reported: [3]
[Sign:] Ca Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Glucose, Urine
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Icterus, Body
Number of times reported: [3]
[Sign:] Interaction, Drug(s)
Number of times reported: [3]
[Sign:] Murmur, Heart
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Stranguria
Number of times reported: [3]
[Sign:] Urination Abn
Number of times reported: [3]
[Sign:] Vision Disorder
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Crystals, Urine
Number of times reported: [2]
[Sign:] Cyanosis

Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Eosinos Hi, Bld
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Globulin Hi, Bld
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Horner's Syndrome
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Moribund
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [2]
[Sign:] Paresis
Number of times reported: [2]
[Sign:] P Hi, Bld

Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Proprioceptive Disorde
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Segs Hi, Bld
Number of times reported: [2]
[Sign:] Stomatitis
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld(petechiae)

Number of times reported: [1]
[Sign:] Brain, Neoplasm
Number of times reported: [1]
[Sign:] Breathing, Difficult
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Dissociation
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dysuria

Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Granuloma
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Kidney Failure

Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Microoranisms, Urine
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor

Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [1]
[Sign:] Radiograph(s) Abn

Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Repetitive Movements
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urobilinogen Hi, Urine
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Marbofloxacin
Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [81]
[Sign:] Vomiting
Number of times reported: [81]

[Sign:] Anorexia
Number of times reported: [79]
[Sign:] Ineffect, Antibiotic
Number of times reported: [78]
[Sign:] Lameness
Number of times reported: [38]
[Sign:] Convulsion(s)
Number of times reported: [37]
[Sign:] Ataxia
Number of times reported: [32]
[Sign:] Death
Number of times reported: [28]
[Sign:] Diarrhea
Number of times reported: [26]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [25]
[Sign:] Polydipsia
Number of times reported: [25]
[Sign:] Death(euthanized)
Number of times reported: [21]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [21]
[Sign:] Anemia
Number of times reported: [20]
[Sign:] Trembling
Number of times reported: [20]
[Sign:] Wbc Hi, Bld
Number of times reported: [19]
[Sign:] Polyuria
Number of times reported: [15]
[Sign:] Blindness
Number of times reported: [14]
[Sign:] Fever, Body
Number of times reported: [14]
[Sign:] Bun Hi, Bld
Number of times reported: [13]
[Sign:] Platelets Lo, Bld
Number of times reported: [13]
[Sign:] Weight Loss
Number of times reported: [13]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [12]

[Sign:] Hypersalivation
Number of times reported: [12]
[Sign:] Swelling, Head/face
Number of times reported: [12]
[Sign:] Albumin Lo, Bld
Number of times reported: [10]
[Sign:] Anaphylaxis/toid
Number of times reported: [10]
[Sign:] Creatinine Hi, Bld
Number of times reported: [10]
[Sign:] Urticaria
Number of times reported: [10]
[Sign:] Pruritis
Number of times reported: [8]
[Sign:] Bld, Urine
Number of times reported: [7]
[Sign:] Edema, Head/face
Number of times reported: [7]
[Sign:] Pain
Number of times reported: [7]
[Sign:] Pain, Joint(s)
Number of times reported: [7]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [7]
[Sign:] Polypnea
Number of times reported: [7]
[Sign:] Protein, Urine
Number of times reported: [7]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [7]
[Sign:] Swelling, Joint(s)
Number of times reported: [7]
[Sign:] Weakness
Number of times reported: [7]
[Sign:] Confusion
Number of times reported: [6]
[Sign:] Congestion, Skin
Number of times reported: [6]
[Sign:] Diarrhea, Bloody
Number of times reported: [6]
[Sign:] Dyspnea
Number of times reported: [6]

[Sign:] Glucose Lo, Bld
Number of times reported: [6]
[Sign:] Head Tilt
Number of times reported: [6]
[Sign:] P Hi, Bld
Number of times reported: [6]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [6]
[Sign:] Bld(ecchymoses)
Number of times reported: [5]
[Sign:] Collapse
Number of times reported: [5]
[Sign:] Difficulty Rising
Number of times reported: [5]
[Sign:] Hyperactivity
Number of times reported: [5]
[Sign:] Melena
Number of times reported: [5]
[Sign:] Reluctant To Move
Number of times reported: [5]
[Sign:] Retina Abn
Number of times reported: [5]
[Sign:] Skin, Necrosis
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [5]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Infection, Skin
Number of times reported: [4]
[Sign:] Infection, Urinary Tra
Number of times reported: [4]
[Sign:] Mydriasis
Number of times reported: [4]
[Sign:] Nausea
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Neurological Disorder
Number of times reported: [4]
[Sign:] Nystagmus
Number of times reported: [4]

[Sign:] Segs Hi, Bld
Number of times reported: [4]
[Sign:] Stool Abn
Number of times reported: [4]
[Sign:] Trembling, Face
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Bld(petechiae)
Number of times reported: [3]
[Sign:] Bld, Skin
Number of times reported: [3]
[Sign:] Circling
Number of times reported: [3]
[Sign:] Conjunctivitis
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Diabetes Mellitus
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Distention, Abdomen
Number of times reported: [3]
[Sign:] Glucose Hi, Bld
Number of times reported: [3]
[Sign:] Hepatomegaly
Number of times reported: [3]
[Sign:] Horner's Syndrome
Number of times reported: [3]
[Sign:] Icterus, Body
Number of times reported: [3]
[Sign:] Incontinence, Urinary
Number of times reported: [3]
[Sign:] K Hi, Bld
Number of times reported: [3]

[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Monos Hi, Bld
Number of times reported: [3]
[Sign:] Opacity, Cornea(s)
Number of times reported: [3]
[Sign:] Otitis
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Radiograph(s) Abn
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Reflex(es) Abn
Number of times reported: [3]
[Sign:] Slough, Skin
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Ulcer(s), Skin
Number of times reported: [3]
[Sign:] Us-liver Abn
Number of times reported: [3]
[Sign:] Vision Disorder
Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Wbc Lo, Bld
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Bilirubin, Urine
Number of times reported: [2]

[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Cataract(s)
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Ggt Hi, Bld
Number of times reported: [2]
[Sign:] Glucose, Urine
Number of times reported: [2]
[Sign:] Hypertonia
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Microoranisms, Urine
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [2]
[Sign:] Pain, Neck
Number of times reported: [2]
[Sign:] Peritonitis
Number of times reported: [2]
[Sign:] Photophobia
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pr-mult Sites, Icterus
Number of times reported: [2]
[Sign:] Pupil(s), Areflexia
Number of times reported: [2]
[Sign:] Reluctant To Climb
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]

[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Ana Pos
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Vulva
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fever, Joint(s)
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Ineffect, Seizures
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Iris(bld)
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tendon(s), Lesion(s
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Saliva, Abn
Number of times reported: [1]
[Sign:] Scrotum, Abn
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vaginitis
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Volvulus
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]
[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Marbofloxacin

Oral, Parrot

[Sign:] Anorexia
Number of times reported: [1]

[Drug:] Marbofloxacin
Oral, Rabbit

[Sign:] Death
Number of times reported: [1]

[Drug:] Marbofloxacin
Oral, Unknown

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Marbofloxacin
Oral, Various

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Marbofloxacin
Topical, Dog

[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Marbofloxacin
Unknown, Dog

[Sign:] Nausea
Number of times reported: [1]

[Drug:] Maropitant
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [24]
[Sign:] Pd-solution, Abn

Number of times reported: [15]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [10]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [10]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [8]
[Sign:] Pd-color, Abn
Number of times reported: [5]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [4]
[Sign:] Pd-cap(s), Abn
Number of times reported: [3]
[Sign:] Pd-seal, Abn
Number of times reported: [3]
[Sign:] Pd-container(s), Damag
Number of times reported: [2]
[Sign:] Pd-contamination
Number of times reported: [2]
[Sign:] Pd-label(s), Abn
Number of times reported: [2]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Drug:] Maropitant
Inhalation, Human

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Maropitant
Missing, Cat

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Confusion

Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]

[Drug:] Maropitant
Missing, Dog

[Sign:] Ineffect, Antiemetic
Number of times reported: [3]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Maropitant
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [2]
[Sign:] Bld(hematoma)
Number of times reported: [1]

[Drug:] Maropitant
Oral, Cat

[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Diarrhea
Number of times reported: [5]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Anemia
Number of times reported: [3]
[Sign:] Ineffect, Antiemetic
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Platelets Lo, Bld
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-esophagus, Lesion(s
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protrusion, Tongue
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stricture, Esophagus
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Maropitant
Oral, Dog

[Sign:] Ineffect, Antiemetic
Number of times reported: [80]
[Sign:] Anorexia
Number of times reported: [79]
[Sign:] Depression/lethargy
Number of times reported: [75]
[Sign:] Hypersalivation
Number of times reported: [65]
[Sign:] Vomiting
Number of times reported: [52]
[Sign:] Trembling
Number of times reported: [31]
[Sign:] Ataxia
Number of times reported: [23]
[Sign:] Death
Number of times reported: [23]
[Sign:] Diarrhea
Number of times reported: [18]
[Sign:] Radiograph(s) Abn
Number of times reported: [18]
[Sign:] Death(euthanized)

Number of times reported: [15]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [14]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [11]
[Sign:] Hypomotility
Number of times reported: [11]
[Sign:] Swelling, Head/face
Number of times reported: [11]
[Sign:] Anaphylaxis/toid
Number of times reported: [10]
[Sign:] Convulsion(s)
Number of times reported: [10]
[Sign:] Weight Loss
Number of times reported: [9]
[Sign:] Apprehension
Number of times reported: [8]
[Sign:] Polydipsia
Number of times reported: [8]
[Sign:] Polypnea
Number of times reported: [8]
[Sign:] Sedation
Number of times reported: [8]
[Sign:] Behavior Disorder
Number of times reported: [7]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [7]
[Sign:] Diarrhea, Bloody
Number of times reported: [7]
[Sign:] Lesion(s), Skin
Number of times reported: [7]
[Sign:] Pain, Abdomen
Number of times reported: [7]
[Sign:] Staring
Number of times reported: [7]
[Sign:] Urticaria
Number of times reported: [7]
[Sign:] Weakness
Number of times reported: [7]
[Sign:] Icterus, Body
Number of times reported: [6]
[Sign:] Polyuria

Number of times reported: [6]
[Sign:] Shaking
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Creatinine Hi, Bld
Number of times reported: [5]
[Sign:] Distress
Number of times reported: [5]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [5]
[Sign:] Somnolence
Number of times reported: [5]
[Sign:] Stupor
Number of times reported: [5]
[Sign:] Twitch
Number of times reported: [5]
[Sign:] Wbc Hi, Bld
Number of times reported: [5]
[Sign:] Albumin Lo, Bld
Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Hyperactivity
Number of times reported: [4]
[Sign:] Licking
Number of times reported: [4]
[Sign:] Melena
Number of times reported: [4]
[Sign:] Monos Hi, Bld
Number of times reported: [4]
[Sign:] Nystagmus

Number of times reported: [4]
[Sign:] Pancreatitis
Number of times reported: [4]
[Sign:] P Hi, Bld
Number of times reported: [4]
[Sign:] Platelets Lo, Bld
Number of times reported: [4]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]
[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Us Abn
Number of times reported: [4]
[Sign:] Bld(hematoma)
Number of times reported: [3]
[Sign:] Bun Lo, Bld
Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Eruption(s)
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Inflam, Skin
Number of times reported: [3]
[Sign:] Interaction, Drug(s)
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Neurological Disorder

Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [3]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Anorexia(not Nursing)
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Dilitation, Stomach

Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Glucose, Urine
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Incontinence, Urinary
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Pancreas Disorder
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Saliva, Abn

Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Slough, Skin
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Stool, Mucoid
Number of times reported: [2]
[Sign:] Syncope
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Vomiting, Unproductive
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Bilirubin, Urine

Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Csf Abn

Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Dilitation, Esophagus
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Scrotum
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Erythema, Scrotum
Number of times reported: [1]
[Sign:] Fly Biting

Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hco3 Hi, Bld
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]
[Sign:] Nystagmus, Rotary

Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Perforation, Gi
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-gi, Edema
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Protein, Urine

Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Sperm Abn
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s

Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tenesmus
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]
[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Maropitant
Oral, Human

[Sign:] Dizziness
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Maropitant
Oral, Unknown

[Sign:] Ineffect, Antiemetic
Number of times reported: [1]

[Drug:] Maropitant
Parenteral, Cat

[Sign:] Depression/lethargy
Number of times reported: [26]
[Sign:] Anorexia
Number of times reported: [19]
[Sign:] Inj Site Pain
Number of times reported: [17]
[Sign:] Hypersalivation
Number of times reported: [14]
[Sign:] Death(euthanized)
Number of times reported: [12]
[Sign:] Death
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [10]
[Sign:] Fever, Body
Number of times reported: [9]
[Sign:] Radiograph(s) Abn
Number of times reported: [9]
[Sign:] Hypomotility
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [7]

[Sign:] Diarrhea
Number of times reported: [7]
[Sign:] Recumbency
Number of times reported: [7]
[Sign:] Anemia
Number of times reported: [6]
[Sign:] Convulsion(s)
Number of times reported: [6]
[Sign:] Mydriasis
Number of times reported: [6]
[Sign:] Sedation
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Dehydration
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Hiding
Number of times reported: [5]
[Sign:] Ineffect, Antiemetic
Number of times reported: [5]
[Sign:] Us Abn
Number of times reported: [5]
[Sign:] Vocalization
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] K Lo, Bld
Number of times reported: [4]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]
[Sign:] Wbc Hi, Bld
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Blindness
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Effusion, Pleural
Number of times reported: [3]
[Sign:] Pancreatitis
Number of times reported: [3]
[Sign:] Platelets Lo, Bld
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Wbc Lo, Bld
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bilirubin, Urine
Number of times reported: [2]
[Sign:] Cardiomegaly
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Coagulation Disorder
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]

[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Inj Site Mass
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [2]
[Sign:] P Lo, Bld
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Vomiting, Projectile
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Wbc Abn
Number of times reported: [1]
[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Maropitant
Parenteral, Dog

[Sign:] Inj Site Pain
Number of times reported: [223]
[Sign:] Ineffect, Antiemetic
Number of times reported: [141]
[Sign:] Depression/lethargy
Number of times reported: [124]
[Sign:] Death
Number of times reported: [108]
[Sign:] Anaphylaxis/toid
Number of times reported: [79]
[Sign:] Anorexia
Number of times reported: [77]
[Sign:] Ataxia
Number of times reported: [63]
[Sign:] Convulsion(s)

Number of times reported: [56]
[Sign:] Swelling, Head/face
Number of times reported: [52]
[Sign:] Death(euthanized)
Number of times reported: [49]
[Sign:] Hypersalivation
Number of times reported: [49]
[Sign:] Urticaria
Number of times reported: [38]
[Sign:] Fever, Body
Number of times reported: [36]
[Sign:] Radiograph(s) Abn
Number of times reported: [35]
[Sign:] Trembling
Number of times reported: [35]
[Sign:] Hypomotility
Number of times reported: [33]
[Sign:] Diarrhea
Number of times reported: [30]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [29]
[Sign:] Vocalization
Number of times reported: [29]
[Sign:] Vomiting
Number of times reported: [27]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [26]
[Sign:] Collapse
Number of times reported: [26]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [26]
[Sign:] Wbc Hi, Bld
Number of times reported: [26]
[Sign:] Inj Site Swelling
Number of times reported: [25]
[Sign:] Congestion, Skin
Number of times reported: [23]
[Sign:] Recumbency
Number of times reported: [23]
[Sign:] Dyspnea
Number of times reported: [21]
[Sign:] Wbc Lo, Bld

Number of times reported: [21]
[Sign:] Weakness
Number of times reported: [21]
[Sign:] Anemia
Number of times reported: [20]
[Sign:] Platelets Lo, Bld
Number of times reported: [18]
[Sign:] Unconscious
Number of times reported: [18]
[Sign:] Diarrhea, Bloody
Number of times reported: [16]
[Sign:] Icterus, Body
Number of times reported: [15]
[Sign:] P Hi, Bld
Number of times reported: [15]
[Sign:] Somnolence
Number of times reported: [15]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [15]
[Sign:] Bun Hi, Bld
Number of times reported: [14]
[Sign:] Inj Site Mass
Number of times reported: [14]
[Sign:] Pain, Abdomen
Number of times reported: [14]
[Sign:] Pallor, Mucous Membran
Number of times reported: [14]
[Sign:] Albumin Lo, Bld
Number of times reported: [13]
[Sign:] Bld, Urine
Number of times reported: [13]
[Sign:] Creatinine Hi, Bld
Number of times reported: [13]
[Sign:] Glucose Lo, Bld
Number of times reported: [13]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [13]
[Sign:] Sedation
Number of times reported: [13]
[Sign:] Hypothermia, Body
Number of times reported: [12]
[Sign:] Aggression

Number of times reported: [11]
[Sign:] Interaction, Drug(s)
Number of times reported: [11]
[Sign:] Lesion(s), Skin
Number of times reported: [11]
[Sign:] Polypnea
Number of times reported: [11]
[Sign:] Tachycardia
Number of times reported: [11]
[Sign:] Behavior Disorder
Number of times reported: [10]
[Sign:] Edema, Head/face
Number of times reported: [10]
[Sign:] Head Tilt
Number of times reported: [10]
[Sign:] Inj Site Abn
Number of times reported: [10]
[Sign:] Stupor
Number of times reported: [10]
[Sign:] Confusion
Number of times reported: [9]
[Sign:] Glucose Hi, Bld
Number of times reported: [9]
[Sign:] Melena
Number of times reported: [9]
[Sign:] Na Lo, Bld
Number of times reported: [9]
[Sign:] Pruritis
Number of times reported: [9]
[Sign:] Vasculitis
Number of times reported: [9]
[Sign:] Bradycardia
Number of times reported: [8]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [8]
[Sign:] Inj Site Abscess
Number of times reported: [8]
[Sign:] Inj Site Alopecia
Number of times reported: [8]
[Sign:] Inj Site Inflam
Number of times reported: [8]
[Sign:] Nervousness

Number of times reported: [8]
[Sign:] Pain
Number of times reported: [8]
[Sign:] Shaking
Number of times reported: [8]
[Sign:] Twitch
Number of times reported: [8]
[Sign:] Weight Loss
Number of times reported: [8]
[Sign:] Bld(hematoma)
Number of times reported: [7]
[Sign:] Hyperactivity
Number of times reported: [7]
[Sign:] Inj Site Necrosis
Number of times reported: [7]
[Sign:] Polydipsia
Number of times reported: [7]
[Sign:] Segs Hi, Bld
Number of times reported: [7]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [7]
[Sign:] Vomiting, Bloody
Number of times reported: [7]
[Sign:] Apnea
Number of times reported: [6]
[Sign:] Ca Hi, Bld
Number of times reported: [6]
[Sign:] Chloride Lo, Bld
Number of times reported: [6]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [6]
[Sign:] Distention, Abdomen
Number of times reported: [6]
[Sign:] Glucose, Urine
Number of times reported: [6]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [6]
[Sign:] Inj Site Edema
Number of times reported: [6]
[Sign:] Intussusception
Number of times reported: [6]
[Sign:] K Lo, Bld

Number of times reported: [6]
[Sign:] Lipase Hi, Bld
Number of times reported: [6]
[Sign:] Nystagmus
Number of times reported: [6]
[Sign:] Pancreatitis
Number of times reported: [6]
[Sign:] Polycythemia
Number of times reported: [6]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [6]
[Sign:] Skin, Scab(s)
Number of times reported: [6]
[Sign:] Us Abn
Number of times reported: [6]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Biting/chewing
Number of times reported: [5]
[Sign:] Bld(ecchymoses)
Number of times reported: [5]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Cellulitis
Number of times reported: [5]
[Sign:] Congestion, Mucous Mem
Number of times reported: [5]
[Sign:] Conjunctivitis
Number of times reported: [5]
[Sign:] Inj Site Bld
Number of times reported: [5]
[Sign:] Lameness
Number of times reported: [5]
[Sign:] Monos Hi, Bld
Number of times reported: [5]
[Sign:] Nausea
Number of times reported: [5]
[Sign:] Pacing
Number of times reported: [5]
[Sign:] Polyuria
Number of times reported: [5]
[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [5]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [5]
[Sign:] Proprioceptive Disorde
Number of times reported: [5]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [5]
[Sign:] Pulse Thready
Number of times reported: [5]
[Sign:] Swelling, Limb(s)
Number of times reported: [5]
[Sign:] Adipsia
Number of times reported: [4]
[Sign:] Amylase Hi, Bld
Number of times reported: [4]
[Sign:] Apprehension
Number of times reported: [4]
[Sign:] Bilirubin, Urine
Number of times reported: [4]
[Sign:] Bld(petechiae)
Number of times reported: [4]
[Sign:] Breathing Abn
Number of times reported: [4]
[Sign:] Circling
Number of times reported: [4]
[Sign:] Coagulation Disorder
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Discharge, Nose
Number of times reported: [4]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [4]
[Sign:] Gall Bladder, Abn
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Inflam, Skin
Number of times reported: [4]
[Sign:] Inj Site Pruritis
Number of times reported: [4]
[Sign:] K Hi, Bld

Number of times reported: [4]
[Sign:] Mydriasis
Number of times reported: [4]
[Sign:] Neurological Disorder
Number of times reported: [4]
[Sign:] Pressure Lo, Bld
Number of times reported: [4]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [4]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [4]
[Sign:] Staring
Number of times reported: [4]
[Sign:] Trembling, Face
Number of times reported: [4]
[Sign:] Vestibular Disorder
Number of times reported: [4]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]
[Sign:] Bld
Number of times reported: [3]
[Sign:] Blindness
Number of times reported: [3]
[Sign:] Blindness, Temp
Number of times reported: [3]
[Sign:] Ca Lo, Bld
Number of times reported: [3]
[Sign:] Capillary Refill Prolo
Number of times reported: [3]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [3]
[Sign:] Crystals, Urine
Number of times reported: [3]
[Sign:] Diarrhea, Watery
Number of times reported: [3]
[Sign:] Edema, Limb(s)
Number of times reported: [3]
[Sign:] Eosinos Hi, Bld
Number of times reported: [3]
[Sign:] Ggt Hi, Bld

Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Hematochezia
Number of times reported: [3]
[Sign:] Inj Site Seroma
Number of times reported: [3]
[Sign:] Ketones, Urine
Number of times reported: [3]
[Sign:] Licking
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Locomotion Disorder
Number of times reported: [3]
[Sign:] Pain, Back
Number of times reported: [3]
[Sign:] Pain, Brisket/chest
Number of times reported: [3]
[Sign:] Pain, Neck
Number of times reported: [3]
[Sign:] Pancytopenia
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-lung(s), Edema
Number of times reported: [3]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [3]
[Sign:] Protein, Urine
Number of times reported: [3]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [3]
[Sign:] Pt Prolonged, Bld
Number of times reported: [3]
[Sign:] Pupil(s), Areflexia

Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Skin, Necrosis
Number of times reported: [3]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [3]
[Sign:] Swelling, Brisket/ches
Number of times reported: [3]
[Sign:] Swelling, Ear(s)
Number of times reported: [3]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ulcer(s), Skin
Number of times reported: [3]
[Sign:] Urination Abn
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [2]
[Sign:] Colon, Abn
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Diarrhea, Severe
Number of times reported: [2]
[Sign:] Dilitation, Stomach

Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Enlargement(s), Skin
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Fly Biting
Number of times reported: [2]
[Sign:] Gastroenteritis
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Hepatomegaly
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hypermotility
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Icterus, Serum
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Incontinence, Urinary
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] Inj Site Effusion
Number of times reported: [2]
[Sign:] Inj Site Slough
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Murmur, Heart

Number of times reported: [2]
[Sign:] Myositis
Number of times reported: [2]
[Sign:] Neuropathy
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Paralysis
Number of times reported: [2]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]
[Sign:] Paresis
Number of times reported: [2]
[Sign:] Pd-odor, Abn
Number of times reported: [2]
[Sign:] Peritonitis
Number of times reported: [2]
[Sign:] P Lo, Bld
Number of times reported: [2]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [2]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pustule(s)
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Saliva, Abn
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory

Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Stiffness, Front Limb(
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Syncope
Number of times reported: [2]
[Sign:] Tachycardia, Ventricul
Number of times reported: [2]
[Sign:] Tech Error Administrat
Number of times reported: [2]
[Sign:] Tenesmus, Urinary
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Birth, Premature

Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Passing
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld(purpura)
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Projectile

Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Edema, Sclera
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fibrillation, Atrial
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hco3 Hi, Bld
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Heart Failure

Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inj Site Fibrosis
Number of times reported: [1]
[Sign:] Inj Site Hair, Abn
Number of times reported: [1]
[Sign:] Inj Site Induration
Number of times reported: [1]
[Sign:] Inj Site Sterile Absce
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Labor, Premature
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Miosis

Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Nose, Inflammation
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Platelets Hi, Bld

Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-ascites
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face

Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Stool, Mucoid
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Adm Site
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Mult Sites
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Swelling, Ventrum
Number of times reported: [1]
[Sign:] Tears, Abn
Number of times reported: [1]
[Sign:] Tenesmus
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Transudate
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s), Pharynx/thro
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]

[Drug:] Maropitant
Parenteral, Human

[Sign:] Inj Site Pain
Number of times reported: [6]
[Sign:] Bld(hematoma)
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Hypoesthesia
Number of times reported: [3]
[Sign:] Inj Site Abn
Number of times reported: [3]
[Sign:] Inj Site Swelling
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]

[Drug:] Maropitant
Topical, Human

[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]

[Drug:] Maropitant
Unknown, Cat

[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ineffect, Antiemetic
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Protrusion, Tongue
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Maropitant
Unknown, Dog

[Sign:] Ineffect, Antiemetic
Number of times reported: [13]
[Sign:] Inj Site Pain
Number of times reported: [7]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Death

Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation Abn

Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sedation Prolonged

Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Maropitant
Unknown, Human

[Sign:] Inj Site Swelling
Number of times reported: [2]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Maropitant
Various, Dog

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Ineffect, Antiemetic
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Mastinib
Oral, Dog

[Sign:] Albumin Lo, Bld
Number of times reported: [11]
[Sign:] Anemia
Number of times reported: [10]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Protein, Urine
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Vomiting
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Diarrhea

Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Mebendazole
Oral, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Mebendazole
Oral, Dog

[Sign:] Vomiting
Number of times reported: [19]

[Sign:] Anorexia
Number of times reported: [12]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [12]
[Sign:] Death
Number of times reported: [11]
[Sign:] Depression/lethargy
Number of times reported: [10]
[Sign:] Icterus, Body
Number of times reported: [8]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [7]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Diarrhea
Number of times reported: [5]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [5]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Mebendazole
Oral, Horse

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]

[Drug:] Mebendazole
Oral, Human

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Human Exposure
Number of times reported: [1]
[Sign:] Human Exposure, Ingest
Number of times reported: [1]

[Drug:] Mebendazole
Unknown, Dog

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Mebendazole, Trichlorfon
Oral, Dog

[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Tox, Op
Number of times reported: [1]

[Drug:] Mebendazole, Trichlorfon
Oral, Horse

[Sign:] Pain, Abdomen
Number of times reported: [56]
[Sign:] Diarrhea
Number of times reported: [27]
[Sign:] Anorexia
Number of times reported: [13]
[Sign:] Hypersalivation
Number of times reported: [11]
[Sign:] Depression/lethargy
Number of times reported: [9]
[Sign:] Death
Number of times reported: [6]
[Sign:] Diarrhea, Severe
Number of times reported: [5]

[Sign:] Rolling
Number of times reported: [4]
[Sign:] Discomfort, Mouth/lip(
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Sweating
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Kicking
Number of times reported: [2]
[Sign:] Swelling, Tongue
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Anorexia(not Nursing)
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Ineffect, Bots
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Drug:] Meclizine
Oral, Rabbit

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]

[Drug:] Meclofenamic Acid
Defect, Not Applicable

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Drug:] Meclofenamic Acid
Missing, Dog

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]

[Drug:] Meclofenamic Acid
Oral, Cat

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]

[Drug:] Meclofenamic Acid
Oral, Dog

[Sign:] Vomiting
Number of times reported: [30]
[Sign:] Diarrhea, Bloody
Number of times reported: [22]
[Sign:] Anorexia
Number of times reported: [16]
[Sign:] Diarrhea
Number of times reported: [14]
[Sign:] Death
Number of times reported: [13]
[Sign:] Hematochezia
Number of times reported: [11]
[Sign:] Platelets Lo, Bld
Number of times reported: [9]
[Sign:] Depression/lethargy
Number of times reported: [8]
[Sign:] Melena
Number of times reported: [7]

[Sign:] Anemia
Number of times reported: [6]
[Sign:] Gastroenteritis
Number of times reported: [6]
[Sign:] Epistaxis
Number of times reported: [4]
[Sign:] Vomiting, Bloody
Number of times reported: [4]
[Sign:] Bld(ecchymoses)
Number of times reported: [3]
[Sign:] Coagulation Disorder
Number of times reported: [3]
[Sign:] Diarrhea, Severe
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Medetomidine
Defect, Not Applicable

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [5]
[Sign:] Pd-solution, Abn
Number of times reported: [4]
[Sign:] Pd-missing, Label(s)
Number of times reported: [2]
[Sign:] Pd-unknown
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Medetomidine
Missing, Cat

[Sign:] Interaction, Drug(s)
Number of times reported: [4]
[Sign:] Death

Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Ineffect, Sedation
Number of times reported: [2]
[Sign:] Sedation Prolonged
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Drug:] Medetomidine
Missing, Dog

[Sign:] Ineffect, Sedation
Number of times reported: [8]
[Sign:] Death
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Sedation Prolonged
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Medetomidine
Not Applicable, Cat

[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Medetomidine
Not Applicable, Dog

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Drug:] Medetomidine
Ophthalmic, Human

[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]

[Drug:] Medetomidine
Oral, Dog

[Sign:] Death
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Sedation Relapse
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Medetomidine
Oral, Human

[Sign:] Dizziness
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Cat

[Sign:] Death
Number of times reported: [60]
[Sign:] Arrest, Heart
Number of times reported: [29]
[Sign:] Apnea
Number of times reported: [27]
[Sign:] Vomiting
Number of times reported: [21]
[Sign:] Depression/lethargy
Number of times reported: [20]

[Sign:] Hypersalivation
Number of times reported: [20]
[Sign:] Ineffect, Sedation
Number of times reported: [20]
[Sign:] Anorexia
Number of times reported: [19]
[Sign:] Sedation Prolonged
Number of times reported: [19]
[Sign:] Ataxia
Number of times reported: [16]
[Sign:] Dyspnea
Number of times reported: [16]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [16]
[Sign:] Interaction, Drug(s)
Number of times reported: [15]
[Sign:] Convulsion(s)
Number of times reported: [14]
[Sign:] Cyanosis
Number of times reported: [12]
[Sign:] Hyperpnea
Number of times reported: [12]
[Sign:] Glucose Hi, Bld
Number of times reported: [11]
[Sign:] Hypothermia, Body
Number of times reported: [10]
[Sign:] Vocalization
Number of times reported: [10]
[Sign:] Anesth Recov Prolonged
Number of times reported: [9]
[Sign:] Anaphylaxis/toid
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Dehydration
Number of times reported: [7]
[Sign:] Mydriasis
Number of times reported: [7]
[Sign:] Polypnea
Number of times reported: [7]
[Sign:] Tachycardia
Number of times reported: [7]

[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Distress, Resp
Number of times reported: [6]
[Sign:] Fever, Body
Number of times reported: [6]
[Sign:] Pr-lung(s), Edema
Number of times reported: [6]
[Sign:] Anisocoria
Number of times reported: [5]
[Sign:] Bradycardia
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Hyperactivity
Number of times reported: [5]
[Sign:] Nystagmus
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Unconscious
Number of times reported: [5]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [4]
[Sign:] Alopecia
Number of times reported: [4]
[Sign:] Apprehension
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Blindness
Number of times reported: [4]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [4]
[Sign:] Congestion, Lung(s)
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]
[Sign:] Deafness
Number of times reported: [4]

[Sign:] Hypothermia
Number of times reported: [4]
[Sign:] Murmur, Heart
Number of times reported: [4]
[Sign:] Pallor
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Anesth Recov Turbulent
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [3]
[Sign:] Edema, Head/face
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Horner's Syndrome
Number of times reported: [3]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Sound Abn, Respiratory
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Vestibular Disorder
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Blindness, Partial
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Effusion
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Glucose, Urine
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Heart Failure
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Infection, Skin
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Opisthotonos
Number of times reported: [2]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [2]
[Sign:] Pr-pleural Effusion
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Circulatory Disorder
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fibrillation
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Incision Site Infection
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Cougar

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Dog

[Sign:] Ineffect, Sedation
Number of times reported: [446]
[Sign:] Death
Number of times reported: [242]

[Sign:] Bradycardia
Number of times reported: [123]
[Sign:] Sedation Prolonged
Number of times reported: [114]
[Sign:] Arrest, Heart
Number of times reported: [110]
[Sign:] Apnea
Number of times reported: [94]
[Sign:] Vomiting
Number of times reported: [86]
[Sign:] Convulsion(s)
Number of times reported: [83]
[Sign:] Depression/lethargy
Number of times reported: [56]
[Sign:] Interaction, Drug(s)
Number of times reported: [54]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [48]
[Sign:] Fever, Body
Number of times reported: [44]
[Sign:] Anorexia
Number of times reported: [42]
[Sign:] Collapse
Number of times reported: [41]
[Sign:] Hyperactivity
Number of times reported: [35]
[Sign:] Dyspnea
Number of times reported: [32]
[Sign:] Cyanosis
Number of times reported: [31]
[Sign:] Aggression
Number of times reported: [29]
[Sign:] Ataxia
Number of times reported: [29]
[Sign:] Anesth Recov Prolonged
Number of times reported: [28]
[Sign:] Pallor, Mucous Membran
Number of times reported: [28]
[Sign:] Vocalization
Number of times reported: [25]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [24]

[Sign:] Tachycardia
Number of times reported: [24]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [22]
[Sign:] Sedation Relapse
Number of times reported: [21]
[Sign:] Anaphylaxis/toid
Number of times reported: [20]
[Sign:] Arrhythmia
Number of times reported: [20]
[Sign:] Hypersalivation
Number of times reported: [20]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [18]
[Sign:] Confusion
Number of times reported: [17]
[Sign:] Death(euthanized)
Number of times reported: [17]
[Sign:] Trembling
Number of times reported: [17]
[Sign:] Hypothermia, Body
Number of times reported: [16]
[Sign:] Polypnea
Number of times reported: [15]
[Sign:] Hyperpnea
Number of times reported: [14]
[Sign:] Recumbency
Number of times reported: [14]
[Sign:] Sedation Too Deep
Number of times reported: [14]
[Sign:] Diarrhea
Number of times reported: [13]
[Sign:] Hypopnea
Number of times reported: [13]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [13]
[Sign:] Mydriasis
Number of times reported: [12]
[Sign:] Radiograph(s) Abn
Number of times reported: [12]
[Sign:] Twitch
Number of times reported: [12]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [11]
[Sign:] Coughing
Number of times reported: [11]
[Sign:] Epistaxis
Number of times reported: [11]
[Sign:] Vomiting, Bloody
Number of times reported: [11]
[Sign:] Arrhythmia, Block
Number of times reported: [10]
[Sign:] Nystagmus
Number of times reported: [10]
[Sign:] Urticaria
Number of times reported: [10]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [9]
[Sign:] Blindness
Number of times reported: [9]
[Sign:] Bun Hi, Bld
Number of times reported: [9]
[Sign:] Congestion, Lung(s)
Number of times reported: [9]
[Sign:] Deafness
Number of times reported: [9]
[Sign:] Glucose Hi, Bld
Number of times reported: [9]
[Sign:] Ineffect, Anesthesia
Number of times reported: [9]
[Sign:] Nervousness
Number of times reported: [9]
[Sign:] Pallor
Number of times reported: [9]
[Sign:] Unconscious
Number of times reported: [9]
[Sign:] Weakness
Number of times reported: [9]
[Sign:] Incontinence, Urinary
Number of times reported: [8]
[Sign:] Pr-lung(s), Edema
Number of times reported: [8]
[Sign:] Anesth Recov Turbulent
Number of times reported: [7]

[Sign:] Creatinine Hi, Bld
Number of times reported: [7]
[Sign:] Murmur, Heart
Number of times reported: [7]
[Sign:] Pressure Hi, Bld
Number of times reported: [7]
[Sign:] Pressure Lo, Bld
Number of times reported: [7]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [7]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [7]
[Sign:] Sedation Delayed
Number of times reported: [7]
[Sign:] Shock
Number of times reported: [7]
[Sign:] Thrashing/paddling
Number of times reported: [7]
[Sign:] Wbc Hi, Bld
Number of times reported: [7]
[Sign:] Defecation
Number of times reported: [6]
[Sign:] Edema, Head/face
Number of times reported: [6]
[Sign:] Hypothermia
Number of times reported: [6]
[Sign:] Platelets Lo, Bld
Number of times reported: [6]
[Sign:] Sound Abn, Respiratory
Number of times reported: [6]
[Sign:] Urination
Number of times reported: [6]
[Sign:] Blindness, Temp
Number of times reported: [5]
[Sign:] Circling
Number of times reported: [5]
[Sign:] Dehydration
Number of times reported: [5]
[Sign:] Diarrhea, Bloody
Number of times reported: [5]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]

[Sign:] Glucose Lo, Bld
Number of times reported: [5]
[Sign:] Neurological Disorder
Number of times reported: [5]
[Sign:] P Hi, Bld
Number of times reported: [5]
[Sign:] Polyuria
Number of times reported: [5]
[Sign:] Pruritis
Number of times reported: [5]
[Sign:] Spasm
Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [5]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Apprehension
Number of times reported: [4]
[Sign:] Biting/chewing
Number of times reported: [4]
[Sign:] Coagulation Disorder
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]
[Sign:] Discharge, Nose
Number of times reported: [4]
[Sign:] Distress, Resp
Number of times reported: [4]
[Sign:] Icterus, Body
Number of times reported: [4]
[Sign:] Ineffect, Analgesia
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Melena
Number of times reported: [4]
[Sign:] Miosis
Number of times reported: [4]
[Sign:] Mucous Membr, Muddy
Number of times reported: [4]
[Sign:] Opisthotonos
Number of times reported: [4]

[Sign:] Polycythemia
Number of times reported: [4]
[Sign:] Polydipsia
Number of times reported: [4]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [4]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [4]
[Sign:] Sedation
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Anesth Too Deep
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Capillary Refill Prolo
Number of times reported: [3]
[Sign:] Cardiomegaly
Number of times reported: [3]
[Sign:] Ecg Abn
Number of times reported: [3]
[Sign:] Eye Disorder
Number of times reported: [3]
[Sign:] Fibrillation, Ventricu
Number of times reported: [3]
[Sign:] Froth, Nose
Number of times reported: [3]
[Sign:] Head Bobbing
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Heart Disorder
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]

[Sign:] Ineffect, Reversal
Number of times reported: [3]
[Sign:] Inj Site Edema
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Pacing
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pneumonia, Aspiration
Number of times reported: [3]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Pupil(s), Areflexia
Number of times reported: [3]
[Sign:] Sedation Too Brief
Number of times reported: [3]
[Sign:] Somnolence
Number of times reported: [3]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [3]
[Sign:] Tachycardia, Ventricul
Number of times reported: [3]
[Sign:] Us Abn
Number of times reported: [3]
[Sign:] Volvulus, Stomach
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Azotemia
Number of times reported: [2]
[Sign:] Bld, Abdomen
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [2]
[Sign:] Bld(petechiae)
Number of times reported: [2]

[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Blepharospasm
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Breathing, Periodic
Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Congestion
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Diarrhea, Mucoid
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Ineffect, Antidote
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Moribund
Number of times reported: [2]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pt Prolonged, Bld
Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Segs Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Vomiting, Unproductive
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Retina
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Scrotum
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]

[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Tongue
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Fibrillation
Number of times reported: [1]
[Sign:] Fibrillation, Atrial
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Froth
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Ineffect, Euthanasia
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Iris(bld)
Number of times reported: [1]
[Sign:] Iris, Inflam
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Pr-ascites
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]

[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]

[Sign:] Volvulus
Number of times reported: [1]
[Sign:] Vomiting, Severe
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Horse

[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Human

[Sign:] Hypoesthesia
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Monkey

[Sign:] Apnea

Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Death
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Other

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Pig

[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Rabbit

[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Rat

[Sign:] Death
Number of times reported: [1]

[Drug:] Medetomidine
Parenteral, Various

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Cat

[Sign:] Death
Number of times reported: [19]
[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Arrest, Heart
Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Ineffect, Sedation
Number of times reported: [4]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Pressure Lo, Bld
Number of times reported: [3]
[Sign:] Sedation Prolonged
Number of times reported: [3]
[Sign:] Vocalization

Number of times reported: [3]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Eosinos Hi, Bld
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Fibrillation
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] P Hi, Bld

Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Sedation Relapse
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Dog

[Sign:] Ineffect, Sedation
Number of times reported: [53]

[Sign:] Death
Number of times reported: [29]
[Sign:] Bradycardia
Number of times reported: [23]
[Sign:] Vomiting
Number of times reported: [16]
[Sign:] Depression/lethargy
Number of times reported: [15]
[Sign:] Arrest, Heart
Number of times reported: [11]
[Sign:] Convulsion(s)
Number of times reported: [11]
[Sign:] Sedation Prolonged
Number of times reported: [11]
[Sign:] Apnea
Number of times reported: [10]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [10]
[Sign:] Anorexia
Number of times reported: [8]
[Sign:] Pallor, Mucous Membran
Number of times reported: [8]
[Sign:] Ineffect, Anesthesia
Number of times reported: [7]
[Sign:] Tachycardia
Number of times reported: [7]
[Sign:] Anesth Recov Prolonged
Number of times reported: [6]
[Sign:] Aggression
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Cyanosis
Number of times reported: [5]
[Sign:] Diarrhea, Bloody
Number of times reported: [5]
[Sign:] Dyspnea
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Hypopnea
Number of times reported: [4]

[Sign:] Polypnea
Number of times reported: [4]
[Sign:] Pressure Lo, Bld
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Anesth Recov Turbulent
Number of times reported: [3]
[Sign:] Biting/chewing
Number of times reported: [3]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hypothermia
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Arrhythmia, Block
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Sedation Relapse
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Scrotum
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Volvulus, Stomach
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Human

[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Headache

Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Suicide Attempt
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Pig

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Rat

[Sign:] Death
Number of times reported: [1]

[Drug:] Medetomidine
Unknown, Sheep

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Drug:] Medetomidine
Various, Dog

[Sign:] Ineffect, Sedation
Number of times reported: [27]
[Sign:] Death
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arrest, Heart

Number of times reported: [2]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]

[Drug:] Medetomidine
Various, Human

[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Medetomidine
Various, Various

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Medroxyprogesterone
Missing, Horse

[Sign:] Death
Number of times reported: [1]
[Sign:] Pr-whole Body, Lesion(s)
Number of times reported: [1]

[Drug:] Medroxyprogesterone
Parenteral, Cat

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Megestrol
Oral, Cat

[Sign:] Diabetes Mellitus
Number of times reported: [14]
[Sign:] Neoplasm, Mammary
Number of times reported: [5]
[Sign:] Polydipsia
Number of times reported: [5]
[Sign:] Polyuria
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]

[Sign:] Glucose, Urine
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Neoplasm
Number of times reported: [2]
[Sign:] Opacity, Cornea(s)
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Dilitation, Esophagus
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Mammary, Hyperplasia
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Wbc Abn
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Increase
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Megestrol
Oral, Dog

[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]
[Sign:] Ineffect, Estrus Suppr
Number of times reported: [1]

[Drug:] Megestrol
Oral, Unknown

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Melarsomine
Defect, Not Applicable

[Sign:] Pd-vial(s), Damaged
Number of times reported: [88]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [66]
[Sign:] Pd-underfill, Package
Number of times reported: [24]
[Sign:] Pd-vial(s), Abn
Number of times reported: [23]
[Sign:] Pd-solution, Abn
Number of times reported: [22]
[Sign:] Pd-container(s), Damag
Number of times reported: [13]

[Sign:] Pd-product Defect
Number of times reported: [12]
[Sign:] Pd-seal, Abn
Number of times reported: [11]
[Sign:] Pd-cap(s), Abn
Number of times reported: [10]
[Sign:] Pd-color, Abn
Number of times reported: [8]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [5]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [4]
[Sign:] Pd-missing, Cap
Number of times reported: [4]
[Sign:] Pd-container(s), Abn
Number of times reported: [3]
[Sign:] Pd-contamination
Number of times reported: [3]
[Sign:] Pd-label(s), Abn
Number of times reported: [3]
[Sign:] Pd-missing, Label(s)
Number of times reported: [3]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [1]

[Drug:] Melarsomine
Intrauterine, Dog

[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Birth Weight Lo

Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Melarsomine
Missing, Dog

[Sign:] Ineffect, Hw Adults
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [3]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ineffect, Hw Microfila
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Melarsomine
Not Applicable, Dog

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]

[Drug:] Melarsomine
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [13]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [2]

[Drug:] Melarsomine
Oral, Dog

[Sign:] Ineffect, Hw Adults
Number of times reported: [27]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Fever, Body
Number of times reported: [6]
[Sign:] Inj Site Swelling
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Inj Site Pain

Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Death
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bun Hi, Bld

Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pain, Spinal

Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Melarsomine
Oral, Human

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

[Drug:] Melarsomine
Parenteral, Cat

[Sign:] Death
Number of times reported: [4]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Distress, Resp

Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]

[Drug:] Melarsomine
Parenteral, Dog

[Sign:] Ineffect, Hw Adults
Number of times reported: [1,684]
[Sign:] Vomiting
Number of times reported: [1,025]
[Sign:] Inj Site Swelling
Number of times reported: [945]
[Sign:] Depression/lethargy
Number of times reported: [930]
[Sign:] Anorexia
Number of times reported: [814]
[Sign:] Polypnea
Number of times reported: [657]
[Sign:] Fever, Body
Number of times reported: [569]
[Sign:] Inj Site Pain
Number of times reported: [561]
[Sign:] Death
Number of times reported: [549]
[Sign:] Hypersalivation
Number of times reported: [491]
[Sign:] Coughing
Number of times reported: [430]
[Sign:] Pain
Number of times reported: [400]
[Sign:] Diarrhea
Number of times reported: [359]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [348]

[Sign:] Dyspnea
Number of times reported: [346]
[Sign:] Diarrhea, Bloody
Number of times reported: [320]
[Sign:] Ataxia
Number of times reported: [299]
[Sign:] Collapse
Number of times reported: [274]
[Sign:] Inj Site Mass
Number of times reported: [256]
[Sign:] Anaphylaxis/toid
Number of times reported: [248]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [197]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [191]
[Sign:] Nervousness
Number of times reported: [189]
[Sign:] Wbc Hi, Bld
Number of times reported: [187]
[Sign:] Vocalization
Number of times reported: [181]
[Sign:] Anemia
Number of times reported: [180]
[Sign:] Recumbency
Number of times reported: [177]
[Sign:] Weight Loss
Number of times reported: [175]
[Sign:] Convulsion(s)
Number of times reported: [164]
[Sign:] Weakness
Number of times reported: [142]
[Sign:] Swelling, Head/face
Number of times reported: [140]
[Sign:] Tachycardia
Number of times reported: [138]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [137]
[Sign:] Discomfort
Number of times reported: [135]
[Sign:] Vomiting, Bloody
Number of times reported: [129]

[Sign:] Pallor, Mucous Membran
Number of times reported: [128]
[Sign:] Bun Hi, Bld
Number of times reported: [127]
[Sign:] Trembling
Number of times reported: [127]
[Sign:] Urticaria
Number of times reported: [115]
[Sign:] Hyperpnea
Number of times reported: [107]
[Sign:] Lameness
Number of times reported: [107]
[Sign:] Bld, Urine
Number of times reported: [99]
[Sign:] Creatinine Hi, Bld
Number of times reported: [99]
[Sign:] Shock
Number of times reported: [95]
[Sign:] Death(euthanized)
Number of times reported: [94]
[Sign:] Proprioceptive Disorde
Number of times reported: [94]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [92]
[Sign:] Platelets Lo, Bld
Number of times reported: [89]
[Sign:] Edema, Head/face
Number of times reported: [88]
[Sign:] Inj Site Seroma
Number of times reported: [86]
[Sign:] Radiograph(s) Abn
Number of times reported: [84]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [78]
[Sign:] Reluctant To Move
Number of times reported: [77]
[Sign:] Shaking
Number of times reported: [77]
[Sign:] Defecation
Number of times reported: [76]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [75]

[Sign:] Inj Site Inflam
Number of times reported: [72]
[Sign:] Polydipsia
Number of times reported: [70]
[Sign:] Distress, Resp
Number of times reported: [64]
[Sign:] Inj Site Abscess
Number of times reported: [64]
[Sign:] Pallor
Number of times reported: [63]
[Sign:] Dehydration
Number of times reported: [61]
[Sign:] Icterus, Body
Number of times reported: [61]
[Sign:] Sound Abn, Respiratory
Number of times reported: [61]
[Sign:] Distress
Number of times reported: [58]
[Sign:] Epistaxis
Number of times reported: [58]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [57]
[Sign:] Cyanosis
Number of times reported: [56]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [54]
[Sign:] Congestion, Skin
Number of times reported: [53]
[Sign:] Enlargement(s)
Number of times reported: [53]
[Sign:] Segs Hi, Bld
Number of times reported: [53]
[Sign:] Pain, Abdomen
Number of times reported: [52]
[Sign:] Congestion, Lung(s)
Number of times reported: [51]
[Sign:] Pacing
Number of times reported: [50]
[Sign:] Apprehension
Number of times reported: [48]
[Sign:] Pain, Back
Number of times reported: [47]

[Sign:] P Hi, Bld
Number of times reported: [47]
[Sign:] Incontinence, Urinary
Number of times reported: [46]
[Sign:] Diarrhea, Mild
Number of times reported: [45]
[Sign:] Head Tilt
Number of times reported: [44]
[Sign:] Hematochezia
Number of times reported: [44]
[Sign:] Neurological Disorder
Number of times reported: [44]
[Sign:] Polyuria
Number of times reported: [44]
[Sign:] Adipsia
Number of times reported: [43]
[Sign:] Confusion
Number of times reported: [43]
[Sign:] Gagging
Number of times reported: [43]
[Sign:] Pruritis
Number of times reported: [42]
[Sign:] Albumin Lo, Bld
Number of times reported: [41]
[Sign:] Hyperactivity
Number of times reported: [41]
[Sign:] Glucose Hi, Bld
Number of times reported: [40]
[Sign:] Alopecia
Number of times reported: [38]
[Sign:] Difficulty Rising
Number of times reported: [38]
[Sign:] Murmur, Heart
Number of times reported: [36]
[Sign:] Urination
Number of times reported: [36]
[Sign:] Inj Site Induration
Number of times reported: [35]
[Sign:] Melena
Number of times reported: [35]
[Sign:] Staggering
Number of times reported: [35]

[Sign:] Amylase Hi, Bld
Number of times reported: [34]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [34]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [34]
[Sign:] Hypothermia
Number of times reported: [33]
[Sign:] Abn Color, Urine
Number of times reported: [32]
[Sign:] Blindness
Number of times reported: [32]
[Sign:] Inj Site Abn
Number of times reported: [32]
[Sign:] Biting/chewing
Number of times reported: [31]
[Sign:] Hypothermia, Body
Number of times reported: [31]
[Sign:] Stupor
Number of times reported: [31]
[Sign:] Wbc Lo, Bld
Number of times reported: [31]
[Sign:] Stiffness
Number of times reported: [30]
[Sign:] Unconscious
Number of times reported: [29]
[Sign:] Nystagmus
Number of times reported: [28]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [27]
[Sign:] Bradycardia
Number of times reported: [27]
[Sign:] Locomotion Disorder
Number of times reported: [27]
[Sign:] Paresis
Number of times reported: [27]
[Sign:] Polycythemia(relative)
Number of times reported: [27]
[Sign:] Pulse Thready
Number of times reported: [27]
[Sign:] Aggression
Number of times reported: [26]

[Sign:] Embolus
Number of times reported: [26]
[Sign:] Mydriasis
Number of times reported: [26]
[Sign:] Polycythemia
Number of times reported: [26]
[Sign:] Globulin Hi, Bld
Number of times reported: [25]
[Sign:] Icterus
Number of times reported: [25]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [25]
[Sign:] Twitch
Number of times reported: [25]
[Sign:] Wheezing
Number of times reported: [25]
[Sign:] Ggt Hi, Bld
Number of times reported: [24]
[Sign:] Ascites
Number of times reported: [23]
[Sign:] Diarrhea, Severe
Number of times reported: [23]
[Sign:] Lipase Hi, Bld
Number of times reported: [23]
[Sign:] Miosis
Number of times reported: [23]
[Sign:] Nausea
Number of times reported: [22]
[Sign:] Reflex(es) Abn
Number of times reported: [22]
[Sign:] Syncope
Number of times reported: [22]
[Sign:] Bld(petechiae)
Number of times reported: [21]
[Sign:] Coagulation Disorder
Number of times reported: [21]
[Sign:] Distention, Abdomen
Number of times reported: [21]
[Sign:] Enlargement(s), Skin
Number of times reported: [21]
[Sign:] Swelling
Number of times reported: [21]

[Sign:] Bilirubin, Urine
Number of times reported: [20]
[Sign:] Discharge, Nose
Number of times reported: [20]
[Sign:] Paralysis
Number of times reported: [20]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [20]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [20]
[Sign:] Arrest, Heart
Number of times reported: [19]
[Sign:] Behavior Disorder
Number of times reported: [19]
[Sign:] Capillary Refill Prolo
Number of times reported: [19]
[Sign:] Diarrhea, Watery
Number of times reported: [19]
[Sign:] Infection, Skin
Number of times reported: [19]
[Sign:] Kidney Failure
Number of times reported: [19]
[Sign:] Pressure Lo, Bld
Number of times reported: [19]
[Sign:] Apnea
Number of times reported: [18]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [18]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [18]
[Sign:] Inj Site Edema
Number of times reported: [18]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [18]
[Sign:] Spasm
Number of times reported: [18]
[Sign:] Swelling, Adm Site
Number of times reported: [18]
[Sign:] Vomiting, Severe
Number of times reported: [18]
[Sign:] Bld, Rectum
Number of times reported: [17]

[Sign:] Cardiomegaly
Number of times reported: [17]
[Sign:] Dic
Number of times reported: [17]
[Sign:] Gastroenteritis
Number of times reported: [17]
[Sign:] Cpk Hi, Bld
Number of times reported: [16]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [16]
[Sign:] Incontinence, Fecal
Number of times reported: [16]
[Sign:] Inj Site Necrosis
Number of times reported: [16]
[Sign:] Monos Hi, Bld
Number of times reported: [16]
[Sign:] Thrombus
Number of times reported: [16]
[Sign:] Eosinos Hi, Bld
Number of times reported: [15]
[Sign:] Inj Site Sterile Absce
Number of times reported: [15]
[Sign:] Protein, Urine
Number of times reported: [15]
[Sign:] Wbc, Urine
Number of times reported: [15]
[Sign:] Bld
Number of times reported: [14]
[Sign:] Cellulitis
Number of times reported: [14]
[Sign:] Circling
Number of times reported: [14]
[Sign:] Edema
Number of times reported: [14]
[Sign:] Ill
Number of times reported: [14]
[Sign:] Lesion(s), Skin
Number of times reported: [14]
[Sign:] Mucous Membr, Red
Number of times reported: [14]
[Sign:] Pneumonia
Number of times reported: [14]

[Sign:] Posture Abn
Number of times reported: [14]
[Sign:] Pr-heartworm Disease
Number of times reported: [14]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [14]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [14]
[Sign:] Stumbling
Number of times reported: [14]
[Sign:] Ulcer(s), Skin
Number of times reported: [14]
[Sign:] Arrhythmia
Number of times reported: [13]
[Sign:] Edema, Limb(s)
Number of times reported: [13]
[Sign:] Mucous Membr, Muddy
Number of times reported: [13]
[Sign:] Pt Prolonged, Bld
Number of times reported: [13]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [13]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [13]
[Sign:] Urination Abn
Number of times reported: [13]
[Sign:] Azotemia
Number of times reported: [12]
[Sign:] Bld(ecchymoses)
Number of times reported: [12]
[Sign:] Chemistry Abn
Number of times reported: [12]
[Sign:] Diarrhea, Mucoid
Number of times reported: [12]
[Sign:] Eye Disorder
Number of times reported: [12]
[Sign:] Inj Site Bld
Number of times reported: [12]
[Sign:] Inj Site Infect
Number of times reported: [12]
[Sign:] Inj Site Pruritis
Number of times reported: [12]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [12]
[Sign:] Pupil(s), Areflexia
Number of times reported: [12]
[Sign:] Slough, Skin
Number of times reported: [12]
[Sign:] Vomiting, Unproductive
Number of times reported: [12]
[Sign:] Bld, Abdomen
Number of times reported: [11]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [11]
[Sign:] Glucose Lo, Bld
Number of times reported: [11]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [11]
[Sign:] Inj Site Alopecia
Number of times reported: [11]
[Sign:] K Lo, Bld
Number of times reported: [11]
[Sign:] Licking
Number of times reported: [11]
[Sign:] Liver Failure
Number of times reported: [11]
[Sign:] Paralysis, All Limbs
Number of times reported: [11]
[Sign:] Swelling, Limb(s)
Number of times reported: [11]
[Sign:] Us Abn
Number of times reported: [11]
[Sign:] Breathing Abn
Number of times reported: [10]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [10]
[Sign:] Hyperesthesia
Number of times reported: [10]
[Sign:] Ineffect
Number of times reported: [10]
[Sign:] Inflam, Skin
Number of times reported: [10]
[Sign:] Inj Site Effusion
Number of times reported: [10]

[Sign:] Myositis
Number of times reported: [10]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [10]
[Sign:] Respiratory Disorder
Number of times reported: [10]
[Sign:] Skin Abnormal
Number of times reported: [10]
[Sign:] Skin, Scab(s)
Number of times reported: [10]
[Sign:] Sneezing
Number of times reported: [10]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [9]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [9]
[Sign:] Bands Hi, Bld
Number of times reported: [9]
[Sign:] Bld(hematoma)
Number of times reported: [9]
[Sign:] Congestion, Mucous Mem
Number of times reported: [9]
[Sign:] Conjunctivitis
Number of times reported: [9]
[Sign:] Globulin Lo, Bld
Number of times reported: [9]
[Sign:] Hiding
Number of times reported: [9]
[Sign:] Hypopnea
Number of times reported: [9]
[Sign:] Mass, Skin
Number of times reported: [9]
[Sign:] Nystagmus, Horizontal
Number of times reported: [9]
[Sign:] Pain, Limb(s)
Number of times reported: [9]
[Sign:] Pancreatitis
Number of times reported: [9]
[Sign:] Sore(s)
Number of times reported: [9]
[Sign:] Atony, Bladder
Number of times reported: [8]

[Sign:] Balance Disorder
Number of times reported: [8]
[Sign:] Head Bobbing
Number of times reported: [8]
[Sign:] Inj Site Fibrosis
Number of times reported: [8]
[Sign:] Pain, Muscle(s)
Number of times reported: [8]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [8]
[Sign:] Rash
Number of times reported: [8]
[Sign:] Segs Lo, Bld
Number of times reported: [8]
[Sign:] Defecation Abn
Number of times reported: [7]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [7]
[Sign:] Heart Failure
Number of times reported: [7]
[Sign:] Liver Disorder
Number of times reported: [7]
[Sign:] Microoranisms, Urine
Number of times reported: [7]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [7]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [7]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [7]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [7]
[Sign:] Urine Abn
Number of times reported: [7]
[Sign:] Bladder, Paralysis
Number of times reported: [6]
[Sign:] Bun Lo, Bld
Number of times reported: [6]
[Sign:] Congestion
Number of times reported: [6]
[Sign:] Crystals, Urine
Number of times reported: [6]

[Sign:] Culture/titer Data Abn
Number of times reported: [6]
[Sign:] Diarrhea, Projectile
Number of times reported: [6]
[Sign:] Edema, Multiple Sites
Number of times reported: [6]
[Sign:] Effusion, Peritoneal
Number of times reported: [6]
[Sign:] Heart Disorder
Number of times reported: [6]
[Sign:] Inj Site Slough
Number of times reported: [6]
[Sign:] Lymphs Lo, Bld
Number of times reported: [6]
[Sign:] Mass
Number of times reported: [6]
[Sign:] Necrosis
Number of times reported: [6]
[Sign:] Pain, Neck
Number of times reported: [6]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [6]
[Sign:] Pustule(s)
Number of times reported: [6]
[Sign:] Shaking, Head/face
Number of times reported: [6]
[Sign:] Skin, Crust(s)
Number of times reported: [6]
[Sign:] Somnolence
Number of times reported: [6]
[Sign:] Stiffness, Front Limb(
Number of times reported: [6]
[Sign:] Anuria
Number of times reported: [5]
[Sign:] Anus, Paralysis
Number of times reported: [5]
[Sign:] Bld, Anus
Number of times reported: [5]
[Sign:] Ca Hi, Bld
Number of times reported: [5]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [5]

[Sign:] Death(newborn)
Number of times reported: [5]
[Sign:] Dementia
Number of times reported: [5]
[Sign:] Dysmetria
Number of times reported: [5]
[Sign:] Dysphagia
Number of times reported: [5]
[Sign:] Exercise Intolerance
Number of times reported: [5]
[Sign:] Flatulence
Number of times reported: [5]
[Sign:] Gi, Abnormal
Number of times reported: [5]
[Sign:] Gingiva, Abn
Number of times reported: [5]
[Sign:] Glucose, Urine
Number of times reported: [5]
[Sign:] Granuloma
Number of times reported: [5]
[Sign:] Hair, Abn
Number of times reported: [5]
[Sign:] Incontinence
Number of times reported: [5]
[Sign:] Inj Site, Alopecia
Number of times reported: [5]
[Sign:] Inj Site Neoplasm
Number of times reported: [5]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [5]
[Sign:] Interaction, Drug(s)
Number of times reported: [5]
[Sign:] Irritation
Number of times reported: [5]
[Sign:] K Hi, Bld
Number of times reported: [5]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [5]
[Sign:] Na Lo, Bld
Number of times reported: [5]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [5]

[Sign:] Pancytopenia
Number of times reported: [5]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [5]
[Sign:] Rolling
Number of times reported: [5]
[Sign:] Skin, Necrosis
Number of times reported: [5]
[Sign:] Swelling, Ear(s)
Number of times reported: [5]
[Sign:] Tenesmus, Rectal
Number of times reported: [5]
[Sign:] Trembling, Face
Number of times reported: [5]
[Sign:] Abscess, Skin
Number of times reported: [4]
[Sign:] Bld, Eye(s)
Number of times reported: [4]
[Sign:] Bld, Gi
Number of times reported: [4]
[Sign:] Bld, Sclera
Number of times reported: [4]
[Sign:] Bld, Skin
Number of times reported: [4]
[Sign:] Blindness, Partial
Number of times reported: [4]
[Sign:] Blindness, Temp
Number of times reported: [4]
[Sign:] Cachexia
Number of times reported: [4]
[Sign:] Circulatory Disorder
Number of times reported: [4]
[Sign:] Cns Disorder
Number of times reported: [4]
[Sign:] Colitis
Number of times reported: [4]
[Sign:] Death(stillborn)
Number of times reported: [4]
[Sign:] Dilitation, Esophagus
Number of times reported: [4]
[Sign:] Distention, Bladder
Number of times reported: [4]

[Sign:] Dysuria
Number of times reported: [4]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [4]
[Sign:] Edema, Neck
Number of times reported: [4]
[Sign:] Hair, Shedding
Number of times reported: [4]
[Sign:] Infection, Urinary Tra
Number of times reported: [4]
[Sign:] Inj Site Hair, Abn
Number of times reported: [4]
[Sign:] Inj Site Stiffness
Number of times reported: [4]
[Sign:] Kidney Disorder
Number of times reported: [4]
[Sign:] Lymphs Hi, Bld
Number of times reported: [4]
[Sign:] Odor
Number of times reported: [4]
[Sign:] Odor, Mouth
Number of times reported: [4]
[Sign:] Opisthotonos
Number of times reported: [4]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [4]
[Sign:] Pressure Hi, Bld
Number of times reported: [4]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Edema
Number of times reported: [4]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [4]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [4]
[Sign:] Rbc Abn
Number of times reported: [4]

[Sign:] Reaction, Unspecified
Number of times reported: [4]
[Sign:] Skin Disorder
Number of times reported: [4]
[Sign:] Splenomegaly
Number of times reported: [4]
[Sign:] Stranguria
Number of times reported: [4]
[Sign:] Swelling, Ventrum
Number of times reported: [4]
[Sign:] Tech Error Administrat
Number of times reported: [4]
[Sign:] Thrashing/paddling
Number of times reported: [4]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [4]
[Sign:] Tongue, Abn
Number of times reported: [4]
[Sign:] Us-liver Abn
Number of times reported: [4]
[Sign:] Uveitis
Number of times reported: [4]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [4]
[Sign:] Weight Increase
Number of times reported: [4]
[Sign:] Albumin Hi, Bld
Number of times reported: [3]
[Sign:] Alkaline Urine
Number of times reported: [3]
[Sign:] Anemia, Hemolytic
Number of times reported: [3]
[Sign:] Basos Hi, Bld
Number of times reported: [3]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]
[Sign:] Bld, Abn
Number of times reported: [3]
[Sign:] Bld, Penis
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]

[Sign:] Breathing, Difficult
Number of times reported: [3]
[Sign:] Cystitis
Number of times reported: [3]
[Sign:] Deafness
Number of times reported: [3]
[Sign:] Dermatitis, Moist
Number of times reported: [3]
[Sign:] Destructiveness
Number of times reported: [3]
[Sign:] Dissociation
Number of times reported: [3]
[Sign:] Ear Disorder
Number of times reported: [3]
[Sign:] Ecg Abn
Number of times reported: [3]
[Sign:] Edema, Ventral
Number of times reported: [3]
[Sign:] Effusion, Pleural
Number of times reported: [3]
[Sign:] Emphysema, Sq
Number of times reported: [3]
[Sign:] Eosinos Lo, Bld
Number of times reported: [3]
[Sign:] Erythema Multiforme
Number of times reported: [3]
[Sign:] Horner's Syndrome
Number of times reported: [3]
[Sign:] Hypertonia
Number of times reported: [3]
[Sign:] Hyphema
Number of times reported: [3]
[Sign:] Ineffect, Hw Antigen
Number of times reported: [3]
[Sign:] Inj Site Emphysema
Number of times reported: [3]
[Sign:] Microorganisms, Urine
Number of times reported: [3]
[Sign:] Neoplasm
Number of times reported: [3]
[Sign:] Neuropathy
Number of times reported: [3]

[Sign:] Otitis
Number of times reported: [3]
[Sign:] Pancreas Disorder
Number of times reported: [3]
[Sign:] Pollakiuria
Number of times reported: [3]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [3]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [3]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [3]
[Sign:] Regurgitation
Number of times reported: [3]
[Sign:] Scale(s), Skin
Number of times reported: [3]
[Sign:] Sedation
Number of times reported: [3]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [3]
[Sign:] Staring
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Stiffness, Neck
Number of times reported: [3]
[Sign:] Stool Abn
Number of times reported: [3]
[Sign:] Stool, Mucoid
Number of times reported: [3]
[Sign:] Swelling, Neck
Number of times reported: [3]
[Sign:] Swelling, Tongue
Number of times reported: [3]
[Sign:] Tail Disorder
Number of times reported: [3]
[Sign:] Teeth, Abn
Number of times reported: [3]
[Sign:] Tenesmus, Urinary
Number of times reported: [3]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [3]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [2]
[Sign:] Bld, Mult Sites
Number of times reported: [2]
[Sign:] Bld(purpura)
Number of times reported: [2]
[Sign:] Bld, Thorax
Number of times reported: [2]
[Sign:] Bronchitis
Number of times reported: [2]
[Sign:] Ca Lo, Bld
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Cataract(s)
Number of times reported: [2]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Coombs Test Pos
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Discharge, Vulva
Number of times reported: [2]
[Sign:] Ecg, Abn
Number of times reported: [2]
[Sign:] Edema, Cornea(s)
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]

[Sign:] Fly Biting
Number of times reported: [2]
[Sign:] Glaucoma
Number of times reported: [2]
[Sign:] Head Pressing
Number of times reported: [2]
[Sign:] Hemoglobin, Urine
Number of times reported: [2]
[Sign:] Hepatitis
Number of times reported: [2]
[Sign:] Hepatomegaly
Number of times reported: [2]
[Sign:] Hypoadrenocorticism
Number of times reported: [2]
[Sign:] Icterus, Serum
Number of times reported: [2]
[Sign:] Infection
Number of times reported: [2]
[Sign:] Inflam
Number of times reported: [2]
[Sign:] Inject Site Sepsis
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Jerking
Number of times reported: [2]
[Sign:] Ketones, Urine
Number of times reported: [2]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [2]
[Sign:] Mass, Abdomen
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [2]
[Sign:] Nystagmus, Rotary
Number of times reported: [2]
[Sign:] Pain, Joint(s)
Number of times reported: [2]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Papule(s)
Number of times reported: [2]
[Sign:] Platelets Abn
Number of times reported: [2]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]
[Sign:] Prolapse, Penis
Number of times reported: [2]
[Sign:] Prostration
Number of times reported: [2]
[Sign:] Protrusion, Eye(s)
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Pruritis, Ear(s)
Number of times reported: [2]
[Sign:] Rbc, Nucleated
Number of times reported: [2]
[Sign:] Reluctant To Climb
Number of times reported: [2]
[Sign:] Repetitive Movements
Number of times reported: [2]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [2]
[Sign:] Retina Abn
Number of times reported: [2]
[Sign:] Rupture
Number of times reported: [2]
[Sign:] Sepsis
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]

[Sign:] Slough
Number of times reported: [2]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [2]
[Sign:] Strabismus
Number of times reported: [2]
[Sign:] Swelling, Brisket/ches
Number of times reported: [2]
[Sign:] Swelling, Mult Sites
Number of times reported: [2]
[Sign:] Tenesmus
Number of times reported: [2]
[Sign:] Tissue, Granulation
Number of times reported: [2]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [2]
[Sign:] Ulcer(s), Gi
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Uremia
Number of times reported: [2]
[Sign:] Vasculitis
Number of times reported: [2]
[Sign:] Vena Caval Syndrome
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Vomiting, Projectile
Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Ana Pos
Number of times reported: [1]

[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Anemia, Bld Loss
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Mass
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Arthritis, Septic
Number of times reported: [1]
[Sign:] Atrophy
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]

[Sign:] Cloudy Urine
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Co2 Lo, Bld
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Discharge, Mammary
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s
Number of times reported: [1]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Edema, Vulva
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Erection, Abn
Number of times reported: [1]
[Sign:] Estrus
Number of times reported: [1]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]
[Sign:] Fibrinogen Hi, Bld
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Glossitis
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hypoesthesia, Limb(s)
Number of times reported: [1]
[Sign:] Hyposmia
Number of times reported: [1]
[Sign:] Incision Site Infection
Number of times reported: [1]
[Sign:] Infarct
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]

[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Iris, Inflam
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] Labor
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Mast Cells Hi, Body
Number of times reported: [1]
[Sign:] Menses, Abnormal
Number of times reported: [1]
[Sign:] Metritis
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Myoglobin, Urine
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Nail Disorder
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain, Spinal
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pharyngitis
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Parasitism
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]

[Sign:] Pr-penis, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Rbc, Polychrom
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Salivary Gland Abn
Number of times reported: [1]
[Sign:] Scrotum, Abn
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Shock, Endotoxemia
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Slough, Ear(s)
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Summary Review
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Tetany
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]
[Sign:] Udder, Mastitis
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Mou
Number of times reported: [1]
[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Drug:] Melarsomine
Parenteral, Human

[Sign:] Inj Site Inflam
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Inj Site Bld
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Human Exposure, Eye(s)
Number of times reported: [1]
[Sign:] Human Exposure, Hand(s
Number of times reported: [1]
[Sign:] Human Exposure, Inj
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] No Signs

Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Melarsomine
Topical, Human

[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Human Exposure, Eye(s)
Number of times reported: [1]
[Sign:] Human Exposure, Head/f
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Melarsomine
Unknown, Dog

[Sign:] Ineffect, Hw Adults
Number of times reported: [51]
[Sign:] Death
Number of times reported: [12]
[Sign:] Vomiting
Number of times reported: [10]
[Sign:] Depression/lethargy
Number of times reported: [8]
[Sign:] Inj Site Swelling

Number of times reported: [8]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Polypnea
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [4]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Diarrhea, Bloody
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Anemia
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Inj Site Pain
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Swelling
Number of times reported: [3]
[Sign:] Trembling

Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Wbc Hi, Bld
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Death(stillborn)
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Inj Site Mass
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Melena
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Stiffness, Limb(s)
Number of times reported: [2]
[Sign:] Syncope
Number of times reported: [2]
[Sign:] Tachycardia

Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Adipose, Inflam
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Exercise Intolerance

Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] Inj Site Induration
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Mammary
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pacing

Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Melarsomine
Unknown, Human

[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Melarsomine
Unknown, Unknown

[Sign:] Summary Review
Number of times reported: [10]

[Drug:] Melarsomine
Various, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Melatonin
Parenteral, Dog

[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Macule(s)
Number of times reported: [1]

[Drug:] Melengestrol
Defect, Not Applicable

[Sign:] Pd-seal, Abn
Number of times reported: [6]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [2]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [2]
[Sign:] Pd-underfill, Package
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Melengestrol
Oral, Cattle

[Sign:] Ineffect, Estrus Suppr
Number of times reported: [209]
[Sign:] Estrus Behavior
Number of times reported: [8]
[Sign:] Death
Number of times reported: [7]
[Sign:] Ineffect, Estrus Synch

Number of times reported: [5]
[Sign:] Fertility, Reduced
Number of times reported: [3]
[Sign:] Edema, Ventral
Number of times reported: [2]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Injury
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [2]
[Sign:] Tech Error, Mixing
Number of times reported: [2]
[Sign:] Udder, Swelling
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Residue, Meat
Number of times reported: [1]
[Sign:] Udder, Abn
Number of times reported: [1]

[Drug:] Melengestrol
Oral, Sheep

[Sign:] Death
Number of times reported: [1]

[Drug:] Melengestrol
Unknown, Cattle

[Sign:] Ineffect, Estrus Suppr
Number of times reported: [1]

[Drug:] Melengestrol, Monensin, Ractopamine, Tylosin
Oral, Cattle

[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Ineffect, Weight Inc
Number of times reported: [1]

[Drug:] Meloxicam
Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1,308]
[Sign:] Pd-container(s), Abn
Number of times reported: [454]
[Sign:] Pd-seal, Abn
Number of times reported: [373]
[Sign:] Pd-cap(s), Abn
Number of times reported: [370]
[Sign:] Pd-container(s), Damag
Number of times reported: [285]
[Sign:] Pd-defect Unknown
Number of times reported: [233]
[Sign:] Pd-dispenser, Abn
Number of times reported: [154]
[Sign:] Pd-product Defect
Number of times reported: [130]
[Sign:] Pd-syringe, Abn
Number of times reported: [72]
[Sign:] Pd-underfill, Package
Number of times reported: [49]
[Sign:] Pd-vial(s), Abn
Number of times reported: [36]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [34]
[Sign:] Pd-solution, Abn
Number of times reported: [30]
[Sign:] Pd-suspension, Abn

Number of times reported: [27]
[Sign:] Pd-odor, Abn
Number of times reported: [23]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [18]
[Sign:] Pd-label(s), Abn
Number of times reported: [17]
[Sign:] Pd-missing, Cap
Number of times reported: [6]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [5]
[Sign:] Pd-color, Abn
Number of times reported: [4]
[Sign:] Pd-contamination
Number of times reported: [4]
[Sign:] No Signs
Number of times reported: [3]
[Sign:] Pd-missing, Label(s)
Number of times reported: [3]
[Sign:] Unpalatable
Number of times reported: [3]
[Sign:] Syringe, Locking Ring
Number of times reported: [2]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Pd-contam, Insects
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]

[Drug:] Meloxicam
Intranasal, Human

[Sign:] Nose, Inflammation
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Meloxicam
Missing, Cat

[Sign:] Anorexia
Number of times reported: [12]
[Sign:] Creatinine Hi, Bld
Number of times reported: [12]
[Sign:] Bun Hi, Bld
Number of times reported: [10]
[Sign:] Kidney Failure
Number of times reported: [8]
[Sign:] P Hi, Bld
Number of times reported: [7]
[Sign:] Vomiting
Number of times reported: [7]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Azotemia
Number of times reported: [5]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Weight Loss
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Co2 Lo, Bld
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Amylase Hi, Bld

Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Liver Failure

Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Meloxicam
Missing, Dog

[Sign:] Depression/lethargy
Number of times reported: [10]
[Sign:] Anorexia
Number of times reported: [9]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Death
Number of times reported: [4]

[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Melena
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Ulcer(s)
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Meloxicam

Missing, Human

[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Meloxicam
Not Applicable, Dog

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Death
Number of times reported: [1]

[Drug:] Meloxicam
Ophthalmic, Cat

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]

[Drug:] Meloxicam
Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [4]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s

Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]

[Drug:] Meloxicam
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [40]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [16]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [9]
[Sign:] Vision Disorder
Number of times reported: [6]
[Sign:] Human Exposure, Eye(s)
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Bird

[Sign:] Death
Number of times reported: [7]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Vomiting

Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Feathers, Abnormal
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Cat

[Sign:] Anorexia
Number of times reported: [712]
[Sign:] Creatinine Hi, Bld
Number of times reported: [673]
[Sign:] Bun Hi, Bld
Number of times reported: [665]
[Sign:] Depression/lethargy
Number of times reported: [586]
[Sign:] Vomiting
Number of times reported: [529]

[Sign:] Kidney Failure
Number of times reported: [449]
[Sign:] P Hi, Bld
Number of times reported: [292]
[Sign:] Azotemia
Number of times reported: [283]
[Sign:] Death(euthanized)
Number of times reported: [183]
[Sign:] Death
Number of times reported: [167]
[Sign:] Weight Loss
Number of times reported: [132]
[Sign:] Dehydration
Number of times reported: [128]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [106]
[Sign:] Diarrhea
Number of times reported: [104]
[Sign:] Anemia
Number of times reported: [100]
[Sign:] Polydipsia
Number of times reported: [93]
[Sign:] K Hi, Bld
Number of times reported: [71]
[Sign:] Ataxia
Number of times reported: [65]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [64]
[Sign:] Adipsia
Number of times reported: [54]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [54]
[Sign:] Polyuria
Number of times reported: [48]
[Sign:] Convulsion(s)
Number of times reported: [47]
[Sign:] Wbc Hi, Bld
Number of times reported: [46]
[Sign:] Bld, Urine
Number of times reported: [42]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [40]

[Sign:] Hiding
Number of times reported: [39]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [38]
[Sign:] Recumbency
Number of times reported: [37]
[Sign:] Glucose Hi, Bld
Number of times reported: [35]
[Sign:] Vocalization
Number of times reported: [35]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [34]
[Sign:] Dyspnea
Number of times reported: [33]
[Sign:] Interaction, Drug(s)
Number of times reported: [33]
[Sign:] Fever, Body
Number of times reported: [31]
[Sign:] Protein, Urine
Number of times reported: [31]
[Sign:] Us Abn
Number of times reported: [31]
[Sign:] Weakness
Number of times reported: [30]
[Sign:] Hypersalivation
Number of times reported: [29]
[Sign:] Radiograph(s) Abn
Number of times reported: [26]
[Sign:] Amylase Hi, Bld
Number of times reported: [23]
[Sign:] Constipation
Number of times reported: [23]
[Sign:] Hypothermia, Body
Number of times reported: [22]
[Sign:] Kidney Disorder
Number of times reported: [22]
[Sign:] Anuria
Number of times reported: [21]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [21]
[Sign:] Vomiting, Bloody
Number of times reported: [21]

[Sign:] Wbc, Urine
Number of times reported: [21]
[Sign:] Stupor
Number of times reported: [20]
[Sign:] Platelets Lo, Bld
Number of times reported: [19]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [19]
[Sign:] Behavior Disorder
Number of times reported: [18]
[Sign:] Hyperactivity
Number of times reported: [17]
[Sign:] Icterus, Body
Number of times reported: [17]
[Sign:] Ill
Number of times reported: [17]
[Sign:] Albumin Lo, Bld
Number of times reported: [16]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [16]
[Sign:] Melena
Number of times reported: [16]
[Sign:] Mydriasis
Number of times reported: [16]
[Sign:] Pain, Abdomen
Number of times reported: [16]
[Sign:] Ca Hi, Bld
Number of times reported: [15]
[Sign:] Globulin Hi, Bld
Number of times reported: [15]
[Sign:] Na Lo, Bld
Number of times reported: [15]
[Sign:] Blindness
Number of times reported: [14]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [14]
[Sign:] Pain
Number of times reported: [14]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [14]
[Sign:] Chloride Lo, Bld
Number of times reported: [13]

[Sign:] Diarrhea, Bloody
Number of times reported: [13]
[Sign:] Trembling
Number of times reported: [13]
[Sign:] Wbc Lo, Bld
Number of times reported: [13]
[Sign:] Casts, Urine
Number of times reported: [12]
[Sign:] Collapse
Number of times reported: [12]
[Sign:] Hypothermia
Number of times reported: [12]
[Sign:] Murmur, Heart
Number of times reported: [12]
[Sign:] Na Hi, Bld
Number of times reported: [12]
[Sign:] Nervousness
Number of times reported: [12]
[Sign:] Alopecia
Number of times reported: [11]
[Sign:] Confusion
Number of times reported: [11]
[Sign:] Diarrhea, Mild
Number of times reported: [11]
[Sign:] Infection, Urinary Tra
Number of times reported: [11]
[Sign:] Pallor, Mucous Membran
Number of times reported: [11]
[Sign:] Segs Hi, Bld
Number of times reported: [11]
[Sign:] Lesion(s), Skin
Number of times reported: [10]
[Sign:] Nausea
Number of times reported: [10]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [10]
[Sign:] Urination Abn
Number of times reported: [10]
[Sign:] Albumin Hi, Bld
Number of times reported: [9]
[Sign:] Coagulation Disorder
Number of times reported: [9]

[Sign:] Glucose Lo, Bld
Number of times reported: [9]
[Sign:] Hematochezia
Number of times reported: [9]
[Sign:] K Lo, Bld
Number of times reported: [9]
[Sign:] Mg Hi, Bld
Number of times reported: [9]
[Sign:] Monos Hi, Bld
Number of times reported: [9]
[Sign:] Neoplasm
Number of times reported: [9]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [9]
[Sign:] Pruritis
Number of times reported: [9]
[Sign:] Staggering
Number of times reported: [9]
[Sign:] Tachycardia
Number of times reported: [9]
[Sign:] Ulcer(s), Tongue
Number of times reported: [9]
[Sign:] Aggression
Number of times reported: [8]
[Sign:] Distention, Abdomen
Number of times reported: [8]
[Sign:] Hyperpnea
Number of times reported: [8]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [8]
[Sign:] Lymphs Lo, Bld
Number of times reported: [8]
[Sign:] Polypnea
Number of times reported: [8]
[Sign:] Cpk Hi, Bld
Number of times reported: [7]
[Sign:] Defecation Abn
Number of times reported: [7]
[Sign:] Microorganisms, Urine
Number of times reported: [7]
[Sign:] Nephritis
Number of times reported: [7]

[Sign:] Oliguria
Number of times reported: [7]
[Sign:] Vomiting, Unproductive
Number of times reported: [7]
[Sign:] Bld
Number of times reported: [6]
[Sign:] Bun Lo, Bld
Number of times reported: [6]
[Sign:] Ca Lo, Bld
Number of times reported: [6]
[Sign:] Discharge, Nose
Number of times reported: [6]
[Sign:] Dysphagia
Number of times reported: [6]
[Sign:] Gi, Abnormal
Number of times reported: [6]
[Sign:] Incontinence, Urinary
Number of times reported: [6]
[Sign:] Inflam, Skin
Number of times reported: [6]
[Sign:] Neurological Disorder
Number of times reported: [6]
[Sign:] Pressure Hi, Bld
Number of times reported: [6]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [6]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [6]
[Sign:] Reluctant To Move
Number of times reported: [6]
[Sign:] Sneezing
Number of times reported: [6]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Bld(ecchymoses)
Number of times reported: [5]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Bld(petechiae)
Number of times reported: [5]
[Sign:] Cardiomegaly
Number of times reported: [5]

[Sign:] Chemistry Abn
Number of times reported: [5]
[Sign:] Circling
Number of times reported: [5]
[Sign:] Cyanosis
Number of times reported: [5]
[Sign:] Difficulty Rising
Number of times reported: [5]
[Sign:] Discomfort
Number of times reported: [5]
[Sign:] Distress, Resp
Number of times reported: [5]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [5]
[Sign:] Heart Failure
Number of times reported: [5]
[Sign:] Icterus
Number of times reported: [5]
[Sign:] Lameness
Number of times reported: [5]
[Sign:] Liver Failure
Number of times reported: [5]
[Sign:] Odor, Mouth
Number of times reported: [5]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [5]
[Sign:] Perforation, Gi
Number of times reported: [5]
[Sign:] Pollakiuria
Number of times reported: [5]
[Sign:] Polycythemia(relative)
Number of times reported: [5]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [5]
[Sign:] Stranguria
Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [5]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [5]
[Sign:] Twitch
Number of times reported: [5]

[Sign:] Unconscious
Number of times reported: [5]
[Sign:] Urination
Number of times reported: [5]
[Sign:] Anaphylaxis/toid
Number of times reported: [4]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]
[Sign:] Diabetes Mellitus
Number of times reported: [4]
[Sign:] Dysuria
Number of times reported: [4]
[Sign:] Elimination Abn
Number of times reported: [4]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [4]
[Sign:] Gagging
Number of times reported: [4]
[Sign:] Glucose, Urine
Number of times reported: [4]
[Sign:] Hair, Abn
Number of times reported: [4]
[Sign:] Ineffect, Analgesia
Number of times reported: [4]
[Sign:] Locomotion Disorder
Number of times reported: [4]
[Sign:] Pancreatitis
Number of times reported: [4]
[Sign:] Peritonitis
Number of times reported: [4]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [4]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [4]
[Sign:] Pt Prolonged, Bld
Number of times reported: [4]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [4]
[Sign:] Segs Lo, Bld
Number of times reported: [4]
[Sign:] Shaking, Head/face
Number of times reported: [4]
[Sign:] Shock
Number of times reported: [4]
[Sign:] Somnolence
Number of times reported: [4]
[Sign:] Tenesmus, Urinary
Number of times reported: [4]
[Sign:] Thrombus
Number of times reported: [4]
[Sign:] Urine Abn
Number of times reported: [4]
[Sign:] Us-liver Abn
Number of times reported: [4]
[Sign:] Acidosis
Number of times reported: [3]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Bilirubin, Urine
Number of times reported: [3]
[Sign:] Bld, Incision Site
Number of times reported: [3]
[Sign:] Blindness, Partial
Number of times reported: [3]
[Sign:] Breathing Abn
Number of times reported: [3]
[Sign:] Chloride Hi, Bld
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Crystals, Urine
Number of times reported: [3]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [3]

[Sign:] Deafness
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Edema, Head/face
Number of times reported: [3]
[Sign:] Edema, Limb(s)
Number of times reported: [3]
[Sign:] Effusion, Peritoneal
Number of times reported: [3]
[Sign:] Effusion, Pleural
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Epistaxis
Number of times reported: [3]
[Sign:] Eye Disorder
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Hepatitis
Number of times reported: [3]
[Sign:] Hypopnea
Number of times reported: [3]
[Sign:] Lipase Hi, Bld
Number of times reported: [3]
[Sign:] Loss Of Condition
Number of times reported: [3]
[Sign:] Microoranisms, Urine
Number of times reported: [3]
[Sign:] Necrosis
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Polycythemia
Number of times reported: [3]
[Sign:] Pressure Lo, Bld
Number of times reported: [3]
[Sign:] Pr-lung(s), Edema
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [3]
[Sign:] Reflex(es) Abn
Number of times reported: [3]
[Sign:] Retina Abn
Number of times reported: [3]
[Sign:] Shaking
Number of times reported: [3]
[Sign:] Skin Abnormal
Number of times reported: [3]
[Sign:] Spasm
Number of times reported: [3]
[Sign:] Stool Abn
Number of times reported: [3]
[Sign:] Tech Error Administrat
Number of times reported: [3]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Acid Urine
Number of times reported: [2]
[Sign:] Alkaline Urine
Number of times reported: [2]
[Sign:] Ammonia Hi, Bld
Number of times reported: [2]
[Sign:] Anemia, Regen
Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [2]
[Sign:] Biting/chewing
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Cachexia
Number of times reported: [2]

[Sign:] Congestion
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]
[Sign:] Dehiscence
Number of times reported: [2]
[Sign:] Diarrhea, Watery
Number of times reported: [2]
[Sign:] Distress
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Eosinos Hi, Bld
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Gastritis
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Heart Disorder
Number of times reported: [2]
[Sign:] Hypomotility
Number of times reported: [2]
[Sign:] Icterus, Serum
Number of times reported: [2]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [2]
[Sign:] Incision Site Infection
Number of times reported: [2]
[Sign:] Ineffect, Antiinflam
Number of times reported: [2]
[Sign:] Infection
Number of times reported: [2]

[Sign:] Infection, Incision Site
Number of times reported: [2]
[Sign:] Inflam
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Lymphs Hi, Bld
Number of times reported: [2]
[Sign:] Mass
Number of times reported: [2]
[Sign:] Mass, Skin
Number of times reported: [2]
[Sign:] Na:k Lo, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Nose Abn
Number of times reported: [2]
[Sign:] Odor, Urine
Number of times reported: [2]
[Sign:] Opisthotonos
Number of times reported: [2]
[Sign:] Pacing
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [2]
[Sign:] Pr-mult Sites, Icterus
Number of times reported: [2]
[Sign:] Pr-pleural Effusion
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [2]
[Sign:] Pulse Thready
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Sediment, Urine
Number of times reported: [2]
[Sign:] Skin, Scab(s)
Number of times reported: [2]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [2]
[Sign:] Staring
Number of times reported: [2]
[Sign:] Stomatitis
Number of times reported: [2]
[Sign:] Strabismus
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Tenesmus, Rectal
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Gi
Number of times reported: [2]

[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Wheezing
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Bld Loss
Number of times reported: [1]
[Sign:] Anemia, Heinz Body
Number of times reported: [1]
[Sign:] Anion Gap Hi, Bld
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]

[Sign:] Bld, Scrotum
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Co2 Lo, Bld
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dysrhythmia, Resp
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Scrotum
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Fe Hi, Bld
Number of times reported: [1]
[Sign:] Fe Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Glossitis
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Incision Site, Bld
Number of times reported: [1]
[Sign:] Incision Site Discharge
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] K Hi, Urine
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]

[Sign:] Neoplasm, Mult Sites
Number of times reported: [1]
[Sign:] Neoplasm, Pancreas
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Phallitis
Number of times reported: [1]
[Sign:] Pharyngitis
Number of times reported: [1]
[Sign:] P Hi, Urine
Number of times reported: [1]
[Sign:] P Lo,bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pr-whole Body, Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]
[Sign:] Transudate
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Dog

[Sign:] Vomiting
Number of times reported: [842]
[Sign:] Anorexia
Number of times reported: [646]
[Sign:] Depression/lethargy
Number of times reported: [573]
[Sign:] Diarrhea
Number of times reported: [380]
[Sign:] Bun Hi, Bld
Number of times reported: [326]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [262]
[Sign:] Creatinine Hi, Bld
Number of times reported: [260]
[Sign:] Death
Number of times reported: [227]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [215]
[Sign:] Diarrhea, Bloody
Number of times reported: [203]
[Sign:] Death(euthanized)
Number of times reported: [185]
[Sign:] Convulsion(s)
Number of times reported: [146]
[Sign:] Anemia
Number of times reported: [142]
[Sign:] Melena
Number of times reported: [140]
[Sign:] Ataxia
Number of times reported: [110]
[Sign:] P Hi, Bld
Number of times reported: [106]
[Sign:] Polydipsia
Number of times reported: [97]
[Sign:] Pruritis
Number of times reported: [95]
[Sign:] Weight Loss

Number of times reported: [95]
[Sign:] Wbc Hi, Bld
Number of times reported: [92]
[Sign:] Polypnea
Number of times reported: [88]
[Sign:] Interaction, Drug(s)
Number of times reported: [81]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [78]
[Sign:] Kidney Failure
Number of times reported: [77]
[Sign:] Vomiting, Bloody
Number of times reported: [71]
[Sign:] Hematochezia
Number of times reported: [70]
[Sign:] Albumin Lo, Bld
Number of times reported: [68]
[Sign:] Bld, Urine
Number of times reported: [66]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [65]
[Sign:] Platelets Lo, Bld
Number of times reported: [65]
[Sign:] Dyspnea
Number of times reported: [64]
[Sign:] Fever, Body
Number of times reported: [63]
[Sign:] Azotemia
Number of times reported: [60]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [58]
[Sign:] Diarrhea, Mild
Number of times reported: [57]
[Sign:] Nervousness
Number of times reported: [57]
[Sign:] Dehydration
Number of times reported: [56]
[Sign:] Ineffect, Antiinflam
Number of times reported: [52]
[Sign:] Congestion, Skin
Number of times reported: [50]
[Sign:] Polyuria

Number of times reported: [50]
[Sign:] Pain, Abdomen
Number of times reported: [48]
[Sign:] Hyperactivity
Number of times reported: [47]
[Sign:] Adipsia
Number of times reported: [45]
[Sign:] Perforation, Gi
Number of times reported: [45]
[Sign:] Recumbency
Number of times reported: [45]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [44]
[Sign:] Confusion
Number of times reported: [43]
[Sign:] Ineffect, Analgesia
Number of times reported: [43]
[Sign:] Urticaria
Number of times reported: [43]
[Sign:] Weakness
Number of times reported: [43]
[Sign:] Peritonitis
Number of times reported: [42]
[Sign:] Radiograph(s) Abn
Number of times reported: [42]
[Sign:] Anaphylaxis/toid
Number of times reported: [41]
[Sign:] Behavior Disorder
Number of times reported: [41]
[Sign:] Trembling
Number of times reported: [41]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [39]
[Sign:] Amylase Hi, Bld
Number of times reported: [38]
[Sign:] Swelling, Head/face
Number of times reported: [38]
[Sign:] Ulcer(s), Gi
Number of times reported: [38]
[Sign:] Vocalization
Number of times reported: [37]
[Sign:] Us Abn

Number of times reported: [36]
[Sign:] Alopecia
Number of times reported: [35]
[Sign:] Collapse
Number of times reported: [35]
[Sign:] Pallor, Mucous Membran
Number of times reported: [35]
[Sign:] Hypersalivation
Number of times reported: [34]
[Sign:] Icterus, Body
Number of times reported: [34]
[Sign:] Inflam, Skin
Number of times reported: [34]
[Sign:] Liver Disorder
Number of times reported: [34]
[Sign:] Glucose Hi, Bld
Number of times reported: [33]
[Sign:] Bld(ecchymoses)
Number of times reported: [32]
[Sign:] Lipase Hi, Bld
Number of times reported: [32]
[Sign:] Epistaxis
Number of times reported: [31]
[Sign:] Ggt Hi, Bld
Number of times reported: [31]
[Sign:] K Hi, Bld
Number of times reported: [30]
[Sign:] Aggression
Number of times reported: [29]
[Sign:] Pancreatitis
Number of times reported: [28]
[Sign:] Difficulty Rising
Number of times reported: [27]
[Sign:] Lesion(s), Skin
Number of times reported: [27]
[Sign:] Pacing
Number of times reported: [27]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [27]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [27]
[Sign:] Protein, Urine

Number of times reported: [27]
[Sign:] Kidney Disorder
Number of times reported: [25]
[Sign:] Us-liver Abn
Number of times reported: [25]
[Sign:] Coagulation Disorder
Number of times reported: [24]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [24]
[Sign:] Incontinence, Urinary
Number of times reported: [23]
[Sign:] Tachycardia
Number of times reported: [23]
[Sign:] Ulcer(s), Stomach
Number of times reported: [23]
[Sign:] Coughing
Number of times reported: [21]
[Sign:] Pain
Number of times reported: [21]
[Sign:] Perforation, Stomach
Number of times reported: [21]
[Sign:] Stupor
Number of times reported: [21]
[Sign:] Bld(petechiae)
Number of times reported: [20]
[Sign:] Constipation
Number of times reported: [20]
[Sign:] Shaking
Number of times reported: [20]
[Sign:] Apprehension
Number of times reported: [19]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [19]
[Sign:] Na Lo, Bld
Number of times reported: [19]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [19]
[Sign:] Rash
Number of times reported: [19]
[Sign:] Segs Hi, Bld
Number of times reported: [19]
[Sign:] Skin, Scab(s)

Number of times reported: [19]
[Sign:] Somnolence
Number of times reported: [19]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [19]
[Sign:] Ca Hi, Bld
Number of times reported: [18]
[Sign:] Circling
Number of times reported: [18]
[Sign:] Reluctant To Move
Number of times reported: [18]
[Sign:] Skin, Crust(s)
Number of times reported: [18]
[Sign:] Staggering
Number of times reported: [18]
[Sign:] Wbc Lo, Bld
Number of times reported: [18]
[Sign:] Chemistry Abn
Number of times reported: [17]
[Sign:] Effusion, Peritoneal
Number of times reported: [17]
[Sign:] Hyperpnea
Number of times reported: [17]
[Sign:] Arrest, Heart
Number of times reported: [16]
[Sign:] Gastroenteritis
Number of times reported: [16]
[Sign:] Gi, Abnormal
Number of times reported: [16]
[Sign:] Glucose Lo, Bld
Number of times reported: [16]
[Sign:] Hypothermia, Body
Number of times reported: [16]
[Sign:] Infection, Skin
Number of times reported: [16]
[Sign:] Urination Abn
Number of times reported: [16]
[Sign:] Wbc, Urine
Number of times reported: [16]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [15]
[Sign:] Dermatitis, Moist

Number of times reported: [15]
[Sign:] Distention, Abdomen
Number of times reported: [15]
[Sign:] K Lo, Bld
Number of times reported: [15]
[Sign:] Polycythemia
Number of times reported: [15]
[Sign:] Ulcer(s), Skin
Number of times reported: [15]
[Sign:] Diarrhea, Severe
Number of times reported: [14]
[Sign:] Eruption(s)
Number of times reported: [14]
[Sign:] Head Tilt
Number of times reported: [14]
[Sign:] Infection, Urinary Tra
Number of times reported: [14]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [14]
[Sign:] Shock
Number of times reported: [14]
[Sign:] Vomiting, Unproductive
Number of times reported: [14]
[Sign:] Abn Color, Urine
Number of times reported: [13]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [13]
[Sign:] Diabetes Mellitus
Number of times reported: [13]
[Sign:] Discomfort
Number of times reported: [13]
[Sign:] Hepatomegaly
Number of times reported: [13]
[Sign:] Lameness
Number of times reported: [13]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [13]
[Sign:] Twitch
Number of times reported: [13]
[Sign:] Ulcer(s), Tongue
Number of times reported: [13]
[Sign:] Anuria

Number of times reported: [12]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [12]
[Sign:] Blindness
Number of times reported: [12]
[Sign:] Icterus
Number of times reported: [12]
[Sign:] Licking
Number of times reported: [12]
[Sign:] Polycythemia(relative)
Number of times reported: [12]
[Sign:] Tenesmus, Rectal
Number of times reported: [12]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [12]
[Sign:] Urination
Number of times reported: [12]
[Sign:] Bld, Abdomen
Number of times reported: [11]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [11]
[Sign:] Crystals, Urine
Number of times reported: [11]
[Sign:] Diarrhea, Watery
Number of times reported: [11]
[Sign:] Globulin Hi, Bld
Number of times reported: [11]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [11]
[Sign:] Polyphagia
Number of times reported: [11]
[Sign:] Sore(s)
Number of times reported: [11]
[Sign:] Stool Abn
Number of times reported: [11]
[Sign:] Diarrhea, Mucoid
Number of times reported: [10]
[Sign:] Discharge, Nose
Number of times reported: [10]
[Sign:] Hiding
Number of times reported: [10]
[Sign:] Immune Disorder

Number of times reported: [10]
[Sign:] Locomotion Disorder
Number of times reported: [10]
[Sign:] Lymphs Lo, Bld
Number of times reported: [10]
[Sign:] Monos Hi, Bld
Number of times reported: [10]
[Sign:] Nausea
Number of times reported: [10]
[Sign:] Sneezing
Number of times reported: [10]
[Sign:] Bld, Gi
Number of times reported: [9]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [9]
[Sign:] Borborygmi
Number of times reported: [9]
[Sign:] Cpk Hi, Bld
Number of times reported: [9]
[Sign:] Deafness
Number of times reported: [9]
[Sign:] Defecation Abn
Number of times reported: [9]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [9]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [9]
[Sign:] Liver Failure
Number of times reported: [9]
[Sign:] Neurological Disorder
Number of times reported: [9]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [9]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [9]
[Sign:] Swelling, Ear(s)
Number of times reported: [9]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [9]
[Sign:] Bilirubin, Urine
Number of times reported: [8]
[Sign:] Bld

Number of times reported: [8]
[Sign:] Breathing Abn
Number of times reported: [8]
[Sign:] Gastritis
Number of times reported: [8]
[Sign:] Globulin Lo, Bld
Number of times reported: [8]
[Sign:] Glucose, Urine
Number of times reported: [8]
[Sign:] Hypothermia
Number of times reported: [8]
[Sign:] Microoranisms, Urine
Number of times reported: [8]
[Sign:] Pd-solution, Abn
Number of times reported: [8]
[Sign:] Staring
Number of times reported: [8]
[Sign:] Stumbling
Number of times reported: [8]
[Sign:] Ulcer(s), Pylorus
Number of times reported: [8]
[Sign:] Vestibular Disorder
Number of times reported: [8]
[Sign:] Albumin Hi, Bld
Number of times reported: [7]
[Sign:] Apnea
Number of times reported: [7]
[Sign:] Ca Lo, Bld
Number of times reported: [7]
[Sign:] Chloride Lo, Bld
Number of times reported: [7]
[Sign:] Edema, Limb(s)
Number of times reported: [7]
[Sign:] Gall Bladder, Abn
Number of times reported: [7]
[Sign:] Hair, Shedding
Number of times reported: [7]
[Sign:] Hepatitis
Number of times reported: [7]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [7]
[Sign:] Neoplasm

Number of times reported: [7]
[Sign:] Neoplasm, Liver
Number of times reported: [7]
[Sign:] Nystagmus
Number of times reported: [7]
[Sign:] Odor, Mouth
Number of times reported: [7]
[Sign:] Pallor
Number of times reported: [7]
[Sign:] Paresis
Number of times reported: [7]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [7]
[Sign:] Pressure Lo, Bld
Number of times reported: [7]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [7]
[Sign:] Proprioceptive Disorde
Number of times reported: [7]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [7]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [7]
[Sign:] Sedation
Number of times reported: [7]
[Sign:] Sepsis
Number of times reported: [7]
[Sign:] Stranguria
Number of times reported: [7]
[Sign:] Wheezing
Number of times reported: [7]
[Sign:] Anemia, Regen
Number of times reported: [6]
[Sign:] Bands Hi, Bld
Number of times reported: [6]
[Sign:] Biting/chewing
Number of times reported: [6]
[Sign:] Bld, Skin
Number of times reported: [6]
[Sign:] Bun Lo, Bld
Number of times reported: [6]
[Sign:] Cns Infarct

Number of times reported: [6]
[Sign:] Colitis
Number of times reported: [6]
[Sign:] Dementia
Number of times reported: [6]
[Sign:] Dissociation
Number of times reported: [6]
[Sign:] Distress
Number of times reported: [6]
[Sign:] Distress, Resp
Number of times reported: [6]
[Sign:] Eosinos Hi, Bld
Number of times reported: [6]
[Sign:] Eye Disorder
Number of times reported: [6]
[Sign:] Flatulence
Number of times reported: [6]
[Sign:] Ill
Number of times reported: [6]
[Sign:] Incontinence, Fecal
Number of times reported: [6]
[Sign:] Insomnia
Number of times reported: [6]
[Sign:] Mass
Number of times reported: [6]
[Sign:] Mydriasis
Number of times reported: [6]
[Sign:] Platelets Hi, Bld
Number of times reported: [6]
[Sign:] Pollakiuria
Number of times reported: [6]
[Sign:] Pressure Hi, Bld
Number of times reported: [6]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [6]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [6]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [6]
[Sign:] Pustule(s)
Number of times reported: [6]
[Sign:] Shaking, Head/face

Number of times reported: [6]
[Sign:] Skin, Necrosis
Number of times reported: [6]
[Sign:] Slough, Skin
Number of times reported: [6]
[Sign:] Spasm
Number of times reported: [6]
[Sign:] Stool, Mucoid
Number of times reported: [6]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [6]
[Sign:] Urine Abn
Number of times reported: [6]
[Sign:] Bld(hematoma)
Number of times reported: [5]
[Sign:] Bld, Incision Site
Number of times reported: [5]
[Sign:] Bld, Rectum
Number of times reported: [5]
[Sign:] Blindness, Partial
Number of times reported: [5]
[Sign:] Bradycardia
Number of times reported: [5]
[Sign:] Casts, Urine
Number of times reported: [5]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [5]
[Sign:] Defecation
Number of times reported: [5]
[Sign:] Diarrhea, Projectile
Number of times reported: [5]
[Sign:] Edema, Head/face
Number of times reported: [5]
[Sign:] Elimination Abn
Number of times reported: [5]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Lymphs Hi, Bld
Number of times reported: [5]
[Sign:] Murmur, Heart
Number of times reported: [5]
[Sign:] Na:k Lo, Bld

Number of times reported: [5]
[Sign:] Pica
Number of times reported: [5]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [5]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [5]
[Sign:] Pt Prolonged, Bld
Number of times reported: [5]
[Sign:] Reflex(es) Abn
Number of times reported: [5]
[Sign:] Regurgitation
Number of times reported: [5]
[Sign:] Seborrhea
Number of times reported: [5]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [5]
[Sign:] Unconscious
Number of times reported: [5]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [5]
[Sign:] Weight Increase
Number of times reported: [5]
[Sign:] Anisocoria
Number of times reported: [4]
[Sign:] Ascites
Number of times reported: [4]
[Sign:] Bloat
Number of times reported: [4]
[Sign:] Culture/titer Data Abn
Number of times reported: [4]
[Sign:] Discharge, Incision Site
Number of times reported: [4]
[Sign:] Dizziness
Number of times reported: [4]
[Sign:] Edema, Larynx
Number of times reported: [4]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [4]
[Sign:] Enlargement(s)
Number of times reported: [4]
[Sign:] Gagging

Number of times reported: [4]
[Sign:] Gingiva, Abn
Number of times reported: [4]
[Sign:] Hair, Abn
Number of times reported: [4]
[Sign:] Hemoglobin, Urine
Number of times reported: [4]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [4]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [4]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [4]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [4]
[Sign:] Papule(s)
Number of times reported: [4]
[Sign:] Pd-odor, Abn
Number of times reported: [4]
[Sign:] Pneumonia
Number of times reported: [4]
[Sign:] Posture Abn
Number of times reported: [4]
[Sign:] Pruritis, Ear(s)
Number of times reported: [4]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [4]
[Sign:] Rbc, Aniso
Number of times reported: [4]
[Sign:] Segs Lo, Bld
Number of times reported: [4]
[Sign:] Sleep Abn
Number of times reported: [4]
[Sign:] Sound Abn, Respiratory
Number of times reported: [4]
[Sign:] Stomatitis
Number of times reported: [4]
[Sign:] Swelling, Limb(s)
Number of times reported: [4]
[Sign:] Tech Error Administrat
Number of times reported: [4]
[Sign:] Tenesmus, Urinary

Number of times reported: [4]
[Sign:] Vision Disorder
Number of times reported: [4]
[Sign:] Volvulus, Stomach
Number of times reported: [4]
[Sign:] Vomiting, Severe
Number of times reported: [4]
[Sign:] Abscess, Skin
Number of times reported: [3]
[Sign:] Alkaline Urine
Number of times reported: [3]
[Sign:] Anemia, Bld Loss
Number of times reported: [3]
[Sign:] Anemia, Hemolytic
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [3]
[Sign:] Bld, Sclera
Number of times reported: [3]
[Sign:] Breathing, Difficult
Number of times reported: [3]
[Sign:] Cardiomegaly
Number of times reported: [3]
[Sign:] Congestion
Number of times reported: [3]
[Sign:] Creatinine Lo, Bld
Number of times reported: [3]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Deafness, Partial
Number of times reported: [3]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [3]
[Sign:] Dic
Number of times reported: [3]
[Sign:] Dilitation, Stomach
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Dysphagia
Number of times reported: [3]
[Sign:] Dysuria

Number of times reported: [3]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [3]
[Sign:] Enlargement(s), Skin
Number of times reported: [3]
[Sign:] Eosinos Lo, Bld
Number of times reported: [3]
[Sign:] Gingivitis
Number of times reported: [3]
[Sign:] Incision Site Abn
Number of times reported: [3]
[Sign:] Infection
Number of times reported: [3]
[Sign:] Inflam
Number of times reported: [3]
[Sign:] Irritation
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Keratoconjunctivitis S
Number of times reported: [3]
[Sign:] Ketones, Urine
Number of times reported: [3]
[Sign:] Na Hi, Bld
Number of times reported: [3]
[Sign:] Necrosis
Number of times reported: [3]
[Sign:] Nephritis
Number of times reported: [3]
[Sign:] Nose Abn
Number of times reported: [3]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [3]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [3]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Prolapse, Disc
Number of times reported: [3]
[Sign:] Scale(s), Skin

Number of times reported: [3]
[Sign:] Skin, Dry
Number of times reported: [3]
[Sign:] Slough, Tongue
Number of times reported: [3]
[Sign:] Sound Abn, Voice
Number of times reported: [3]
[Sign:] Stiffness
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Swelling, Joint(s)
Number of times reported: [3]
[Sign:] Swelling, Mult Sites
Number of times reported: [3]
[Sign:] Swelling, Tongue
Number of times reported: [3]
[Sign:] Syncope
Number of times reported: [3]
[Sign:] Thrombus
Number of times reported: [3]
[Sign:] Tongue, Abn
Number of times reported: [3]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [3]
[Sign:] Abn Odor, Urine
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [2]
[Sign:] Balance Disorder
Number of times reported: [2]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [2]
[Sign:] Bld, Ear(s)
Number of times reported: [2]
[Sign:] Bld, Passing
Number of times reported: [2]
[Sign:] Bld, Penis
Number of times reported: [2]
[Sign:] Blindness, Temp

Number of times reported: [2]
[Sign:] Capillary Refill Prolo
Number of times reported: [2]
[Sign:] Chloride Hi, Bld
Number of times reported: [2]
[Sign:] Coombs Test Pos
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Deafness, Temp
Number of times reported: [2]
[Sign:] Destructiveness
Number of times reported: [2]
[Sign:] Dilitation, Esophagus
Number of times reported: [2]
[Sign:] Dysmetria
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Brisket/chest
Number of times reported: [2]
[Sign:] Effusion, Pericardial
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Epiphora
Number of times reported: [2]
[Sign:] Fly Biting
Number of times reported: [2]
[Sign:] Glossitis
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Head Pressing
Number of times reported: [2]
[Sign:] Heart Failure

Number of times reported: [2]
[Sign:] Horner's Syndrome
Number of times reported: [2]
[Sign:] Hypoadrenocorticism
Number of times reported: [2]
[Sign:] Incontinence
Number of times reported: [2]
[Sign:] Mass, Skin
Number of times reported: [2]
[Sign:] Mri Scan Abn
Number of times reported: [2]
[Sign:] Mucous Membr, Red
Number of times reported: [2]
[Sign:] Nail Disorder
Number of times reported: [2]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [2]
[Sign:] Neoplasm, Spleen
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Oliguria
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pain, Neck
Number of times reported: [2]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]
[Sign:] Pd-potency, Lo
Number of times reported: [2]
[Sign:] Pd-suspension, Abn
Number of times reported: [2]
[Sign:] Pd-syringe, Abn
Number of times reported: [2]
[Sign:] Perforation
Number of times reported: [2]
[Sign:] P Lo, Bld
Number of times reported: [2]
[Sign:] Pr-bladder, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Prolapse, Tongue
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-pleural Effusion
Number of times reported: [2]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [2]
[Sign:] Rbc Abn
Number of times reported: [2]
[Sign:] Rbc, Nucleated
Number of times reported: [2]
[Sign:] Rbc, Polychrom
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Tenesmus
Number of times reported: [2]
[Sign:] Trembling, Face
Number of times reported: [2]
[Sign:] Ulcer(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Feet/digit(s

Number of times reported: [2]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Vasculitis
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Mou
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Acth Stim Abn
Number of times reported: [1]
[Sign:] A/g Ratio Hi, Bld
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anion Gap Hi, Bld
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Atrophy, Testicle(s)
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Bladder, Paralysis
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Blepharospasm

Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Brain, Neoplasm
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Calculi, Kidney
Number of times reported: [1]
[Sign:] Calculi, Urine
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Coprophagia
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Digestion Disorder
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s
Number of times reported: [1]
[Sign:] Discharge, Vulva

Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement, Salivary Gland
Number of times reported: [1]
[Sign:] Enlargement(s), Head/f
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Fever, Joint(s)
Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hyperadrenocorticism
Number of times reported: [1]
[Sign:] Hyperesthesia

Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hyposalivation
Number of times reported: [1]
[Sign:] Hyposmia
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Incision Site, Bld
Number of times reported: [1]
[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]
[Sign:] Infarct
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th

Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Laryngitis
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Liver Disorder, Obstru
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Myoglobin, Urine
Number of times reported: [1]
[Sign:] Neoplasm, Heart
Number of times reported: [1]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Nocturia
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Odor, Urine
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)

Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-esophagus, Lesion(s
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Edema
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)

Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Rbc, Micro
Number of times reported: [1]
[Sign:] Reflux, Stomach
Number of times reported: [1]
[Sign:] Regurgitation, Food
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Residue, Urine
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Steatitis
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Synovial Fluid Abn
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]
[Sign:] Uremia
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]
[Sign:] Volvulus
Number of times reported: [1]
[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Ferret

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Guinea Pig

[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Human

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Monkey

[Sign:] Hallucination
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Other

[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Parrot

[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Regurgitation, Food
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Pig

[Sign:] Death
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Rabbit

[Sign:] Death
Number of times reported: [6]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Tiger

[Sign:] Hematochezia
Number of times reported: [1]

[Drug:] Meloxicam
Oral, Unknown

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Meloxicam
Parenteral, Cat

[Sign:] Creatinine Hi, Bld
Number of times reported: [327]
[Sign:] Bun Hi, Bld
Number of times reported: [326]
[Sign:] Anorexia
Number of times reported: [302]
[Sign:] Depression/lethargy
Number of times reported: [238]
[Sign:] Vomiting
Number of times reported: [213]
[Sign:] Kidney Failure
Number of times reported: [199]
[Sign:] Azotemia
Number of times reported: [172]
[Sign:] P Hi, Bld
Number of times reported: [145]
[Sign:] Death(euthanized)
Number of times reported: [79]
[Sign:] Death
Number of times reported: [72]
[Sign:] Dehydration
Number of times reported: [71]
[Sign:] Anemia
Number of times reported: [68]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [65]
[Sign:] Weight Loss
Number of times reported: [49]
[Sign:] K Hi, Bld

Number of times reported: [43]
[Sign:] Polydipsia
Number of times reported: [34]
[Sign:] Wbc Hi, Bld
Number of times reported: [30]
[Sign:] Diarrhea
Number of times reported: [26]
[Sign:] Fever, Body
Number of times reported: [25]
[Sign:] Polyuria
Number of times reported: [25]
[Sign:] Adipsia
Number of times reported: [24]
[Sign:] Bld, Urine
Number of times reported: [24]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [22]
[Sign:] Protein, Urine
Number of times reported: [21]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [21]
[Sign:] Us Abn
Number of times reported: [21]
[Sign:] Glucose Hi, Bld
Number of times reported: [20]
[Sign:] Ataxia
Number of times reported: [19]
[Sign:] Interaction, Drug(s)
Number of times reported: [19]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [19]
[Sign:] Dyspnea
Number of times reported: [18]
[Sign:] Hypersalivation
Number of times reported: [17]
[Sign:] Vocalization
Number of times reported: [16]
[Sign:] Hiding
Number of times reported: [15]
[Sign:] Platelets Lo, Bld
Number of times reported: [15]
[Sign:] Pr-kidney(s), Lesion(s

Number of times reported: [15]
[Sign:] Recumbency
Number of times reported: [15]
[Sign:] Anuria
Number of times reported: [14]
[Sign:] Convulsion(s)
Number of times reported: [14]
[Sign:] Pain, Abdomen
Number of times reported: [14]
[Sign:] Hypothermia, Body
Number of times reported: [13]
[Sign:] Kidney Disorder
Number of times reported: [13]
[Sign:] Radiograph(s) Abn
Number of times reported: [13]
[Sign:] Globulin Hi, Bld
Number of times reported: [12]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [11]
[Sign:] Stupor
Number of times reported: [11]
[Sign:] Pallor, Mucous Membran
Number of times reported: [10]
[Sign:] Anaphylaxis/toid
Number of times reported: [9]
[Sign:] Arrest, Heart
Number of times reported: [9]
[Sign:] Ill
Number of times reported: [9]
[Sign:] Inj Site Alopecia
Number of times reported: [9]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [9]
[Sign:] Vomiting, Bloody
Number of times reported: [9]
[Sign:] Weakness
Number of times reported: [9]
[Sign:] Diarrhea, Bloody
Number of times reported: [8]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [8]
[Sign:] Protein(tot) Lo, Bld

Number of times reported: [8]
[Sign:] Albumin Hi, Bld
Number of times reported: [7]
[Sign:] Albumin Lo, Bld
Number of times reported: [7]
[Sign:] Amylase Hi, Bld
Number of times reported: [7]
[Sign:] Apnea
Number of times reported: [7]
[Sign:] Hypothermia
Number of times reported: [7]
[Sign:] Na Lo, Bld
Number of times reported: [7]
[Sign:] Urination Abn
Number of times reported: [7]
[Sign:] Constipation
Number of times reported: [6]
[Sign:] Glucose Lo, Bld
Number of times reported: [6]
[Sign:] Inflam, Skin
Number of times reported: [6]
[Sign:] K Lo, Bld
Number of times reported: [6]
[Sign:] Lesion(s), Skin
Number of times reported: [6]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [6]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [5]
[Sign:] Behavior Disorder
Number of times reported: [5]
[Sign:] Blindness
Number of times reported: [5]
[Sign:] Ca Hi, Bld
Number of times reported: [5]
[Sign:] Ca Lo, Bld
Number of times reported: [5]
[Sign:] Chloride Lo, Bld
Number of times reported: [5]
[Sign:] Coagulation Disorder
Number of times reported: [5]
[Sign:] Collapse

Number of times reported: [5]
[Sign:] Discharge, Nose
Number of times reported: [5]
[Sign:] Icterus, Body
Number of times reported: [5]
[Sign:] Inj Site Necrosis
Number of times reported: [5]
[Sign:] Inj Site Swelling
Number of times reported: [5]
[Sign:] Melena
Number of times reported: [5]
[Sign:] Murmur, Heart
Number of times reported: [5]
[Sign:] Mydriasis
Number of times reported: [5]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [5]
[Sign:] Perforation, Gi
Number of times reported: [5]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [5]
[Sign:] Pruritis
Number of times reported: [5]
[Sign:] Sneezing
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Tech Error Administrat
Number of times reported: [5]
[Sign:] Bld(ecchymoses)
Number of times reported: [4]
[Sign:] Crystals, Urine
Number of times reported: [4]
[Sign:] Dermatitis, Moist
Number of times reported: [4]
[Sign:] Distress, Resp
Number of times reported: [4]
[Sign:] Eosinos Hi, Bld
Number of times reported: [4]
[Sign:] Glucose, Urine
Number of times reported: [4]
[Sign:] Incision Site Abn

Number of times reported: [4]
[Sign:] Infection
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Lymphs Lo, Bld
Number of times reported: [4]
[Sign:] Monos Hi, Bld
Number of times reported: [4]
[Sign:] Nausea
Number of times reported: [4]
[Sign:] Oliguria
Number of times reported: [4]
[Sign:] Peritonitis
Number of times reported: [4]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Shock
Number of times reported: [4]
[Sign:] Swelling, Head/face
Number of times reported: [4]
[Sign:] Trembling
Number of times reported: [4]
[Sign:] Wbc Lo, Bld
Number of times reported: [4]
[Sign:] Anesth Recov Prolonged
Number of times reported: [3]
[Sign:] Bld, Incision Site
Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Casts, Urine
Number of times reported: [3]
[Sign:] Chemistry Abn
Number of times reported: [3]
[Sign:] Co2 Hi, Bld
Number of times reported: [3]
[Sign:] Confusion
Number of times reported: [3]
[Sign:] Cpk Hi, Bld

Number of times reported: [3]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Defecation Abn
Number of times reported: [3]
[Sign:] Dehiscence
Number of times reported: [3]
[Sign:] Dysuria
Number of times reported: [3]
[Sign:] Edema
Number of times reported: [3]
[Sign:] Effusion, Pleural
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Gingiva, Abn
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Infection, Urinary Tra
Number of times reported: [3]
[Sign:] Inj Site Inflam
Number of times reported: [3]
[Sign:] Inj Site Slough
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Mass, Skin
Number of times reported: [3]
[Sign:] Mg Hi, Bld
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Polycythemia
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Reluctant To Move

Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Skin, Necrosis
Number of times reported: [3]
[Sign:] Skin, Scab(s)
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Wbc, Urine
Number of times reported: [3]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [2]
[Sign:] Bilirubin, Urine
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Blindness, Partial
Number of times reported: [2]
[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Calculi, Bladder
Number of times reported: [2]
[Sign:] Chloride Hi, Bld
Number of times reported: [2]
[Sign:] Congestion, Tongue
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Discharge, Incision Site
Number of times reported: [2]
[Sign:] Discharge, Mouth/lip(s

Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Distention, Bladder
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Ineffect, Antiinflam
Number of times reported: [2]
[Sign:] Inj Site Mass
Number of times reported: [2]
[Sign:] Inj Site Neoplasm
Number of times reported: [2]
[Sign:] Inj Site Pruritis
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Microoranisms, Urine
Number of times reported: [2]
[Sign:] Na Hi, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Nephritis
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Odor, Mouth
Number of times reported: [2]
[Sign:] Pain, Back
Number of times reported: [2]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [2]
[Sign:] Pallor

Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Perforation, Stomach
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pt Prolonged, Bld
Number of times reported: [2]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Swelling, Tongue
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Ulcer(s), Skin
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alkaline Urine

Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Calculi, Kidney
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Co2 Lo, Bld
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Deafness

Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Fe Hi, Bld
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hyperesthesia

Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Incision Site, Bld
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incision Site Infection
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Sterile Absce
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld

Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Pancreas
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-ureter(s), Lesion(s
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Rupture, Tumor
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Stool Abn

Number of times reported: [1]
[Sign:] Strabismus
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Tenesmus
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]
[Sign:] Vomiting, Severe

Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Meloxicam
Parenteral, Dog

[Sign:] Vomiting
Number of times reported: [138]
[Sign:] Anorexia
Number of times reported: [100]
[Sign:] Depression/lethargy
Number of times reported: [88]
[Sign:] Bun Hi, Bld
Number of times reported: [78]
[Sign:] Creatinine Hi, Bld
Number of times reported: [67]
[Sign:] Death
Number of times reported: [59]
[Sign:] Diarrhea, Bloody
Number of times reported: [57]
[Sign:] Diarrhea
Number of times reported: [52]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [34]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [30]
[Sign:] P Hi, Bld
Number of times reported: [27]
[Sign:] Death(euthanized)
Number of times reported: [26]
[Sign:] Anemia
Number of times reported: [23]
[Sign:] Azotemia
Number of times reported: [22]
[Sign:] Fever, Body
Number of times reported: [21]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [21]
[Sign:] Kidney Failure
Number of times reported: [20]
[Sign:] Albumin Lo, Bld
Number of times reported: [19]

[Sign:] Interaction, Drug(s)
Number of times reported: [19]
[Sign:] Pallor, Mucous Membran
Number of times reported: [18]
[Sign:] Polydipsia
Number of times reported: [18]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [17]
[Sign:] Melena
Number of times reported: [17]
[Sign:] Anaphylaxis/toid
Number of times reported: [16]
[Sign:] Collapse
Number of times reported: [16]
[Sign:] Wbc Hi, Bld
Number of times reported: [16]
[Sign:] Weight Loss
Number of times reported: [15]
[Sign:] Bld, Incision Site
Number of times reported: [14]
[Sign:] Convulsion(s)
Number of times reported: [14]
[Sign:] Vomiting, Bloody
Number of times reported: [14]
[Sign:] Dehydration
Number of times reported: [13]
[Sign:] Skin, Necrosis
Number of times reported: [13]
[Sign:] Hematochezia
Number of times reported: [12]
[Sign:] Inj Site Swelling
Number of times reported: [12]
[Sign:] Peritonitis
Number of times reported: [12]
[Sign:] Polypnea
Number of times reported: [12]
[Sign:] Inj Site Inflam
Number of times reported: [11]
[Sign:] Pain, Abdomen
Number of times reported: [11]
[Sign:] Perforation, Gi
Number of times reported: [11]

[Sign:] Polyuria
Number of times reported: [11]
[Sign:] Ataxia
Number of times reported: [10]
[Sign:] Bld(ecchymoses)
Number of times reported: [10]
[Sign:] Bld, Urine
Number of times reported: [10]
[Sign:] Dyspnea
Number of times reported: [10]
[Sign:] Hypersalivation
Number of times reported: [10]
[Sign:] Pain
Number of times reported: [10]
[Sign:] Platelets Lo, Bld
Number of times reported: [10]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [10]
[Sign:] Pruritis
Number of times reported: [10]
[Sign:] Recumbency
Number of times reported: [10]
[Sign:] Nervousness
Number of times reported: [9]
[Sign:] Polycythemia
Number of times reported: [9]
[Sign:] Radiograph(s) Abn
Number of times reported: [9]
[Sign:] Swelling, Head/face
Number of times reported: [9]
[Sign:] Coagulation Disorder
Number of times reported: [8]
[Sign:] Inflam, Skin
Number of times reported: [8]
[Sign:] Lesion(s), Skin
Number of times reported: [8]
[Sign:] Shock
Number of times reported: [8]
[Sign:] Ulcer(s), Gi
Number of times reported: [8]
[Sign:] Urticaria
Number of times reported: [8]

[Sign:] Arrest, Heart
Number of times reported: [7]
[Sign:] Congestion, Skin
Number of times reported: [7]
[Sign:] Inj Site Abscess
Number of times reported: [7]
[Sign:] Inj Site Alopecia
Number of times reported: [7]
[Sign:] Inj Site Slough
Number of times reported: [7]
[Sign:] Lameness
Number of times reported: [7]
[Sign:] Skin, Scab(s)
Number of times reported: [7]
[Sign:] Wbc Lo, Bld
Number of times reported: [7]
[Sign:] Weakness
Number of times reported: [7]
[Sign:] Abn Color, Urine
Number of times reported: [6]
[Sign:] Anuria
Number of times reported: [6]
[Sign:] Hyperactivity
Number of times reported: [6]
[Sign:] Icterus, Body
Number of times reported: [6]
[Sign:] Inj Site Mass
Number of times reported: [6]
[Sign:] Inj Site Necrosis
Number of times reported: [6]
[Sign:] Pressure Lo, Bld
Number of times reported: [6]
[Sign:] Protein, Urine
Number of times reported: [6]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [6]
[Sign:] Slough, Skin
Number of times reported: [6]
[Sign:] Amylase Hi, Bld
Number of times reported: [5]
[Sign:] Bld, Abdomen
Number of times reported: [5]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [5]
[Sign:] Ggt Hi, Bld
Number of times reported: [5]
[Sign:] Glucose Lo, Bld
Number of times reported: [5]
[Sign:] Inj Site Abn
Number of times reported: [5]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [5]
[Sign:] Lymphs Lo, Bld
Number of times reported: [5]
[Sign:] Pancreatitis
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Ulcer(s), Skin
Number of times reported: [5]
[Sign:] Aggression
Number of times reported: [4]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Chemistry Abn
Number of times reported: [4]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Diarrhea, Mild
Number of times reported: [4]
[Sign:] Distention, Abdomen
Number of times reported: [4]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [4]
[Sign:] Edema
Number of times reported: [4]
[Sign:] Eruption(s)
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Hypothermia
Number of times reported: [4]

[Sign:] Incision Site, Ecchymosis
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Kidney Disorder
Number of times reported: [4]
[Sign:] K Lo, Bld
Number of times reported: [4]
[Sign:] Perforation, Stomach
Number of times reported: [4]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [4]
[Sign:] Pt Prolonged, Bld
Number of times reported: [4]
[Sign:] Pulse Thready
Number of times reported: [4]
[Sign:] Segs Hi, Bld
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Shaking
Number of times reported: [4]
[Sign:] Stupor
Number of times reported: [4]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Ulcer(s), Tongue
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Wbc, Urine
Number of times reported: [4]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Bld(petechiae)
Number of times reported: [3]
[Sign:] Bun Lo, Bld
Number of times reported: [3]
[Sign:] Dehiscence
Number of times reported: [3]

[Sign:] Diarrhea, Severe
Number of times reported: [3]
[Sign:] Dic
Number of times reported: [3]
[Sign:] Effusion, Peritoneal
Number of times reported: [3]
[Sign:] Glucose, Urine
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Incontinence, Urinary
Number of times reported: [3]
[Sign:] Inj Site Edema
Number of times reported: [3]
[Sign:] Inj Site Seroma
Number of times reported: [3]
[Sign:] K Hi, Bld
Number of times reported: [3]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [3]
[Sign:] Lipase Hi, Bld
Number of times reported: [3]
[Sign:] Monos Hi, Bld
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Na Lo, Bld
Number of times reported: [3]
[Sign:] Nausea
Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [3]

[Sign:] Reluctant To Move
Number of times reported: [3]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [3]
[Sign:] Swelling
Number of times reported: [3]
[Sign:] Tongue, Abn
Number of times reported: [3]
[Sign:] Urination Abn
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bilirubin, Urine
Number of times reported: [2]
[Sign:] Bld(hematoma)
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Bld, Thorax
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Creatinine Lo, Bld
Number of times reported: [2]

[Sign:] Defecation
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Dysrhythmia, Resp
Number of times reported: [2]
[Sign:] Dysuria
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Edema, Neck
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Gastritis
Number of times reported: [2]
[Sign:] Gastroenteritis
Number of times reported: [2]
[Sign:] Hepatomegaly
Number of times reported: [2]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] Incision Site Abn
Number of times reported: [2]
[Sign:] Ineffect, Analgesia
Number of times reported: [2]
[Sign:] Infection, Skin
Number of times reported: [2]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Pacing
Number of times reported: [2]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Regurgitation
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Swelling, Ear(s)
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Swelling, Tongue
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Bld Loss
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Application Site Lesion(s)
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Passing
Number of times reported: [1]
[Sign:] Bld, Retina
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discharge, Incision Site
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glossitis
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Incision Site, Bld
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Fibrosis
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Phlebitis
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Laryngospasm
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Microoranisms, Urine
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Slough, Tongue
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Trachitis
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Meloxicam
Parenteral, Ferret

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]

[Drug:] Meloxicam
Parenteral, Pig

[Sign:] Lameness
Number of times reported: [1]

[Drug:] Meloxicam
Parenteral, Rabbit

[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Meloxicam
Suppository, Dog

[Sign:] Convulsion(s)
Number of times reported: [1]

[Drug:] Meloxicam
Topical, Dog

[Sign:] Application Site Alopecia
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Drug:] Meloxicam
Topical, Human

[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Human Exposure, Eye(s)
Number of times reported: [1]
[Sign:] Human Exposure, Head/f
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Meloxicam
Unknown, Bird

[Sign:] Death
Number of times reported: [1]

[Drug:] Meloxicam
Unknown, Cat

[Sign:] Anorexia
Number of times reported: [13]
[Sign:] Depression/lethargy
Number of times reported: [11]
[Sign:] Creatinine Hi, Bld
Number of times reported: [9]
[Sign:] Death
Number of times reported: [9]

[Sign:] Kidney Failure
Number of times reported: [8]
[Sign:] Bun Hi, Bld
Number of times reported: [7]
[Sign:] Vomiting
Number of times reported: [7]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Azotemia
Number of times reported: [3]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]

[Drug:] Meloxicam
Unknown, Dog

[Sign:] Vomiting
Number of times reported: [11]
[Sign:] Depression/lethargy
Number of times reported: [9]
[Sign:] Anorexia
Number of times reported: [7]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld

Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Bld, Gi
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Ulcer(s), Gi
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld

Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Infection, Joint(s)
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Perforation, Gi

Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Meloxicam
Unknown, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Meloxicam
Unknown, Parrot

[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Pain

Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Meloxicam
Various, Dog

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Meloxicam
Various, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pd-syringe, Abn
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]

[Drug:] Meloxicam
Various, Pig

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Mepivacaine
Defect, Not Applicable

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Drug:] Mepivacaine
Ophthalmic, Human

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Mepivacaine
Parenteral, Cat

[Sign:] Death
Number of times reported: [1]

[Drug:] Mepivacaine
Parenteral, Dog

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]

[Drug:] Mepivacaine
Parenteral, Horse

[Sign:] Lameness
Number of times reported: [3]
[Sign:] Swelling, Joint(s)
Number of times reported: [3]
[Sign:] Ineffect, Analgesia
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]

[Sign:] Synovitis
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Fever, Joint(s)
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-joint(s), Sepsis
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Mepivacaine
Unknown, Dog

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Mepivacaine
Unknown, Horse

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Defect, Not Applicable

[Sign:] Pd-container(s), Abn
Number of times reported: [3]
[Sign:] Pd-cap(s), Abn
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Inhalation, Human

[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Missing, Dog

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Missing, Human

[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Missing, Missing Information

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [8]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Confusion

Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Unknown
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Oral, Human

[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Irritation, Pharynx/th
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Human Exposure, Ingest
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Parenteral, Dog

[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Topical, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Topical, Dog

[Sign:] Depression/lethargy
Number of times reported: [18]
[Sign:] Vomiting
Number of times reported: [17]
[Sign:] Pruritis
Number of times reported: [10]
[Sign:] Anorexia
Number of times reported: [9]
[Sign:] Congestion, Skin
Number of times reported: [9]
[Sign:] Alopecia
Number of times reported: [7]
[Sign:] Application Site Pain
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Application Site Lesion(s)
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Inflam, Skin
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Rash
Number of times reported: [3]
[Sign:] Aggression

Number of times reported: [2]
[Sign:] Application Site Alopecia
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Edema
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)

Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Antiinflam
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Recumbency

Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Topical, Human

[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]

[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Unknown, Dog

[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Unknown, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Unknown, Unknown

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Ineffect, Antiinflam
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Various, Dog

[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Vomiting, Unproductive
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Mercaptobenzothiazole
Various, Human

[Sign:] Gagging
Number of times reported: [1]

[Drug:] Mercuric Chloride
Topical, Horse

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Meropenem
Parenteral, Cat

[Sign:] Inj Site Alopecia
Number of times reported: [1]

[Drug:] Methimazole
Oral, Cat

[Sign:] Anorexia
Number of times reported: [21]
[Sign:] Vomiting
Number of times reported: [18]
[Sign:] Depression/lethargy
Number of times reported: [17]
[Sign:] Anemia
Number of times reported: [9]
[Sign:] Pruritis
Number of times reported: [9]
[Sign:] Death
Number of times reported: [6]
[Sign:] Weight Loss
Number of times reported: [6]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Ineffect
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [4]
[Sign:] Lesion(s), Skin
Number of times reported: [4]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Platelets Lo, Bld
Number of times reported: [3]
[Sign:] Coagulation Disorder
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Diarrhea, Bloody

Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Liver Failure
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Gastroenteritis

Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Scab(s)

Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Methimazole
Topical, Cat

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Drug:] Methionine
Oral, Dog

[Sign:] Calculi, Bladder
Number of times reported: [1]

[Drug:] Methocarbamol
Defect, Not Applicable

[Sign:] Pd-solution, Abn
Number of times reported: [38]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [4]
[Sign:] Pd-color, Abn
Number of times reported: [3]
[Sign:] Pd-missing, Cap
Number of times reported: [3]
[Sign:] Pd-seal, Abn
Number of times reported: [3]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [3]
[Sign:] Pd-suspension, Abn
Number of times reported: [2]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-missing, Label(s)
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Drug:] Methocarbamol
Oral, Dog

[Sign:] Anemia

Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld

Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Strabismus
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Tox
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Methocarbamol
Parenteral, Cat

[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]

[Drug:] Methocarbamol
Parenteral, Dog

[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]

[Drug:] Methocarbamol
Unknown, Dog

[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Methoxyflurane
Defect, Not Applicable

[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-missing, Label(s)
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Drug:] Methoxyflurane
Inhalation, Dog

[Sign:] Death
Number of times reported: [7]
[Sign:] Ineffect, Anesthesia
Number of times reported: [5]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Methoxyflurane
Inhalation, Human

[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Human Exposure
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Methoxyflurane
Inhalation, Mouse

[Sign:] Death
Number of times reported: [1]

[Drug:] Methoxyflurane
Inhalation, Unknown

[Sign:] Ineffect
Number of times reported: [1]

[Drug:] Methoxyflurane
Inhalation, Various

[Sign:] Apnea
Number of times reported: [1]

[Drug:] Methoxypropyl Cyanoacryalte Monomer
Topical, Cat

[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [1]

[Drug:] Methylprednisolone
Defect, Not Applicable

[Sign:] Pd-suspension, Abn
Number of times reported: [15]
[Sign:] Pd-color, Abn
Number of times reported: [6]
[Sign:] Pd-solution, Abn
Number of times reported: [5]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [4]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [3]
[Sign:] Pd-underfill, Package
Number of times reported: [2]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Drug:] Methylprednisolone
Missing, Cat

[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Death
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Diabetes Mellitus
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Ineffect, Antiinflam
Number of times reported: [2]
[Sign:] Polydipsia

Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Inj Site Hair, Abn
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm

Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Methylprednisolone
Missing, Dog

[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Methylprednisolone
Ophthalmic, Cat

[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]

[Drug:] Methylprednisolone
Oral, Cat

[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diabetes Mellitus
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Ineffect, Antiinflam
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Steatitis
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Methylprednisolone
Oral, Dog

[Sign:] Alopecia
Number of times reported: [5]
[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Ineffect, Antiinflam
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Ulcer(s), Skin
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Diabetes Mellitus
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Fever, Body

Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Platelets Lo, Bld
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Swelling, Ear(s)
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(stillborn)

Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Endocrine Disorder
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Polycythemia

Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Methylprednisolone
Parenteral, Cat

[Sign:] Depression/lethargy
Number of times reported: [61]
[Sign:] Death
Number of times reported: [50]
[Sign:] Anorexia
Number of times reported: [45]
[Sign:] Vomiting
Number of times reported: [38]
[Sign:] Glucose Hi, Bld
Number of times reported: [35]
[Sign:] Dyspnea
Number of times reported: [32]
[Sign:] Weight Loss
Number of times reported: [26]
[Sign:] Polydipsia
Number of times reported: [25]
[Sign:] Inj Site Mass
Number of times reported: [24]
[Sign:] Polyuria
Number of times reported: [21]
[Sign:] Ataxia
Number of times reported: [20]
[Sign:] Ineffect, Antiinflam
Number of times reported: [20]
[Sign:] Radiograph(s) Abn
Number of times reported: [19]

[Sign:] Anemia
Number of times reported: [17]
[Sign:] Diabetes Mellitus
Number of times reported: [17]
[Sign:] Death(euthanized)
Number of times reported: [16]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [16]
[Sign:] Glucose, Urine
Number of times reported: [15]
[Sign:] Diarrhea
Number of times reported: [14]
[Sign:] Fever, Body
Number of times reported: [14]
[Sign:] Wbc Hi, Bld
Number of times reported: [14]
[Sign:] Distress, Resp
Number of times reported: [13]
[Sign:] Anaphylaxis/toid
Number of times reported: [11]
[Sign:] Dehydration
Number of times reported: [11]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [11]
[Sign:] Inj Site Swelling
Number of times reported: [11]
[Sign:] Hiding
Number of times reported: [9]
[Sign:] Pallor, Mucous Membran
Number of times reported: [9]
[Sign:] Behavior Disorder
Number of times reported: [8]
[Sign:] Bun Hi, Bld
Number of times reported: [8]
[Sign:] Collapse
Number of times reported: [8]
[Sign:] Convulsion(s)
Number of times reported: [8]
[Sign:] Hyperpnea
Number of times reported: [8]
[Sign:] Platelets Lo, Bld
Number of times reported: [8]

[Sign:] Pruritis
Number of times reported: [8]
[Sign:] Vocalization
Number of times reported: [8]
[Sign:] Cardiomegaly
Number of times reported: [7]
[Sign:] Congestion, Lung(s)
Number of times reported: [7]
[Sign:] Hypersalivation
Number of times reported: [7]
[Sign:] Mydriasis
Number of times reported: [7]
[Sign:] Recumbency
Number of times reported: [7]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [7]
[Sign:] Alopecia
Number of times reported: [6]
[Sign:] Cyanosis
Number of times reported: [6]
[Sign:] Heart Disorder
Number of times reported: [6]
[Sign:] Hypothermia, Body
Number of times reported: [6]
[Sign:] Inj Site Abscess
Number of times reported: [6]
[Sign:] Pain
Number of times reported: [6]
[Sign:] Polyphagia
Number of times reported: [6]
[Sign:] Segs Hi, Bld
Number of times reported: [6]
[Sign:] Amylase Hi, Bld
Number of times reported: [5]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Globulin Hi, Bld
Number of times reported: [5]
[Sign:] Heart Failure
Number of times reported: [5]

[Sign:] Hypothermia
Number of times reported: [5]
[Sign:] Inj Site Inflam
Number of times reported: [5]
[Sign:] Lesion(s), Skin
Number of times reported: [5]
[Sign:] Murmur, Heart
Number of times reported: [5]
[Sign:] Polypnea
Number of times reported: [5]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [5]
[Sign:] Skin, Scab(s)
Number of times reported: [5]
[Sign:] Sneezing
Number of times reported: [5]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [4]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Ineffect
Number of times reported: [4]
[Sign:] Inj Site Edema
Number of times reported: [4]
[Sign:] Inj Site Neoplasm
Number of times reported: [4]
[Sign:] Inj Site Sterile Absce
Number of times reported: [4]
[Sign:] Lymphs Lo, Bld
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Pancreatitis
Number of times reported: [4]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Trembling
Number of times reported: [4]
[Sign:] Urination Abn
Number of times reported: [4]
[Sign:] Vomiting, Bloody
Number of times reported: [4]
[Sign:] Wheezing
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Application Site Alopecia
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Effusion, Pleural
Number of times reported: [3]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Icterus, Body
Number of times reported: [3]
[Sign:] Infection
Number of times reported: [3]
[Sign:] Inj Site Abn
Number of times reported: [3]
[Sign:] Inj Site Fibrosis
Number of times reported: [3]
[Sign:] Inj Site Necrosis
Number of times reported: [3]
[Sign:] Kidney Disorder
Number of times reported: [3]
[Sign:] K Lo, Bld
Number of times reported: [3]

[Sign:] Lipase Hi, Bld
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Skin Disorder
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Us Abn
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Balance Disorder
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Effusion, Pericardial
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Granuloma
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Inj Site Infect
Number of times reported: [2]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [2]
[Sign:] Ketones, Urine
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Neoplasm
Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [2]
[Sign:] Retina Abn
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Sore(s)
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Adipose, Inflam
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Application Site Lesion(s)
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Difficult
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]

[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Ineffect, Atopy Control
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neoplasm, Heart
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Odor
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]
[Sign:] Perforation
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Seborrhea
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Transudate
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Methylprednisolone
Parenteral, Dog

[Sign:] Vomiting
Number of times reported: [22]
[Sign:] Anaphylaxis/toid
Number of times reported: [18]
[Sign:] Depression/lethargy
Number of times reported: [18]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [16]
[Sign:] Anorexia
Number of times reported: [15]
[Sign:] Ineffect, Antiinflam
Number of times reported: [15]
[Sign:] Death
Number of times reported: [14]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [12]
[Sign:] Ataxia
Number of times reported: [11]
[Sign:] Death(euthanized)

Number of times reported: [11]
[Sign:] Polydipsia
Number of times reported: [10]
[Sign:] Bradycardia
Number of times reported: [8]
[Sign:] Pallor, Mucous Membran
Number of times reported: [7]
[Sign:] Polyuria
Number of times reported: [7]
[Sign:] Bun Hi, Bld
Number of times reported: [6]
[Sign:] Collapse
Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [6]
[Sign:] Dyspnea
Number of times reported: [6]
[Sign:] Polypnea
Number of times reported: [6]
[Sign:] Wbc Hi, Bld
Number of times reported: [6]
[Sign:] Anemia
Number of times reported: [5]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [5]
[Sign:] Congestion, Skin
Number of times reported: [5]
[Sign:] Convulsion(s)
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Shock
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Ineffect
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Pancreatitis
Number of times reported: [4]
[Sign:] Pruritis

Number of times reported: [4]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Vomiting, Bloody
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Inflam, Skin
Number of times reported: [3]
[Sign:] Inj Site Alopecia
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] P Hi, Bld
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Diabetes Mellitus
Number of times reported: [2]
[Sign:] Diarrhea, Bloody

Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Inj Site Bld
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Ketones, Urine
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Melena
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Pallor
Number of times reported: [2]
[Sign:] Platelets Hi, Bld
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Weight Loss

Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Passing
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo

Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine

Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperadrenocorticism
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Ineffect, Atopy Control
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Induration
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mydriasis

Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Recumbency

Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Sperm Abn
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Ulcer(s), Gi

Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]

[Drug:] Methylprednisolone
Parenteral, Horse

[Sign:] Effusion, Joint(s)
Number of times reported: [10]
[Sign:] Swelling, Joint(s)
Number of times reported: [10]
[Sign:] Synovitis
Number of times reported: [10]
[Sign:] Arthritis
Number of times reported: [7]
[Sign:] Inj Site Pain
Number of times reported: [7]
[Sign:] Lameness
Number of times reported: [7]
[Sign:] Infection, Joint(s)
Number of times reported: [6]
[Sign:] Pain, Joint(s)
Number of times reported: [5]
[Sign:] Death
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Inj Site Inflam
Number of times reported: [3]

[Sign:] Synovial Fluid Abn
Number of times reported: [3]
[Sign:] Wbc Hi, Synovial Fluid
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Pd-suspension, Abn
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Fever, Joint(s)
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Methylprednisolone
Suppository, Cat

[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]

[Drug:] Methylprednisolone
Topical, Cat

[Sign:] Aggression
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Methylprednisolone
Unknown, Cat

[Sign:] Anorexia
Number of times reported: [19]
[Sign:] Death
Number of times reported: [12]
[Sign:] Depression/lethargy

Number of times reported: [11]
[Sign:] Vomiting
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [9]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]
[Sign:] Polydipsia
Number of times reported: [6]
[Sign:] Diabetes Mellitus
Number of times reported: [5]
[Sign:] Weight Loss
Number of times reported: [5]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Polyuria
Number of times reported: [4]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] Ineffect, Antiinflam
Number of times reported: [3]
[Sign:] Inj Site Mass
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Heart Disorder
Number of times reported: [2]
[Sign:] Heart Failure

Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Inj Site Edema
Number of times reported: [2]
[Sign:] Inj Site Neoplasm
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Sneezing
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Cachexia

Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Atopy Control
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Interaction, Drug(s)

Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis

Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Methylprednisolone
Unknown, Dog

[Sign:] Ineffect, Antiinflam
Number of times reported: [8]
[Sign:] Anaphylaxis/toid
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Heart Disorder
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Methylprednisolone
Various, Cat

[Sign:] Death
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]

[Drug:] Methylprednisolone
Various, Dog

[Sign:] Ineffect, Antiinflam
Number of times reported: [1]

[Drug:] Methylsulfonylmethane (msm Or Dimethyl Sulfone)
Defect, Not Applicable

[Sign:] Pd-label(s), Abn
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Drug:] Metoclopramide
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]

[Drug:] Metoclopramide
Parenteral, Dog

[Sign:] Hyperactivity
Number of times reported: [1]

[Drug:] Metoclopramide
Various, Dog

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]

[Drug:] Metronidazole
Missing, Dog

[Sign:] Ataxia
Number of times reported: [1]

[Drug:] Metronidazole
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Regurgitation
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Drug:] Metronidazole
Oral, Dog

[Sign:] Convulsion(s)
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Nystagmus, Vertical

Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Vasculitis
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement(s), Head/f
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Heart Failure

Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Metronidazole
Oral, Rabbit

[Sign:] Ineffect
Number of times reported: [1]

[Drug:] Metronidazole
Parenteral, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Metronidazole
Unknown, Dog

[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]

[Drug:] Mibolerone
Oral, Dog

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]

[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Discharge, Mammary
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Pr-uterus, Lesion(s)
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Drug:] Miconazole
Defect, Not Applicable

[Sign:] Pd-applicator, Abn
Number of times reported: [3]
[Sign:] Pd-container(s), Abn
Number of times reported: [2]
[Sign:] Pd-dispenser, Abn
Number of times reported: [2]

[Sign:] Pd-product Defect
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-defect Unknown
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-missing, Label(s)
Number of times reported: [1]
[Sign:] Pd-tube(s), Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Miconazole
Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [6]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [5]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Abrasion, Cornea(s)
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Miconazole
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Miconazole
Oral, Cat

[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Miconazole
Oral, Dog

[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]

[Drug:] Miconazole
Parenteral, Dog

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]

[Drug:] Miconazole
Topical, Cat

[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]

[Drug:] Miconazole
Topical, Dog

[Sign:] Deafness
Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking

Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]

[Drug:] Miconazole
Unknown, Human

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Drug:] Miconazole
Various, Cat

[Sign:] Hypersalivation
Number of times reported: [1]

[Drug:] Miconazole, Chlorhexadine
Topical, Cat

[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Miconazole, Polymyxin B, Prednisone
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Miconazole, Polymyxin B, Prednisone
Topical, Cat

[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]

[Drug:] Miconazole, Polymyxin B, Prednisone
Topical, Dog

[Sign:] Deafness
Number of times reported: [14]
[Sign:] Deafness, Temp
Number of times reported: [10]
[Sign:] Deafness, Partial
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Application Site Pain
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Application Site Inflam
Number of times reported: [3]
[Sign:] Application Site Erythema
Number of times reported: [2]
[Sign:] Application Site Lesion(s)
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Dyspnea

Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Edema
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s

Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Miconazole, Polymyxin B, Prednisone
Unknown, Dog

[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Deafness, Partial
Number of times reported: [2]
[Sign:] Deafness, Temp
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Milbemycin
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [795]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [368]
[Sign:] Pd-container(s), Abn
Number of times reported: [52]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [32]
[Sign:] Pd-product Defect
Number of times reported: [30]
[Sign:] Pd-container(s), Damag
Number of times reported: [22]
[Sign:] Pd-seal, Abn
Number of times reported: [20]
[Sign:] Pd-label(s), Abn
Number of times reported: [15]
[Sign:] Pd-missing, Label(s)
Number of times reported: [14]

[Sign:] Pd-contamination
Number of times reported: [11]
[Sign:] Pd-tube(s), Abn
Number of times reported: [7]
[Sign:] Pd-color, Abn
Number of times reported: [6]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [6]
[Sign:] Pd-defect Unknown
Number of times reported: [5]
[Sign:] Pd-contam, Mold
Number of times reported: [2]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Drug:] Milbemycin
Intrauterine, Dog

[Sign:] Dilitation, Esophagus
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Birth Defect(s), Limb(
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Leg Disorder

Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]

[Drug:] Milbemycin
Missing, Dog

[Sign:] Ineffect, Hooks
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]

[Drug:] Milbemycin
Not Applicable, Dog

[Sign:] Birth Defect(s), Head/
Number of times reported: [1]

[Drug:] Milbemycin
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Milbemycin
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [40]
[Sign:] Vomiting
Number of times reported: [27]
[Sign:] Ataxia
Number of times reported: [23]
[Sign:] Anorexia
Number of times reported: [13]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Trembling

Number of times reported: [8]
[Sign:] Ineffect, Ascarids
Number of times reported: [6]
[Sign:] Death
Number of times reported: [4]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Mydriasis
Number of times reported: [4]
[Sign:] Vomiting Roundworms
Number of times reported: [4]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Hi, Bld

Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [1]
[Sign:] Ineffect, Hw Adults
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Locomotion Disorder

Number of times reported: [1]
[Sign:] Microoranisms, Urine
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Stupor

Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Milbemycin
Oral, Dog

[Sign:] Ineffect, Hw Larvae
Number of times reported: [9,359]
[Sign:] Vomiting
Number of times reported: [2,453]
[Sign:] Diarrhea
Number of times reported: [1,879]
[Sign:] Ineffect, Ascarids
Number of times reported: [1,778]
[Sign:] Depression/lethargy
Number of times reported: [1,769]
[Sign:] Ineffect, Hooks
Number of times reported: [1,762]
[Sign:] Ineffect, Whips
Number of times reported: [1,511]
[Sign:] Anorexia
Number of times reported: [913]
[Sign:] Convulsion(s)
Number of times reported: [675]
[Sign:] Ataxia
Number of times reported: [515]
[Sign:] Trembling
Number of times reported: [373]
[Sign:] Diarrhea, Bloody
Number of times reported: [282]
[Sign:] Death
Number of times reported: [279]
[Sign:] Pruritis
Number of times reported: [242]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [240]

[Sign:] Hypersalivation
Number of times reported: [236]
[Sign:] Diarrhea, Mild
Number of times reported: [222]
[Sign:] Ineffect, Hooks Preven
Number of times reported: [211]
[Sign:] Dyspnea
Number of times reported: [192]
[Sign:] Ineffect, Whips Preven
Number of times reported: [168]
[Sign:] Fever, Body
Number of times reported: [162]
[Sign:] Polypnea
Number of times reported: [156]
[Sign:] Weight Loss
Number of times reported: [150]
[Sign:] Death(euthanized)
Number of times reported: [144]
[Sign:] Weakness
Number of times reported: [123]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [113]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [103]
[Sign:] Anaphylaxis/toid
Number of times reported: [103]
[Sign:] Hematochezia
Number of times reported: [103]
[Sign:] Hyperactivity
Number of times reported: [92]
[Sign:] Coughing
Number of times reported: [89]
[Sign:] Urticaria
Number of times reported: [88]
[Sign:] Collapse
Number of times reported: [87]
[Sign:] Pallor, Mucous Membran
Number of times reported: [85]
[Sign:] Polydipsia
Number of times reported: [85]
[Sign:] Confusion
Number of times reported: [84]

[Sign:] Dehydration
Number of times reported: [82]
[Sign:] Hyperpnea
Number of times reported: [81]
[Sign:] Vocalization
Number of times reported: [81]
[Sign:] Recumbency
Number of times reported: [79]
[Sign:] Stool Abn
Number of times reported: [71]
[Sign:] Wbc Hi, Bld
Number of times reported: [71]
[Sign:] Congestion, Skin
Number of times reported: [69]
[Sign:] Nervousness
Number of times reported: [69]
[Sign:] Anemia
Number of times reported: [68]
[Sign:] Inflam, Skin
Number of times reported: [68]
[Sign:] Behavior Disorder
Number of times reported: [67]
[Sign:] Bun Hi, Bld
Number of times reported: [62]
[Sign:] Pain, Abdomen
Number of times reported: [61]
[Sign:] Alopecia
Number of times reported: [60]
[Sign:] Radiograph(s) Abn
Number of times reported: [60]
[Sign:] Tachycardia
Number of times reported: [57]
[Sign:] Shaking
Number of times reported: [54]
[Sign:] Ineffect, Hw Antigen
Number of times reported: [53]
[Sign:] Polyuria
Number of times reported: [53]
[Sign:] Platelets Lo, Bld
Number of times reported: [51]
[Sign:] Incontinence, Urinary
Number of times reported: [50]

[Sign:] Creatinine Hi, Bld
Number of times reported: [47]
[Sign:] Pain
Number of times reported: [43]
[Sign:] Shock
Number of times reported: [43]
[Sign:] Mydriasis
Number of times reported: [42]
[Sign:] Lameness
Number of times reported: [41]
[Sign:] Flatulence
Number of times reported: [39]
[Sign:] Aggression
Number of times reported: [38]
[Sign:] Apprehension
Number of times reported: [38]
[Sign:] Ill
Number of times reported: [38]
[Sign:] Rash
Number of times reported: [38]
[Sign:] Vomiting, Bloody
Number of times reported: [38]
[Sign:] Swelling, Head/face
Number of times reported: [36]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [35]
[Sign:] Twitch
Number of times reported: [34]
[Sign:] Adipsia
Number of times reported: [32]
[Sign:] P Hi, Bld
Number of times reported: [32]
[Sign:] Stupor
Number of times reported: [32]
[Sign:] Albumin Lo, Bld
Number of times reported: [31]
[Sign:] Vomiting, Unproductive
Number of times reported: [31]
[Sign:] Bld, Urine
Number of times reported: [30]
[Sign:] Vomiting Roundworms
Number of times reported: [30]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [28]
[Sign:] Diarrhea, Watery
Number of times reported: [28]
[Sign:] Melena
Number of times reported: [28]
[Sign:] Stool, Mucoid
Number of times reported: [28]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [27]
[Sign:] Diarrhea, Mucoid
Number of times reported: [27]
[Sign:] Staggering
Number of times reported: [27]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [26]
[Sign:] Hypothermia, Body
Number of times reported: [25]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [25]
[Sign:] Defecation Abn
Number of times reported: [24]
[Sign:] Edema, Head/face
Number of times reported: [24]
[Sign:] Head Tilt
Number of times reported: [24]
[Sign:] Lipase Hi, Bld
Number of times reported: [24]
[Sign:] Distention, Abdomen
Number of times reported: [23]
[Sign:] Glucose Lo, Bld
Number of times reported: [23]
[Sign:] Hiding
Number of times reported: [23]
[Sign:] Nystagmus
Number of times reported: [23]
[Sign:] Polycythemia
Number of times reported: [23]
[Sign:] Amylase Hi, Bld
Number of times reported: [22]
[Sign:] Glucose Hi, Bld
Number of times reported: [22]

[Sign:] Head Bobbing
Number of times reported: [22]
[Sign:] Lesion(s), Skin
Number of times reported: [22]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [22]
[Sign:] Urination Abn
Number of times reported: [22]
[Sign:] Locomotion Disorder
Number of times reported: [21]
[Sign:] Reluctant To Move
Number of times reported: [21]
[Sign:] Us Abn
Number of times reported: [21]
[Sign:] Nausea
Number of times reported: [20]
[Sign:] Stiffness
Number of times reported: [20]
[Sign:] Gagging
Number of times reported: [19]
[Sign:] Hypothermia
Number of times reported: [19]
[Sign:] Sneezing
Number of times reported: [19]
[Sign:] Licking
Number of times reported: [18]
[Sign:] Pancreatitis
Number of times reported: [18]
[Sign:] Pica
Number of times reported: [18]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [18]
[Sign:] Proprioceptive Disorde
Number of times reported: [18]
[Sign:] Segs Hi, Bld
Number of times reported: [18]
[Sign:] Somnolence
Number of times reported: [18]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [17]
[Sign:] Gastroenteritis
Number of times reported: [17]

[Sign:] Gi, Abnormal
Number of times reported: [17]
[Sign:] Infection, Skin
Number of times reported: [17]
[Sign:] Pacing
Number of times reported: [17]
[Sign:] Urination
Number of times reported: [17]
[Sign:] Accidental Exposure
Number of times reported: [16]
[Sign:] Difficulty Rising
Number of times reported: [16]
[Sign:] Eosinos Hi, Bld
Number of times reported: [16]
[Sign:] Kidney Failure
Number of times reported: [16]
[Sign:] Neurological Disorder
Number of times reported: [16]
[Sign:] Pallor
Number of times reported: [16]
[Sign:] Pustule(s)
Number of times reported: [16]
[Sign:] Shaking, Head/face
Number of times reported: [16]
[Sign:] Summary Review
Number of times reported: [16]
[Sign:] Wbc Lo, Bld
Number of times reported: [16]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [15]
[Sign:] Bradycardia
Number of times reported: [15]
[Sign:] Cyanosis
Number of times reported: [15]
[Sign:] Epistaxis
Number of times reported: [15]
[Sign:] Eye Disorder
Number of times reported: [15]
[Sign:] Loss Of Condition
Number of times reported: [15]
[Sign:] Neoplasm
Number of times reported: [15]

[Sign:] Staring
Number of times reported: [15]
[Sign:] Stumbling
Number of times reported: [15]
[Sign:] Unconscious
Number of times reported: [15]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [14]
[Sign:] Circling
Number of times reported: [14]
[Sign:] Diarrhea, Severe
Number of times reported: [14]
[Sign:] Globulin Hi, Bld
Number of times reported: [14]
[Sign:] Irritation, Perineum
Number of times reported: [14]
[Sign:] Murmur, Heart
Number of times reported: [14]
[Sign:] Borborygmi
Number of times reported: [13]
[Sign:] Congestion, Lung(s)
Number of times reported: [13]
[Sign:] Dermatitis, Moist
Number of times reported: [13]
[Sign:] K Lo, Bld
Number of times reported: [13]
[Sign:] Skin, Crust(s)
Number of times reported: [13]
[Sign:] Sound Abn, Respiratory
Number of times reported: [13]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [13]
[Sign:] Thrashing/paddling
Number of times reported: [13]
[Sign:] Conjunctivitis
Number of times reported: [12]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [12]
[Sign:] Ggt Hi, Bld
Number of times reported: [12]
[Sign:] Infection, Urinary Tra
Number of times reported: [12]

[Sign:] Protein, Urine
Number of times reported: [12]
[Sign:] Colitis
Number of times reported: [11]
[Sign:] Discomfort
Number of times reported: [11]
[Sign:] Globulin Lo, Bld
Number of times reported: [11]
[Sign:] Hair, Abn
Number of times reported: [11]
[Sign:] Liver Disorder
Number of times reported: [11]
[Sign:] Na Lo, Bld
Number of times reported: [11]
[Sign:] Papule(s)
Number of times reported: [11]
[Sign:] Polycythemia(relative)
Number of times reported: [11]
[Sign:] Polyphagia
Number of times reported: [11]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [11]
[Sign:] Pupil(s), Areflexia
Number of times reported: [11]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [11]
[Sign:] Tenesmus, Rectal
Number of times reported: [11]
[Sign:] Biting/chewing
Number of times reported: [10]
[Sign:] Bld(petechiae)
Number of times reported: [10]
[Sign:] Blindness
Number of times reported: [10]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [10]
[Sign:] Constipation
Number of times reported: [10]
[Sign:] Epiphora
Number of times reported: [10]
[Sign:] Hyperesthesia
Number of times reported: [10]

[Sign:] Lymphs Lo, Bld
Number of times reported: [10]
[Sign:] Odor
Number of times reported: [10]
[Sign:] Odor, Mouth
Number of times reported: [10]
[Sign:] Otitis
Number of times reported: [10]
[Sign:] Paresis
Number of times reported: [10]
[Sign:] Pressure Lo, Bld
Number of times reported: [10]
[Sign:] Reflex(es) Abn
Number of times reported: [10]
[Sign:] Trembling, Face
Number of times reported: [10]
[Sign:] Vestibular Disorder
Number of times reported: [10]
[Sign:] Ascites
Number of times reported: [9]
[Sign:] Bld(ecchymoses)
Number of times reported: [9]
[Sign:] Cardiomegaly
Number of times reported: [9]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [9]
[Sign:] Heart Failure
Number of times reported: [9]
[Sign:] Miosis
Number of times reported: [9]
[Sign:] Nose Abn
Number of times reported: [9]
[Sign:] Pneumonia
Number of times reported: [9]
[Sign:] Skin, Dry
Number of times reported: [9]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [9]
[Sign:] Urine Abn
Number of times reported: [9]
[Sign:] Wheezing
Number of times reported: [9]

[Sign:] Abn Color, Urine
Number of times reported: [8]
[Sign:] Congestion, Ear(s)
Number of times reported: [8]
[Sign:] Cpk Hi, Bld
Number of times reported: [8]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [8]
[Sign:] Head Pressing
Number of times reported: [8]
[Sign:] Icterus
Number of times reported: [8]
[Sign:] Incontinence, Fecal
Number of times reported: [8]
[Sign:] K Hi, Bld
Number of times reported: [8]
[Sign:] Monos Hi, Bld
Number of times reported: [8]
[Sign:] Na Hi, Bld
Number of times reported: [8]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [8]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [8]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [8]
[Sign:] Skin Abnormal
Number of times reported: [8]
[Sign:] Vomiting, Severe
Number of times reported: [8]
[Sign:] Arrest, Heart
Number of times reported: [7]
[Sign:] Arrhythmia
Number of times reported: [7]
[Sign:] Bilirubin, Urine
Number of times reported: [7]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [7]
[Sign:] Ca Lo, Bld
Number of times reported: [7]
[Sign:] Chloride Lo, Bld
Number of times reported: [7]

[Sign:] Coagulation Disorder
Number of times reported: [7]
[Sign:] Crystals, Urine
Number of times reported: [7]
[Sign:] Culture/titer Data Abn
Number of times reported: [7]
[Sign:] Defecation
Number of times reported: [7]
[Sign:] Discharge, Nose
Number of times reported: [7]
[Sign:] Distress
Number of times reported: [7]
[Sign:] Dysmetria
Number of times reported: [7]
[Sign:] Edema
Number of times reported: [7]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [7]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [7]
[Sign:] Hypopnea
Number of times reported: [7]
[Sign:] Icterus, Body
Number of times reported: [7]
[Sign:] Ineffect, Hw Adults
Number of times reported: [7]
[Sign:] Lymphs Hi, Bld
Number of times reported: [7]
[Sign:] Pain, Neck
Number of times reported: [7]
[Sign:] Posture Abn
Number of times reported: [7]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [7]
[Sign:] Sore(s)
Number of times reported: [7]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [7]
[Sign:] Us-liver Abn
Number of times reported: [7]
[Sign:] Azotemia
Number of times reported: [6]

[Sign:] Blepharospasm
Number of times reported: [6]
[Sign:] Chemistry Abn
Number of times reported: [6]
[Sign:] Chloride Hi, Bld
Number of times reported: [6]
[Sign:] Digestion Disorder
Number of times reported: [6]
[Sign:] Elimination Abn
Number of times reported: [6]
[Sign:] Eructation
Number of times reported: [6]
[Sign:] Hair, Shedding
Number of times reported: [6]
[Sign:] Heart Disorder
Number of times reported: [6]
[Sign:] Immune Disorder
Number of times reported: [6]
[Sign:] Mass, Abdomen
Number of times reported: [6]
[Sign:] Microoranisms, Urine
Number of times reported: [6]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [6]
[Sign:] Neoplasm, Spleen
Number of times reported: [6]
[Sign:] No Signs
Number of times reported: [6]
[Sign:] Pain, Back
Number of times reported: [6]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [6]
[Sign:] Pr-lung(s), Edema
Number of times reported: [6]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [6]
[Sign:] Pruritis, Ear(s)
Number of times reported: [6]
[Sign:] Reluctant To Climb
Number of times reported: [6]
[Sign:] Segs Lo, Bld
Number of times reported: [6]

[Sign:] Spasm
Number of times reported: [6]
[Sign:] Strabismus
Number of times reported: [6]
[Sign:] Swelling, Ear(s)
Number of times reported: [6]
[Sign:] Blindness, Temp
Number of times reported: [5]
[Sign:] Bloat
Number of times reported: [5]
[Sign:] Breathing Abn
Number of times reported: [5]
[Sign:] Congestion, Mucous Mem
Number of times reported: [5]
[Sign:] Distress, Resp
Number of times reported: [5]
[Sign:] Dysuria
Number of times reported: [5]
[Sign:] Ear Disorder
Number of times reported: [5]
[Sign:] Fly Biting
Number of times reported: [5]
[Sign:] Hepatomegaly
Number of times reported: [5]
[Sign:] Ineffect, Strongyles
Number of times reported: [5]
[Sign:] Infection
Number of times reported: [5]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [5]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [5]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [5]
[Sign:] Nystagmus, Horizontal
Number of times reported: [5]
[Sign:] Pain, Joint(s)
Number of times reported: [5]
[Sign:] Platelets Hi, Bld
Number of times reported: [5]
[Sign:] P Lo, Bld
Number of times reported: [5]

[Sign:] Pollakiuria
Number of times reported: [5]
[Sign:] Pr-heartworm Disease
Number of times reported: [5]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [5]
[Sign:] Sedation
Number of times reported: [5]
[Sign:] Splenomegaly
Number of times reported: [5]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Vision Disorder
Number of times reported: [5]
[Sign:] Anisocoria
Number of times reported: [4]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Bld, Abn
Number of times reported: [4]
[Sign:] Bld, Rectum
Number of times reported: [4]
[Sign:] Cachexia
Number of times reported: [4]
[Sign:] Ca Hi, Bld
Number of times reported: [4]
[Sign:] Capillary Refill Prolo
Number of times reported: [4]
[Sign:] Cns Disorder
Number of times reported: [4]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [4]
[Sign:] Coprophagia
Number of times reported: [4]
[Sign:] Death(stillborn)
Number of times reported: [4]
[Sign:] Effusion, Pleural
Number of times reported: [4]
[Sign:] Eruption(s)
Number of times reported: [4]
[Sign:] Exercise Intolerance
Number of times reported: [4]

[Sign:] Hair, Abn Color
Number of times reported: [4]
[Sign:] Ineffect, Hw Microfila
Number of times reported: [4]
[Sign:] Ineffect, Worms
Number of times reported: [4]
[Sign:] Kidney Disorder
Number of times reported: [4]
[Sign:] Liver Failure
Number of times reported: [4]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [4]
[Sign:] Neoplasm, Skin
Number of times reported: [4]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [4]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [4]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [4]
[Sign:] Pulse Thready
Number of times reported: [4]
[Sign:] Reaction, Unspecified
Number of times reported: [4]
[Sign:] Respiratory Disorder
Number of times reported: [4]
[Sign:] Scale(s), Skin
Number of times reported: [4]
[Sign:] Seborrhea
Number of times reported: [4]
[Sign:] Skin, Scab(s)
Number of times reported: [4]
[Sign:] Stiffness, Front Limb(
Number of times reported: [4]
[Sign:] Stranguria
Number of times reported: [4]
[Sign:] Tail Disorder
Number of times reported: [4]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [4]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [4]

[Sign:] Wbc, Urine
Number of times reported: [4]
[Sign:] Albumin Hi, Bld
Number of times reported: [3]
[Sign:] Alkaline Urine
Number of times reported: [3]
[Sign:] Anemia, Hemolytic
Number of times reported: [3]
[Sign:] Balance Disorder
Number of times reported: [3]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [3]
[Sign:] Bld
Number of times reported: [3]
[Sign:] Bronchitis
Number of times reported: [3]
[Sign:] Calculi, Bladder
Number of times reported: [3]
[Sign:] Colon, Abn
Number of times reported: [3]
[Sign:] Creatinine Lo, Bld
Number of times reported: [3]
[Sign:] Cystitis
Number of times reported: [3]
[Sign:] Deafness
Number of times reported: [3]
[Sign:] Discharge, Vulva
Number of times reported: [3]
[Sign:] Dissociation
Number of times reported: [3]
[Sign:] Edema, Cornea(s)
Number of times reported: [3]
[Sign:] Embolus
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Eosinos Lo, Bld
Number of times reported: [3]
[Sign:] Fertility, Lack Of
Number of times reported: [3]
[Sign:] Gastritis
Number of times reported: [3]

[Sign:] Glucose, Urine
Number of times reported: [3]
[Sign:] Hepatitis
Number of times reported: [3]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [3]
[Sign:] Hypertonia
Number of times reported: [3]
[Sign:] Ineffect, Tapes
Number of times reported: [3]
[Sign:] Injury
Number of times reported: [3]
[Sign:] Interaction, Drug(s)
Number of times reported: [3]
[Sign:] Irritation, Skin
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Keratoconjunctivitis S
Number of times reported: [3]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [3]
[Sign:] Lockjaw
Number of times reported: [3]
[Sign:] Mass
Number of times reported: [3]
[Sign:] Mg Hi, Bld
Number of times reported: [3]
[Sign:] Odor, Urine
Number of times reported: [3]
[Sign:] Oliguria
Number of times reported: [3]
[Sign:] Pain, Muscle(s)
Number of times reported: [3]
[Sign:] Pancreas Disorder
Number of times reported: [3]
[Sign:] Paralysis, All Limbs
Number of times reported: [3]
[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [3]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [3]
[Sign:] Pruritis, Tail
Number of times reported: [3]
[Sign:] Rbc, Aniso
Number of times reported: [3]
[Sign:] Skin Disorder
Number of times reported: [3]
[Sign:] Sleep Abn
Number of times reported: [3]
[Sign:] Slough, Skin
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Stiffness, Neck
Number of times reported: [3]
[Sign:] Swelling, Joint(s)
Number of times reported: [3]
[Sign:] Swelling, Tongue
Number of times reported: [3]
[Sign:] Tenesmus
Number of times reported: [3]
[Sign:] Thrombus
Number of times reported: [3]
[Sign:] Weight Increase
Number of times reported: [3]
[Sign:] Anemia, Regen
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [2]
[Sign:] Application Site Inflam
Number of times reported: [2]
[Sign:] Basos Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Anus
Number of times reported: [2]
[Sign:] Bld, Penis
Number of times reported: [2]

[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [2]
[Sign:] Bone, Abn
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Congestion
Number of times reported: [2]
[Sign:] Cort/creat Hi, Urine
Number of times reported: [2]
[Sign:] Csf Abn
Number of times reported: [2]
[Sign:] Diabetes Mellitus
Number of times reported: [2]
[Sign:] Dic
Number of times reported: [2]
[Sign:] Dilitation, Stomach
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Dizziness
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Edema, Ventral
Number of times reported: [2]
[Sign:] Effusion, Peritoneal
Number of times reported: [2]
[Sign:] Electrolyte Disorder
Number of times reported: [2]
[Sign:] Encephalopathy
Number of times reported: [2]
[Sign:] Erythema Multiforme
Number of times reported: [2]
[Sign:] Fibrosis
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]

[Sign:] Hypersensitive, Sound
Number of times reported: [2]
[Sign:] Hyposalivation
Number of times reported: [2]
[Sign:] Ineffect, Coccidia
Number of times reported: [2]
[Sign:] Inj Site Swelling
Number of times reported: [2]
[Sign:] Irritation, Ear(s)
Number of times reported: [2]
[Sign:] Irritation, Pharynx/th
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Leg Disorder
Number of times reported: [2]
[Sign:] Leukoderma
Number of times reported: [2]
[Sign:] Mass, Skin
Number of times reported: [2]
[Sign:] Mg Lo, Bld
Number of times reported: [2]
[Sign:] Microorganisms, Urine
Number of times reported: [2]
[Sign:] Monos Lo, Bld
Number of times reported: [2]
[Sign:] Moribund
Number of times reported: [2]
[Sign:] Mucous Membr, Muddy
Number of times reported: [2]
[Sign:] Nail Disorder
Number of times reported: [2]
[Sign:] Na:k Lo, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Mammary
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [2]
[Sign:] Phallitis
Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [2]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Prostration
Number of times reported: [2]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pruritis, Eye(s)
Number of times reported: [2]
[Sign:] Rbc, Polychrom
Number of times reported: [2]
[Sign:] Reflux, Stomach
Number of times reported: [2]
[Sign:] Regurgitation
Number of times reported: [2]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [2]
[Sign:] Rhinitis
Number of times reported: [2]
[Sign:] Self-mutilation
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Stomatitis
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]

[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Tachycardia, Ventricul
Number of times reported: [2]
[Sign:] Tail Chasing
Number of times reported: [2]
[Sign:] Teeth, Abn
Number of times reported: [2]
[Sign:] Tongue, Abn
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Agranulocytosis, Bld
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Amblyopia
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Heinz Body
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anion Gap Hi, Bld
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Atony, Bladder
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Birth Defect(s), Head/
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Retina
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Calculi, Kidney
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Delirium
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Dilitation, Esophagus
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysrhythmia, Resp
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Enlargement(s), Head/f
Number of times reported: [1]
[Sign:] Enlargement(s), Neck
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Erythema, Scrotum
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Granuloma
Number of times reported: [1]
[Sign:] Hco3 Hi, Bld
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]

[Sign:] Irritation
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Labor, Premature
Number of times reported: [1]
[Sign:] Laryngospasm
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neoplasm, Bone
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Mult Sites
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]

[Sign:] Pain, Spinal
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Paralysis, Larynx
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Placenta, Abnormal
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Priapism
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Rbc, Micro
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Repetitive Movements
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Rupture, Tumor
Number of times reported: [1]
[Sign:] Salivary Gland Abn
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Shock, Endotoxemia
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stool, Pale/gray
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tears, Abn
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Testicle, Abn
Number of times reported: [1]
[Sign:] Trachitis
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Unknown
Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Urobilinogen Hi, Urine
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vaginitis
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]
[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Drug:] Milbemycin
Oral, Ferret

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Milbemycin
Oral, Human

[Sign:] Nausea
Number of times reported: [36]

[Sign:] Diarrhea
Number of times reported: [14]
[Sign:] Headache
Number of times reported: [8]
[Sign:] Vomiting
Number of times reported: [7]
[Sign:] Pain, Abdomen
Number of times reported: [6]
[Sign:] Dizziness
Number of times reported: [5]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Rash
Number of times reported: [3]
[Sign:] Taste Abnormality
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Irritation, Pharynx/th
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Hot Flash
Number of times reported: [1]
[Sign:] Hot Flash/flush
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Obstruction, Esophagus
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reflux, Stomach
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Suicide Attempt
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Milbemycin
Oral, Other

[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Cat

[Sign:] Ineffect, Ear Mites
Number of times reported: [18]
[Sign:] Ataxia
Number of times reported: [14]
[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Head Tilt
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Death
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Pruritis, Ear(s)
Number of times reported: [4]
[Sign:] Anisocoria
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Dog

[Sign:] Ineffect, Hw Larvae
Number of times reported: [2]
[Sign:] Anorexia

Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Ineffect, Ear Mites
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Ferret

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Guinea Pig

[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Human

[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]

[Drug:] Milbemycin
Topical, Rabbit

[Sign:] Death

Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]

[Drug:] Milbemycin
Unknown, Cat

[Sign:] Anorexia (not Nursing)
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]

[Drug:] Milbemycin
Unknown, Dog

[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Ineffect, Hooks
Number of times reported: [1]
[Sign:] Ineffect, Hooks Preven
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Milbemycin
Unknown, Human

[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [280]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [90]
[Sign:] Pd-container(s), Abn
Number of times reported: [29]
[Sign:] Pd-label(s), Abn
Number of times reported: [25]
[Sign:] Pd-missing, Label(s)
Number of times reported: [14]
[Sign:] Pd-product Defect
Number of times reported: [10]
[Sign:] Pd-container(s), Damag
Number of times reported: [9]
[Sign:] Summary Review
Number of times reported: [3]
[Sign:] Pd-contamination
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Missing, Dog

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Ineffect, Ascarids
Number of times reported: [1]
[Sign:] Ineffect, Hooks
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Ophthalmic, Dog

[Sign:] Aggression
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Oral, Cat

[Sign:] Depression/lethargy

Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Oral, Dog

[Sign:] Ineffect, Hw Larvae
Number of times reported: [2,559]
[Sign:] Vomiting
Number of times reported: [1,266]
[Sign:] Depression/lethargy
Number of times reported: [789]
[Sign:] Diarrhea
Number of times reported: [657]
[Sign:] Ineffect, Hooks
Number of times reported: [555]

[Sign:] Ineffect, Ascarids
Number of times reported: [512]
[Sign:] Pruritis
Number of times reported: [445]
[Sign:] Anorexia
Number of times reported: [424]
[Sign:] Convulsion(s)
Number of times reported: [305]
[Sign:] Ineffect, Whips
Number of times reported: [297]
[Sign:] Ataxia
Number of times reported: [192]
[Sign:] Trembling
Number of times reported: [132]
[Sign:] Summary Review
Number of times reported: [122]
[Sign:] Diarrhea, Bloody
Number of times reported: [108]
[Sign:] Death
Number of times reported: [87]
[Sign:] Hypersalivation
Number of times reported: [87]
[Sign:] Alopecia
Number of times reported: [83]
[Sign:] Inflam, Skin
Number of times reported: [83]
[Sign:] Urticaria
Number of times reported: [81]
[Sign:] Fever, Body
Number of times reported: [78]
[Sign:] Ineffect, Fleas
Number of times reported: [76]
[Sign:] Diarrhea, Mild
Number of times reported: [75]
[Sign:] Congestion, Skin
Number of times reported: [74]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [71]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [63]
[Sign:] Polypnea
Number of times reported: [63]

[Sign:] Death(euthanized)
Number of times reported: [57]
[Sign:] Weight Loss
Number of times reported: [55]
[Sign:] Polydipsia
Number of times reported: [54]
[Sign:] Dyspnea
Number of times reported: [52]
[Sign:] Ineffect, Hooks Preven
Number of times reported: [51]
[Sign:] Weakness
Number of times reported: [46]
[Sign:] Rash
Number of times reported: [45]
[Sign:] Hyperactivity
Number of times reported: [43]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [42]
[Sign:] Radiograph(s) Abn
Number of times reported: [41]
[Sign:] Confusion
Number of times reported: [40]
[Sign:] Wbc Hi, Bld
Number of times reported: [40]
[Sign:] Behavior Disorder
Number of times reported: [39]
[Sign:] Coughing
Number of times reported: [38]
[Sign:] Vocalization
Number of times reported: [36]
[Sign:] Anaphylaxis/toid
Number of times reported: [34]
[Sign:] Hematochezia
Number of times reported: [33]
[Sign:] Nervousness
Number of times reported: [33]
[Sign:] Polyuria
Number of times reported: [33]
[Sign:] Anemia
Number of times reported: [31]
[Sign:] Recumbency
Number of times reported: [31]

[Sign:] Collapse
Number of times reported: [29]
[Sign:] Hyperpnea
Number of times reported: [29]
[Sign:] Infection, Skin
Number of times reported: [29]
[Sign:] Lesion(s), Skin
Number of times reported: [29]
[Sign:] Platelets Lo, Bld
Number of times reported: [29]
[Sign:] Bun Hi, Bld
Number of times reported: [28]
[Sign:] Dehydration
Number of times reported: [28]
[Sign:] Dermatitis, Moist
Number of times reported: [26]
[Sign:] Pallor, Mucous Membran
Number of times reported: [26]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [25]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [24]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [24]
[Sign:] Apprehension
Number of times reported: [23]
[Sign:] Incontinence, Urinary
Number of times reported: [23]
[Sign:] Pain, Abdomen
Number of times reported: [23]
[Sign:] Stupor
Number of times reported: [23]
[Sign:] Tachycardia
Number of times reported: [23]
[Sign:] Shaking
Number of times reported: [22]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [21]
[Sign:] Swelling, Head/face
Number of times reported: [21]
[Sign:] Albumin Lo, Bld
Number of times reported: [19]

[Sign:] Nausea
Number of times reported: [19]
[Sign:] Vomiting, Bloody
Number of times reported: [19]
[Sign:] Aggression
Number of times reported: [18]
[Sign:] Skin, Crust(s)
Number of times reported: [18]
[Sign:] Creatinine Hi, Bld
Number of times reported: [17]
[Sign:] Segs Hi, Bld
Number of times reported: [17]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [17]
[Sign:] Glucose Hi, Bld
Number of times reported: [16]
[Sign:] Ineffect, Whips Preven
Number of times reported: [16]
[Sign:] Lameness
Number of times reported: [16]
[Sign:] Licking
Number of times reported: [16]
[Sign:] Twitch
Number of times reported: [16]
[Sign:] Bld, Urine
Number of times reported: [15]
[Sign:] Pain
Number of times reported: [15]
[Sign:] Urination Abn
Number of times reported: [15]
[Sign:] Adipsia
Number of times reported: [14]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [14]
[Sign:] Diarrhea, Mucoid
Number of times reported: [14]
[Sign:] Ggt Hi, Bld
Number of times reported: [14]
[Sign:] Mydriasis
Number of times reported: [14]
[Sign:] Otitis
Number of times reported: [14]

[Sign:] Constipation
Number of times reported: [13]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [13]
[Sign:] Neoplasm
Number of times reported: [13]
[Sign:] P Hi, Bld
Number of times reported: [13]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [13]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [13]
[Sign:] Stool Abn
Number of times reported: [13]
[Sign:] Stool, Mucoid
Number of times reported: [13]
[Sign:] Us Abn
Number of times reported: [13]
[Sign:] Conjunctivitis
Number of times reported: [12]
[Sign:] Hair, Shedding
Number of times reported: [12]
[Sign:] Ill
Number of times reported: [12]
[Sign:] Pica
Number of times reported: [12]
[Sign:] Pustule(s)
Number of times reported: [12]
[Sign:] Shock
Number of times reported: [12]
[Sign:] Wbc Lo, Bld
Number of times reported: [12]
[Sign:] Hiding
Number of times reported: [11]
[Sign:] Proprioceptive Disorde
Number of times reported: [11]
[Sign:] Reluctant To Move
Number of times reported: [11]
[Sign:] Biting/chewing
Number of times reported: [10]
[Sign:] Blindness
Number of times reported: [10]

[Sign:] Diarrhea, Severe
Number of times reported: [10]
[Sign:] Discomfort
Number of times reported: [10]
[Sign:] Distention, Abdomen
Number of times reported: [10]
[Sign:] Glucose Lo, Bld
Number of times reported: [10]
[Sign:] Head Tilt
Number of times reported: [10]
[Sign:] Hepatomegaly
Number of times reported: [10]
[Sign:] Locomotion Disorder
Number of times reported: [10]
[Sign:] Melena
Number of times reported: [10]
[Sign:] Pancreatitis
Number of times reported: [10]
[Sign:] Reflex(es) Abn
Number of times reported: [10]
[Sign:] Sneezing
Number of times reported: [10]
[Sign:] Stiffness
Number of times reported: [10]
[Sign:] Unconscious
Number of times reported: [10]
[Sign:] Urination
Number of times reported: [10]
[Sign:] Bradycardia
Number of times reported: [9]
[Sign:] Chemistry Abn
Number of times reported: [9]
[Sign:] Hair, Abn
Number of times reported: [9]
[Sign:] Icterus, Body
Number of times reported: [9]
[Sign:] Liver Disorder
Number of times reported: [9]
[Sign:] Monos Hi, Bld
Number of times reported: [9]
[Sign:] Odor
Number of times reported: [9]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [9]
[Sign:] Scale(s), Skin
Number of times reported: [9]
[Sign:] Us-liver Abn
Number of times reported: [9]
[Sign:] Vomiting, Unproductive
Number of times reported: [9]
[Sign:] Cardiomegaly
Number of times reported: [8]
[Sign:] Defecation Abn
Number of times reported: [8]
[Sign:] Diarrhea, Watery
Number of times reported: [8]
[Sign:] Edema, Head/face
Number of times reported: [8]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [8]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [8]
[Sign:] Flatulence
Number of times reported: [8]
[Sign:] Hyperesthesia
Number of times reported: [8]
[Sign:] Lipase Hi, Bld
Number of times reported: [8]
[Sign:] Mass, Skin
Number of times reported: [8]
[Sign:] Murmur, Heart
Number of times reported: [8]
[Sign:] Polycythemia
Number of times reported: [8]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [8]
[Sign:] Protein, Urine
Number of times reported: [8]
[Sign:] Shaking, Head/face
Number of times reported: [8]
[Sign:] Skin, Scab(s)
Number of times reported: [8]
[Sign:] Sore(s)
Number of times reported: [8]

[Sign:] Spasm
Number of times reported: [8]
[Sign:] Staggering
Number of times reported: [8]
[Sign:] Staring
Number of times reported: [8]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [8]
[Sign:] Borborygmi
Number of times reported: [7]
[Sign:] Cpk Hi, Bld
Number of times reported: [7]
[Sign:] Crystals, Urine
Number of times reported: [7]
[Sign:] Difficulty Rising
Number of times reported: [7]
[Sign:] Dysmetria
Number of times reported: [7]
[Sign:] Epistaxis
Number of times reported: [7]
[Sign:] Eruption(s)
Number of times reported: [7]
[Sign:] Gagging
Number of times reported: [7]
[Sign:] Gi, Abnormal
Number of times reported: [7]
[Sign:] Infection, Urinary Tra
Number of times reported: [7]
[Sign:] K Lo, Bld
Number of times reported: [7]
[Sign:] Lymphs Lo, Bld
Number of times reported: [7]
[Sign:] Nystagmus
Number of times reported: [7]
[Sign:] Skin Disorder
Number of times reported: [7]
[Sign:] Skin, Dry
Number of times reported: [7]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [7]
[Sign:] Amylase Hi, Bld
Number of times reported: [6]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [6]
[Sign:] Circling
Number of times reported: [6]
[Sign:] Defecation
Number of times reported: [6]
[Sign:] Enlargement(s), Skin
Number of times reported: [6]
[Sign:] Head Bobbing
Number of times reported: [6]
[Sign:] Hyperadrenocorticism
Number of times reported: [6]
[Sign:] Ineffect, Coccidia
Number of times reported: [6]
[Sign:] Nose Abn
Number of times reported: [6]
[Sign:] Pacing
Number of times reported: [6]
[Sign:] Pallor
Number of times reported: [6]
[Sign:] Polycythemia(relative)
Number of times reported: [6]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [6]
[Sign:] Tenesmus, Rectal
Number of times reported: [6]
[Sign:] Wheezing
Number of times reported: [6]
[Sign:] Accidental Exposure
Number of times reported: [5]
[Sign:] Chloride Lo, Bld
Number of times reported: [5]
[Sign:] Cns Disorder
Number of times reported: [5]
[Sign:] Colitis
Number of times reported: [5]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [5]
[Sign:] Discharge, Nose
Number of times reported: [5]
[Sign:] Dry, Skin
Number of times reported: [5]

[Sign:] Enlargement(s)
Number of times reported: [5]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Hepatitis
Number of times reported: [5]
[Sign:] Ineffect, Hw Antigen
Number of times reported: [5]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [5]
[Sign:] Na Lo, Bld
Number of times reported: [5]
[Sign:] Neoplasm, Spleen
Number of times reported: [5]
[Sign:] Pain, Neck
Number of times reported: [5]
[Sign:] Papule(s)
Number of times reported: [5]
[Sign:] Paresis
Number of times reported: [5]
[Sign:] P Lo, Bld
Number of times reported: [5]
[Sign:] Pollakiuria
Number of times reported: [5]
[Sign:] Posture Abn
Number of times reported: [5]
[Sign:] Pressure Lo, Bld
Number of times reported: [5]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [5]
[Sign:] Skin Abnormal
Number of times reported: [5]
[Sign:] Splenomegaly
Number of times reported: [5]
[Sign:] Trembling, Face
Number of times reported: [5]
[Sign:] Urine Abn
Number of times reported: [5]
[Sign:] Arrest, Heart
Number of times reported: [4]
[Sign:] Arrhythmia
Number of times reported: [4]

[Sign:] Bands Hi, Bld
Number of times reported: [4]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [4]
[Sign:] Bilirubin, Urine
Number of times reported: [4]
[Sign:] Bld(ecchymoses)
Number of times reported: [4]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [4]
[Sign:] Congestion
Number of times reported: [4]
[Sign:] Congestion, Lung(s)
Number of times reported: [4]
[Sign:] Diarrhea, Projectile
Number of times reported: [4]
[Sign:] Distress, Resp
Number of times reported: [4]
[Sign:] Hypertonia
Number of times reported: [4]
[Sign:] Incontinence, Fecal
Number of times reported: [4]
[Sign:] Ineffect, Strongyles
Number of times reported: [4]
[Sign:] Kidney Disorder
Number of times reported: [4]
[Sign:] Lymphs Hi, Bld
Number of times reported: [4]
[Sign:] Mass
Number of times reported: [4]
[Sign:] Mass, Abdomen
Number of times reported: [4]
[Sign:] Neoplasm, Liver
Number of times reported: [4]
[Sign:] Neurological Disorder
Number of times reported: [4]
[Sign:] Odor, Mouth
Number of times reported: [4]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [4]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [4]

[Sign:] Pruritis, Ear(s)
Number of times reported: [4]
[Sign:] Sleep Abn
Number of times reported: [4]
[Sign:] Stumbling
Number of times reported: [4]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [4]
[Sign:] Wbc, Urine
Number of times reported: [4]
[Sign:] Alkaline Urine
Number of times reported: [3]
[Sign:] Anemia, Sphero
Number of times reported: [3]
[Sign:] Anisocoria
Number of times reported: [3]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ca Hi, Bld
Number of times reported: [3]
[Sign:] Capillary Refill Prolo
Number of times reported: [3]
[Sign:] Chloride Hi, Bld
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Creatinine Lo, Bld
Number of times reported: [3]
[Sign:] Dementia
Number of times reported: [3]
[Sign:] Diabetes Mellitus
Number of times reported: [3]
[Sign:] Dilitation, Stomach
Number of times reported: [3]
[Sign:] Distress
Number of times reported: [3]
[Sign:] Effusion, Peritoneal
Number of times reported: [3]
[Sign:] Elimination Abn
Number of times reported: [3]

[Sign:] Enteritis
Number of times reported: [3]
[Sign:] Eosinos Hi, Bld
Number of times reported: [3]
[Sign:] Fly Biting
Number of times reported: [3]
[Sign:] Gastroenteritis
Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Heart Disorder
Number of times reported: [3]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Incontinence
Number of times reported: [3]
[Sign:] Infection
Number of times reported: [3]
[Sign:] Irritation, Perineum
Number of times reported: [3]
[Sign:] K Hi, Bld
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [3]
[Sign:] Leukoderma
Number of times reported: [3]
[Sign:] Liver Failure
Number of times reported: [3]
[Sign:] Loss Of Condition
Number of times reported: [3]
[Sign:] Microorganisms, Urine
Number of times reported: [3]
[Sign:] Na Hi, Bld
Number of times reported: [3]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [3]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [3]
[Sign:] Platelets Hi, Bld
Number of times reported: [3]

[Sign:] Pr-heartworm Disease
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Regurgitation
Number of times reported: [3]
[Sign:] Seborrhea
Number of times reported: [3]
[Sign:] Segs Lo, Bld
Number of times reported: [3]
[Sign:] Somnolence
Number of times reported: [3]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [3]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [3]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [3]
[Sign:] Uveitis
Number of times reported: [3]
[Sign:] Weight Increase
Number of times reported: [3]
[Sign:] Abn Color, Urine
Number of times reported: [2]
[Sign:] Acid Urine
Number of times reported: [2]
[Sign:] Acth Stim Abn
Number of times reported: [2]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arthritis
Number of times reported: [2]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]

[Sign:] Bld, Abn
Number of times reported: [2]
[Sign:] Bld, Incision Site
Number of times reported: [2]
[Sign:] Bld(petechiae)
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Blindness, Partial
Number of times reported: [2]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Calculi, Bladder
Number of times reported: [2]
[Sign:] Ca Lo, Bld
Number of times reported: [2]
[Sign:] Cataract(s)
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Coombs Test Pos
Number of times reported: [2]
[Sign:] Coprophagia
Number of times reported: [2]
[Sign:] Cort/creat Hi, Urine
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Cystitis
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Dissociation
Number of times reported: [2]

[Sign:] Distention, Bladder
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Eructation
Number of times reported: [2]
[Sign:] Erythema Multiforme
Number of times reported: [2]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [2]
[Sign:] Exercise Intolerance
Number of times reported: [2]
[Sign:] Exfoliation, Skin
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Globulin Hi, Bld
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]
[Sign:] Heart Failure
Number of times reported: [2]
[Sign:] Hyperkeratosis
Number of times reported: [2]
[Sign:] Hypoadrenocorticism
Number of times reported: [2]
[Sign:] Hypomotility
Number of times reported: [2]
[Sign:] Hyposalivation
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] Immune Disorder
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Insomnia
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Irritation, Ear(s)
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Keratoconjunctivitis S
Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Opacity, Cornea(s)
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pancreas Disorder
Number of times reported: [2]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [2]
[Sign:] Paralysis, All Limbs
Number of times reported: [2]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [2]
[Sign:] Pupil(s), Areflexia
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Self-mutilation
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Ear(s)
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Swelling, Joint(s)
Number of times reported: [2]
[Sign:] Swelling, Mammary
Number of times reported: [2]
[Sign:] Swelling, Mult Sites
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Vomiting Roundworms
Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Asphyxia
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Birth, Premature
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Bld, Tumor
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Calculi, Urine
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Chasing Tail
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]

[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Co2 Lo, Bld
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Endocrine Disorder
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Gingival Hyperplasia
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ineffect, Hw Adults
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Ineffect, Protozoa
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]

[Sign:] Iris, Inflam
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Mg Hi, Bld
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Microoranisms, Urine
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Neoplasm, Pancreas
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Spinal
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Pr-pituitary, Lesion(s
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Saliva, Abn
Number of times reported: [1]

[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Straining
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Swelling, Ventrum
Number of times reported: [1]
[Sign:] Tail Chasing
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Trachitis
Number of times reported: [1]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Mou
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]

[Sign:] Volvulus, Stomach
Number of times reported: [1]
[Sign:] Vomiting, Severe
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Oral, Goat

[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Oral, Human

[Sign:] Nausea
Number of times reported: [11]
[Sign:] Vomiting
Number of times reported: [7]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Headache
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Dizziness
Number of times reported: [2]
[Sign:] Taste Abnormality
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]

[Sign:] Hot Flash/flush
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Hypoesthesia, Limb(s)
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Transudate
Number of times reported: [1]
[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Parenteral, Human

[Sign:] Irritation, Skin
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Topical, Dog

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Topical, Human

[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Rash

Number of times reported: [2]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Unknown, Dog

[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]

[Drug:] Milbemycin, Lufenuron
Unknown, Human

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Mirtazapine
Oral, Cat

[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Mitotane
Oral, Dog

[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Depression/lethargy

Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Pd-potency, Hi
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Mitoxantrone
Parenteral, Dog

[Sign:] Anuria
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paralysis, Larynx
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]

[Drug:] Monensin
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [8]
[Sign:] Pd-potency, Lo
Number of times reported: [6]
[Sign:] Pd-product Defect
Number of times reported: [5]
[Sign:] Pd-contamination
Number of times reported: [3]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [2]
[Sign:] Pd-potency, Hi
Number of times reported: [2]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-contam, Insects
Number of times reported: [1]
[Sign:] Pd-contam, Mold
Number of times reported: [1]
[Sign:] Pd-label(s), Abn
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Drug:] Monensin
Inhalation, Human

[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Human Exposure, Inhala
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Irritation, Esophagus
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Monensin
Missing, Chicken

[Sign:] Death
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]

[Drug:] Monensin
Missing, Turkey

[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Coccidia

Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]

[Drug:] Monensin
Not Applicable, Cattle

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Monensin
Not Applicable, Unknown

[Sign:] No Signs
Number of times reported: [1]

[Drug:] Monensin
Oral, Alpaca

[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Monensin
Oral, Bird

[Sign:] Death
Number of times reported: [4]
[Sign:] Egg Production Down
Number of times reported: [2]
[Sign:] Hatching Abn
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]
[Sign:] Weakness, Newborn
Number of times reported: [1]

[Drug:] Monensin
Oral, Buffalo

[Sign:] Death
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Monensin
Oral, Camel

[Sign:] Epistaxis
Number of times reported: [1]

[Drug:] Monensin
Oral, Cat

[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]

[Drug:] Monensin
Oral, Cattle

[Sign:] Death
Number of times reported: [439]
[Sign:] Anorexia
Number of times reported: [228]
[Sign:] Diarrhea
Number of times reported: [208]
[Sign:] Udder, Milk Abn
Number of times reported: [148]
[Sign:] Ineffect, Coccidia
Number of times reported: [146]
[Sign:] Udder, Hypogalactia
Number of times reported: [92]
[Sign:] Tech Error, Mixing
Number of times reported: [86]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [81]
[Sign:] Bloat
Number of times reported: [58]
[Sign:] Diarrhea, Mild
Number of times reported: [55]
[Sign:] Depression/lethargy
Number of times reported: [51]
[Sign:] Off Feed

Number of times reported: [49]
[Sign:] Diarrhea, Bloody
Number of times reported: [46]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [43]
[Sign:] Recumbency
Number of times reported: [42]
[Sign:] Dyspnea
Number of times reported: [28]
[Sign:] Tox
Number of times reported: [28]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [25]
[Sign:] Ataxia
Number of times reported: [24]
[Sign:] Death(euthanized)
Number of times reported: [15]
[Sign:] Displaced Abomasum
Number of times reported: [15]
[Sign:] Fever, Body
Number of times reported: [15]
[Sign:] Hair, Abn
Number of times reported: [15]
[Sign:] Loss Of Condition
Number of times reported: [15]
[Sign:] Pneumonia
Number of times reported: [15]
[Sign:] Abortion
Number of times reported: [14]
[Sign:] Pr-lung(s), Edema
Number of times reported: [14]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [13]
[Sign:] Respiratory Disorder
Number of times reported: [13]
[Sign:] Weight Loss
Number of times reported: [12]
[Sign:] Fertility, Reduced
Number of times reported: [11]
[Sign:] Hematochezia
Number of times reported: [11]
[Sign:] Ill

Number of times reported: [11]
[Sign:] Weakness
Number of times reported: [11]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [10]
[Sign:] Heart Disorder
Number of times reported: [9]
[Sign:] Heart Failure
Number of times reported: [9]
[Sign:] Neurological Disorder
Number of times reported: [9]
[Sign:] Collapse
Number of times reported: [8]
[Sign:] Edema, Brisket/chest
Number of times reported: [8]
[Sign:] Ineffect, Milk Prod
Number of times reported: [8]
[Sign:] Udder, Mastitis
Number of times reported: [8]
[Sign:] Death(tx Failure)
Number of times reported: [7]
[Sign:] Diarrhea, Watery
Number of times reported: [7]
[Sign:] Ineffect, Weight Inc
Number of times reported: [7]
[Sign:] Placenta, Retained
Number of times reported: [7]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [7]
[Sign:] Staggering
Number of times reported: [7]
[Sign:] Ca Lo, Bld
Number of times reported: [6]
[Sign:] Diarrhea, Severe
Number of times reported: [6]
[Sign:] Distention, Abdomen
Number of times reported: [6]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [6]
[Sign:] Melena
Number of times reported: [6]
[Sign:] Ovaries, Cystic

Number of times reported: [6]
[Sign:] Pr-pleural Effusion
Number of times reported: [6]
[Sign:] Distress, Resp
Number of times reported: [5]
[Sign:] Dystocia
Number of times reported: [5]
[Sign:] Effusion, Pleural
Number of times reported: [5]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [5]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [5]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [5]
[Sign:] Accidental Exposure
Number of times reported: [4]
[Sign:] Acidosis
Number of times reported: [4]
[Sign:] Birth Weight Hi
Number of times reported: [4]
[Sign:] Blindness
Number of times reported: [4]
[Sign:] Congestion, Lung(s)
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [4]
[Sign:] Death(slaughtered)
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Effusion, Pericardial
Number of times reported: [4]
[Sign:] Metritis
Number of times reported: [4]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [4]
[Sign:] Reaction, Unspecified
Number of times reported: [4]
[Sign:] Rumen, Abn

Number of times reported: [4]
[Sign:] Stool Abn
Number of times reported: [4]
[Sign:] Acidosis, Rumen
Number of times reported: [3]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Cardiomegaly
Number of times reported: [3]
[Sign:] Confusion
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Death(stillborn)
Number of times reported: [3]
[Sign:] Diarrhea, Mucoid
Number of times reported: [3]
[Sign:] Estrus Behavior
Number of times reported: [3]
[Sign:] Gi, Abnormal
Number of times reported: [3]
[Sign:] Hepatomegaly
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Ineffect, Production (meat)
Number of times reported: [3]
[Sign:] Ineffect, Production (milk)
Number of times reported: [3]
[Sign:] Ketosis
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Liver Disorder
Number of times reported: [3]
[Sign:] Pica
Number of times reported: [3]
[Sign:] Poor Performance
Number of times reported: [3]
[Sign:] Posture Abn

Number of times reported: [3]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [3]
[Sign:] Reluctant To Move
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Cachexia
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Discharge, Vulva
Number of times reported: [2]
[Sign:] Effusion
Number of times reported: [2]
[Sign:] Encephalopathy
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Hyperactivity

Number of times reported: [2]
[Sign:] Hypomotility
Number of times reported: [2]
[Sign:] Infection
Number of times reported: [2]
[Sign:] Infection, Feet/digit(
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Necrosis
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Pd-potency, Lo
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]
[Sign:] Staring
Number of times reported: [2]
[Sign:] Tech Error Administrat
Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Udder, Agalactia
Number of times reported: [2]
[Sign:] Udder, Teat(s) Disorde
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Unpalatable
Number of times reported: [2]
[Sign:] Abn Color, Urine

Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anestrus
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Atony, Rumen
Number of times reported: [1]
[Sign:] Birth, Premature
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu
Number of times reported: [1]
[Sign:] Flatulence

Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Profile Hi
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Mult Sites
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Overies, Cystic
Number of times reported: [1]
[Sign:] Pallor

Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Pd-contam, Insects
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Placenta, Abnormal
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-rectum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-udder, Lesion(s)
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Residue, Milk
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Stiffness

Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Transudate
Number of times reported: [1]
[Sign:] Udder, Abn
Number of times reported: [1]
[Sign:] Udder, Hard
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Unknown
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Weakness, Newborn
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Monensin
Oral, Chicken

[Sign:] Death
Number of times reported: [31]
[Sign:] Ineffect, Coccidia
Number of times reported: [13]
[Sign:] Recumbency
Number of times reported: [7]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Death(slaughtered)
Number of times reported: [6]

[Sign:] Egg Production Down
Number of times reported: [6]
[Sign:] Tech Error, Mixing
Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Hatching Abn
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Tox
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Egg Abn
Number of times reported: [1]

[Sign:] Feathers, Abnormal
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Stool, Mucoid
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Monensin
Oral, Deer

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin
Oral, Dog

[Sign:] Ataxia
Number of times reported: [9]
[Sign:] Depression/lethargy
Number of times reported: [9]
[Sign:] Anorexia
Number of times reported: [7]
[Sign:] Death
Number of times reported: [6]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [5]
[Sign:] Vomiting
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Paresis
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Paralysis
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pd-contam, Mold
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Monensin
Oral, Donkey

[Sign:] Death
Number of times reported: [1]
[Sign:] Neurological Disorder

Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Drug:] Monensin
Oral, Duck

[Sign:] Death
Number of times reported: [2]

[Drug:] Monensin
Oral, Fish

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin
Oral, Goat

[Sign:] Death
Number of times reported: [26]
[Sign:] Anorexia
Number of times reported: [10]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Tech Error, Mixing
Number of times reported: [4]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Acidosis, Rumen
Number of times reported: [2]
[Sign:] Ineffect, Coccidia
Number of times reported: [2]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Calculi, Urine
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Monensin
Oral, Horse

[Sign:] Death
Number of times reported: [61]
[Sign:] Pain, Abdomen
Number of times reported: [25]
[Sign:] Recumbency
Number of times reported: [18]
[Sign:] Anorexia
Number of times reported: [13]
[Sign:] Depression/lethargy
Number of times reported: [9]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Sweating
Number of times reported: [6]
[Sign:] Tachycardia
Number of times reported: [6]
[Sign:] Tech Error, Mixing
Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Ill
Number of times reported: [5]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Collapse

Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Tox
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Chemistry Abn
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Volvulus
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Blindness

Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pneumonia

Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Monensin
Oral, Human

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Drug:] Monensin
Oral, Llama

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin
Oral, Mule

[Sign:] Death
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Monensin
Oral, Not Applicable

[Sign:] Pd-product Defect
Number of times reported: [1]

[Drug:] Monensin
Oral, Other

[Sign:] Death
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]

[Drug:] Monensin
Oral, Pig

[Sign:] Death
Number of times reported: [9]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gastroenteritis

Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Myoglobin, Urine
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]
[Sign:] Ulcer(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Monensin
Oral, Quail

[Sign:] Death
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Monensin
Oral, Rabbit

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Monensin
Oral, Ratite

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]

[Drug:] Monensin
Oral, Sheep

[Sign:] Death
Number of times reported: [39]
[Sign:] Anorexia
Number of times reported: [12]
[Sign:] Diarrhea

Number of times reported: [7]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [6]
[Sign:] Tech Error, Mixing
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Tox
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Stiffness, Limb(s)
Number of times reported: [2]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Bld, Urine

Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-pleural Effusion

Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Monensin
Oral, Turkey

[Sign:] Death
Number of times reported: [114]
[Sign:] Recumbency
Number of times reported: [73]
[Sign:] Ineffect, Coccidia
Number of times reported: [16]
[Sign:] Paresis
Number of times reported: [15]
[Sign:] Neurological Disorder
Number of times reported: [14]
[Sign:] Depression/lethargy
Number of times reported: [9]
[Sign:] Weakness
Number of times reported: [9]
[Sign:] Locomotion Disorder
Number of times reported: [8]
[Sign:] Paralysis
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [6]
[Sign:] Death(slaughtered)
Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [6]

[Sign:] Paralysis, Larynx
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Tech Error, Mixing
Number of times reported: [5]
[Sign:] Vocalization
Number of times reported: [5]
[Sign:] Polydipsia
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Off Feed
Number of times reported: [3]
[Sign:] Pr-crop, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]
[Sign:] Thrashing/paddling
Number of times reported: [3]
[Sign:] Tox
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]

[Sign:] Pr-gi, Parasitism
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]
[Sign:] Prostration
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Sound Abn, Voice
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-esophagus, Lesion(s
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Monensin
Oral, Various

[Sign:] Death
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Monensin
Oral, Waterfowl

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Monensin
Topical, Human

[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]

[Drug:] Monensin
Unknown, Cattle

[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Monensin
Unknown, Fish

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin
Unknown, Horse

[Sign:] Death
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Fibrillation, Atrial
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Monensin
Unknown, Human

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Drug:] Monensin
Unknown, Rabbit

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin
Unknown, Turkey

[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]

[Drug:] Monensin, Ractopamine
Oral, Cattle

[Sign:] Death
Number of times reported: [4]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] Ineffect, Weight Inc
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s

Number of times reported: [1]

[Drug:] Monensin, Ractopamine, Tylosin
Oral, Cattle

[Sign:] Death
Number of times reported: [34]
[Sign:] Bloat
Number of times reported: [21]
[Sign:] Lameness
Number of times reported: [5]
[Sign:] Acidosis, Rumen
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Gi, Abnormal
Number of times reported: [4]
[Sign:] Digestion Disorder
Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Death(slaughtered)
Number of times reported: [2]
[Sign:] Hoof Disorder
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Ineffect, Production (meat)
Number of times reported: [2]
[Sign:] Ineffect, Weight Inc
Number of times reported: [2]
[Sign:] Meat Abn
Number of times reported: [2]
[Sign:] Meat, abn Color
Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Aggression

Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)

Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Monensin, Tylosin
Missing, Cattle

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Drug:] Monensin, Tylosin
Oral, Cattle

[Sign:] Death
Number of times reported: [28]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [14]
[Sign:] Bloat
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Death(slaughtered)
Number of times reported: [4]
[Sign:] Ineffect, Antibiotic
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Infection
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Heart Failure
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Acidosis, Rumen
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Milk Prod
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Tech Error, Mixing
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Monensin, Tylosin
Oral, Chicken

[Sign:] Death
Number of times reported: [1]

[Drug:] Monensin, Tylosin
Oral, Pig

[Sign:] Fertility, Reduced
Number of times reported: [1]

[Drug:] Monensin, Tylosin
Topical, Human

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Drug:] Monosodium Glutamate
Oral, Dog

[Sign:] Convulsion(s)
Number of times reported: [1]

[Drug:] Morantel
Oral, Cattle

[Sign:] Death
Number of times reported: [6]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Udder, Hypogalactia
Number of times reported: [4]
[Sign:] Acidosis, Rumen
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Displaced Abomasum
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Morphine
Parenteral, Dog

[Sign:] Swelling, Tongue
Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Inflam

Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Morphine
Unknown, Dog

[Sign:] Death
Number of times reported: [3]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Liver Failure
Number of times reported: [2]

[Drug:] Moxidectin
Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [908]
[Sign:] Pd-seal, Abn
Number of times reported: [611]
[Sign:] Pd-cap(s), Abn
Number of times reported: [160]
[Sign:] Pd-dispenser, Abn
Number of times reported: [151]
[Sign:] Pd-underfill, Package
Number of times reported: [72]
[Sign:] Pd-vial(s), Abn
Number of times reported: [62]

[Sign:] Pd-lock, Abn
Number of times reported: [54]
[Sign:] Pd-container(s), Damag
Number of times reported: [46]
[Sign:] Pd-suspension, Abn
Number of times reported: [40]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [36]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [36]
[Sign:] Pd-missing, Cap
Number of times reported: [33]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [32]
[Sign:] Pd-solution, Abn
Number of times reported: [31]
[Sign:] Pd-syringe, Abn
Number of times reported: [27]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [25]
[Sign:] Pd-container(s), Abn
Number of times reported: [21]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [17]
[Sign:] Pd-applicator, Abn
Number of times reported: [16]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [16]
[Sign:] Pd-contamination
Number of times reported: [15]
[Sign:] Pd-tube(s), Abn
Number of times reported: [15]
[Sign:] Pd-product Defect
Number of times reported: [13]
[Sign:] Pd-label(s), Abn
Number of times reported: [4]
[Sign:] Pd-odor, Abn
Number of times reported: [4]
[Sign:] Pd-color, Abn
Number of times reported: [3]
[Sign:] Pd-missing, Label(s)
Number of times reported: [2]

[Sign:] Pd-unknown
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-defect Unknown
Number of times reported: [1]
[Sign:] Syringe, Locking Ring
Number of times reported: [1]

[Drug:] Moxidectin
Inhalation, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Drug:] Moxidectin
Intrauterine, Dog

[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Missing, Cattle

[Sign:] Death
Number of times reported: [4]
[Sign:] Ineffect, Lice
Number of times reported: [3]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Arrest, Heart

Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Lice Biting
Number of times reported: [1]
[Sign:] Ineffect, Lice Sucking
Number of times reported: [1]
[Sign:] Ineffect, Lungworms
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Drug:] Moxidectin
Missing, Dog

[Sign:] Vomiting
Number of times reported: [87]
[Sign:] Depression/lethargy
Number of times reported: [67]
[Sign:] Anorexia
Number of times reported: [48]
[Sign:] Anaphylaxis/toid
Number of times reported: [38]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [38]
[Sign:] Convulsion(s)
Number of times reported: [32]
[Sign:] Diarrhea
Number of times reported: [32]

[Sign:] Death
Number of times reported: [28]
[Sign:] Fever, Body
Number of times reported: [24]
[Sign:] Anemia
Number of times reported: [22]
[Sign:] Urticaria
Number of times reported: [22]
[Sign:] Ataxia
Number of times reported: [18]
[Sign:] Wbc Hi, Bld
Number of times reported: [17]
[Sign:] Dyspnea
Number of times reported: [14]
[Sign:] Pruritis
Number of times reported: [14]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [13]
[Sign:] Platelets Lo, Bld
Number of times reported: [12]
[Sign:] Weight Loss
Number of times reported: [12]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [11]
[Sign:] Weakness
Number of times reported: [11]
[Sign:] Bun Hi, Bld
Number of times reported: [10]
[Sign:] Coughing
Number of times reported: [10]
[Sign:] Collapse
Number of times reported: [9]
[Sign:] Inj Site Swelling
Number of times reported: [9]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Dehydration
Number of times reported: [8]
[Sign:] Pallor, Mucous Membran
Number of times reported: [8]

[Sign:] Segs Hi, Bld
Number of times reported: [8]
[Sign:] Swelling, Head/face
Number of times reported: [8]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [7]
[Sign:] Diarrhea, Bloody
Number of times reported: [7]
[Sign:] Polypnea
Number of times reported: [7]
[Sign:] Trembling
Number of times reported: [7]
[Sign:] Edema, Head/face
Number of times reported: [6]
[Sign:] Inflam, Skin
Number of times reported: [6]
[Sign:] Monos Hi, Bld
Number of times reported: [6]
[Sign:] Albumin Lo, Bld
Number of times reported: [5]
[Sign:] Bld, Urine
Number of times reported: [5]
[Sign:] Edema
Number of times reported: [5]
[Sign:] Immune Disorder
Number of times reported: [5]
[Sign:] Inj Site Alopecia
Number of times reported: [5]
[Sign:] Inj Site Mass
Number of times reported: [5]
[Sign:] Lesion(s), Skin
Number of times reported: [5]
[Sign:] Pain
Number of times reported: [5]
[Sign:] Radiograph(s) Abn
Number of times reported: [5]
[Sign:] Vocalization
Number of times reported: [5]
[Sign:] Amylase Hi, Bld
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Globulin Hi, Bld
Number of times reported: [4]
[Sign:] Head Tilt
Number of times reported: [4]
[Sign:] Icterus, Body
Number of times reported: [4]
[Sign:] Neurological Disorder
Number of times reported: [4]
[Sign:] P Hi, Bld
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Shaking
Number of times reported: [4]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Polycythemia
Number of times reported: [3]

[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [3]
[Sign:] Rash
Number of times reported: [3]
[Sign:] Reluctant To Move
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Ulcer(s), Skin
Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Anemia, Hemolytic
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Coagulation Disorder
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]

[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Dementia
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Erythema Multiforme
Number of times reported: [2]
[Sign:] Ggt Hi, Bld
Number of times reported: [2]
[Sign:] Heart Disorder
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Ineffect, Hooks
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Melena
Number of times reported: [2]
[Sign:] Moribund
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] Na Hi, Bld
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Pacing
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]
[Sign:] Pustule(s)
Number of times reported: [2]
[Sign:] Rbc, Aniso
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Sneezing
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stiffness, Neck
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Eeg Abn
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hco3 Hi, Bld
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Hw Adults
Number of times reported: [1]
[Sign:] Ineffect, Hw Antigen
Number of times reported: [1]
[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Fibrosis
Number of times reported: [1]
[Sign:] Inj Site Neoplasm
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polycythemia(absolute)
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Rbc, Micro
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Trachitis
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Moxidectin
Missing, Horse

[Sign:] Ataxia
Number of times reported: [1]

[Drug:] Moxidectin
Missing, Human

[Sign:] Diplopia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Drug:] Moxidectin
Missing, Sheep

[Sign:] Death
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Moxidectin
Not Applicable, Horse

[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]

[Drug:] Moxidectin
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Cat

[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Cattle

[Sign:] Death
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Deer

[Sign:] Death
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Dog

[Sign:] Ataxia
Number of times reported: [180]
[Sign:] Convulsion(s)
Number of times reported: [72]
[Sign:] Trembling
Number of times reported: [72]
[Sign:] Depression/lethargy
Number of times reported: [60]
[Sign:] Recumbency
Number of times reported: [47]
[Sign:] Unconscious
Number of times reported: [40]
[Sign:] Death
Number of times reported: [37]
[Sign:] Vomiting
Number of times reported: [34]
[Sign:] Stupor
Number of times reported: [33]
[Sign:] Confusion
Number of times reported: [25]
[Sign:] Hypersalivation
Number of times reported: [25]
[Sign:] Twitch
Number of times reported: [24]
[Sign:] Hyperactivity
Number of times reported: [22]
[Sign:] Fever, Body
Number of times reported: [21]
[Sign:] Neurological Disorder
Number of times reported: [16]
[Sign:] Mydriasis

Number of times reported: [14]
[Sign:] Polypnea
Number of times reported: [13]
[Sign:] Weakness
Number of times reported: [13]
[Sign:] Blindness
Number of times reported: [12]
[Sign:] Death(euthanized)
Number of times reported: [11]
[Sign:] Staggering
Number of times reported: [11]
[Sign:] Accidental Exposure
Number of times reported: [9]
[Sign:] Blindness, Temp
Number of times reported: [9]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Dyspnea
Number of times reported: [8]
[Sign:] Hallucination
Number of times reported: [8]
[Sign:] Nervousness
Number of times reported: [8]
[Sign:] Apprehension
Number of times reported: [6]
[Sign:] Behavior Disorder
Number of times reported: [6]
[Sign:] Shaking
Number of times reported: [6]
[Sign:] Cns Disorder
Number of times reported: [5]
[Sign:] Hyperesthesia
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Hypothermia
Number of times reported: [4]
[Sign:] Dehydration

Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Paralysis
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Proprioceptive Disorde
Number of times reported: [3]
[Sign:] Pupil(s), Areflexia
Number of times reported: [3]
[Sign:] Reaction, Unspecified
Number of times reported: [3]
[Sign:] Sedation
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Somnolence
Number of times reported: [3]
[Sign:] Spasm
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Blindness, Partial
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Hiding

Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Jerking
Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Paresis
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Tox
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing, Periodic

Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Ineffect, Hw Adults
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Pacing

Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Pd-lock, Abn
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory

Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Vomiting Roundworms
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Donkey

[Sign:] Pd-lock, Abn
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Fish

[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Goat

[Sign:] Death
Number of times reported: [24]
[Sign:] Ataxia
Number of times reported: [10]
[Sign:] Recumbency
Number of times reported: [9]

[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Blindness
Number of times reported: [4]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Death(stillborn)
Number of times reported: [2]
[Sign:] Pr-gi, Parasitism
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anorexia(not Nursing)
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-medulla, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]
[Sign:] Rumen, Abn
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Horse

[Sign:] Pd-lock, Abn
Number of times reported: [274]
[Sign:] Ataxia
Number of times reported: [237]
[Sign:] Depression/lethargy
Number of times reported: [212]
[Sign:] Pain, Abdomen
Number of times reported: [153]
[Sign:] Recumbency
Number of times reported: [122]
[Sign:] Anorexia
Number of times reported: [111]
[Sign:] Death
Number of times reported: [78]
[Sign:] Urticaria
Number of times reported: [47]
[Sign:] Diarrhea
Number of times reported: [41]
[Sign:] Death(euthanized)
Number of times reported: [34]
[Sign:] Unconscious
Number of times reported: [31]
[Sign:] Fever, Body
Number of times reported: [28]
[Sign:] Neurological Disorder
Number of times reported: [20]
[Sign:] Pruritis, Tail
Number of times reported: [20]
[Sign:] Stupor

Number of times reported: [19]
[Sign:] Weakness
Number of times reported: [19]
[Sign:] Weight Loss
Number of times reported: [19]
[Sign:] Dehydration
Number of times reported: [18]
[Sign:] Trembling
Number of times reported: [18]
[Sign:] Tachycardia
Number of times reported: [16]
[Sign:] Ineffect, Strongyles
Number of times reported: [15]
[Sign:] Abortion
Number of times reported: [14]
[Sign:] Anaphylaxis/toid
Number of times reported: [14]
[Sign:] Laminitis
Number of times reported: [14]
[Sign:] Sweating
Number of times reported: [13]
[Sign:] Alopecia
Number of times reported: [12]
[Sign:] Anorexia(not Nursing)
Number of times reported: [12]
[Sign:] Ineffect, Ascarids
Number of times reported: [12]
[Sign:] Ineffect, Worms
Number of times reported: [12]
[Sign:] Staggering
Number of times reported: [12]
[Sign:] Convulsion(s)
Number of times reported: [11]
[Sign:] Diarrhea, Mild
Number of times reported: [11]
[Sign:] Diarrhea, Severe
Number of times reported: [11]
[Sign:] Edema, Head/face
Number of times reported: [11]
[Sign:] Ineffect, Pinworms
Number of times reported: [11]
[Sign:] Pruritis

Number of times reported: [11]
[Sign:] Confusion
Number of times reported: [10]
[Sign:] Hair, Abn
Number of times reported: [10]
[Sign:] Collapse
Number of times reported: [9]
[Sign:] Hypothermia, Body
Number of times reported: [9]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [9]
[Sign:] Pd-syringe, Abn
Number of times reported: [9]
[Sign:] Swelling, Limb(s)
Number of times reported: [9]
[Sign:] Wbc Hi, Bld
Number of times reported: [9]
[Sign:] Dyspnea
Number of times reported: [8]
[Sign:] Edema, Limb(s)
Number of times reported: [8]
[Sign:] Hypersalivation
Number of times reported: [8]
[Sign:] Hypomotility
Number of times reported: [8]
[Sign:] Nervousness
Number of times reported: [8]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [8]
[Sign:] Reluctant To Move
Number of times reported: [8]
[Sign:] Syringe, Locking Ring
Number of times reported: [8]
[Sign:] Anemia
Number of times reported: [7]
[Sign:] Hyperpnea
Number of times reported: [7]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [7]
[Sign:] Pd-product Defect
Number of times reported: [7]
[Sign:] Twitch

Number of times reported: [7]
[Sign:] Adipsia
Number of times reported: [6]
[Sign:] Blindness
Number of times reported: [6]
[Sign:] Colitis
Number of times reported: [6]
[Sign:] Diarrhea, Watery
Number of times reported: [6]
[Sign:] Difficulty Rising
Number of times reported: [6]
[Sign:] Edema, Ventral
Number of times reported: [6]
[Sign:] Ill
Number of times reported: [6]
[Sign:] Lameness
Number of times reported: [6]
[Sign:] Mydriasis
Number of times reported: [6]
[Sign:] Nystagmus
Number of times reported: [6]
[Sign:] Polypnea
Number of times reported: [6]
[Sign:] Shock, Endotoxemia
Number of times reported: [6]
[Sign:] Somnolence
Number of times reported: [6]
[Sign:] Swelling, Head/face
Number of times reported: [6]
[Sign:] Wbc Lo, Bld
Number of times reported: [6]
[Sign:] Albumin Lo, Bld
Number of times reported: [5]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Circling
Number of times reported: [5]
[Sign:] Cpk Hi, Bld
Number of times reported: [5]
[Sign:] Discharge, Nose
Number of times reported: [5]
[Sign:] Hyperactivity

Number of times reported: [5]
[Sign:] Hyperesthesia
Number of times reported: [5]
[Sign:] Pain
Number of times reported: [5]
[Sign:] Proprioceptive Disorde
Number of times reported: [5]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [5]
[Sign:] Stiffness
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [5]
[Sign:] Apprehension
Number of times reported: [4]
[Sign:] Blindness, Temp
Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Cns Disorder
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [4]
[Sign:] Ggt Hi, Bld
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Ineffect, Bots
Number of times reported: [4]
[Sign:] Pd-dispenser, Abn
Number of times reported: [4]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [4]
[Sign:] Rolling
Number of times reported: [4]
[Sign:] Spasm
Number of times reported: [4]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [4]
[Sign:] Blindness, Partial
Number of times reported: [3]
[Sign:] Cachexia

Number of times reported: [3]
[Sign:] Colon, Abn
Number of times reported: [3]
[Sign:] Congestion, Lung(s)
Number of times reported: [3]
[Sign:] Constipation
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Dizziness
Number of times reported: [3]
[Sign:] Edema
Number of times reported: [3]
[Sign:] Globulin Hi, Bld
Number of times reported: [3]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [3]
[Sign:] Loss Of Condition
Number of times reported: [3]
[Sign:] Obstruction, Intestine
Number of times reported: [3]
[Sign:] Pawing
Number of times reported: [3]
[Sign:] Pd-tube(s), Abn
Number of times reported: [3]
[Sign:] Polycythemia
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Reflux, Stomach
Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Stumbling
Number of times reported: [3]
[Sign:] Swelling, Joint(s)
Number of times reported: [3]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Swelling, Neck

Number of times reported: [3]
[Sign:] Ulcer(s), Stomach
Number of times reported: [3]
[Sign:] Vision Disorder
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Birth, Premature
Number of times reported: [2]
[Sign:] Bld(petechiae)
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Ca Lo, Bld
Number of times reported: [2]
[Sign:] Cataract(s)
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Creatinine Lo, Bld
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Edema, Brisket/chest
Number of times reported: [2]
[Sign:] Encephalopathy
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Ldh Hi, Bld
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Mucous Membr, Muddy

Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [2]
[Sign:] Pd-odor, Abn
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [2]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Prolapse, Tongue
Number of times reported: [2]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Pupil(s), Areflexia
Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Retina Abn
Number of times reported: [2]
[Sign:] Rupture
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Skin Disorder
Number of times reported: [2]
[Sign:] Skin, Scab(s)

Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Swelling, Prepuce
Number of times reported: [2]
[Sign:] Trembling, Face
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Wheezing
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Atony, Bladder
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing, Difficult
Number of times reported: [1]
[Sign:] Chemistry Abn

Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Colitis, Ulcerative
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Cecum
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Prepuce
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Eruption(s)

Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Fibrinogen Hi, Bld
Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect

Number of times reported: [1]
[Sign:] Ineffect, Strongyle La
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Obstruction, Esophagus
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [1]
[Sign:] Perforation, Gi
Number of times reported: [1]
[Sign:] P Lo, Bld

Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-rectum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Reaction, Unspecified

Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stool, Mucoid
Number of times reported: [1]
[Sign:] Stranguria
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Swelling, Ventrum
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Tissue, Granulation
Number of times reported: [1]
[Sign:] Ulcer(s)

Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Volvulus, Intestine
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Human

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Moxidectin
Oral, Sheep

[Sign:] Death
Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Abortion

Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Weakness

Number of times reported: [1]

[Drug:] Moxidectin
Oral, Various

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Cat

[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Cattle

[Sign:] Death
Number of times reported: [14]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Ineffect, Lice
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Ascarids
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Deer

[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Moxidectin

Parenteral, Dog

[Sign:] Vomiting
Number of times reported: [2,302]
[Sign:] Anaphylaxis/toid
Number of times reported: [2,087]
[Sign:] Depression/lethargy
Number of times reported: [1,491]
[Sign:] Urticaria
Number of times reported: [896]
[Sign:] Anorexia
Number of times reported: [833]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [723]
[Sign:] Diarrhea
Number of times reported: [710]
[Sign:] Convulsion(s)
Number of times reported: [563]
[Sign:] Swelling, Head/face
Number of times reported: [560]
[Sign:] Fever, Body
Number of times reported: [500]
[Sign:] Death
Number of times reported: [496]
[Sign:] Pruritis
Number of times reported: [453]
[Sign:] Edema, Head/face
Number of times reported: [425]
[Sign:] Pallor, Mucous Membran
Number of times reported: [330]
[Sign:] Edema
Number of times reported: [323]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [320]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [302]
[Sign:] Wbc Hi, Bld
Number of times reported: [289]
[Sign:] Death(euthanized)
Number of times reported: [278]

[Sign:] Collapse
Number of times reported: [277]
[Sign:] Weight Loss
Number of times reported: [273]
[Sign:] Ataxia
Number of times reported: [253]
[Sign:] Dyspnea
Number of times reported: [248]
[Sign:] Inj Site Swelling
Number of times reported: [237]
[Sign:] Anemia
Number of times reported: [233]
[Sign:] Diarrhea, Bloody
Number of times reported: [231]
[Sign:] Shock
Number of times reported: [218]
[Sign:] Weakness
Number of times reported: [199]
[Sign:] Platelets Lo, Bld
Number of times reported: [188]
[Sign:] Congestion, Skin
Number of times reported: [180]
[Sign:] Polypnea
Number of times reported: [180]
[Sign:] Recumbency
Number of times reported: [154]
[Sign:] Bun Hi, Bld
Number of times reported: [151]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [117]
[Sign:] Albumin Lo, Bld
Number of times reported: [115]
[Sign:] Radiograph(s) Abn
Number of times reported: [115]
[Sign:] Trembling
Number of times reported: [114]
[Sign:] Coughing
Number of times reported: [110]
[Sign:] Creatinine Hi, Bld
Number of times reported: [104]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [101]

[Sign:] Segs Hi, Bld
Number of times reported: [101]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [97]
[Sign:] Hypersalivation
Number of times reported: [94]
[Sign:] Pain
Number of times reported: [92]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [85]
[Sign:] Tachycardia
Number of times reported: [85]
[Sign:] Dehydration
Number of times reported: [84]
[Sign:] Polydipsia
Number of times reported: [83]
[Sign:] Bld, Urine
Number of times reported: [82]
[Sign:] Inj Site Mass
Number of times reported: [80]
[Sign:] Vomiting, Bloody
Number of times reported: [78]
[Sign:] Icterus, Body
Number of times reported: [71]
[Sign:] Lameness
Number of times reported: [71]
[Sign:] Inj Site Inflam
Number of times reported: [67]
[Sign:] Pain, Abdomen
Number of times reported: [65]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [65]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [64]
[Sign:] Us Abn
Number of times reported: [63]
[Sign:] Inj Site Pain
Number of times reported: [61]
[Sign:] Pallor
Number of times reported: [61]
[Sign:] Nervousness
Number of times reported: [60]

[Sign:] Amylase Hi, Bld
Number of times reported: [59]
[Sign:] Inj Site Alopecia
Number of times reported: [59]
[Sign:] Reluctant To Move
Number of times reported: [58]
[Sign:] Shaking
Number of times reported: [58]
[Sign:] P Hi, Bld
Number of times reported: [56]
[Sign:] Alopecia
Number of times reported: [55]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [55]
[Sign:] Polyuria
Number of times reported: [55]
[Sign:] Inflam, Skin
Number of times reported: [54]
[Sign:] Bld(petechiae)
Number of times reported: [53]
[Sign:] Diarrhea, Mild
Number of times reported: [53]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [52]
[Sign:] Ggt Hi, Bld
Number of times reported: [50]
[Sign:] Wbc Lo, Bld
Number of times reported: [49]
[Sign:] Pr-kidney(s), Lesion(s
Number of times reported: [48]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [48]
[Sign:] Confusion
Number of times reported: [47]
[Sign:] Monos Hi, Bld
Number of times reported: [46]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [46]
[Sign:] Murmur, Heart
Number of times reported: [44]
[Sign:] Protein, Urine
Number of times reported: [44]

[Sign:] Glucose Hi, Bld
Number of times reported: [43]
[Sign:] Hyperactivity
Number of times reported: [43]
[Sign:] Hyperpnea
Number of times reported: [43]
[Sign:] Bradycardia
Number of times reported: [42]
[Sign:] Difficulty Rising
Number of times reported: [42]
[Sign:] Hematochezia
Number of times reported: [42]
[Sign:] Melena
Number of times reported: [42]
[Sign:] Polycythemia
Number of times reported: [42]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [40]
[Sign:] Stupor
Number of times reported: [40]
[Sign:] Us-liver Abn
Number of times reported: [40]
[Sign:] Inj Site Abscess
Number of times reported: [39]
[Sign:] Inj Site Pruritis
Number of times reported: [39]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [39]
[Sign:] Globulin Hi, Bld
Number of times reported: [38]
[Sign:] Glucose Lo, Bld
Number of times reported: [38]
[Sign:] Lipase Hi, Bld
Number of times reported: [38]
[Sign:] Vocalization
Number of times reported: [38]
[Sign:] Epistaxis
Number of times reported: [37]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [37]
[Sign:] Bld(ecchymoses)
Number of times reported: [36]

[Sign:] Incontinence, Urinary
Number of times reported: [36]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [35]
[Sign:] Behavior Disorder
Number of times reported: [34]
[Sign:] Blindness
Number of times reported: [34]
[Sign:] Twitch
Number of times reported: [34]
[Sign:] Adipsia
Number of times reported: [33]
[Sign:] Arrest, Heart
Number of times reported: [33]
[Sign:] Hypothermia, Body
Number of times reported: [33]
[Sign:] Kidney Failure
Number of times reported: [33]
[Sign:] Lymphs Lo, Bld
Number of times reported: [32]
[Sign:] Proprioceptive Disorde
Number of times reported: [32]
[Sign:] Ascites
Number of times reported: [31]
[Sign:] Bilirubin, Urine
Number of times reported: [31]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [31]
[Sign:] Cpk Hi, Bld
Number of times reported: [31]
[Sign:] Aggression
Number of times reported: [30]
[Sign:] Bands Hi, Bld
Number of times reported: [30]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [30]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [30]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [30]
[Sign:] Staggering
Number of times reported: [30]

[Sign:] Cardiomegaly
Number of times reported: [29]
[Sign:] Lesion(s), Skin
Number of times reported: [29]
[Sign:] Nystagmus
Number of times reported: [29]
[Sign:] Ca Hi, Bld
Number of times reported: [27]
[Sign:] Circling
Number of times reported: [27]
[Sign:] Infection, Skin
Number of times reported: [27]
[Sign:] Neoplasm
Number of times reported: [27]
[Sign:] Neurological Disorder
Number of times reported: [27]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [26]
[Sign:] Head Tilt
Number of times reported: [26]
[Sign:] Hepatomegaly
Number of times reported: [26]
[Sign:] Inj Site Seroma
Number of times reported: [26]
[Sign:] Rash
Number of times reported: [26]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [25]
[Sign:] Congestion, Ear(s)
Number of times reported: [25]
[Sign:] Dermatitis, Moist
Number of times reported: [25]
[Sign:] Distention, Abdomen
Number of times reported: [25]
[Sign:] Edema, Limb(s)
Number of times reported: [25]
[Sign:] K Lo, Bld
Number of times reported: [25]
[Sign:] Na Lo, Bld
Number of times reported: [25]
[Sign:] Unconscious
Number of times reported: [25]

[Sign:] Pulse Thready
Number of times reported: [24]
[Sign:] Bld
Number of times reported: [23]
[Sign:] Defecation
Number of times reported: [23]
[Sign:] Eosinos Hi, Bld
Number of times reported: [23]
[Sign:] K Hi, Bld
Number of times reported: [23]
[Sign:] Mydriasis
Number of times reported: [23]
[Sign:] Congestion, Lung(s)
Number of times reported: [22]
[Sign:] Coombs Test Pos
Number of times reported: [22]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [22]
[Sign:] Immune Disorder
Number of times reported: [22]
[Sign:] Pr-lung(s), Edema
Number of times reported: [22]
[Sign:] Splenomegaly
Number of times reported: [22]
[Sign:] Urination
Number of times reported: [22]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [21]
[Sign:] Bun Lo, Bld
Number of times reported: [21]
[Sign:] Diarrhea, Watery
Number of times reported: [21]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [21]
[Sign:] Pain, Neck
Number of times reported: [21]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [21]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [21]
[Sign:] Stiffness
Number of times reported: [21]

[Sign:] Capillary Refill Prolo
Number of times reported: [20]
[Sign:] Chloride Lo, Bld
Number of times reported: [20]
[Sign:] Conjunctivitis
Number of times reported: [20]
[Sign:] Diarrhea, Mucoid
Number of times reported: [20]
[Sign:] Distress, Resp
Number of times reported: [20]
[Sign:] Diarrhea, Severe
Number of times reported: [19]
[Sign:] Discharge, Nose
Number of times reported: [19]
[Sign:] Inj Site Abn
Number of times reported: [19]
[Sign:] Pancreatitis
Number of times reported: [19]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [18]
[Sign:] Otitis
Number of times reported: [18]
[Sign:] Pain, Back
Number of times reported: [18]
[Sign:] Skin, Crust(s)
Number of times reported: [18]
[Sign:] Wbc, Urine
Number of times reported: [18]
[Sign:] Apprehension
Number of times reported: [17]
[Sign:] Gastroenteritis
Number of times reported: [17]
[Sign:] Heart Failure
Number of times reported: [17]
[Sign:] Icterus
Number of times reported: [17]
[Sign:] Interaction, Drug(s)
Number of times reported: [17]
[Sign:] Liver Disorder
Number of times reported: [17]
[Sign:] Lymphs Hi, Bld
Number of times reported: [17]

[Sign:] Sound Abn, Respiratory
Number of times reported: [17]
[Sign:] Bld, Abdomen
Number of times reported: [16]
[Sign:] Coagulation Disorder
Number of times reported: [16]
[Sign:] Discomfort
Number of times reported: [16]
[Sign:] Exercise Intolerance
Number of times reported: [16]
[Sign:] Pr-sm Intest, Lesion(s
Number of times reported: [16]
[Sign:] Apnea
Number of times reported: [15]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [15]
[Sign:] Bld, Rectum
Number of times reported: [15]
[Sign:] Ca Lo, Bld
Number of times reported: [15]
[Sign:] Dic
Number of times reported: [15]
[Sign:] Pacing
Number of times reported: [15]
[Sign:] Rbc, Nucleated
Number of times reported: [15]
[Sign:] Swelling, Ear(s)
Number of times reported: [15]
[Sign:] Syncope
Number of times reported: [15]
[Sign:] Vomiting, Severe
Number of times reported: [15]
[Sign:] Glucose, Urine
Number of times reported: [14]
[Sign:] Mass, Skin
Number of times reported: [14]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [14]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [14]
[Sign:] Pressure Lo, Bld
Number of times reported: [14]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [14]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [14]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [14]
[Sign:] Spasm
Number of times reported: [14]
[Sign:] Swelling, Neck
Number of times reported: [14]
[Sign:] Anemia, Hemolytic
Number of times reported: [13]
[Sign:] Gagging
Number of times reported: [13]
[Sign:] Locomotion Disorder
Number of times reported: [13]
[Sign:] Papule(s)
Number of times reported: [13]
[Sign:] Pupil(s), Areflexia
Number of times reported: [13]
[Sign:] Reflex(es) Abn
Number of times reported: [13]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [13]
[Sign:] Shaking, Head/face
Number of times reported: [13]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [13]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [13]
[Sign:] Vomiting, Unproductive
Number of times reported: [13]
[Sign:] Anemia, Regen
Number of times reported: [12]
[Sign:] Congestion, Mucous Mem
Number of times reported: [12]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [12]
[Sign:] Effusion, Pleural
Number of times reported: [12]
[Sign:] Hepatitis
Number of times reported: [12]

[Sign:] Hiding
Number of times reported: [12]
[Sign:] Hypopnea
Number of times reported: [12]
[Sign:] Incontinence, Fecal
Number of times reported: [12]
[Sign:] Ineffect, Hooks
Number of times reported: [12]
[Sign:] Liver Failure
Number of times reported: [12]
[Sign:] Neoplasm, Liver
Number of times reported: [12]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [12]
[Sign:] Paresis
Number of times reported: [12]
[Sign:] P Lo, Bld
Number of times reported: [12]
[Sign:] Pruritis, Feet/digit(s
Number of times reported: [12]
[Sign:] Pt Prolonged, Bld
Number of times reported: [12]
[Sign:] Segs Lo, Bld
Number of times reported: [12]
[Sign:] Swelling, Limb(s)
Number of times reported: [12]
[Sign:] Vestibular Disorder
Number of times reported: [12]
[Sign:] Abn Color, Urine
Number of times reported: [11]
[Sign:] Anisocoria
Number of times reported: [11]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [11]
[Sign:] Eye Disorder
Number of times reported: [11]
[Sign:] Globulin Lo, Bld
Number of times reported: [11]
[Sign:] Hypothermia
Number of times reported: [11]
[Sign:] Infection, Urinary Tra
Number of times reported: [11]

[Sign:] Inj Site Bld
Number of times reported: [11]
[Sign:] Inj Site Effusion
Number of times reported: [11]
[Sign:] Miosis
Number of times reported: [11]
[Sign:] Neoplasm, Skin
Number of times reported: [11]
[Sign:] Neoplasm, Spleen
Number of times reported: [11]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [11]
[Sign:] Pressure Hi, Bld
Number of times reported: [11]
[Sign:] Stumbling
Number of times reported: [11]
[Sign:] Swelling, Joint(s)
Number of times reported: [11]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [11]
[Sign:] Ana Pos
Number of times reported: [10]
[Sign:] Anemia, Sphero
Number of times reported: [10]
[Sign:] Bld, Sclera
Number of times reported: [10]
[Sign:] Breathing Abn
Number of times reported: [10]
[Sign:] Congestion
Number of times reported: [10]
[Sign:] Crystals, Urine
Number of times reported: [10]
[Sign:] Diabetes Mellitus
Number of times reported: [10]
[Sign:] Ecg Abn
Number of times reported: [10]
[Sign:] Granuloma
Number of times reported: [10]
[Sign:] Inj Site Necrosis
Number of times reported: [10]
[Sign:] Kidney Disorder
Number of times reported: [10]

[Sign:] Mass, Abdomen
Number of times reported: [10]
[Sign:] Na Hi, Bld
Number of times reported: [10]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [10]
[Sign:] Pain, Joint(s)
Number of times reported: [10]
[Sign:] Reluctant To Climb
Number of times reported: [10]
[Sign:] Sneezing
Number of times reported: [10]
[Sign:] Uveitis
Number of times reported: [10]
[Sign:] Arrhythmia
Number of times reported: [9]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [9]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [9]
[Sign:] Cyanosis
Number of times reported: [9]
[Sign:] Edema, Ventral
Number of times reported: [9]
[Sign:] Effusion, Peritoneal
Number of times reported: [9]
[Sign:] Eruption(s)
Number of times reported: [9]
[Sign:] Heart Disorder
Number of times reported: [9]
[Sign:] Inj Site Edema
Number of times reported: [9]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [9]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [9]
[Sign:] Nausea
Number of times reported: [9]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [9]
[Sign:] Pruritis, Ear(s)
Number of times reported: [9]

[Sign:] Staring
Number of times reported: [9]
[Sign:] Stiffness, Neck
Number of times reported: [9]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [9]
[Sign:] Ulcer(s), Skin
Number of times reported: [9]
[Sign:] Azotemia
Number of times reported: [8]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [8]
[Sign:] Deafness
Number of times reported: [8]
[Sign:] Defecation Abn
Number of times reported: [8]
[Sign:] Gi, Abnormal
Number of times reported: [8]
[Sign:] Hair, Shedding
Number of times reported: [8]
[Sign:] Inj Site Slough
Number of times reported: [8]
[Sign:] Mass
Number of times reported: [8]
[Sign:] Microoranisms, Urine
Number of times reported: [8]
[Sign:] Monos Lo, Bld
Number of times reported: [8]
[Sign:] Polycythemia(relative)
Number of times reported: [8]
[Sign:] Rbc, Aniso
Number of times reported: [8]
[Sign:] Skin, Scab(s)
Number of times reported: [8]
[Sign:] Somnolence
Number of times reported: [8]
[Sign:] Swelling
Number of times reported: [8]
[Sign:] Tenesmus, Rectal
Number of times reported: [8]
[Sign:] Alkaline Urine
Number of times reported: [7]

[Sign:] Bile Acids Abn, Bld
Number of times reported: [7]
[Sign:] Bld, Skin
Number of times reported: [7]
[Sign:] Bronchitis
Number of times reported: [7]
[Sign:] Cns Disorder
Number of times reported: [7]
[Sign:] Csf Abn
Number of times reported: [7]
[Sign:] Death(stillborn)
Number of times reported: [7]
[Sign:] Ecg, Abn
Number of times reported: [7]
[Sign:] Embolus
Number of times reported: [7]
[Sign:] Enlargement(s), Skin
Number of times reported: [7]
[Sign:] Eosinos Lo, Bld
Number of times reported: [7]
[Sign:] Glaucoma
Number of times reported: [7]
[Sign:] Hyperkeratosis
Number of times reported: [7]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [7]
[Sign:] Icterus, Serum
Number of times reported: [7]
[Sign:] Inj Site Fibrosis
Number of times reported: [7]
[Sign:] Inj Site Infect
Number of times reported: [7]
[Sign:] Inj Site Sterile Absce
Number of times reported: [7]
[Sign:] Ldh Hi, Bld
Number of times reported: [7]
[Sign:] Mg Hi, Bld
Number of times reported: [7]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [7]
[Sign:] Opisthotonos
Number of times reported: [7]

[Sign:] Pain, Muscle(s)
Number of times reported: [7]
[Sign:] Platelets Hi, Bld
Number of times reported: [7]
[Sign:] Pneumonia
Number of times reported: [7]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [7]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [7]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [7]
[Sign:] Pr-heartworm Disease
Number of times reported: [7]
[Sign:] Retina Abn
Number of times reported: [7]
[Sign:] Scale(s), Skin
Number of times reported: [7]
[Sign:] Skin, Necrosis
Number of times reported: [7]
[Sign:] Stool, Mucoid
Number of times reported: [7]
[Sign:] Urination Abn
Number of times reported: [7]
[Sign:] Wheezing
Number of times reported: [7]
[Sign:] Albumin Hi, Bld
Number of times reported: [6]
[Sign:] Arthritis
Number of times reported: [6]
[Sign:] Biting/chewing
Number of times reported: [6]
[Sign:] Brain, Neoplasm
Number of times reported: [6]
[Sign:] Casts, Urine
Number of times reported: [6]
[Sign:] Creatinine Lo, Bld
Number of times reported: [6]
[Sign:] Dementia
Number of times reported: [6]
[Sign:] Diarrhea, Projectile
Number of times reported: [6]

[Sign:] Edema, Larynx
Number of times reported: [6]
[Sign:] Hair, Abn
Number of times reported: [6]
[Sign:] Hyperadrenocorticism
Number of times reported: [6]
[Sign:] Hypertonia
Number of times reported: [6]
[Sign:] Hyphema
Number of times reported: [6]
[Sign:] Hypoadrenocorticism
Number of times reported: [6]
[Sign:] Ill
Number of times reported: [6]
[Sign:] Mg Lo, Bld
Number of times reported: [6]
[Sign:] Mucous Membr, Red
Number of times reported: [6]
[Sign:] Neoplasm, Bone
Number of times reported: [6]
[Sign:] Odor, Mouth
Number of times reported: [6]
[Sign:] Pain, Limb(s)
Number of times reported: [6]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [6]
[Sign:] Polyphagia
Number of times reported: [6]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [6]
[Sign:] Pr-esophagus, Lesion(s
Number of times reported: [6]
[Sign:] Rbc, Polychrom
Number of times reported: [6]
[Sign:] Sedation
Number of times reported: [6]
[Sign:] Skin Disorder
Number of times reported: [6]
[Sign:] Slough, Skin
Number of times reported: [6]
[Sign:] Ulcer(s), Stomach
Number of times reported: [6]

[Sign:] Anemia, Aplastic
Number of times reported: [5]
[Sign:] Bld, Anus
Number of times reported: [5]
[Sign:] Bld, Gi
Number of times reported: [5]
[Sign:] Cachexia
Number of times reported: [5]
[Sign:] Cat Scan Abn
Number of times reported: [5]
[Sign:] Cellulitis
Number of times reported: [5]
[Sign:] Distress
Number of times reported: [5]
[Sign:] Dysphagia
Number of times reported: [5]
[Sign:] Effusion, Joint(s)
Number of times reported: [5]
[Sign:] Effusion, Pericardial
Number of times reported: [5]
[Sign:] Hyperesthesia
Number of times reported: [5]
[Sign:] Inj Site Hair, Abn
Number of times reported: [5]
[Sign:] Inj Site Neoplasm
Number of times reported: [5]
[Sign:] Mri Scan Abn
Number of times reported: [5]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [5]
[Sign:] Neoplasm, Heart
Number of times reported: [5]
[Sign:] Nephritis
Number of times reported: [5]
[Sign:] Nystagmus, Horizontal
Number of times reported: [5]
[Sign:] Nystagmus, Rotary
Number of times reported: [5]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [5]
[Sign:] Pancytopenia
Number of times reported: [5]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [5]
[Sign:] Posture Abn
Number of times reported: [5]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [5]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [5]
[Sign:] Prolapse, Disc
Number of times reported: [5]
[Sign:] Respiratory Disorder
Number of times reported: [5]
[Sign:] Stiffness, Front Limb(
Number of times reported: [5]
[Sign:] Swelling, Tongue
Number of times reported: [5]
[Sign:] Tenesmus
Number of times reported: [5]
[Sign:] Thrombus
Number of times reported: [5]
[Sign:] Transudate
Number of times reported: [5]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [5]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [5]
[Sign:] Volvulus, Stomach
Number of times reported: [5]
[Sign:] Abscess, Skin
Number of times reported: [4]
[Sign:] Bld, Eye(s)
Number of times reported: [4]
[Sign:] Bld(hematoma)
Number of times reported: [4]
[Sign:] Bld, Vagina
Number of times reported: [4]
[Sign:] Blindness, Partial
Number of times reported: [4]
[Sign:] Blindness, Temp
Number of times reported: [4]
[Sign:] Cataract(s)
Number of times reported: [4]

[Sign:] Chloride Hi, Bld
Number of times reported: [4]
[Sign:] Dysmetria
Number of times reported: [4]
[Sign:] Edema, Multiple Sites
Number of times reported: [4]
[Sign:] Encephalopathy
Number of times reported: [4]
[Sign:] Enteritis
Number of times reported: [4]
[Sign:] Gall Bladder, Abn
Number of times reported: [4]
[Sign:] Gastritis
Number of times reported: [4]
[Sign:] Gingiva, Abn
Number of times reported: [4]
[Sign:] Gingivitis
Number of times reported: [4]
[Sign:] Hco3 Lo, Bld
Number of times reported: [4]
[Sign:] Head Bobbing
Number of times reported: [4]
[Sign:] Head Pressing
Number of times reported: [4]
[Sign:] Insomnia
Number of times reported: [4]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [4]
[Sign:] Jerking
Number of times reported: [4]
[Sign:] Keratoconjunctivitis S
Number of times reported: [4]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [4]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [4]
[Sign:] Licking
Number of times reported: [4]
[Sign:] Mucous Membr, Muddy
Number of times reported: [4]
[Sign:] Myositis
Number of times reported: [4]

[Sign:] Neoplasm, Mult Sites
Number of times reported: [4]
[Sign:] Pain, Spinal
Number of times reported: [4]
[Sign:] Platelets Abn
Number of times reported: [4]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [4]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [4]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [4]
[Sign:] Prostatomegaly
Number of times reported: [4]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [4]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [4]
[Sign:] Pustule(s)
Number of times reported: [4]
[Sign:] Regurgitation
Number of times reported: [4]
[Sign:] Seborrhea
Number of times reported: [4]
[Sign:] Stool Abn
Number of times reported: [4]
[Sign:] Strabismus
Number of times reported: [4]
[Sign:] Tachycardia, Ventricul
Number of times reported: [4]
[Sign:] Thrashing/paddling
Number of times reported: [4]
[Sign:] Vision Disorder
Number of times reported: [4]
[Sign:] Weight Increase
Number of times reported: [4]
[Sign:] Acidosis
Number of times reported: [3]

[Sign:] Acid Urine
Number of times reported: [3]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [3]
[Sign:] Application Site Alopecia
Number of times reported: [3]
[Sign:] Basos Hi, Bld
Number of times reported: [3]
[Sign:] Bld, Penis
Number of times reported: [3]
[Sign:] Blepharospasm
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Breathing, Difficult
Number of times reported: [3]
[Sign:] Breathing, Periodic
Number of times reported: [3]
[Sign:] Cns Infarct
Number of times reported: [3]
[Sign:] Colitis
Number of times reported: [3]
[Sign:] Constipation
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Deafness, Temp
Number of times reported: [3]
[Sign:] Death(newborn)
Number of times reported: [3]
[Sign:] Dilitation, Esophagus
Number of times reported: [3]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Dissociation
Number of times reported: [3]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [3]
[Sign:] Edema, Neck
Number of times reported: [3]
[Sign:] Edema, Prepuce
Number of times reported: [3]

[Sign:] Emphysema
Number of times reported: [3]
[Sign:] Epiphora
Number of times reported: [3]
[Sign:] Erythema Multiforme
Number of times reported: [3]
[Sign:] Fly Biting
Number of times reported: [3]
[Sign:] Grinding Teeth
Number of times reported: [3]
[Sign:] Hair, Abn Color
Number of times reported: [3]
[Sign:] Horner's Syndrome
Number of times reported: [3]
[Sign:] Hypomotility
Number of times reported: [3]
[Sign:] Inj Site Induration
Number of times reported: [3]
[Sign:] Iris, Inflam
Number of times reported: [3]
[Sign:] Irritation
Number of times reported: [3]
[Sign:] Joint Disorder
Number of times reported: [3]
[Sign:] Lipids Hi, Bld
Number of times reported: [3]
[Sign:] Neoplasm, Pancreas
Number of times reported: [3]
[Sign:] Neuropathy
Number of times reported: [3]
[Sign:] Nose Abn
Number of times reported: [3]
[Sign:] Paralysis
Number of times reported: [3]
[Sign:] Paralysis, All Limbs
Number of times reported: [3]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [3]
[Sign:] Peritonitis
Number of times reported: [3]
[Sign:] Pharyngitis
Number of times reported: [3]

[Sign:] Pollakiuria
Number of times reported: [3]
[Sign:] Polycythemia(absolute)
Number of times reported: [3]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [3]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [3]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [3]
[Sign:] Pruritis, Eye(s)
Number of times reported: [3]
[Sign:] Skin Abnormal
Number of times reported: [3]
[Sign:] Skin, Dry
Number of times reported: [3]
[Sign:] Sleep Abn
Number of times reported: [3]
[Sign:] Sound Abn, Voice
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Stranguria
Number of times reported: [3]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [3]
[Sign:] Ulcer(s), Tongue
Number of times reported: [3]
[Sign:] Vasculitis
Number of times reported: [3]
[Sign:] Vomiting, Projectile
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Arrhythmia, Block
Number of times reported: [2]
[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [2]

[Sign:] Birth Defect(s)
Number of times reported: [2]
[Sign:] Bld, Retina
Number of times reported: [2]
[Sign:] Bld, Thorax
Number of times reported: [2]
[Sign:] Calculi, Kidney
Number of times reported: [2]
[Sign:] Congestion, Tongue
Number of times reported: [2]
[Sign:] Cort/creat Hi, Urine
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Diabetes
Number of times reported: [2]
[Sign:] Dysuria
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Edema, Pharynx
Number of times reported: [2]
[Sign:] Electrolyte Disorder
Number of times reported: [2]
[Sign:] Erg Abn
Number of times reported: [2]
[Sign:] Erythema, Scrotum
Number of times reported: [2]
[Sign:] Fibrillation, Atrial
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]
[Sign:] Ineffect, Hw Adults
Number of times reported: [2]
[Sign:] Ineffect, Hw Antigen
Number of times reported: [2]
[Sign:] Infection, Feet/digit(
Number of times reported: [2]
[Sign:] Inflam
Number of times reported: [2]
[Sign:] Inj Site Hair, Abn Color
Number of times reported: [2]

[Sign:] Leg Disorder
Number of times reported: [2]
[Sign:] Lesion(s)
Number of times reported: [2]
[Sign:] Leukoderma
Number of times reported: [2]
[Sign:] Liver Profile Hi
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Macule(s)
Number of times reported: [2]
[Sign:] Moribund
Number of times reported: [2]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [2]
[Sign:] Neuritis
Number of times reported: [2]
[Sign:] Nystagmus, Positional
Number of times reported: [2]
[Sign:] Odor
Number of times reported: [2]
[Sign:] Opacity, Cornea(s)
Number of times reported: [2]
[Sign:] Pain, Head/face
Number of times reported: [2]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-medulla, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-midbrain, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [2]

[Sign:] Pr-mult Sites, Icterus
Number of times reported: [2]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [2]
[Sign:] Prostration
Number of times reported: [2]
[Sign:] Protrusion, Eye(s)
Number of times reported: [2]
[Sign:] Rbc Abn
Number of times reported: [2]
[Sign:] Reproduction Disorder
Number of times reported: [2]
[Sign:] Sore(s)
Number of times reported: [2]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [2]
[Sign:] Spinal Cord, Neoplasm
Number of times reported: [2]
[Sign:] Squinting
Number of times reported: [2]
[Sign:] Swelling, Mult Sites
Number of times reported: [2]
[Sign:] Swelling, Prepuce
Number of times reported: [2]
[Sign:] Swelling, Testicle
Number of times reported: [2]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [2]
[Sign:] Tail Disorder
Number of times reported: [2]
[Sign:] Torticollis
Number of times reported: [2]
[Sign:] Trembling, Face
Number of times reported: [2]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [2]
[Sign:] Urine Abn
Number of times reported: [2]
[Sign:] Volvulus
Number of times reported: [2]
[Sign:] Agranulocytosis, Bld
Number of times reported: [1]

[Sign:] A/g Ratio Hi, Bld
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Bld Loss
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Atrophy
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Bld(purpura)
Number of times reported: [1]
[Sign:] Blindness, Night
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Cervical Spine Abn
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Cloudy Urine
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Colitis, Ulcerative
Number of times reported: [1]
[Sign:] Congestion, Pharynx
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discharge, Incision Site
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dysrhythmia, Resp
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Sclera
Number of times reported: [1]
[Sign:] Edema, Scrotum
Number of times reported: [1]
[Sign:] Edema, Tongue
Number of times reported: [1]
[Sign:] Edema, Vulva
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Fe Hi, Bld
Number of times reported: [1]

[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Ineffect, Hooks Preven
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Infarct
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inj Site, Alopecia
Number of times reported: [1]
[Sign:] Inj Site Sepsis
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] K Hi, Urine
Number of times reported: [1]
[Sign:] Laryngitis
Number of times reported: [1]
[Sign:] Leukoderma, Mouth/lip(
Number of times reported: [1]
[Sign:] Liver Disorder, Obstru
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neuritis, Optic
Number of times reported: [1]
[Sign:] Nose, Inflammation
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Obstruction, Esophagus
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Paraesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pd-potency, Hi
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Perforation, Gi
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-ear(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-larynx, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Pr-parathyroid, Lesion
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-rectum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Stool, Pale/gray
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Swelling, Ventrum
Number of times reported: [1]
[Sign:] Tetany
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Tracheitis
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]
[Sign:] Uremia
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Goat

[Sign:] Abortion
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Horse

[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]

[Drug:] Moxidectin
Parenteral, Human

[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Inj Site Swelling
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Bird

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Cattle

[Sign:] Ineffect, Lice

Number of times reported: [149]
[Sign:] Death
Number of times reported: [90]
[Sign:] Alopecia
Number of times reported: [62]
[Sign:] Pruritis
Number of times reported: [48]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [37]
[Sign:] Recumbency
Number of times reported: [29]
[Sign:] Anorexia
Number of times reported: [24]
[Sign:] Ineffect, Grubs
Number of times reported: [24]
[Sign:] Dyspnea
Number of times reported: [23]
[Sign:] Depression/lethargy
Number of times reported: [20]
[Sign:] Ineffect, Strongyles
Number of times reported: [17]
[Sign:] Ineffect, Worms
Number of times reported: [16]
[Sign:] Ataxia
Number of times reported: [14]
[Sign:] Collapse
Number of times reported: [13]
[Sign:] Fever, Body
Number of times reported: [13]
[Sign:] Diarrhea
Number of times reported: [12]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [12]
[Sign:] Hair, Abn
Number of times reported: [11]
[Sign:] Ineffect, Ectoparasite
Number of times reported: [11]
[Sign:] Ineffect, Mites
Number of times reported: [11]
[Sign:] Coughing
Number of times reported: [9]
[Sign:] Discharge, Nose

Number of times reported: [9]
[Sign:] Pneumonia
Number of times reported: [9]
[Sign:] Respiratory Disorder
Number of times reported: [9]
[Sign:] Udder, Hypogalactia
Number of times reported: [9]
[Sign:] Weight Loss
Number of times reported: [9]
[Sign:] Abortion
Number of times reported: [8]
[Sign:] Anaphylaxis/toid
Number of times reported: [8]
[Sign:] Application Site Alopecia
Number of times reported: [8]
[Sign:] Bloat
Number of times reported: [8]
[Sign:] Ineffect
Number of times reported: [8]
[Sign:] Culture/titer Data Abn
Number of times reported: [7]
[Sign:] Ineffect, Lice Biting
Number of times reported: [7]
[Sign:] Ineffect, Nematodes
Number of times reported: [7]
[Sign:] Licking
Number of times reported: [7]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [7]
[Sign:] Difficulty Rising
Number of times reported: [6]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Inflam, Skin
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [6]
[Sign:] Diarrhea, Watery
Number of times reported: [5]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [5]
[Sign:] Pr-lung(s), Edema
Number of times reported: [5]
[Sign:] Application Site Lesion(s)
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [4]
[Sign:] Twitch
Number of times reported: [4]
[Sign:] Albumin Lo, Bld
Number of times reported: [3]
[Sign:] Anorexia(not Nursing)
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Enteritis
Number of times reported: [3]
[Sign:] Froth, Nose
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Ineffect, Strongyle La
Number of times reported: [3]
[Sign:] Irritation, Skin
Number of times reported: [3]
[Sign:] Loss Of Condition
Number of times reported: [3]
[Sign:] Poor Performance
Number of times reported: [3]
[Sign:] Pr-gi, Parasitism
Number of times reported: [3]
[Sign:] Scale(s), Skin
Number of times reported: [3]
[Sign:] Slough, Skin
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Wbc Hi, Bld

Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Application Site, Alopecia
Number of times reported: [2]
[Sign:] Application Site Erythema
Number of times reported: [2]
[Sign:] Application Site Inflam
Number of times reported: [2]
[Sign:] Atony, Rumen
Number of times reported: [2]
[Sign:] Birth, Premature
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [2]
[Sign:] Blindness, Partial
Number of times reported: [2]
[Sign:] Ca Lo, Bld
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Death(slaughtered)
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Exfoliation, Skin
Number of times reported: [2]
[Sign:] Hair, Shedding

Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Ineffect, Ascarids
Number of times reported: [2]
[Sign:] Ineffect, Lice Sucking
Number of times reported: [2]
[Sign:] Ineffect, Lungworms
Number of times reported: [2]
[Sign:] Irritation
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Paralysis, Hind Limb(s
Number of times reported: [2]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Skin, Scab(s)

Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Swelling, Brisket/ches
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Vasculitis
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Application Site Abnormal
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Blindness

Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Edema, Vulva
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Ear(s)
Number of times reported: [1]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [1]
[Sign:] Ineffect, Large Strong
Number of times reported: [1]
[Sign:] Ineffect, Pests
Number of times reported: [1]
[Sign:] Ineffect, Stomach Worm
Number of times reported: [1]
[Sign:] Ineffect, Strongyloids
Number of times reported: [1]
[Sign:] Ineffect, Weight Loss
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Laminitis

Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Ringworm
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Pd-applicator, Abn
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Phallitis

Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Residue, Meat
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Swelling, Ventrum
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Udder, Agalactia
Number of times reported: [1]
[Sign:] Udder, Swelling
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Deer

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Dog

[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Death(euthanized)

Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Goat

[Sign:] Death
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Horse

[Sign:] Aggression
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Human

[Sign:] Nausea
Number of times reported: [8]
[Sign:] Diarrhea
Number of times reported: [7]
[Sign:] Headache
Number of times reported: [6]

[Sign:] Fever, Body
Number of times reported: [5]
[Sign:] Inflam, Skin
Number of times reported: [5]
[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Rash
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Hypoesthesia
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Pain, Head/face
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Pain, Joint(s)
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Paresthesia
Number of times reported: [2]
[Sign:] Pd-applicator, Abn
Number of times reported: [2]
[Sign:] Pd-dispenser, Abn
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Application Site Abnormal
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Fe Hi, Bld
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Nail Disorder
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Llama

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Topical, Mouse

[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Cattle

[Sign:] Death
Number of times reported: [4]
[Sign:] Ineffect, Lice
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Emphysema
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Dog

[Sign:] Depression/lethargy
Number of times reported: [22]

[Sign:] Vomiting
Number of times reported: [18]
[Sign:] Ataxia
Number of times reported: [15]
[Sign:] Anorexia
Number of times reported: [14]
[Sign:] Convulsion(s)
Number of times reported: [12]
[Sign:] Death(euthanized)
Number of times reported: [12]
[Sign:] Anaphylaxis/toid
Number of times reported: [9]
[Sign:] Death
Number of times reported: [9]
[Sign:] Trembling
Number of times reported: [8]
[Sign:] Dyspnea
Number of times reported: [7]
[Sign:] Anemia
Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Swelling, Head/face
Number of times reported: [6]
[Sign:] Otitis
Number of times reported: [5]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Wbc Hi, Bld
Number of times reported: [5]
[Sign:] Weight Loss
Number of times reported: [5]
[Sign:] Albumin Lo, Bld
Number of times reported: [4]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Lameness
Number of times reported: [4]

[Sign:] Pain
Number of times reported: [4]
[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Edema, Head/face
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Nervousness
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Pain, Back
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] P Hi, Bld
Number of times reported: [3]
[Sign:] Reluctant To Move
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Hepatitis
Number of times reported: [2]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [2]
[Sign:] Infection, Skin
Number of times reported: [2]
[Sign:] Inflam, Skin
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Monos Hi, Bld
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Platelets Lo, Bld
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Joint(s)
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperadrenocorticism
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s
Number of times reported: [1]
[Sign:] Neoplasm, Mammary
Number of times reported: [1]
[Sign:] Neoplasm, Pancreas
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Neoplasm, Spleen
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]

[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-medulla, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Swelling, Mult Sites
Number of times reported: [1]

[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Fish

[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Goat

[Sign:] Abortion
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Horse

[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anorexia (not Nursing)
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Coagulation Disorder

Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Prostration

Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Human

[Sign:] Dizziness
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Hot Flash/flush
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]

[Drug:] Moxidectin
Unknown, Sheep

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Pr-gi, Parasitism
Number of times reported: [1]

[Drug:] Moxidectin
Various, Dog

[Sign:] Inj Site Hair, Abn
Number of times reported: [1]

[Drug:] Moxidectin
Various, Fish

[Sign:] Death
Number of times reported: [1]

[Drug:] Moxidectin
Various, Human

[Sign:] Headache
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Defect, Not Applicable

[Sign:] Pd-syringe, Abn
Number of times reported: [18]
[Sign:] Pd-tube(s), Abn
Number of times reported: [7]
[Sign:] Pd-dispenser, Abn
Number of times reported: [6]
[Sign:] Pd-underfill, Package
Number of times reported: [6]

[Sign:] Pd-gel/paste, Abn
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Ophthalmic, Horse

[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Oral, Cat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Oral, Dog

[Sign:] Ataxia
Number of times reported: [27]
[Sign:] Depression/lethargy
Number of times reported: [15]
[Sign:] Trembling
Number of times reported: [15]
[Sign:] Hypersalivation
Number of times reported: [14]
[Sign:] Convulsion(s)
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Death
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Hyperactivity
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Twitch
Number of times reported: [4]
[Sign:] Unconscious
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Hypothermia

Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization

Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Oral, Goat

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Oral, Horse

[Sign:] Depression/lethargy
Number of times reported: [25]
[Sign:] Pain, Abdomen
Number of times reported: [24]
[Sign:] Anorexia
Number of times reported: [23]
[Sign:] Recumbency
Number of times reported: [14]
[Sign:] Ataxia
Number of times reported: [10]
[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Death
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Ineffect, Pinworms
Number of times reported: [4]
[Sign:] Ineffect, Tapes
Number of times reported: [4]
[Sign:] Sweating

Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Pawing
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Diarrhea, Severe
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Ineffect, Ascarids
Number of times reported: [2]
[Sign:] Ineffect, Strongyle La
Number of times reported: [2]
[Sign:] Ineffect, Strongyles
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Tongue

Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Alopecia
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Difficulty Rising

Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Large Strong
Number of times reported: [1]
[Sign:] Ineffect, Lungworms
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Paresthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-syringe, Abn
Number of times reported: [1]
[Sign:] Placenta, Abnormal
Number of times reported: [1]
[Sign:] Polyuria

Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld

Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Oral, Llama

[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Unknown, Dog

[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Unknown, Horse

[Sign:] Ineffect, Worms
Number of times reported: [1]

[Drug:] Moxidectin, Praziquantel
Various, Fish, Pet

[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]

[Drug:] Multiple Electrolytes
Oral, Cattle

[Sign:] Death
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Multiple Electrolytes
Parenteral, Horse

[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Mupirocin
Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [3]
[Sign:] Pd-container(s), Damag
Number of times reported: [2]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [1]

[Drug:] Mupirocin
Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]

[Drug:] Mupirocin
Oral, Dog

[Sign:] Diarrhea, Mild

Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Mupirocin
Topical, Cat

[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Mupirocin
Topical, Dog

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Application Site Inflam

Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Mupirocin

Topical, Rat

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s

Number of times reported: [1]

[Drug:] Mupirocin

Unknown, Dog

[Sign:] Rash

Number of times reported: [1]