

BLUE BIRD CTC*
Type C Swine Feed/Bacterial enteritis and Bacterial pneumonia
MEDICATED

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Treatment of bacterial enteritis caused by *Escherichia coli* and *Salmonella choleraesuis* and bacterial pneumonia caused by *Pasteurella multocida* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT

Chlortetracycline _____ g/ton **

GUARANTEED ANALYSIS

Crude Protein, Min _____ %
 Lysine, Min _____ %
 Crude Fat, Min _____ %
 Crude Fiber, Min _____ %
 Calcium, Min _____ %
 Calcium, Max _____ %
 Phosphorus, Min _____ %
 Salt, Min (if added) _____ %
 Salt, Max (if added) _____ %
 Sodium, Min (if exceeding salt guarantee)..... _____ %
 Sodium, Max (if exceeding salt guarantee)..... _____ %
 Selenium, Min _____ %
 Zinc, Min _____ %

INGREDIENTS

Ingredients as defined by AAFCO

FEEDING DIRECTIONS

Feed for not more than 14 days. Feed approximately 400 g/t, varying with body weight and feed consumption to provide 10 mg/lb body weight per day. The following table gives examples of feeding rates and drug levels:

Drug Level in Feed (g/ton)	Drug Level in Feed (mg/lb)	Type C Medicated Feed Consumption (lb of feed per 100 lb bodyweight per day)
333	166.5	6.0
400	200	5.0
500	250	4.0

Withdrawal Periods: Five-day withdrawal period.

BLUE BIRD FEED COMPANY
CITY. STATE. ZIP

NET WEIGHT ON BAG OR BULK

* This Bluebird label refers to Chloratet™ brand of Chlortetracycline.

**The final printed feed label must show the actual concentration of chlortetracycline. This drug level is equivalent to approximately 400 g/ton, depending on body weight and feed consumption.
 Lot No