

CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 04/30/2013

Drug Listing: T;U;V;W;X;Y;Z

DRUG: TEA TREE OIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: TEA TREE OIL

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
PRURITIS	2
ALOPECIA	1
ATAXIA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
INFECTION, SKIN	1
NERVOUSNESS	1
PARESIS, HIND LIMB(S)	1

DRUG: TEPOXALIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	17
PD-TABLET(S), ABN	13
PD-PRODUCT DEFECT	6
PD-CONTAINER(S), ABN	3
TABLET(S), UNDIGEST	2

DRUG: TEPOXALIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	4
DEHYDRATION	2
AGGRESSION	1
ALK PHOS HI, BLD	1
ANEMIA	1
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
TACHYCARDIA	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	197
ANOREXIA	116
DEPRESSION/LETHARGY	110
DIARRHEA	110
MELENA	69
DIARRHEA, BLOODY	66
ANEMIA	64
VOMITING, BLOODY	59
DEATH	54
DEATH(EUTHANIZED)	54
INTERACTION, DRUG(S)	52
ALK PHOS HI, BLD	44
SGPT/ALT HI, BLD	33
ATAXIA	32
BUN HI, BLD	32
CONVULSION(S)	24
CREATININE HI, BLD	24
POLYDIPSIA	24
HEMATOCHEZIA	23
ALOPECIA	17
NERVOUSNESS	17

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LIVER ENZYMES HI, BLD	16
POLYPNEA	16
WEAKNESS	16
BLD, URINE	15
INEFFECT, ANTIINFLAM	15
PALLOR, MUCOUS MEMBRAN	13
POLYURIA	13
UNPALATABLE, WON'T SWA	13
COLLAPSE	12
HYPERSALIVATION	12
PAIN, ABDOMEN	12
PRURITIS	12
WBC HI, BLD	12
CONFUSION	11
EPISTAXIS	11
FEVER, BODY	11
PROTEIN(TOT) LO, BLD	11
HYPERACTIVITY	10
PD-TABLET(S), ABN	10
RECUMBENCY	10
ULCER(S), GI	10
ULCER(S), STOMACH	9
ANAPHYLAXIS/TOID	8
CONGESTION, SKIN	8
DYSPNEA	8
PLATELETS LO, BLD	8
TABLET(S), UNDIGEST	8
WEIGHT LOSS	8
ALBUMIN LO, BLD	7
AMYLASE HI, BLD	7
BILIRUBIN(TOT) HI, BLD	7
BLD, GI	7
FROTH, MOUTH/LIP(S)	7
INCONTINENCE, URINARY	7
LIVER DISORDER	7
PACING	7
SGOT/AST HI, BLD	7
APPREHENSION	6

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AZOTEMIA	6
BLD(PETECHIAE)	6
DEHYDRATION	6
HYPERPNEA	6
KIDNEY FAILURE	6
NAUSEA	6
STOOL ABN	6
URTICARIA	6
AGGRESSION	5
BEHAVIOR DISORDER	5
BLD(ECCHYMOSES)	5
CHEMISTRY ABN	5
PR-SM INTEST, LESION(S)	5
RADIOGRAPH(S) ABN	5
SWELLING, HEAD/FACE	5
US-LIVER ABN	5
BLD, MOUTH/LIP(S)	4
CHOLESTEROL HI, BLD	4
DIARRHEA, MILD	4
DIARRHEA, SEVERE	4
DIFFICULTY RISING	4
GAGGING	4
GASTROENTERITIS	4
INFECTION, URINARY TRA	4
LIPASE HI, BLD	4
MYDRIASIS	4
PARESIS, HIND LIMB(S)	4
P HI, BLD	4
SCALE(S), SKIN	4
SPEC GRAVITY LO, URINE	4
TREMBLING	4
URINATION	4
US ABN	4
VOCALIZATION	4
ANEMIA, BLD LOSS	3
BITING/CHEWING	3
BORBORYGMI	3
COAGULATION DISORDER	3

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, PROJECTILE	3
DIARRHEA, WATERY	3
HAIR, SHEDDING	3
ICTERUS, BODY	3
INCONTINENCE, FECAL	3
INEFFECT, ANALGESIA	3
KIDNEY VALUES HI, BLD	3
LICKING, FEET/DIGIT(S)	3
NEOPLASM	3
NEUROLOGICAL DISORDER	3
PERFORATION, GI	3
PR-LIVER, LESION(S)	3
PR-STOMACH, LESION(S)	3
SEGS HI, BLD	3
STUPOR	3
TRIGLYCERIDES HI, BLD	3
UNPALATABLE, WON'T EAT	3
VOMITING, UNPRODUCTIVE	3
ABN COLOR, URINE	2
ANEMIA, AUTOIMMUNE HEM	2
BANDS HI, BLD	2
BLD	2
CIRCLING	2
COLITIS	2
CONSTIPATION	2
CYSTITIS	2
DEAFNESS	2
DIABETES M, POOR REGUL	2
DIARRHEA, MUCOID	2
DILITATION, ESOPHAGUS	2
DISTRESS	2
DYSPHAGIA	2
ERUPTION(S)	2
FLATULENCE	2
GGT HI, BLD	2
GLUCOSE HI, BLD	2
GLUCOSE LO, BLD	2
HIDING	2

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERESTHESIA	2
HYPERPIGMENTATION, SKI	2
IMMUNE DISORDER	2
INEFFECT, LOSS OF EFFE	2
INFLAM, SKIN	2
KERATOCONJUNCTIVITIS S	2
K HI, BLD	2
KIDNEY DISORDER	2
K LO, BLD	2
LYMPHS LO, BLD	2
PALLOR	2
PANCREATITIS	2
PARESIS, FORE LIMB(S)	2
PR-GI, LESION(S)	2
PR-LUNG(S), LESION(S)	2
PR-MULT SITES, BLD	2
PROPRIOCEPTIVE DISORDE	2
PUSTULE(S)	2
RASH	2
RELUCTANT TO MOVE	2
SHAKING	2
SKIN, SCAB(S)	2
STOOL, MUCOID	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, NECK	2
TACHYCARDIA	2
TWITCH	2
ULCER(S), SKIN	2
ULCER(S), TONGUE	2
WBC LO, BLD	2
ADIPSIA	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
ANURIA	1
ARTHRITIS	1
BILE ACIDS HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABDOMEN	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD(HEMATOMA)	1
BLD, INCISION SITE	1
BLD, PENIS	1
BLD, RECTUM	1
BLD, SCLERA	1
BLINDNESS	1
BLOAT	1
BRADYCARDIA	1
CA HI, BLD	1
CASTS, URINE	1
CHLORIDE LO, BLD	1
CHOKING	1
CNS INFARCT	1
COUGHING	1
CRYSTALS, URINE	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DERMATITIS, MOIST	1
DESTRUCTIVENESS	1
DIABETES MELLITUS	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DRY, SKIN	1
DYSURIA	1
EAR DISORDER	1
ECCHYMOSIS, INCISION SITE	1
ECG ABN	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
ENLARGEMENT(S), SKIN	1
GI, ABNORMAL	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE, URINE	1
HAIR, ABN	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HAIR, ABN COLOR	1
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HEMOGLOBIN, URINE	1
HORNER'S SYNDROME	1
HYPERSENSITIVE, SOUND	1
HYPOSMIA	1
HYPOTHERMIA, BODY	1
ICTERUS	1
ILL	1
IMPROVEMENT, UNEXPECT	1
INCISION SITE, BLD	1
INCONTINENCE	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, FEET/DIGIT(1
IRRITATION, MOUTH/LIP(1
JERKING	1
LESION(S), MOUTH/LIP(S)	1
LEUKODERMA	1
LIVER FAILURE	1
LIVER PROFILE HI	1
LOCOMOTION DISORDER	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MICROORANISMS, URINE	1
MORIBUND	1
MRI SCAN ABN	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NEOPLASM, BONE	1
NOCTURIA	1
NOSE, INFLAMMATION	1
NYSTAGMUS	1
ODOR	1
ODOR, MOUTH	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ODOR, URINE	1
OPACITY, CORNEA(S)	1
OTITIS	1
PAIN	1
PARALYSIS, LARYNX	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PAWING	1
PERFORATION, STOMACH	1
PERITONITIS	1
PICA	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYPHAGIA	1
POSTURAL RXN(S) ABN	1
PR-BLADDER, LESION(S)	1
PR-CECUM, LESION(S)	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MEDULLA, LESION(S)	1
PR-MENINGES, LESION(S)	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SPINAL CORD, LESION	1
PRURITIS, FEET/DIGIT(S)	1
PULSE THREADY	1
RBC, NUCLEATED	1
REACTION, UNSPECIFIED	1
RESPIRATORY DISORDER	1
SEBORRHEA	1
SEDATION	1
SEGS LO, BLD	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SKIN, NECROSIS	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SLEEP ABN	1
SLOUGH, TONGUE	1
SOMNOLENCE	1
SOUND ABN, RESPIRATORY	1
SOUND ABN, VOICE	1
SQUINTING	1
STAGGERING	1
STARING	1
STOMATITIS	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, MULT SITES	1
SYNCOPE	1
TECH ERROR ADMINISTRAT	1
THYROID HORMONE(S) LO	1
TORTICOLLIS	1
TREMBLING, FACE	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), PYLORUS	1
UNPALATABLE	1
VASCULITIS	1
VOMITING, PROJECTILE	1
VOMITING, SEVERE	1
WBC, URINE	1
XEROSTOMIA	1

DRUG: TEPOXALIN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANALGESIA	1

DRUG: TEPOXALIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANALGESIA	1
VOMITING	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
GGT HI, BLD	1
SGPT/ALT HI, BLD	1
VOMITING	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TESTOSTERONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
SWELLING, HEAD/FACE	1
URTICARIA	1

DRUG: TETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	14
PD-CONTAINER(S), ABN	5
PD-SEAL, ABN	5
PD-CONTAMINATION	2
PD-TUBE(S), LEAKING	2
PD-COLOR, ABN	1
PD-GRANULES/POWDER, ABN	1
PD-PRODUCT DEFECT	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), ABN	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

DRUG: TETRACYCLINE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLEPHAROSPASM	1
IRRITATION, EYE(S)/LID	1

DRUG: TETRACYCLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	6
FEVER, BODY	6
ANOREXIA	4
VOMITING	4
ICTERUS	2
KIDNEY DISORDER	2
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BORBORYGMI	1
CONFUSION	1
DEATH	1

DRUG: TETRACYCLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
GALL BLADDER, ABN	1
HEPATITIS	1
INEFFECT, ANTIBIOTIC	1
INFECTION	1
LIVER DISORDER	1
PAIN, ABDOMEN	1
SGPT/ALT HI, BLD	1
SHAKING	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
US ABN	1
US-LIVER ABN	1
WEIGHT LOSS	1

DRUG: TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
INEFFECT, ANTIBIOTIC	2
ACTH STIM ABN	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
AMMONIA HI, BLD	1
ANEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, URINE	1
BUN LO, BLD	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
COAGULATION DISORDER	1
CONGESTION, LUNG(S)	1
CREATININE LO, BLD	1
DEPRESSION/LETHARGY	1
DIARRHEA	1

DRUG: TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DYSPNEA	1
GAGGING	1
GASTROENTERITIS	1
GLUCOSE HI, BLD	1
KETONES, URINE	1
NA LO, BLD	1
PD-SUSPENSION, ABN	1
PR-LIVER, LESION(S)	1
PROTEIN, URINE	1
PR-SPLEEN, LESION(S)	1
RADIOGRAPH(S) ABN	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SOUND ABN, RESPIRATORY	1
STOOL ABN	1
VOMITING	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: TETRACYCLINE

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PD-COLOR, ABN	1

DRUG: TETRACYCLINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	2

DRUG: TETRACYCLINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: THENIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DIARRHEA	1

DRUG: THEOPHYLLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CONSTIPATION	1
INTERACTION, DRUG(S)	1
TWITCH	1

DRUG: THIABENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
RECUMBENCY	1
TREMBLING	1

DRUG: THIABENDAZOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: THIABENDAZOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
RESPIRATORY DISORDER	1
WEAKNESS	1

DRUG: THIAMINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BREATHING ABN	1
DEATH	1

DRUG: THIAMYLAL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	10
ANESTH RECOV PROLONGED	5
DEATH	5
ARREST, HEART	3
INEFFECT, ANESTHESIA	3
ANESTH TOO DEEP	1
BLD, LUNG(S)/TRACHEA	1
CYANOSIS	1
PR-LUNG(S), LESION(S)	1
TACHYCARDIA	1

DRUG: THIAMYLAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	30
DEATH	25
ARREST, HEART	19

DRUG: THIAMYLAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	12
INEFFECT, ANESTHESIA	11
ANESTH TOO DEEP	7
HYPOPNEA	3
ANESTH RECOV TURBULENT	2
ARRHYTHMIA	2
ATAXIA	1
BRADYCARDIA	1
CONVULSION(S)	1
CYANOSIS	1
DYSYPNEA	1
FIBRILLATION, VENTRICU	1
HEART FAILURE	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INJ SITE PAIN	1
REACTION, UNSPECIFIED	1
VOMITING	1

DRUG: THIAMYLAL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
APNEA	1
DEATH	1

DRUG: THIAMYLAL

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
REACTION, UNSPECIFIED	1

DRUG: THIAMYLAL

Species: UNKNOWN

Route of Administration: PARENTERAL

DRUG: THIAMYLAL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
ANESTH TOO DEEP	1

DRUG: THIOPENTAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
ARREST, HEART	2
DEATH	2
PR-LUNG(S), LESION(S)	2
CYANOSIS	1
PD-CONTAMINATION	1
PD-SYRINGE, ABN	1
PR-MULT SITES, CONGEST	1

DRUG: TIAMULIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	6
PD-GRANULES/POWDER, ABN	5
PD-SOLUTION, ABN	5
PD-CONTAMINATION	3
PD-CONTAINER(S), DAMAG	1
PD-VIAL(S), DAMAGED	1

DRUG: TIAMULIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	18
DEATH	17
INEFFECT, ANTIBIOTIC	9
DIARRHEA	7
DEPRESSION/LETHARGY	3
CONGESTION, SKIN	2
ABORTION	1
ATAXIA	1
BLD, GI	1
DEATH(TX FAILURE)	1
DIARRHEA, BLOODY	1
GI, ABNORMAL	1
INEFFECT, PARASITE(S)	1
INFECTION	1
INTERACTION, DRUG(S)	1
MELENA	1
NERVOUSNESS	1
PAIN	1
PNEUMONIA	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PROLAPSE, RECTUM	1
PR-SM INTEST, LESION(S)	1
PR-SM INTEST, LESION(S)	1
SKIN DISORDER	1
STIFFNESS, HIND LIMB(S)	1
TWITCH	1
VOLVULUS	1

DRUG: TIAMULIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
RASH	1

DRUG: TICARCILLIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	2

DRUG: TICARCILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TICARCILLIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLITIS	1
DEATH(EUTHANIZED)	1
LAMINITIS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	55
PD-COLOR, ABN	16
PD-MISSING, LABEL(S)	16
PD-UNDERFILL, PACKAGE	11
PD-VIAL(S), DAMAGED	10
PD-GRANULES/POWDER, ABN	7
PD-UNDERFILL, VIAL(S)	7
PD-VIAL(S), ABN	7
PD-PRODUCT DEFECT	3
PD-SEAL, ABN	3
PD-VIAL(S), LEAKING	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), DAMAG	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAMINATION	2
PD-LABEL(S), ABN	2
PD-MISSING, CAP	2
PD-CONTAM, MOLD	1
PD-POTENCY, LO	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DISTRESS, RESP	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	4
ATAXIA	4
DEATH	4
INEFFECT, ANESTHESIA	4
VOMITING	3
ANOREXIA	2
COUGHING	2
DEATH(EUTHANIZED)	2
ANESTH RECOV TURBULENT	1
ANISOCORIA	1
APNEA	1
ARREST, HEART	1
BLINDNESS, TEMP	1
CIRCLING	1
CYANOSIS	1
DEAFNESS	1
FEVER, BODY	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOPNEA	1
MYDRIASIS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
PR-SM INTEST, LESION(S)	1
SEDATION PROLONGED	1
TREMBLING	1
VESTIBULAR DISORDER	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	3
ANESTH RECOV TURBULENT	1
INEFFECT, SEDATION	1
KIDNEY FAILURE	1
POLYDIPSIA	1
POLYURIA	1
VOMITING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: MISSING

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH INDUCTION PROLONGED	1
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	2
IRRITATION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
APNEA	1
DEATH	1
LESION(S), SKIN	1
NECROSIS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	318
ANESTH RECOV PROLONGED	158
ATAXIA	137
APNEA	128
ARREST, HEART	126
EDEMA, LUNG(S)/TRACHEA	90
DYSPNEA	86
INEFFECT, ANESTHESIA	81
DEPRESSION/LETHARGY	74
FEVER, BODY	67
ANOREXIA	51
CYANOSIS	34
MYDRIASIS	34
RECUMBENCY	34
BLINDNESS	31
DEATH(EUTHANIZED)	31
BRADYCARDIA	29
PR-LUNG(S), LESION(S)	29
VOCALIZATION	29
ANESTH RECOV TURBULENT	28
HEAD TILT	28
HYPOTHERMIA, BODY	28
HEAD BOBBING	26
NYSTAGMUS	26
HYPOTHERMIA	25
NEUROLOGICAL DISORDER	25
TREMBLING	25
CONVULSION(S)	22
CYANOSIS, MUCOUS MEMBR	21
VOMITING	21
CONFUSION	19
HYPERACTIVITY	17
TWITCH	17
VESTIBULAR DISORDER	17
RADIOGRAPH(S) ABN	16
AGGRESSION	15
HYPOPNEA	15
PR-LUNG(S), EDEMA	15

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CIRCLING	14
CONGESTION, LUNG(S)	14
DISTRESS, RESP	14
PR-HEART, LESION(S)	14
SPASM	14
BLINDNESS, TEMP	13
ANISOCORIA	12
BUN HI, BLD	12
COUGHING	12
STAGGERING	12
TACHYCARDIA	12
ANAPHYLAXIS/TOID	11
BEHAVIOR DISORDER	11
CNS DISORDER	11
HYPERSALIVATION	11
PR-LIVER, LESION(S)	11
STUPOR	11
UNCONSCIOUS	11
HYPERPNEA	10
POLYPNEA	10
PR-KIDNEY(S), LESION(S)	10
NYSTAGMUS, HORIZONTAL	9
SGPT/ALT HI, BLD	9
SOUND ABN, RESPIRATORY	9
ARRHYTHMIA	8
BREATHING ABN	8
REFLEX(ES) ABN	8
SEDATION PROLONGED	8
ANESTH TOO DEEP	7
CREATININE HI, BLD	7
INTERACTION, DRUG(S)	7
MIOSIS	7
PALLOR, MUCOUS MEMBRAN	7
PROLAPSE, THIRD EYELID	7
PUPIL(S), AREFLEXIA	7
THRASHING/PADDLING	7
ADIPSIA	6
APPREHENSION	6

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIARRHEA	6
FROTH, NOSE	6
HORNER'S SYNDROME	6
INEFFECT, SEDATION	6
NERVOUSNESS	6
PARESIS, HIND LIMB(S)	6
BLD, LUNG(S)/TRACHEA	5
COLLAPSE	5
CPK HI, BLD	5
DEAFNESS	5
DIFFICULTY RISING	5
EFFUSION, PLEURAL	5
HYPERTONIA	5
LAMENESS	5
SEGS HI, BLD	5
SWELLING, HEAD/FACE	5
ULCER(S), TONGUE	5
ANEMIA	4
ANURIA	4
BREATHING, PERIODIC	4
CARDIOMEGALY	4
DEHYDRATION	4
DIARRHEA, BLOODY	4
EDEMA, TONGUE	4
EYE DISORDER	4
FROTH, MOUTH/LIP(S)	4
HYPHEMA	4
JERKING	4
P HI, BLD	4
PNEUMONIA	4
PR-PLEURAL EFFUSION	4
SEDATION	4
TREMBLING, FACE	4
VOMITING, BLOODY	4
WBC LO, BLD	4
WEAKNESS	4
WHEEZING	4
BALANCE DISORDER	3

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BITING/CHEWING	3
BLD	3
BLD, URINE	3
BLINDNESS, PARTIAL	3
DYSPHAGIA	3
EDEMA, PHARYNX	3
GAGGING	3
GLUCOSE HI, BLD	3
GLUCOSE LO, BLD	3
HEART DISORDER	3
HEART FAILURE	3
HYPERESTHESIA	3
HYPERSENSITIVE, SOUND	3
MURMUR, HEART	3
PAIN	3
PR-MULT SITES, CONGEST	3
SHAKING, HEAD/FACE	3
SHOCK	3
STUMBLING	3
SWELLING, TONGUE	3
WBC HI, BLD	3
ANESTH DURATION BRIEF	2
ANESTH INDUCTION RAPID	2
BILIRUBIN(TOT) HI, BLD	2
BLD, SCROTUM	2
BREATHING, DIFFICULT	2
BUN LO, BLD	2
CREATININE LO, BLD	2
DYSMETRIA	2
HALLUCINATION	2
HEAD PRESSING	2
INFECTION	2
INJ SITE MASS	2
INJ SITE PAIN	2
IRIS, INFLAM	2
KIDNEY FAILURE	2
LARYNGOSPASM	2
LIVER ENZYMES HI, BLD	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LOCOMOTION DISORDER	2
NYSTAGMUS, ROTARY	2
PAIN, FEET/DIGIT(S)	2
PARALYSIS, HIND LIMB(S)	2
PARESIS	2
PHOTOSENSITIZATION	2
PLATELETS LO, BLD	2
POSTURE ABN	2
PR-CEREBRUM, LESION(S)	2
PRESSURE LO, BLD	2
PR-LYMPH NODE(S), LESI	2
PR-MULT SITES, BLD	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) HI, BLD	2
PR-SPLEEN, LESION(S)	2
PR-STOMACH, LESION(S)	2
PULSE THREADY	2
RELUCTANT TO MOVE	2
SEDATION TOO BRIEF	2
SGOT/AST HI, BLD	2
SNEEZING	2
STIFFNESS, HIND LIMB(S)	2
STIFFNESS, LIMB(S)	2
STRABISMUS	2
ULCER(S), MOUTH/LIP(S)	2
WEIGHT LOSS	2
A/G RATIO HI, BLD	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANESTH INDUCTION PROLONGED	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
ASCITES	1
ASPHYXIA	1
AZOTEMIA	1
BASOS HI, BLD	1
BLD, ANUS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1
BLD, THORAX	1
CHEMISTRY ABN	1
CHOLESTEROL HI, BLD	1
COLITIS	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CONSTIPATION	1
CULTURE/TITER DATA ABN	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DEMENTIA	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DISCHARGE, EAR(S)	1
DISCHARGE, MOUTH/LIP(S)	1
DISCHARGE, NOSE	1
DYSURIA	1
ECG ABN	1
EDEMA	1
EDEMA, LARYNX	1
EDEMA, LIMB(S)	1
ELIMINATION ABN	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS HI, BLD	1
ERUPTION(S)	1
GALL BLADDER, ABN	1
GGT HI, BLD	1
HAIR, ABN	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
HIDING	1
HYPUSMIA	1
ICTERUS, BODY	1
INCISION SITE DISCHARGE	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE, URINARY	1
INEFFECT	1
INEFFECT, ANALGESIA	1
INFARCT	1
INJ SITE NEOPLASM	1
IRRITATION, PHARYNX/TH	1
K HI, BLD	1
K LO, BLD	1
LICKING	1
LIPASE HI, BLD	1
MICROORANISMS, URINE	1
MORIBUND	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NEOPLASM, SKIN	1
NEUROPATHY	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, VERTICAL	1
OPISTHOTONOS	1
PAIN, ABDOMEN	1
PALLOR	1
PARAESTHESIA	1
PARALYSIS	1
PLATELETS ABN	1
PLATELETS HI, BLD	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
POLYURIA	1
PR-ADRENAL(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-BRONCHI, LESION(S)	1
PR-GI, PARASITISM	1
PR-HEARTWORM DISEASE	1
PR-MULT SITES, LESION(1
PR-PANCREAS, LESION(S)	1
PR-PERICARDIAL EFFUSIO	1
PR-SM INTEST, LESION(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PRURITIS	1
RBC ABN	1
RESPIRATORY DISORDER	1
ROLLING	1
SEDATION RELAPSE	1
SKIN, NECROSIS	1
SOMNOLENCE	1
SORE(S)	1
SPLENOMEGALY	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, SCROTUM	1
TAIL DISORDER	1
TECH ERROR ADMINISTRAT	1
TETANY	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), GI	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), PHARYNX/THRO	1
UNKNOWN	1
URINATION ABN	1
URTICARIA	1
UVEITIS	1
VISION DISORDER	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: COUGAR

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH DURATION BRIEF	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: TILETAMINE, ZOLAZEPAM

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
ATAXIA	1
INEFFECT, SEDATION	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	164
FEVER, BODY	118
INEFFECT, ANESTHESIA	100
ANESTH RECOV TURBULENT	78
APNEA	64
ANESTH RECOV PROLONGED	60
CONVULSION(S)	51
VOCALIZATION	50
VOMITING	41
ARREST, HEART	40
POLYPNEA	33
DEPRESSION/LETHARGY	27
THRASHING/PADDLING	22
HYPERACTIVITY	19
ATAXIA	18
CYANOSIS	18
EDEMA, LUNG(S)/TRACHEA	17
INEFFECT, SEDATION	17
TACHYCARDIA	17
HYPERPNEA	15
BRADYCARDIA	14
RECUMBENCY	14
ANOREXIA	13
DYSYPNEA	13
TREMBLING	13
HYPOPNEA	12
DEATH(EUTHANIZED)	11

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	11
NERVOUSNESS	10
PR-HEART, LESION(S)	10
SWELLING, HEAD/FACE	10
ALK PHOS HI, BLD	9
PALLOR, MUCOUS MEMBRAN	9
BUN HI, BLD	8
COLLAPSE	8
CREATININE HI, BLD	8
DIARRHEA	8
HYPOTHERMIA	8
MYDRIASIS	8
PR-LIVER, LESION(S)	8
PR-LUNG(S), LESION(S)	8
SPASM	8
ANEMIA	7
BLD, INCISION SITE	7
RADIOGRAPH(S) ABN	7
TWITCH	7
URTICARIA	7
WBC HI, BLD	7
AGGRESSION	6
ARRHYTHMIA	6
CONGESTION, LUNG(S)	6
HYPOTHERMIA, BODY	6
PAIN, ABDOMEN	6
SEDATION PROLONGED	6
SGPT/ALT HI, BLD	6
ANAPHYLAXIS/TOID	5
APPREHENSION	5
BLD(ECCHYMOSES)	5
BLINDNESS	5
COAGULATION DISORDER	5
PARESIS, HIND LIMB(S)	5
PR-KIDNEY(S), LESION(S)	5
SHOCK	5
STAGGERING	5
BLD, URINE	4

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONFUSION	4
CYANOSIS, MUCOUS MEMBR	4
DEHYDRATION	4
DIFFICULTY RISING	4
DISTRESS	4
GLUCOSE LO, BLD	4
HYPERSENSITIVE, SOUND	4
P HI, BLD	4
PHOTOSENSITIZATION	4
POLYDIPSIA	4
PROTEIN(TOT) LO, BLD	4
STUPOR	4
BEHAVIOR DISORDER	3
BITING/CHEWING	3
BLD, LUNG(S)/TRACHEA	3
BLOAT	3
DEAFNESS	3
DIARRHEA, BLOODY	3
DISCOMFORT	3
DISTRESS, RESP	3
HEAD BOBBING	3
INEFFECT	3
INFLAM, SKIN	3
LAMENESS	3
NEUROLOGICAL DISORDER	3
PAIN	3
PLATELETS LO, BLD	3
PROPRIOCEPTIVE DISORDE	3
PRURITIS	3
PULSE THREADY	3
RBC, NUCLEATED	3
SEDATION	3
VOMITING, BLOODY	3
WEAKNESS	3
ALBUMIN LO, BLD	2
ANESTH DURATION BRIEF	2
ANESTH INDUCTION RAPID	2
ANESTH TOO DEEP	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARRHYTHMIA, BLOCK	2
BLD	2
BLD(HEMATOMA)	2
BLD, MOUTH/LIP(S)	2
BREATHING ABN	2
BREATHING, PERIODIC	2
CONGESTION, SKIN	2
DELIRIUM	2
DIC	2
ECG ABN	2
EDEMA, HEAD/FACE	2
EDEMA, LIMB(S)	2
ENLARGEMENT, LYMPH NOD	2
EXERCISE INTOLERANCE	2
GGT HI, BLD	2
HALLUCINATION	2
HEMATOCHEZIA	2
HYPERESTHESIA	2
HYPOSMIA	2
INCISION SITE ABN	2
INJ SITE PAIN	2
INJ SITE SWELLING	2
INTERACTION, DRUG(S)	2
KIDNEY FAILURE	2
MONOS HI, BLD	2
MURMUR, HEART	2
NYSTAGMUS	2
PARESIS	2
PD-POTENCY, LO	2
PNEUMONIA, ASPIRATION	2
PR-BLD VESSEL(S), LESI	2
PR-LUNG(S), EDEMA	2
RBC, ANISO	2
SEGS HI, BLD	2
SHAKING	2
SOUND ABN, RESPIRATORY	2
SPEC GRAVITY LO, URINE	2
SWELLING, LIMB(S)	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
UNCONSCIOUS	2
URINATION ABN	2
VOLVULUS, STOMACH	2
ABN COLOR, URINE	1
ADIPSIA	1
ALBUMIN HI, BLD	1
ALBUMIN HI, URINE	1
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANESTH INDUCTION PROLONGED	1
ANESTH INDUC TURBULENT	1
ANISOCORIA	1
ASPHYXIA	1
ATROPHY, MUSCLE(S)	1
BALANCE DISORDER	1
BASOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABDOMEN	1
BLD, GI	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SKIN	1
CARDIOMEGALY	1
CELLULITIS	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
CNS DISORDER	1
CNS INFARCT	1
COLON, ABN	1
COUGHING	1
CRYSTALS, URINE	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEFECATION	1
DEFECATION ABN	1
DEHISCENCE	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DISCHARGE, NOSE	1
DISSOCIATION	1
DISTENTION, ABDOMEN	1
DYSMETRIA	1
DYSRHYTHMIA, RESP	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, BRISKET/CHEST	1
EDEMA, TONGUE	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT(S)	1
EOSINOS LO, BLD	1
FIBRILLATION, ATRIAL	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
GLOBULIN LO, BLD	1
GLUCOSE HI, BLD	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HEPATOMEGALY	1
HYPERTONIA	1
ICTERUS	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
INCONTINENCE, URINARY	1
INJ SITE SLOUGH	1
INJURY	1
IRRITATION, EYE(S)/LID	1
JERKING	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
LOCKJAW	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
MAMMARY, INFLAMMATION	1
MASS	1
MELENA	1
MIOSIS	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
NEPHRITIS	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, ROTARY	1
OBSTRUCTION, TRACHEA	1
OLIGURIA	1
OPISTHOTONOS	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, NECK	1
PD-VIAL(S), ABN	1
PERITONITIS	1
PLATELETS HI, BLD	1
PNEUMONIA	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
POLYURIA	1
POSTURE ABN	1
PR-BRAIN, LESION(S)	1
PR-BRONCHI, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PRESSURE HI, BLD	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PTT PROLONGED, BLD	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
RETICULOCYTES HI, BLD	1
RUPTURE	1
RUPTURE, ESOPHAGUS	1
SEDATION TOO BRIEF	1
SEPTICEMIA	1
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SLOUGH, TONGUE	1
SNEEZING	1
STIFFNESS	1
STOOL, MUCOID	1
SWELLING, BRISKET/CHES	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, SCROTUM	1
SWELLING, TONGUE	1
TACHYCARDIA, VENTRICUL	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) LO	1
TISSUE, GRANULATION	1
TONGUE, ABN	1
TREMBLING, FACE	1
ULCER(S), SKIN	1
URINATION	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
WBC ABN	1
WHEEZING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIZZINESS	2
INJ SITE SWELLING	2
NAUSEA	2
CONVULSION(S)	1
DELIRIUM	1
DEPRESSION/LETHARGY	1
HYPOESTHESIA	1
HYPOESTHESIA, FEET/DIG	1
INJ SITE ABN	1
MYDRIASIS	1
PARESTHESIA	1
TWITCH	1
UNCONSCIOUS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
HEART DISORDER	2
ARREST, HEART	1
CONGESTION	1
EDEMA	1
NECROSIS	1
PR-BRAIN, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, CONGEST	1
SHOCK	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
DEATH	2
ANESTH RECOV TURBULENT	1
DEATH(EUTHANIZED)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	3
ANESTH RECOV PROLONGED	2
DEAFNESS, TEMP	1
DEATH	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	2
DEATH	2
ALK PHOS HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANEMIA	1
CYANOSIS	1
LIVER ENZYMES HI, BLD	1
PLATELETS LO, BLD	1
PROTEIN(TOT) HI, BLD	1
PR-SM INTEST, LESION(S)	1
WBC HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
DEATH	1
INEFFECT, ANESTHESIA	1
PARESIS, HIND LIMB(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: TIGER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
INEFFECT, ANESTHESIA	1
STAGGERING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSYPNEA	1
INEFFECT, ANESTHESIA	1
VOMITING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	19
DEATH	5
ANESTH RECOV TURBULENT	3
ANESTH RECOV PROLONGED	2
APNEA	2
ARREST, HEART	2
CONFUSION	1
CONVULSION(S)	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
HYPERACTIVITY	1
INEFFECT, SEDATION	1
MYDRIASIS	1
SEDATION TOO BRIEF	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIZZINESS	1
NAUSEA	1
SOMNOLENCE	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	16
ATAXIA	6
ANESTH RECOV PROLONGED	5
ANOREXIA	5
APNEA	5
EDEMA, LUNG(S)/TRACHEA	5
INEFFECT, ANESTHESIA	5
DYSYPNEA	4
FEVER, BODY	4
NEUROLOGICAL DISORDER	4
NYSTAGMUS	4
ANESTH RECOV TURBULENT	3
BLINDNESS	3
HEAD BOBBING	3
RECUMBENCY	3
RESPIRATORY DISORDER	3
ARREST, HEART	2
BUN HI, BLD	2
CONVULSION(S)	2
COUGHING	2
DEATH(EUTHANIZED)	2
MYDRIASIS	2
SPASM	2
TACHYCARDIA	2
TREMBLING	2
VOMITING	2
WEAKNESS	2
ANESTH TOO DEEP	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
BRADYCARDIA	1
CARDIOMEGALY	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
CYANOSIS	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
EFFUSION, PLEURAL	1
FIBRILLATION, ATRIAL	1
FIBRILLATION, VENTRICU	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
INFECTION, UTERUS	1
JERKING	1
MURMUR, HEART	1
PARALYSIS, FACIAL NERV	1
PD-SOLUTION, ABN	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PR-UTERUS, LESION(S)	1
PUPIL(S), AREFLEXIA	1
REFLEX(ES) ABN	1
SEDATION PROLONGED	1
SNEEZING	1
STAGGERING	1
STIFFNESS	1
STOOL, MUCOID	1
UNCONSCIOUS	1
VISION DISORDER	1
VOCALIZATION	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING, BLOODY	1
WBC HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CHIMPANZEE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
PD-SOLUTION, ABN	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	10
ANESTH RECOV TURBULENT	9
FEVER, BODY	8
ANESTH RECOV PROLONGED	7
INEFFECT, ANESTHESIA	7
APNEA	6
CONVULSION(S)	4
HYPERSALIVATION	3
INEFFECT, SEDATION	3
VOCALIZATION	3
VOMITING	3
ATAXIA	2
BLOAT	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
DIARRHEA	2
DYSPNEA	2
HYPOTHERMIA	2
POLYPNEA	2
STUPOR	2
ANOREXIA	1
ARREST, HEART	1
BEHAVIOR DISORDER	1
CIRCLING	1
COAGULATION DISORDER	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DEHYDRATION	1
DIARRHEA, MILD	1
DISTENTION, ABDOMEN	1
INTERACTION, DRUG(S)	1
LAMENESS	1
LOCOMOTION DISORDER	1
NEUROLOGICAL DISORDER	1
PAIN	1
PD-POTENCY, LO	1
PRESSURE LO, BLD	1
SEDATION	1
SEDATION PROLONGED	1
SGPT/ALT HI, BLD	1
THRASHING/PADDLING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
DIZZINESS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HUMAN EXPOSURE, INJ	1
HYPOESTHESIA	1
NAUSEA	1
PAIN	1
VISION DISORDER	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
FEVER, BODY	1
INEFFECT, ANESTHESIA	1
PD-SOLUTION, ABN	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
HYPERTONIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: UNKNOWN

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
ANAPHYLAXIS/TOID	1
EDEMA, HEAD/FACE	1
PD-POTENCY, LO	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	3
DYSPNEA	2
ANESTH RECOV PROLONGED	1
ATAXIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HEAD BOBBING	1
HYPERTONIA	1
MAST CELLS HI, BODY	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
TWITCH	1
ULCER(S), TONGUE	1
WBC LO, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
FEVER, BODY	3
INEFFECT, ANESTHESIA	3
ANESTH RECOV TURBULENT	2
DEATH	2
ANESTH INDUCTION PROLONGED	1
ANESTH RECOV PROLONGED	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
BLINDNESS	1
CONVULSION(S)	1
MYDRIASIS	1
SEDATION TOO BRIEF	1
THRASHING/PADDLING	1
TREMBLING	1
VOCALIZATION	1
VOMITING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
BITING/CHEWING	1
INEFFECT, SEDATION	1
VOCALIZATION	1

DRUG: TILMICOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	28
PD-VIAL(S), DAMAGED	11
PD-VIAL(S), ABN	10
PD-CONTAINER(S), DAMAG	7
PD-CONTAMINATION	6
PD-LABEL(S), ABN	6
PD-SOLUTION, ABN	6
PD-SEAL, ABN	4
PD-UNDERFILL, VIAL(S)	4
PD-VIAL(S), LEAKING	4
PD-UNDERFILL, PACKAGE	3

DRUG: TILMICOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	2
PD-COLOR, ABN	2
PD-PRODUCT DEFECT	2
INEFFECT, ANTIBIOTIC	1
NO SIGNS	1
PD-CONTAM, MOLD	1
PD-POTENCY, LO	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DISCOMFORT	2
IRRITATION, PHARYNX/TH	2
TASTE ABNORMALITY	2

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	30
DEATH	21
RECUMBENCY	7
INJ SITE SWELLING	6
SWELLING, JOINT(S)	5
ABORTION	3
COLLAPSE	3
DYSPNEA	3
DEPRESSION/LETHARGY	2
LAMENESS	2
STIFFNESS	2
WEAKNESS	2
ABSCCESS, SKIN	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
COAGULATION DISORDER	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIFFICULTY RISING	1
EDEMA	1
EPISTAXIS	1
FEVER, BODY	1
INEFFECT, LOSS OF EFFE	1
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
NEUROLOGICAL DISORDER	1
PAIN, JOINT(S)	1
PARALYSIS	1
PARESIS	1
PD-POTENCY, LO	1
PR-LUNG(S), LESION(S)	1
PUPIL(S), AREFLEXIA	1
SWELLING	1
SWELLING, LIMB(S)	1
TREMBLING	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, LOSS OF EFFE	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
CNS DISORDER	1
DEATH	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
NEUROLOGICAL DISORDER	1
UNCONSCIOUS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
CPK HI, BLD	1
LIVER ENZYMES HI, BLD	1
SUICIDE ATTEMPT	1

DRUG: TILMICOSIN

Species: RABBIT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
INEFFECT, ANTIBIOTIC	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
ANOREXIA	2

DRUG: TILMICOSIN

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	2
STOOL ABN	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	19
PAIN, EYE(S)/LID(S)	19
APPLICATION SITE PAIN	6
CONGESTION, EYE(S)/LID	4
PRESSURE HI, BLD	4
TASTE ABNORMALITY	4
VISION DISORDER	4
APPLICATION SITE ERYTHEMA	2
APPREHENSION	2
HEADACHE	2
NAUSEA	2
SWELLING, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
APPLICATION SITE INFLAM	1
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
HYPOTHERMIA	1
PAIN, BRISKET/CHEST	1
PAIN, MUSCLE(S)	1
PHOTOPHOBIA	1
PRURITIS, EYE(S)	1
REACTION, UNSPECIFIED	1
SHAKING	1
SPASM	1
TACHYCARDIA	1
TREMBLING	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	10
DEATH(EUTHANIZED)	6
LAMENESS	4
DISCHARGE, NOSE	2
INEFFECT, ANTIBIOTIC	2
PNEUMONIA	2
ANOREXIA	1
ARTHRITIS, SEPTIC	1
BLOAT	1
COUGHING	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISTENTION, ABDOMEN	1
FEVER, BODY	1
HEART DISORDER	1
HOOF DISORDER	1
HYPOMOTILITY	1
INFECTION, FEET/DIGIT(1
INJ SITE SWELLING	1
POLYPNEA	1
PR-BONE(S), LESION(S)	1
PR-HEART, LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-LUNG(S), LESION(S)	1
SEPTICEMIA	1

DRUG: TILMICOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
PAIN	1
PARALYSIS	1
UNCONSCIOUS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	88
PAIN, BRISKET/CHEST	23
NAUSEA	22
HEADACHE	21
DIZZINESS	19
VOMITING	15
HYPOESTHESIA	13
TACHYCARDIA	13
APPREHENSION	11
IRRITATION, PHARYNX/TH	9
FEVER, BODY	8
HYPOESTHESIA, MOUTH/LIP(S)	8
DEPRESSION/LETHARGY	7
IRRITATION, MOUTH/LIP(7
PRESSURE HI, BLD	7
BRADYCARDIA	6
DIARRHEA	6
DYSPNEA	6
TONGUE, ABN	6
ILL	5
PAIN, ABDOMEN	5
SHAKING	5
SWEATING	5
NERVOUSNESS	4
SWELLING, TONGUE	4
ARRHYTHMIA	3
DISCOMFORT, MOUTH/LIP(S)	3
PAIN, MOUTH/LIP(S)	3
PAIN, MUSCLE(S)	3
SWELLING, PHARYNX/THRO	3
TREMBLING	3
APPLICATION SITE PAIN	2
ECG ABN	2
GAGGING	2
HUMAN EXPOSURE, MOUTH/	2
HYPERSALIVATION	2
RASH	2
SOMNOLENCE	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VISION DISORDER	2
XEROSTOMIA	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE INFLAM	1
ATAXIA	1
BRONCHITIS	1
CONFUSION	1
CONGESTION, SKIN	1
COUGHING	1
CPK HI, BLD	1
DEATH(SUICIDE)	1
DEHYDRATION	1
DEMENTIA	1
DRY MOUTH SYNDROME	1
DYSPHAGIA	1
ENLARGEMENT, SALIVARY GLAND	1
HOT FLUSH	1
HYPERACTIVITY	1
HYPOESTHESIA, FEET/DIG	1
HYPOPNEA	1
NEUROLOGICAL DISORDER	1
PAIN, BACK	1
PAIN, LIMB(S)	1
PAIN, NECK	1
PARAESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
PNEUMONIA	1
POLYDIPSIA	1
PRESSURE LO, BLD	1
PRURITIS	1
REACTION, UNSPECIFIED	1
SPASM	1
STOMATITIS	1
SWELLING, MOUTH/LIP(S)	1
SYNCOPE	1
ULCER(S), TONGUE	1
URTICARIA	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOCALIZATION	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	36
DEATH	24
ANOREXIA	17
UNPALATABLE, WON'T EAT	15
DEATH(TX FAILURE)	5
DEATH(EUTHANIZED)	4
OFF FEED	4
RESPIRATORY DISORDER	4
LOSS OF CONDITION	3
ENTERITIS	2
LAMENESS	2
PNEUMONIA	2
POOR PERFORMANCE	2
PROLAPSE, RECTUM	2
TECH ERROR, MIXING	2
UNPALATABLE	2
AGGRESSION	1
ALOPECIA	1
ARTHRITIS, SEPTIC	1
ATAXIA	1
BEHAVIOR DISORDER	1
COUGHING	1
CULTURE/TITER DATA ABN	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
EFFUSION, JOINT(S)	1
INFECTION	1
PARTURITION, ABNORMAL	1
PD-GRANULES/POWDER, ABN	1
PR-LUNG(S), LESION(S)	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-NOSE, LESION(S)	1
RECUMBENCY	1
REPRODUCTION DISORDER	1
SEPTICEMIA	1
ULCER(S), GI	1
VOLVULUS	1
WEIGHT LOSS	1

DRUG: TILMICOSIN

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
CONVULSION(S)	1
MYDRIASIS	1
POLYPNEA	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	175
INJ SITE SWELLING	65
COLLAPSE	63
INEFFECT, ANTIBIOTIC	59
RECUMBENCY	39

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	26
ANAPHYLAXIS/TOID	25
LAMENESS	20
DEATH(TX FAILURE)	18
DEPRESSION/LETHARGY	13
ANOREXIA	10
ATAXIA	10
SHAKING	8
CONVULSION(S)	7
STAGGERING	7
STIFFNESS	7
TACHYCARDIA	7
THRASHING/PADDLING	7
VOCALIZATION	7
DEATH(EUTHANIZED)	6
INJ SITE INFLAM	6
INJ SITE PAIN	6
WEAKNESS	6
FROTH, MOUTH/LIP(S)	5
INJ SITE EDEMA	5
RELUCTANT TO MOVE	5
TREMBLING	5
HYPERSALIVATION	4
INJ SITE ABSCESS	4
PARESIS	4
PR-LUNG(S), EDEMA	4
SWELLING, JOINT(S)	4
ABORTION	3
CNS DISORDER	3
DISTRESS, RESP	3
FEVER, BODY	3
HYPERACTIVITY	3
KICKING	3
PAIN	3
PARALYSIS, HIND LIMB(S)	3
PR-HEART, LESION(S)	3
ADIPSIA	2
BLOAT	2

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CELLULITIS	2
CIRCLING	2
CONFUSION	2
CULTURE/TITER DATA ABN	2
CYANOSIS	2
DEATH(SLAUGHTERED)	2
DEATH(STILLBORN)	2
DIARRHEA	2
DISCOMFORT	2
FROTH	2
HYPERPNEA	2
LAMINITIS	2
LOCOMOTION DISORDER	2
NEUROLOGICAL DISORDER	2
PR-SM INTEST, LESION(S)	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
SWELLING, NECK	2
SWELLING, TONGUE	2
TECH ERROR ADMINISTRAT	2
ARTHRITIS	1
BLD, SEMEN	1
BLINDNESS	1
DEATH(NEWBORN)	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
EDEMA, NECK	1
EDEMA, VENTRAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
EPIPHORA	1
EYE DISORDER	1
GLOBULIN HI, BLD	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOTHERMIA	1
INJ SITE STIFFNESS	1
INJURY	1
INTERACTION, DRUG(S)	1
JOINT DISORDER	1
MONOS HI, BLD	1
MORIBUND	1
NERVOUSNESS	1
OFF FEED	1
OPACITY, CORNEA(S)	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PR-CEREBRUM, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROTRUSION, EYE(S)	1
PROTRUSION, TONGUE	1
PR-PERITONEUM, LESION(1
PR-SPLEEN, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PULSE THREADY	1
REACTION, UNSPECIFIED	1
SHOCK	1
STIFFNESS, FRONT LIMB(1
SWEATING	1
SWELLING, EYE(S)/LID(S)	1
TONGUE, ABN	1
TWITCH	1
VOMITING	1
WBC HI, BLD	1
WEAKNESS, NEWBORN	1
WEIGHT LOSS	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	2
RECUMBENCY	2
CO2 HI, BLD	1
COLLAPSE	1
DEATH	1
NEUROLOGICAL DISORDER	1

DRUG: TILMICOSIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
BRADYCARDIA	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
POLYPNEA	2
TACHYCARDIA	2
ACCIDENTAL EXPOSURE	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
CONGESTION, LUNG(S)	1
DISTRESS, RESP	1
HYPERPNEA	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
LAMENESS	1
SPASM	1
VOCALIZATION	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: PARENTERAL

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	30
VOCALIZATION	8
COLLAPSE	6
RECUMBENCY	6
ANAPHYLAXIS/TOID	4
DEPRESSION/LETHARGY	4
ATAXIA	2
CONVULSION(S)	2
DISTRESS	2
DISTRESS, RESP	2
DYSPNEA	2
HYPERPNEA	2
HYPERSALIVATION	2
POLYPNEA	2
PR-LUNG(S), LESION(S)	2
TACHYCARDIA	2
APNEA	1
ARRHYTHMIA	1
BLOAT	1
CYANOSIS	1
DISCOMFORT	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
GRINDING TEETH	1
INJ SITE NECROSIS	1
OPISTHOTONOS	1
PAIN	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
SHOCK	1
SOUND ABN, RESPIRATORY	1
TWITCH	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
CHLORIDE LO, BLD	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
LAMINITIS	1
NA LO, BLD	1
POLYPNEA	1
PROTEIN(TOT) LO, BLD	1
WBC HI, BLD	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	202
INJ SITE BLD	113
INJ SITE SWELLING	103
INJ SITE INFLAM	77
DIZZINESS	61
NAUSEA	49
TACHYCARDIA	46
PRESSURE HI, BLD	42
HEADACHE	33
APPREHENSION	31
HYPOESTHESIA	31
PAIN, BRISKET/CHEST	23
TASTE ABNORMALITY	22
INJ SITE ABN	21
WEAKNESS	18
DEPRESSION/LETHARGY	16
INJ SITE STIFFNESS	15
PAIN, LIMB(S)	15
ARRHYTHMIA	13
CONGESTION, SKIN	13

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
NERVOUSNESS	13
SWEATING	13
DYSPNEA	12
FEVER, BODY	11
VOMITING	11
HYPOESTHESIA, LIMB(S)	10
PAIN	9
SHAKING	9
PAIN, ABDOMEN	8
XEROSTOMIA	8
ILL	7
HYPERPNEA	6
INJ SITE EDEMA	6
INJ SITE INFECT	6
PAIN, JOINT(S)	6
PRESSURE LO, BLD	6
SYNCOPE	6
DIARRHEA	5
ECG ABN	5
HYPOESTHESIA, FEET/DIG	5
STIFFNESS, HAND(S)	5
STIFFNESS, LIMB(S)	5
SWELLING, LIMB(S)	5
UNCONSCIOUS	5
ACCIDENTAL EXPOSURE	4
BRADYCARDIA	4
COLLAPSE	4
DEATH(SUICIDE)	4
PAIN, MUSCLE(S)	4
SOMNOLENCE	4
URTICARIA	4
VISION DISORDER	4
BLD	3
BLD(HEMATOMA)	3
CYANOSIS	3
DEATH	3
HYPERACTIVITY	3
IRRITATION, PHARYNX/TH	3

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PALLOR	3
PARESIS, FORE LIMB(S)	3
PARESIS, HIND LIMB(S)	3
SPASM	3
TREMBLING	3
APPLICATION SITE PAIN	2
ARREST, HEART	2
CELLULITIS	2
CONVULSION(S)	2
HEART DISORDER	2
HOT FLASH	2
HOT FLASH/FLUSH	2
HUMAN EXPOSURE, INJ	2
HYPERESTHESIA	2
HYPERTONIA	2
INSOMNIA	2
PAIN, BACK	2
PAIN, NECK	2
PALPITATIONS	2
PARAESTHESIA	2
STUPOR	2
ABORTION	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APNEA	1
ARTHRITIS	1
ATAXIA	1
ATROPHY, MUSCLE(S)	1
BEHAVIOR DISORDER	1
BLD(ECCHYMOSES)	1
BLOAT	1
BRONCHITIS	1
CA LO, BLD	1
CARDIOMEGALY	1
CHEMISTRY ABN	1
CONFUSION	1
CONGESTION	1
CONGESTION, EYE(S)/LID	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, NOSE	1
DEHYDRATION	1
DEMENTIA	1
DISCOMFORT	1
EAR DISORDER	1
ECG, ABN	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S)	1
ERUCTATION	1
FIBRILLATION, VENTRICU	1
GLUCOSE LO, BLD	1
HUMAN EXPOSURE, HAND(S)	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOMOTILITY	1
HYPOPNEA	1
HYPOTHERMIA	1
INJ SITE EFFUSION	1
INJ SITE MASS	1
INJ SITE PHLEBITIS	1
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
K LO, BLD	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
MELENA	1
NEUROLOGICAL DISORDER	1
NO SIGNS	1
ODOR, MOUTH	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PROSTRATION	1
PRURITIS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PULSE THREADY	1
RASH	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
STAGGERING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(1
SWELLING, FEET/DIGIT(S)	1
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
SWELLING, TONGUE	1
THRASHING/PADDLING	1
TONGUE, ABN	1
US ABN	1
VOMITING, PROJECTILE	1
VOMITING, SEVERE	1

DRUG: TILMICOSIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
HYPERPNEA	2
NERVOUSNESS	2
ATAXIA	1
CONVULSION(S)	1
CYANOSIS	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYPNEA	1
RECUMBENCY	1
VOCALIZATION	1
VOMITING	1

DRUG: TILMICOSIN

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INJ SITE PAIN	1
SHOCK	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	15
DYSPNEA	4
RECUMBENCY	3
WEAKNESS	3
DEPRESSION/LETHARGY	2
INJ SITE SWELLING	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
BLD, URINE	1
COLLAPSE	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
HYPERACTIVITY	1
HYPERPNEA	1
NEUROLOGICAL DISORDER	1
STAGGERING	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	36
DIZZINESS	30
NAUSEA	24
HYPOESTHESIA	20
APPREHENSION	17
TACHYCARDIA	17
WEAKNESS	16
APPLICATION SITE PAIN	15
HEADACHE	15
PAIN, BRISKET/CHEST	15
APPLICATION SITE ERYTHEMA	11
ILL	11
DYSPNEA	10
FEVER, BODY	10
HYPOESTHESIA, FEET/DIG	9
VOMITING	9
DEPRESSION/LETHARGY	8
DIARRHEA	8
CONGESTION, SKIN	7
INFLAM, SKIN	7
RASH	7
APPLICATION SITE INFLAM	6
APPLICATION SITE ABNORMAL	5
HYPERESTHESIA	5
NERVOUSNESS	5
PAIN, ABDOMEN	5
SWEATING	5
APPLICATION SITE SWELLING	3
IRRITATION, SKIN	3
PAIN	3
PAIN, LIMB(S)	3
PALLOR	3
PARESTHESIA	3
PRESSURE LO, BLD	3
PRURITIS	3
SPASM	3
SWELLING, HEAD/FACE	3
TREMBLING	3

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VESICLE(S)/BULLAE, SKI	3
APPLICATION SITE LESION(S)	2
ATAXIA	2
CPK HI, BLD	2
HEART DISORDER	2
HOT FLASH/FLUSH	2
HYPOESTHESIA, LIMB(S)	2
HYPOESTHESIA, MOUTH/LIP(S)	2
INJ SITE BLD	2
INJ SITE INFLAM	2
IRRITATION, PHARYNX/TH	2
PAIN, FEET/DIGIT(S)	2
PAIN, MUSCLE(S)	2
PARAESTHESIA	2
PARESTHESIA, MOUTH/LIP	2
PRESSURE HI, BLD	2
SHAKING	2
SKIN ABNORMAL	2
SKIN DISORDER	2
SOMNOLENCE	2
STIFFNESS, NECK	2
UNCONSCIOUS	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE PRURITIS	1
ARRHYTHMIA	1
BALANCE DISORDER	1
BEHAVIOR DISORDER	1
BLD(HEMATOMA)	1
BLD, URINE	1
CONFUSION	1
CONGESTION	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DRY, SKIN	1
DYSPHAGIA	1
ERUCTATION	1
ERUPTION(S)	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
EXFOLIATION, SKIN	1
GASTRITIS	1
HOT FLASH	1
HOT FLUSH	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA	1
INFECTION, SKIN	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
IRRITATION	1
IRRITATION, EYE(S)/LID	1
JERKING	1
NEUROLOGICAL DISORDER	1
PAIN, BACK	1
PARAESTHESIA, NOSE	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1
POLYDIPSIA	1
POLYPNEA	1
SHOCK	1
SKIN, SCAB(S)	1
STAGGERING	1
STOOL ABN	1
SWELLING	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
SYNCOPE	1

DRUG: TILMICOSIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: TILMICOSIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DYSPNEA	1
FEVER, BODY	1
HEPATOMEGALY	1
ICTERUS	1
ICTERUS, BODY	1
PANCYTOPENIA	1
RADIOGRAPH(S) ABN	1
VOMITING	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	39
INEFFECT, ANTIBIOTIC	16
INJ SITE SWELLING	10
COLLAPSE	6
ANAPHYLAXIS/TOID	5
BLOAT	3
DEPRESSION/LETHARGY	3
LAMENESS	3
ANOREXIA	2
FEVER, BODY	2
TECH ERROR ADMINISTRAT	2
ABORTION	1
ACIDOSIS	1
ATAXIA	1
DEATH(TX FAILURE)	1
DIARRHEA	1
DISTRESS, RESP	1
EFFUSION, PLEURAL	1
FROTH, MOUTH/LIP(S)	1
PARESIS	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-MULT SITES, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-WHOLE BODY, LESION(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
SHOCK	1
STAGGERING	1
SWELLING, VAGINA/VULVA	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	6
COLLAPSE	1
CONVULSION(S)	1
INJ SITE PAIN	1
RECUMBENCY	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLOAT	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: UNKNOWN

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	13
INJ SITE BLD	8
INJ SITE SWELLING	8
DIZZINESS	6
INJ SITE INFLAM	6
NAUSEA	6
TACHYCARDIA	5
HEADACHE	4
VOMITING	4
APPREHENSION	3
DEATH(SUICIDE)	3
HYPOESTHESIA	3
PAIN, BRISKET/CHEST	3
PRESSURE HI, BLD	3
ACCIDENTAL EXPOSURE	2
APNEA	2
ARREST, HEART	2
DEATH	2
HUMAN EXPOSURE, INJ	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
TASTE ABNORMALITY	2
UNCONSCIOUS	2
ACIDOSIS	1
AGGRESSION	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE ERYTHEMA	1
ARRHYTHMIA	1
BEHAVIOR DISORDER	1
BLD	1
BREATHING ABN	1
CONFUSION	1
CONGESTION	1
CONGESTION, SKIN	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1
CPK HI, BLD	1
DEMENTIA	1
DEPRESSION/LETHARGY	1
DESTRUCTIVENESS	1
DISSOCIATION	1
FEVER, BODY	1
FIBRILLATION, ATRIAL	1
HUMAN EXPOSURE, HAND(S)	1
ILL	1
INJ SITE ABN	1
INJ SITE EDEMA	1
INJ SITE MASS	1
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
NERVOUSNESS	1
PRESSURE LO, BLD	1
PRURITIS	1
PUPIL(S), AREFLEXIA	1
RASH	1
SNEEZING	1
SWELLING	1
SWELLING, MOUTH/LIP(S)	1
VISION DISORDER	1
XEROSTOMIA	1

DRUG: TILMICOSIN

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAWING	1
THRASHING/PADDLING	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANTIBIOTIC	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
HYPERPNEA	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	64
NAUSEA	20
HEADACHE	16
DEPRESSION/LETHARGY	13
HYPOESTHESIA, MOUTH/LIP(S)	12
TACHYCARDIA	12
DIZZINESS	11
PAIN, BRISKET/CHEST	11
PAIN, EYE(S)/LID(S)	11
HYPOESTHESIA	10
IRRITATION, EYE(S)/LID	9
APPLICATION SITE PAIN	8
VOMITING	7

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
WEAKNESS	6
DYSPNEA	5
FEVER, BODY	5
APPLICATION SITE ERYTHEMA	4
APPREHENSION	4
CONGESTION, EYE(S)/LID	4
INJ SITE PAIN	4
NERVOUSNESS	4
PRESSURE HI, BLD	4
TONGUE, ABN	4
CONGESTION, SKIN	3
DISCOMFORT, MOUTH/LIP(S)	3
PAIN, ABDOMEN	3
APPLICATION SITE INFLAM	2
DIARRHEA	2
EYE DISORDER	2
HYPOPNEA	2
INJ SITE INFLAM	2
PAIN	2
PARESTHESIA, MOUTH/LIP	2
SOMNOLENCE	2
STOMATITIS	2
SWEATING	2
URTICARIA	2
ACCIDENTAL EXPOSURE	1
ANOREXIA	1
APPLICATION SITE LESION(S)	1
ATAXIA	1
BLD(HEMATOMA)	1
BREATHING ABN	1
CARDIOMEGALY	1
CONFUSION	1
CONGESTION	1
CONGESTION, SINUS	1
CPK HI, BLD	1
DISCHARGE, NOSE	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S)	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
EIPHORA	1
EPISTAXIS	1
GAGGING	1
GLOSSITIS	1
HEART DISORDER	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOESTHESIA, FEET/DIG	1
HYPOESTHESIA, LIMB(S)	1
HYPOTHERMIA	1
ILL	1
INJ SITE BLD	1
IRRITATION, MOUTH/LIP(S)	1
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
LOCOMOTION DISORDER	1
ODOR	1
OTITIS	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1
PALLOR	1
PALPITATIONS	1
PHOTOPHOBIA	1
PR-MOUTH/LIP(S), LESIO	1
RADIOGRAPH(S) ABN	1
RASH	1
S-IRRITATION, EYE(S)/LID	1
SPASM	1
STAGGERING	1
STIFFNESS, LIMB(S)	1
SUICIDE ATTEMPT	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TREMBLING	1
TWITCH	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ULCER(S), MOUTH/LIP(S)	1
VESICLE(S)/BULLAE, SKI	1
WHEEZING	1
XEROSTOMIA	1

DRUG: TOCERANIB

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	1
PD-LABEL(S), ABN	1
PD-SEAL, ABN	1

DRUG: TOCERANIB

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	4
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
INEFFECT	2
RELUCTANT TO MOVE	2
ANEMIA	1
ATAXIA	1
BLINDNESS	1
CONVULSION(S)	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISSOCIATION	1
HIDING	1
LICKING	1
NECROSIS, TUMOR	1
ODOR, URINE	1
PARESIS, HIND LIMB(S)	1

DRUG: TOCERANIB

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PERFORATION, GI	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
SEGS LO, BLD	1
STUMBLING	1
THROMBUS	1
VOMITING, BLOODY	1
WEIGHT LOSS	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	84
VOMITING	70
DEPRESSION/LETHARGY	56
DIARRHEA	53
ANEMIA	47
DEATH(EUTHANIZED)	36
LAMENESS	35
SEGS LO, BLD	33
ALK PHOS HI, BLD	32
SGPT/ALT HI, BLD	30
DEATH	24
WBC LO, BLD	23
PLATELETS LO, BLD	22
WEIGHT LOSS	22
ATAXIA	19
DIARRHEA, BLOODY	19
WEAKNESS	19
INEFFECT	18
LEUKODERMA	17
PARESIS, HIND LIMB(S)	16
ALBUMIN LO, BLD	15

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
FEVER, BODY	15
PANCREATITIS	15
DIARRHEA, MILD	14
BUN HI, BLD	13
MELENA	12
GGT HI, BLD	11
ALOPECIA	10
HEMATOCHEZIA	9
INEFFECT, LOSS OF EFFE	9
INFECTION, URINARY TRA	9
PR-LIVER, LESION(S)	9
BILIRUBIN(TOT) HI, BLD	8
COLLAPSE	8
CONVULSION(S)	8
CREATININE HI, BLD	8
ENLARGEMENT, LYMPH NOD	8
PALLOR, MUCOUS MEMBRAN	8
PROTEIN, URINE	8
SGOT/AST HI, BLD	8
US ABN	8
EPISTAXIS	7
LESION(S), SKIN	7
RADIOGRAPH(S) ABN	7
RECUMBENCY	7
US-LIVER ABN	7
WBC HI, BLD	7
DEHYDRATION	6
DIFFICULTY RISING	6
EDEMA, LIMB(S)	6
ARREST, HEART	5
BLD(ECCHYMOSES)	5
CONFUSION	5
DYSPNEA	5
PAIN, HIND LIMB(S)	5
PANCREAS ENZYMES HI, B	5
PRURITIS	5
TACHYCARDIA	5
TREMBLING	5

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING, BLOODY	5
AMYLASE HI, BLD	4
BLD, GI	4
BUN LO, BLD	4
DISTENTION, ABDOMEN	4
EFFUSION, PLEURAL	4
HAIR, ABN COLOR	4
HYPERPNEA	4
INFLAM, SKIN	4
LIPASE HI, BLD	4
LYMPHS LO, BLD	4
PAIN, ABDOMEN	4
PR-PANCREAS, LESION(S)	4
ABSCCESS, SKIN	3
AZOTEMIA	3
BLD, ABDOMEN	3
BLD(PETECHIAE)	3
BLD, SKIN	3
BLD, TUMOR	3
BLD, URINE	3
CHOLESTEROL HI, BLD	3
COAGULATION DISORDER	3
CONGESTION, SKIN	3
DISCOMFORT	3
GI, ABNORMAL	3
GLUCOSE LO, BLD	3
INCONTINENCE, URINARY	3
LIVER ENZYMES HI, BLD	3
NAUSEA	3
P HI, BLD	3
POLYPNEA	3
POLYURIA	3
PR-HEART, LESION(S)	3
PR-KIDNEY(S), LESION(S)	3
PROTEIN(TOT) LO, BLD	3
ABSCCESS, TUMOR	2
ADIPSIA	2
BLD	2

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLINDNESS	2
BLINDNESS, TEMP	2
CA HI, BLD	2
CNS DISORDER	2
COUGHING	2
DEFECATION ABN	2
DERMATITIS, MOIST	2
DIARRHEA, MUCOID	2
DIARRHEA, WATERY	2
EFFUSION, PERITONEAL	2
GALL BLADDER, ABN	2
HEAD TILT	2
HEALING IMPAIRED	2
HEPATITIS	2
ICTERUS, BODY	2
KIDNEY VALUES HI, BLD	2
LOCOMOTION DISORDER	2
MONOS LO, BLD	2
NECROSIS, TUMOR	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
PAIN	2
PAIN, LIMB(S)	2
PRESSURE HI, BLD	2
PR-LUNG(S), LESION(S)	2
PR-SPLEEN, LESION(S)	2
REFLEX(ES) ABN	2
REGURGITATION	2
RETICULOCYTES HI, BLD	2
RUPTURE, TUMOR	2
SLOUGH, FEET/DIGIT(S)	2
SPASM	2
SPLENOMEGALY	2
STUPOR	2
SWELLING	2
THROMBUS	2
TWITCH	2
ULCER(S), SKIN	2

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	2
AMMONIA HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ARRHYTHMIA	1
ASCITES	1
ATONY, BLADDER	1
BANDS HI, BLD	1
BILE ACIDS HI, BLD	1
BLD, ABN	1
BLD, LUNG(S)/TRACHEA	1
BLD, RECTUM	1
CA LO, BLD	1
CASTS, URINE	1
CATARACT(S)	1
CIRCLING	1
CNS INFARCT	1
COLITIS	1
CPK HI, BLD	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DIABETES MELLITUS	1
DIARRHEA, SEVERE	1
DISCHARGE, EYE(S)/LID(S)	1
DISTRESS	1
DRY, SKIN	1
DYSURIA	1
ECG, ABN	1
EDEMA	1
EDEMA, BRISKET/CHEST	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, JOINT(S)	1
EFFUSION, PERICARDIAL	1
EOSINOS HI, BODY	1
EOSINOS LO, BLD	1
ERUPTION(S)	1
FLATULENCE	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
GASTRITIS	1
GASTROENTERITIS	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HEAD PRESSING	1
HEART DISORDER	1
HEPATOMEGALY	1
HYPERESTHESIA	1
HYPOADRENOCORTICISM	1
HYPOTHERMIA	1
INCISION SITE ABN	1
INTERACTION, DRUG(S)	1
KIDNEY DISORDER	1
LIPIDS HI, BLD	1
LIVER FAILURE	1
LOSS OF CONDITION	1
MASS	1
MICROORGANISMS, URINE	1
MRI SCAN ABN	1
MYDRIASIS	1
NA:K LO, BLD	1
NECROSIS	1
OTITIS	1
PACING	1
PAIN, MUSCLE(S)	1
PARESIS, FORELIMB(S)	1
PERFORATION, STOMACH	1
PERITONITIS	1
PLATELETS HI, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYDIPSIA	1
PR-ADRENAL(S), LESION(S)	1
PR-BONE(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, LESION(S)	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-HEARTWORM DISEASE	1
PR-LYMPH NODE(S), LESI	1
PR-MUSCLE(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PTT PROLONGED, BLD	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RELUCTANT TO MOVE	1
RETINA ABN	1
SCALE(S), SKIN	1
SEPSIS	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
STRABISMUS	1
STUMBLING	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
SYNCOPE	1
TECH ERROR	1
TEETH, ABN	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) LO	1
TRIGLYCERIDES HI, BLD	1
ULCER(S)	1
ULCER(S), CORNEA(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MUCOCUTANEOU	1
URINATION ABN	1
VESICLE(S)/BULLAE, SKI	1
VISION DISORDER	1
VOCALIZATION	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC ABN	1
WEIGHT INCREASE	1

DRUG: TOCERANIB

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
PARESTHESIA	1
SHAKING	1
SKIN ABNORMAL	1
TREMBLING	1

DRUG: TOLAZOLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1

DRUG: TOLAZOLINE

Species: DEER

Route of Administration: MISSING

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: TOLAZOLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ANAPHYLAXIS/TOID	1

DRUG: TOLAZOLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RECUMBENCY	1
THRASHING/PADDLING	1
VOCALIZATION	1

DRUG: TOLAZOLINE

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
HYPERPNEA	2
TACHYCARDIA	2
BRADYCARDIA	1
COLLAPSE	1
DIFFICULTY RISING	1
FEVER, BODY	1
NERVOUSNESS	1
PR-HEART, LESION(S)	1

DRUG: TOLAZOLINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
DEATH	1

DRUG: TOLAZOLINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
COLLAPSE	3
ATAXIA	2
DEPRESSION/LETHARGY	2

DRUG: TOLAZOLINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISTRESS, RESP	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
ANURIA	1
APNEA	1
ARREST, HEART	1
BUN HI, BLD	1
COUGHING	1
CPK HI, BLD	1
DYSYPNEA	1
DYSURIA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
INCONTINENCE, URINARY	1
KIDNEY FAILURE	1
MYOGLOBIN, URINE	1
PAIN	1
PHALLITIS	1
POLYPNEA	1
SEGS HI, BLD	1
SWEATING	1
THRASHING/PADDLING	1
ULCER(S), STOMACH	1
WBC HI, BLD	1
WHEEZING	1

DRUG: TOLAZOLINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
CONVULSION(S)	3
NYSTAGMUS	2
ANOREXIA	1
APNEA	1
BLINDNESS, TEMP	1

DRUG: TOLAZOLINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DIARRHEA	1
DYSMETRIA	1
HYPERACTIVITY	1
HYPERESTHESIA	1
MYDRIASIS	1
OPISTHOTONOS	1
PAIN, ABDOMEN	1
RECUMBENCY	1
SWEATING	1
TACHYCARDIA	1
TREMBLING	1

DRUG: TOLAZOLINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
INCONTINENCE, URINARY	1
MYDRIASIS	1

DRUG: TRAMADOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CIRCLING	1
CONFUSION	1
DISSOCIATION	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ILL	1
MYDRIASIS	1

DRUG: TRAMADOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
REPETITIVE MOVEMENTS	1
STARING	1

DRUG: TRAMADOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
ANOREXIA	1
BEHAVIOR DISORDER	1
CONFUSION	1
HEAD BOBBING	1
NERVOUSNESS	1
POLYDIPSIA	1
PRURITIS	1
RASH	1

DRUG: TRAZODONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
HYPERACTIVITY	1
SLEEP ABN	1
TEETH, ABN	1

DRUG: TRENBOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

DRUG: TRENBOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: TRENBOLONE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	4
DEATH	3
COLLAPSE	2
FROTH, MOUTH/LIP(S)	1
SWELLING, EAR(S)	1
SWELLING, VAGINA/VULVA	1

DRUG: TRENBOLONE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MYOSITIS	1

DRUG: TRENBOLONE

Species: CATTLE

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
AGGRESSION	1

DRUG: TRIAMCINOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	259
PD-GRANULES/POWDER, ABN	21

DRUG: TRIAMCINOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	17
PD-SOLUTION, ABN	10
PD-COLOR, ABN	8
PD-SEAL, ABN	5
PD-VIAL(S), DAMAGED	5
PD-CAP(S), ABN	4
PD-VIAL(S), LEAKING	3
PD-CONTAINER(S), DAMAG	2
PD-CONTAMINATION	2
PD-UNDERFILL, VIAL(S)	2
INEFFECT, ANTIINFLAM	1
PD-CONTAINER(S), ABN	1
PD-LABEL(S), ABN	1
PD-MISSING, LABEL(S)	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), ABN	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
URTICARIA	3
ANAPHYLAXIS/TOID	1
CONVULSION(S)	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
PALLOR, MUCOUS MEMBRAN	1
POLYDIPSIA	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
POLYURIA	1
PRURITIS	1
SHOCK	1
ULCER(S), STOMACH	1
VOMITING	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BIRTH DEFECT(S), HEAD/	1
DEATH(NEWBORN)	1
MURMUR, HEART	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	1
GLUCOSE HI, BLD	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: ORAL

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	3
DEPRESSION/LETHARGY	2
POLYDIPSIA	2
POLYURIA	2
AGGRESSION	1
ANAPHYLAXIS/TOID	1
BLD	1
BLD, ABDOMEN	1
COAGULATION DISORDER	1
CONGESTION, SKIN	1
DEATH	1
DIARRHEA	1
DIC	1
DYSPNEA	1
EOSINOS LO, BLD	1
FEVER, BODY	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
LESION(S), SKIN	1
MASS	1
MASS, ABDOMEN	1
PLATELETS LO, BLD	1
POLYPHAGIA	1
PR-ADRENAL(S), LESION(S)	1
PRESSURE LO, BLD	1
PRURITIS	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
RECUMBENCY	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SHAKING	1
TACHYCARDIA	1
TONGUE, ABN	1
ULCER(S), PHARYNX/THRO	1
ULCER(S), STOMACH	1
URTICARIA	1
VOMITING, UNPRODUCTIVE	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC HI, BLD	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1
TASTE ABNORMALITY	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
ALOPECIA	1
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
COLLAPSE	1
CONVULSION(S)	1
COUGHING	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
INEFFECT, ANTIINFLAM	1
INFECTION, SKIN	1
INJ SITE NEOPLASM	1
MYDRIASIS	1
PARESIS, HIND LIMB(S)	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYCYTHEMIA	1
RADIOGRAPH(S) ABN	1
SOUND ABN, RESPIRATORY	1
VOCALIZATION	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	89
VOMITING	69
PALLOR, MUCOUS MEMBRAN	31
DEPRESSION/LETHARGY	30
URTICARIA	28
COLLAPSE	26
SHOCK	24
DIARRHEA	19
FEVER, BODY	17
SWELLING, HEAD/FACE	16
POLYDIPSIA	14
POLYURIA	14
PRURITIS	14
DEATH	13
POLYPNEA	13
RECUMBENCY	13
WEAKNESS	13
DIARRHEA, BLOODY	11
DYSPNEA	11
PALLOR	11
ANOREXIA	10
CONGESTION, SKIN	10
TACHYCARDIA	10
ALK PHOS HI, BLD	9
INEFFECT, ANTIINFLAM	9
SGPT/ALT HI, BLD	9
ATAXIA	8

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	8
CONVULSION(S)	8
WBC HI, BLD	8
DEATH(EUTHANIZED)	7
CYANOSIS, MUCOUS MEMBR	5
NERVOUSNESS	5
ALBUMIN LO, BLD	4
BUN HI, BLD	4
GLUCOSE HI, BLD	4
PRESSURE LO, BLD	4
ANEMIA	3
APNEA	3
BILIRUBIN(TOT) HI, BLD	3
CYANOSIS	3
DIARRHEA, MILD	3
EDEMA	3
EDEMA, HEAD/FACE	3
HYPERPNEA	3
HYPERSALIVATION	3
LIVER ENZYMES HI, BLD	3
PLATELETS LO, BLD	3
RADIOGRAPH(S) ABN	3
SGOT/AST HI, BLD	3
SOUND ABN, RESPIRATORY	3
URINATION	3
AMYLASE HI, BLD	2
ARRHYTHMIA	2
BEHAVIOR DISORDER	2
CHEMISTRY ABN	2
CONFUSION	2
CONGESTION, EYE(S)/LID	2
COUGHING	2
CPK HI, BLD	2
CREATININE HI, BLD	2
DEFECATION	2
EDEMA, LARYNX	2
EDEMA, LUNG(S)/TRACHEA	2
ENLARGEMENT, LYMPH NOD	2

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INCONTINENCE, URINARY	2
INJ SITE NECROSIS	2
K LO, BLD	2
POLYPHAGIA	2
PR-HEART, LESION(S)	2
PR-LIVER, LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
PRURITIS, FEET/DIGIT(S)	2
PULSE THREADY	2
SCALE(S), SKIN	2
SEDIMENT, URINE	2
SEGS HI, BLD	2
SKIN, CRUST(S)	2
STUPOR	2
SWELLING, EAR(S)	2
SWELLING, EYE(S)/LID(S)	2
TREMBLING	2
UNCONSCIOUS	2
VOMITING, BLOODY	2
ACIDOSIS	1
ADIPSIA	1
ALBUMIN HI, BLD	1
APPREHENSION	1
BIRTH DEFECT(S), HEAD/	1
BLD, ABDOMEN	1
BLD, SCLERA	1
BLD, URINE	1
BLINDNESS	1
BREATHING ABN	1
CA HI, BLD	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CATARACT(S)	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
COAGULATION DISORDER	1
CONGESTION	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, EAR(S)	1
CONGESTION, LUNG(S)	1
DEFECATION ABN	1
DEHYDRATION	1
DIARRHEA, MUCOID	1
DIFFICULTY RISING	1
DILITATION, STOMACH	1
DISCHARGE, EAR(S)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DIZZINESS	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, VULVA	1
EFFUSION, PERITONEAL	1
FLATULENCE	1
GASTROENTERITIS	1
GGT HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HEART FAILURE	1
HEPATOMEGALY	1
HYPERACTIVITY	1
HYPOTHERMIA	1
INFLAM	1
INFLAM, SKIN	1
INJ SITE ABSCESS	1
INJ SITE FIBROSIS	1
INJ SITE INFLAM	1
INJ SITE MASS	1
INJ SITE SWELLING	1
IRRITATION, EYE(S)/LID	1
IRRITATION, PERINEUM	1
K HI, BLD	1
LAMENESS	1
LDH HI, BLD	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
LYMPHS LO, BLD	1
MASS	1
MG HI, BLD	1
MICROORANISMS, URINE	1
MONOS HI, BLD	1
MUCOUS MEMBR, MUDDY	1
MYOSITIS	1
NA:K LO, BLD	1
NA LO, BLD	1
NAUSEA	1
NECROSIS	1
OTITIS	1
PAIN, JOINT(S)	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
PLATELETS ABN	1
P LO, BLD	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
PR-BLADDER, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, CONGEST	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
RASH	1
RBC ABN	1
REGURGITATION	1
RELUCTANT TO MOVE	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHAKING	1
SKIN, SCAB(S)	1
SOMNOLENCE	1
SPLENOMEGALY	1
STAGGERING	1
SWELLING	1
SWELLING, MAMMARY	1
SWELLING, TONGUE	1
TENESMUS	1
TRACHITIS	1
TWITCH	1
ULCER(S), GI	1
URINATION ABN	1
US ABN	1
US-LIVER ABN	1
UVEITIS	1
VOCALIZATION	1
VOLVULUS, STOMACH	1
WBC, URINE	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMINITIS	13
LAMENESS	7
ARTHRITIS	6
SWELLING, JOINT(S)	6
INJ SITE SWELLING	4
DEATH(EUTHANIZED)	3
WBC HI, SYNOVIAL FLUID	3
ANOREXIA	2
ARTHRITIS, SEPTIC	2
PAIN	2
ALOPECIA	1

DRUG: TRIAMCINOLONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
BLOAT	1
CELLULITIS	1
CULTURE/TITER DATA ABN	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
EDEMA	1
EDEMA, LIMB(S)	1
EOSINOS HI, BODY	1
FEVER, BODY	1
INFECTION, JOINT(S)	1
INFECTION, SKIN	1
INJ SITE ABN	1
INJ SITE EFFUSION	1
INJ SITE INFLAM	1
LESION(S), SKIN	1
LOCOMOTION DISORDER	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PAWING	1
PR-BONE(S), LESION(S)	1
PR-LIVER, LESION(S)	1
SLOUGH, SKIN	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, HIND LIMB(S)	1
SWELLING, LIMB(S)	1

DRUG: TRIAMCINOLONE

Species: ALPACA

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH(STILLBORN)	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANEMIA	1
ANOREXIA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE HAIR, ABN	1
BLD, MOUTH/LIP(S)	1
DISCOMFORT	1
ERUPTION(S)	1
GINGIVA, ABN	1
HAIR, ABN COLOR	1
HYPERESTHESIA	1
LESION(S), SKIN	1
PRURITIS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	10
DEPRESSION/LETHARGY	7
ANOREXIA	5
POLYDIPSIA	5
APPLICATION SITE ALOPECIA	4
PRURITIS	4
VOMITING	4
APPLICATION SITE, ALOPECIA	3
DISCOMFORT	3
POLYURIA	3
TREMBLING	3
VOCALIZATION	3
ATAXIA	2
CONGESTION, SKIN	2
CONVULSION(S)	2
EXFOLIATION, SKIN	2
HYPERACTIVITY	2
INFLAM, SKIN	2
LICKING	2
LIVER ENZYMES HI, BLD	2

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ROLLING	2
ADIPSIA	1
AGGRESSION	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SKIN, DRY	1
APPREHENSION	1
BLD(PETECHIAE)	1
CHEMISTRY ABN	1
EDEMA, HEAD/FACE	1
ENDOCRINE DISORDER	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HAIR, ABN	1
HEPATOMEGALY	1
HYPERESTHESIA	1
HYPERSALIVATION	1
HYPOPNEA	1
IRRITATION, MOUTH/LIP(1
MASS, SKIN	1
NERVOUSNESS	1
NOSE ABN	1
PARALYSIS, HIND LIMB(S)	1
POLLAKIURIA	1
POLYPNEA	1
PROTEIN(TOT) HI, BLD	1
PR-SKIN, LESION(S)	1
RADIOGRAPH(S) ABN	1
SGPT/ALT HI, BLD	1
SHAKING	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SKIN, DRY	1
SWELLING, HEAD/FACE	1
US-LIVER ABN	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING, BLOODY	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HUMAN EXPOSURE	2
TASTE ABNORMALITY	2
ACCIDENTAL EXPOSURE	1
APPLICATION SITE PRURITIS	1
CONGESTION, SKIN	1
DIARRHEA	1
DIZZINESS	1
INFLAM, SKIN	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, BRISKET/CHEST	1
PRURITIS	1
RASH	1
SKIN, DRY	1
TONGUE, ABN	1
XEROSTOMIA	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CONSTIPATION	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
PR-LYMPH NODE(S), LESI	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-PLEURA, LESION(S)	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	17
VOMITING	10
DEPRESSION/LETHARGY	8
DEATH	5
DYSPNEA	4
INEFFECT, ANTIINFLAM	4
PALLOR, MUCOUS MEMBRAN	4
POLYPNEA	4
COLLAPSE	3
DIARRHEA	3
FEVER, BODY	3
SWELLING, HEAD/FACE	3
ANOREXIA	2
ARREST, HEART	2
ATAXIA	2
BRADYCARDIA	2
CYANOSIS	2
POLYDIPSIA	2
POLYURIA	2
SHOCK	2
URTICARIA	2
WEAKNESS	2
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA	1
APNEA	1
APPLICATION SITE ALOPECIA	1
APPREHENSION	1
BLD, ABN	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, SCLERA	1
BLINDNESS	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
CHOLESTEROL HI, BLD	1
COUGHING	1
CREATININE HI, BLD	1
DEAFNESS	1
DEFECATION	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DRY MOUTH SYNDROME	1
GLAUCOMA	1
HEAD BOBBING	1
HYPERADRENOCORTICISM	1
HYPERKERATOSIS	1
INJ SITE ABSCESS	1
KIDNEY FAILURE	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
MUCOUS MEMBR, MUDDY	1
MYDRIASIS	1
PLATELETS HI, BLD	1
PRESSURE HI, BLD	1
PROPRIOCEPTIVE DISORDE	1
PULSE THREADY	1
RASH	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
SKIN DISORDER	1
SKIN, SCAB(S)	1
STAGGERING	1
STIFFNESS	1
STUMBLING	1
SWELLING, EAR(S)	1

DRUG: TRIAMCINOLONE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE HAIR, ABN	1
LAMENESS	1
LAMINITIS	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPLICATION SITE PRURITIS	1
DYSYPNEA	1
INFLAM, SKIN	1
MYDRIASIS	1
PRESSURE HI, BLD	1
VISION DISORDER	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
BEHAVIOR DISORDER	1
COLLAPSE	1
INEFFECT	1
LAMENESS	1
LICKING	1
POLYDIPSIA	1
POLYURIA	1
SWELLING, JOINT(S)	1
VOMITING	1

DRUG: TRICHLORFON

Species: HORSE

Route of Administration: ORAL

DRUG: TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ENTERITIS	1
SWEATING	1
TENESMUS, RECTAL	1

DRUG: TRILOSTANE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	2
PD-CONTAINER(S), ABN	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
PD-TABLET(S), ABN	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLD, URINE	1
LIVER FAILURE	1
NEOPLASM, LIVER	1
US-LIVER ABN	1
VOMITING	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	89
DEPRESSION/LETHARGY	82
VOMITING	70
DIARRHEA	51

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
K HI, BLD	31
BUN HI, BLD	27
SHAKING	23
ALK PHOS HI, BLD	22
NA:K LO, BLD	21
HYPOADRENOCORTICISM	17
WEAKNESS	17
CREATININE HI, BLD	16
NA LO, BLD	15
SGPT/ALT HI, BLD	15
DEATH(EUTHANIZED)	14
PARESIS, HIND LIMB(S)	12
WEIGHT LOSS	12
ANEMIA	11
DEATH	11
DIARRHEA, BLOODY	10
TREMBLING	10
CONVULSION(S)	9
PANCREATITIS	9
RADIOGRAPH(S) ABN	9
ACTH STIM ABN	8
COLLAPSE	8
DEHYDRATION	8
WBC HI, BLD	8
ATAXIA	7
NEUROLOGICAL DISORDER	7
US ABN	7
DYSPNEA	6
POLYDIPSIA	6
ADIPSIA	5
CONFUSION	5
GLUCOSE HI, BLD	5
KIDNEY FAILURE	5
LAMENESS	5
NA HI, BLD	5
POLYURIA	5
APPREHENSION	4
CA HI, BLD	4

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHLORIDE LO, BLD	4
COUGHING	4
DIARRHEA, MILD	4
INFECTION, URINARY TRA	4
INFLAM, SKIN	4
LESION(S), SKIN	4
PARALYSIS, FACIAL NERV	4
POLYPNEA	4
PRURITIS	4
AMYLASE HI, BLD	3
CARDIOMEGALY	3
CHOLESTEROL HI, BLD	3
DIABETES MELLITUS	3
EDEMA, LUNG(S)/TRACHEA	3
FEVER, BODY	3
HYPERPNEA	3
INEFFECT, CUSHINGS	3
KERATOCONJUNCTIVITIS S	3
PAIN, ABDOMEN	3
P HI, BLD	3
PR-ADRENAL(S), LESION(S)	3
PRESSURE HI, BLD	3
RECUMBENCY	3
SEGS HI, BLD	3
SPEC GRAVITY LO, URINE	3
TACHYCARDIA	3
ALOPECIA	2
BEHAVIOR DISORDER	2
BLD(ECCHYMOSES)	2
BLD, URINE	2
CONGESTION	2
CONGESTION, SKIN	2
DISCHARGE, NOSE	2
ERUPTION(S)	2
HYPERACTIVITY	2
ILL	2
K LO, BLD	2
LIVER DISORDER	2

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NERVOUSNESS	2
PLATELETS LO, BLD	2
PR-LIVER, LESION(S)	2
PR-PANCREAS, LESION(S)	2
RETINA ABN	2
SOUND ABN, RESPIRATORY	2
SWELLING, VAGINA/VULVA	2
ULCER(S), TONGUE	2
VESTIBULAR DISORDER	2
VOCALIZATION	2
VOMITING, BLOODY	2
AGGRESSION	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
ANEMIA, REGEN	1
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
BANDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD, SKIN	1
BLINDNESS	1
BRAIN, NEOPLASM	1
CAPILLARY REFILL PROLO	1
CHEMISTRY ABN	1
COAGULATION DISORDER	1
CONGESTION, LUNG(S)	1
CONJUNCTIVITIS	1
CRYSTALS, URINE	1
DEFECATION	1
DERMATITIS, MOIST	1
DIABETES M, POOR REGUL	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, VULVA	1
DISTENTION, ABDOMEN	1
DISTRESS	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPHAGIA	1
EDEMA	1
EFFUSION, PERITONEAL	1
ENLARGEMENT, LYMPH NOD	1
EXERCISE INTOLERANCE	1
FLATULENCE	1
FROTH, MOUTH/LIP(S)	1
GALL BLADDER, ABN	1
GGT HI, BLD	1
GLUCOSE, URINE	1
HEAD PRESSING	1
HEAD TILT	1
HORNER'S SYNDROME	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
INFECTION, SKIN	1
LIPASE HI, BLD	1
LIPIDS HI, BLD	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MASS, ABDOMEN	1
MASS, SKIN	1
MG HI, BLD	1
MONOS HI, BLD	1
MURMUR, HEART	1
NEOPLASM, LIVER	1
NEPHRITIS	1
NOSE ABN	1
NYSTAGMUS, HORIZONTAL	1
ODOR	1
OTITIS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PICA	1
PNEUMONIA	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYCYTHEMIA(RELATIVE)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-PERITONEUM, LESION(1
PR-SKIN, LESION(S)	1
PUSTULE(S)	1
RASH	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
SEBORRHEA	1
SEDIMENT, URINE	1
SKIN, SCAB(S)	1
SNEEZING	1
SQUINTING	1
STIFFNESS, FRONT LIMB(1
STOMATITIS	1
STOOL ABN	1
TENESMUS, URINARY	1
THYROID HORMONE(S) LO	1
TWITCH	1
ULCER(S), CORNEA(S)	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
URINATION	1
URTICARIA	1
US-LIVER ABN	1
UVEITIS	1
VESICLE(S)/BULLAE, SKI	1
WBC ABN	1
WEIGHT INCREASE	1

DRUG: TRILOSTANE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1
HYPOADRENOCORTICISM	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACTH STIM ABN	1
ANOREXIA	1
ATAXIA	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
CONFUSION	1
CREATININE HI, BLD	1
HYPERSALIVATION	1
HYPOADRENOCORTICISM	1
PROTEIN, URINE	1
RECUMBENCY	1
SPEC GRAVITY LO, URINE	1
WEAKNESS	1

DRUG: TRIPELENNAMINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	2
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-VIAL(S), LEAKING	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: MISSING

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
UDDER, HYPOGALACTIA	1
UDDER, MASTITIS	1
UDDER, MILK ABN	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
LAMINITIS	1
RELUCTANT TO MOVE	1

DRUG: TRIPELENNAMINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	4
DEATH	3
VOMITING	3
DEPRESSION/LETHARGY	2
PAIN	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
ARREST, HEART	1
DIARRHEA, BLOODY	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HIDING	1
ICTERUS, BODY	1
ILL	1
NERVOUSNESS	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
RADIOGRAPH(S) ABN	1
STUPOR	1

DRUG: TRIPELENNAMINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOCALIZATION	1
VOMITING, BLOODY	1
WBC, URINE	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
ATAXIA	3
CONVULSION(S)	3
HYPERACTIVITY	3
INEFFECT	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DEATH(TX FAILURE)	1
DYSPNEA	1
NEUROLOGICAL DISORDER	1
RECUMBENCY	1

DRUG: TRIPELENNAMINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	4
VOMITING	4
DEATH	3
PAIN, ABDOMEN	3
RECUMBENCY	3
ANAPHYLAXIS/TOID	2
DIFFICULTY RISING	2
FEVER, BODY	2
HYPERSALIVATION	2
INEFFECT	2
PRURITIS	2

DRUG: TRIPELENNAMINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
URTICARIA	2
AGGRESSION	1
ANOREXIA	1
APPREHENSION	1
ATAXIA	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
BLD, GI	1
BLD, MOUTH/LIP(S)	1
CONGESTION, LUNG(S)	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
DYSPNEA	1
EDEMA	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EPISTAXIS	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
NEUROLOGICAL DISORDER	1
OPISTHOTONOS	1
PAIN, HIND LIMB(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-PANCREAS, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
RASH	1
SHAKING, HEAD/FACE	1
SPASM	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TONGUE, ABN	1
TREMBLING	1
VOCALIZATION	1

DRUG: TRIPELENNAMINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
COLLAPSE	5
CONVULSION(S)	5
HYPERACTIVITY	5
ANAPHYLAXIS/TOID	3
ATAXIA	3
DYSPNEA	3
MYOSITIS	3
NERVOUSNESS	3
ABORTION	2
ANOREXIA	2
BEHAVIOR DISORDER	2
DEATH(EUTHANIZED)	2
HYPERPNEA	2
INJ SITE STERILE ABSCE	2
INJ SITE SWELLING	2
RECUMBENCY	2
SHAKING	2
TACHYCARDIA	2
TWITCH	2
AGGRESSION	1
APPREHENSION	1
DEATH(STILLBORN)	1
DISCHARGE, MAMMARY	1
HEAD BOBBING	1
HYPERSALIVATION	1
INFECTION	1
INJ SITE ABN	1
INJ SITE EDEMA	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	1
INJ SITE PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PHOTOPHOBIA	1
PR-MUSCLE(S), LESION(S)	1
REPETITIVE MOVEMENTS	1
SPASM	1
STIFFNESS, NECK	1
SWEATING	1
TREMBLING	1
UDDER, SWELLING	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
ANAPHYLAXIS/TOID	3
DYSPNEA	3
CONVULSION(S)	2
EDEMA, LUNG(S)/TRACHEA	2
ATAXIA	1
BLOAT	1
DEATH(TX FAILURE)	1
FEVER, BODY	1
HYPERACTIVITY	1
INEFFECT, OTHER DRUG(S)	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AGGRESSION	2
ARRHYTHMIA	2
DEATH(EUTHANIZED)	2

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
GLUCOSE HI, BLD	2
PR-KIDNEY(S), LESION(S)	2
PR-LIVER, LESION(S)	2
PR-SM INTEST, LESION(S)	2
ANAPHYLAXIS/TOID	1
CHEMISTRY ABN	1
CPK HI, BLD	1
PAIN	1
SHOCK	1

DRUG: TULATHROMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	36
PD-VIAL(S), DAMAGED	17
PD-SEAL, ABN	12
PD-PRODUCT DEFECT	11
PD-VIAL(S), LEAKING	11
PD-CONTAINER(S), DAMAG	8
PD-COLOR, ABN	7
PD-SOLUTION, ABN	7
PD-UNDERFILL, PACKAGE	5
PD-UNDERFILL, VIAL(S)	4
PD-CAP(S), ABN	3
PD-DEFECT UNKNOWN	3
PD-CONTAMINATION	2
NO SIGNS	1
PD-MISSING, CAP	1
PD-VIAL(S), ABN	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
NAUSEA	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: TULATHROMYCIN

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INJ SITE INFLAM	1
INJ SITE SWELLING	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
PAIN, EYE(S)/LID(S)	2
VISION DISORDER	2
CONGESTION, EYE(S)/LID	1
HEADACHE	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DYSPNEA	1
HEADACHE	1
PAIN	1
PAIN, MOUTH/LIP(S)	1
TASTE ABNORMALITY	1

DRUG: TULATHROMYCIN

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
PR-BRAIN, LESION(S)	1
PR-CEREBRUM, LESION(S)	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HIDING	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	274
DEATH(TX FAILURE)	159
DEATH	90
PR-LUNG(S), LESION(S)	42
INJ SITE SWELLING	25
CULTURE/TITER DATA ABN	20
ANAPHYLAXIS/TOID	19
RECUMBENCY	18
COLLAPSE	12
INJ SITE ALOPECIA	12
ABORTION	10
DYSPNEA	10
ATAXIA	9
FEVER, BODY	9
INJ SITE ABN	9
LAMENESS	9
DEATH(EUTHANIZED)	8
HYPERSALIVATION	8
CONVULSION(S)	7
INJ SITE INFLAM	7
ANOREXIA	6
BLOAT	6
DEPRESSION/LETHARGY	6
INJ SITE PAIN	6
PR-SKIN, LESION(S)	6
RESIDUE, MILK	6
HYPERACTIVITY	5

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	5
SWELLING, HEAD/FACE	5
WEAKNESS	5
ALOPECIA	4
INTERACTION, DRUG(S)	4
PR-HEART, LESION(S)	4
PR-LUNG(S), EDEMA	4
RESIDUE, MEAT	4
SWELLING, LIMB(S)	4
VOCALIZATION	4
DIFFICULTY RISING	3
INJ SITE EDEMA	3
INJ SITE HAIR, ABN	3
LESION(S), SKIN	3
RESPIRATORY DISORDER	3
SHAKING, HEAD/FACE	3
STAGGERING	3
CELLULITIS	2
CIRCLING	2
CNS DISORDER	2
DISTRESS	2
EDEMA, BRISKET/CHEST	2
ENLARGEMENT(S), SKIN	2
FROTH, MOUTH/LIP(S)	2
HYPERPIGMENTATION, SKI	2
HYPERPNEA	2
INJ SITE FIBROSIS	2
INJ SITE MASS	2
PARESIS, HIND LIMB(S)	2
PD-POTENCY, LO	2
PNEUMONIA	2
PR-LIVER, LESION(S)	2
PR-TRACHEA, LESION(S)	2
STIFFNESS	2
SWELLING, JOINT(S)	2
THRASHING/PADDLING	2
AGGRESSION	1
ANOREXIA (NOT NURSING)	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ASCITES	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
DEHYDRATION	1
DIARRHEA, SEVERE	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DYSMETRIA	1
EDEMA, NECK	1
EXFOLIATION, SKIN	1
FROTH, NOSE	1
HAIR, ABN COLOR	1
HEAD TILT	1
ILL	1
INJ SITE BLD	1
INJ SITE EMPHYSEMA	1
INJ SITE SEROMA	1
INJ SITE SLOUGH	1
INJ SITE ULCER(S)	1
INTUSSUSCEPTION	1
LEUKODERMA	1
LIVER DISORDER	1
MORIBUND	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
PARESIS, FORE LIMB(S)	1
PD-COLOR, ABN	1
PD-SEAL, ABN	1
PD-SUSPENSION, ABN	1
PHOTOSENSITIZATION	1
PNEUMONIA, ASPIRATION	1
PR-BRAIN, LESION(S)	1
PR-GI, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-MULT SITES, BLD	1
PR-MULT SITES, EDEMA	1
PR-MUSCLE(S), LESION(S)	1
PROLAPSE, TONGUE	1
PR-STOMACH, LESION(S)	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SHAKING	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SLOUGH, SKIN	1
SOUND ABN, RESPIRATORY	1
STIFFNESS, HIND LIMB(S)	1
STIFFNESS, LIMB(S)	1
TORTICOLLIS	1
TWITCH	1
UDDER, SWELLING	1
ULCER(S), CORNEA(S)	1
UNCONSCIOUS	1
VESICLE(S)/BULLAE, SKI	1
VISION DISORDER	1

DRUG: TULATHROMYCIN

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
CIRCLING	1
DEHYDRATION	1
NYSTAGMUS	1

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PR-INJ SITE, LESION(S)	1

DRUG: TULATHROMYCIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2
VOCALIZATION	2
BLD, ABN	1
BLD, URINE	1
DEPRESSION/LETHARGY	1
PAIN	1
RECUMBENCY	1
RESIDUE, MEAT	1
TREMBLING	1

DRUG: TULATHROMYCIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONFUSION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
ROLLING	1
SWEATING	1
URTICARIA	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	37
INJ SITE SWELLING	13
INJ SITE INFLAM	11
INJ SITE BLD	5
HYPOESTHESIA	4
DIZZINESS	2
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
FEVER, BODY	1
HYPERESTHESIA	1
INJ SITE EDEMA	1
INJ SITE STIFFNESS	1
JOINT DISORDER	1
PARAESTHESIA	1
VOMITING	1
WEAKNESS	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
INJ SITE ABN	3
ANAPHYLAXIS/TOID	2
DEATH(TX FAILURE)	2
DISCOMFORT	2
DISTRESS	2
INEFFECT, ANTIBIOTIC	2
INJ SITE PAIN	2
ANOREXIA	1
DYSYPNEA	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
LESION(S), SKIN	1
PARALYSIS, HIND LIMB(S	1
PRURITIS	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: PARENTERAL

DRUG: TULATHROMYCIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	1
HEAD PRESSING	1
HYPERSALIVATION	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
MYDRIASIS	1
RESIDUE, MEAT	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	3
APPLICATION SITE PAIN	2
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE SWELLING	1
FIBRILLATION, ATRIAL	1
HEART DISORDER	1
HYPOESTHESIA	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN	1
PAIN, ABDOMEN	1
SKIN ABNORMAL	1
TACHYCARDIA	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPOTHERMIA	1
MYDRIASIS	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	7
DEATH(TX FAILURE)	4
DEATH	2
RESIDUE, MILK	2
ANOREXIA	1
HYPERSALIVATION	1
INJ SITE ABSCESS	1
LESION(S), SKIN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PR-LUNG(S), LESION(S)	1
RECUMBENCY	1
RESIDUE, MEAT	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
INJ SITE SWELLING	1

DRUG: TULATHROMYCIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
HEAD BOBBING	1
RESIDUE, MILK	1
SHAKING, HEAD/FACE	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	24
INJ SITE SWELLING	12
INJ SITE INFLAM	8
DIZZINESS	3
INJ SITE ABN	2
TREMBLING	2
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
EDEMA, LIMB(S)	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE PRURITIS	1
LESION(S), SKIN	1
NAUSEA	1
PAIN, LIMB(S)	1
PARAESTHESIA	1
PRURITIS	1
TASTE ABNORMALITY	1
VOMITING	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH(TX FAILURE)	1
INEFFECT, ANTIBIOTIC	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: UNKNOWN

DRUG: TYLOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	26
PD-PRODUCT DEFECT	9
UNPALATABLE, WON'T EAT	8
PD-LABEL(S), ABN	7
PD-POTENCY, LO	6
PD-SEAL, ABN	6
PD-COLOR, ABN	5
PD-CONTAINER(S), ABN	5
PD-CONTAMINATION	5
PD-CONTAINER(S), DAMAG	3
PD-CONTAM, MOLD	3
PD-ODOR, ABN	3
PD-VIAL(S), DAMAGED	3
PD-DEFECT UNKNOWN	2
PD-SOLUTION, ABN	2
PD-SUSPENSION, ABN	2
UNPALATABLE	2
MEAT ABN	1
NO SIGNS	1
PD-CONTAM, INSECTS	1
PD-VIAL(S), ABN	1
RESIDUE, MEAT	1
TECH ERROR, MIXING	1
UNPALATABLE, WON'T SWA	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
COUGHING	2
HEADACHE	2
TASTE ABNORMALITY	2

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
APPREHENSION	1
BRONCHITIS	1
CONGESTION, LUNG(S)	1
CONGESTION, NOSE	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, MOUTH/LIP(S)	1
SINUSITIS	1
VOMITING	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, HYPOGALACTIA	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
SPASM	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
HYPERSALIVATION	1
PAIN	1
PARESIS, HIND LIMB(S)	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
POLYDIPSIA	1
VOMITING	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
INEFFECT, ANTIBIOTIC	2
ANAPHYLAXIS/TOID	1
HEMATOCHEZIA	1
INJ SITE SWELLING	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INFLAM, SKIN	1
PRURITIS	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TYLOSIN

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	2
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	5
CONGESTION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
DIZZINESS	1
EDEMA, EYE(S)/LID(S)	1
NAUSEA	1
PRURITIS, EYE(S)	1
RASH	1
SWELLING, EYE(S)/LID(S)	1
TASTE ABNORMALITY	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
ANOREXIA	1
ATAXIA	1
CHOKING	1
DEATH	1
DEATH(TX FAILURE)	1
INEFFECT, ANTIBIOTIC	1
INJ SITE SWELLING	1
MELENA	1
NEUROLOGICAL DISORDER	1
PR-CROP, LESION(S)	1
SWELLING, EYE(S)/LID(S)	1
VOMITING	1

DRUG: TYLOSIN

Species: BUFFALO

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1

DRUG: TYLOSIN

Species: BUFFALO

Route of Administration: ORAL

DRUG: TYLOSIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	4
ALOPECIA	2
UNPALATABLE, WON'T EAT	2
CA HI, BLD	1
CONSTIPATION	1
DEPRESSION/LETHARGY	1
FROTH, MOUTH/LIP(S)	1
HIDING	1
HYPERACTIVITY	1
INEFFECT, ANTIBIOTIC	1
VOCALIZATION	1
VOMITING	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	6
INEFFECT, ANTIBIOTIC	5
INEFFECT	4
BLOAT	3
ANOREXIA	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
RESIDUE, MEAT	2
COLLAPSE	1
DISTENTION, ABDOMEN	1
ESTRUS BEHAVIOR	1
PNEUMONIA	1
RESIDUE, MILK	1
RESPIRATORY DISORDER	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	10
DEATH	5
DYSYPNEA	2
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
INTUSSUSCEPTION	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
RECUMBENCY	1
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	13
ANOREXIA	8
VOMITING	8
DIARRHEA	6
SGPT/ALT HI, BLD	6
ALK PHOS HI, BLD	5
DEPRESSION/LETHARGY	5
PRURITIS	4
ATAXIA	3
LIVER ENZYMES HI, BLD	3
RASH	3
UNPALATABLE	3
WEIGHT LOSS	3
CIRCLING	2
CONFUSION	2
CONGESTION, SKIN	2
HYPERSALIVATION	2
POLYDIPSIA	2
POLYURIA	2

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
STOOL ABN	2
TENESMUS, RECTAL	2
VOCALIZATION	2
AGGRESSION	1
BEHAVIOR DISORDER	1
BLD, PASSING	1
BLD, URINE	1
BLINDNESS	1
BONE, ABN	1
CALCULI, BLADDER	1
CALCULI, URINE	1
CONSTIPATION	1
CREATININE HI, BLD	1
DEAFNESS	1
DEAFNESS, PARTIAL	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DYSPNEA	1
ERUCTATION	1
GAGGING	1
GI, ABNORMAL	1
HEAD TILT	1
HEMATOCHEZIA	1
HEPATITIS	1
HEPATOMEGALY	1
HIDING	1
HYPERACTIVITY	1
HYPERPIGMENTATION, SKI	1
INCONTINENCE, FECAL	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
INEFFECT, SEIZURES	1
INFECTION, EYE(S)	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
IRRITATION, EAR(S)	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(1
KERATOCONJUNCTIVITIS S	1
LEUKODERMA	1
LIVER DISORDER	1
MELENA	1
NEOPLASM	1
OFF FEED	1
PAIN, ABDOMEN	1
PAIN, BACK	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PARESIS, HIND LIMB(S)	1
PD-GRANULES/POWDER, ABN	1
PD-ODOR, ABN	1
PD-UNDERFILL, PACKAGE	1
PR-LIVER, LESION(S)	1
RADIOGRAPH(S) ABN	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SEBORRHEA	1
SPLENOMEGALY	1
STAGGERING	1
STOOL, MUCOID	1
TASTE ABNORMALITY	1
ULCER(S), CORNEA(S)	1
URINATION ABN	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	3
ANOREXIA	1
DEPRESSION/LETHARGY	1
LAMINITIS	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	11
HYPERESTHESIA	2
COUGHING	1
DIARRHEA	1
DIZZINESS	1
FEVER, BODY	1
HEADACHE	1
HOT FLUSH	1
HYPOESTHESIA	1
NAUSEA	1
PAIN, ABDOMEN	1
PAIN, EYE(S)/LID(S)	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1
PNEUMONIA	1
PRESSURE HI, BLD	1
PRURITIS	1
PRURITIS, EYE(S)	1
SWELLING, MOUTH/LIP(S)	1

DRUG: TYLOSIN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TYLOSIN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPNEA	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	40
INEFFECT, ANTIBIOTIC	23
DEATH(TX FAILURE)	17
INEFFECT	16
DIARRHEA	13
DIARRHEA, BLOODY	12
DIARRHEA, MILD	9
ANOREXIA	6
LAMENESS	6
ENTERITIS	4
INEFFECT, WEIGHT INC	4
TECH ERROR, MIXING	4
FERTILITY, REDUCED	3
PALLOR	3
DEATH(EUTHANIZED)	2
HEMATOCHEZIA	2
LOSS OF CONDITION	2
MELENA	2
POOR PERFORMANCE	2
PR-SM INTEST, LESION(S)	2
PR-SM INTEST, LESION(S)	2
STOOL ABN	2
WEIGHT LOSS	2
AGGRESSION	1
ANEMIA	1
ARTHRITIS	1
BLD, GI	1
BLOAT	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BONE, ABN	1
COLON, ABN	1
CONSTIPATION	1
CULTURE/TITER DATA ABN	1
DISTRESS	1
EAR DISORDER	1
ENLARGEMENT(S)	1
GASTROENTERITIS	1
GI, ABNORMAL	1
HAIR, ABN	1
HOOF DISORDER	1
HYPERACTIVITY	1
ILL	1
INEFFECT, LOSS OF EFFE	1
INFLAM	1
LESION(S)	1
OFF FEED	1
PAIN, FEET/DIGIT(S)	1
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
PD-GRANULES/POWDER, ABN	1
PR-GI, EDEMA	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-MULT SITES, BLD	1
PR-STOMACH, LESION(S)	1
RUPTURE	1
TAIL DISORDER	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: RABBIT

Route of Administration: ORAL

DRUG: TYLOSIN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TYLOSIN

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
PAIN, ABDOMEN	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	2

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
INEFFECT, ANTIBIOTIC	4
DYSPNEA	3
INJ SITE SWELLING	3
RECUMBENCY	3
DEPRESSION/LETHARGY	2
DIARRHEA	2
FEVER, BODY	2
HYPERSALIVATION	2
STUPOR	2
ABORTION	1
ANOREXIA	1
COLLAPSE	1
CONVULSION(S)	1
COUGHING	1
DEATH(EUTHANIZED)	1
DIFFICULTY RISING	1
HYPERACTIVITY	1
HYPERPNEA	1
INJ SITE PAIN	1
LAMENESS	1
NERVOUSNESS	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
PD-SEAL, ABN	1
STAGGERING	1
SWELLING, JOINT(S)	1
TREMBLING	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
ATAXIA	2

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
LAMENESS	2
ANOREXIA	1
CYANOSIS	1
DYSPNEA	1
HYPERSALIVATION	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
INJ SITE ULCER(S)	1
NECK, VENTROFLEXION	1
PAIN, NECK	1
PARALYSIS	1
RECUMBENCY	1
SOMNOLENCE	1
STUPOR	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INJ SITE SWELLING	3
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
GLUCOSE LO, BLD	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
SKIN, CRUST(S)	1
SLOUGH, SKIN	1
VOCALIZATION	1
VOMITING	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOCALIZATION	3
RECUMBENCY	2
ANOREXIA	1
DEATH(NEWBORN)	1
DEPRESSION/LETHARGY	1
DISTRESS	1
DYSPNEA	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PAIN	1
STAGGERING	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEPRESSION/LETHARGY	3
RECUMBENCY	2
ABN COLOR, URINE	1
CONGESTION, MUCOUS MEM	1
DIARRHEA, MILD	1
ILL	1
INJ SITE EDEMA	1
LAMENESS	1
PAIN, ABDOMEN	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	24
INJ SITE BLD	9
INJ SITE INFLAM	9

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	7
INJ SITE EDEMA	5
HEADACHE	2
TASTE ABNORMALITY	2
BLD(ECCHYMOSES)	1
CONGESTION	1
CONGESTION, SKIN	1
DYSPNEA	1
EDEMA	1
ERECTION, ABN	1
HYPOESTHESIA	1
ILL	1
INJ SITE ABN	1
INJ SITE INFECT	1
IRRITATION, PHARYNX/TH	1
PARESTHESIA	1
PHLEBITIS	1
VISION DISORDER	1

DRUG: TYLOSIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INFLAM	1
INJ SITE EDEMA	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	15
INEFFECT, ANTIBIOTIC	5
COLLAPSE	3
CONVULSION(S)	3
RECUMBENCY	3

DRUG: TYLOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
THRASHING/PADDLING	3
TREMBLING	3
ANAPHYLAXIS/TOID	2
DEPRESSION/LETHARGY	2
HYPERSALIVATION	2
ANOREXIA	1
ATAXIA	1
DEATH(EUTHANIZED)	1
DISCOMFORT	1
DYSPNEA	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
HYPOTHERMIA	1
INJ SITE EFFUSION	1
INJ SITE PAIN	1
PR-INJ SITE, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SHAKING	1
SHOCK	1
STIFFNESS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: SNAKE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD, MULT SITES	1

DRUG: TYLOSIN

Species: SNAKE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INFECTION	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	10
CONGESTION, SKIN	4
PRURITIS	4
INFLAM, SKIN	3
ILL	2
IRRITATION, MOUTH/LIP(2
APPLICATION SITE PRURITIS	1
DISCHARGE, NOSE	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EPIPHORA	1
HYPERESTHESIA	1
INFECTION, SKIN	1
IRRITATION, EYE(S)/LID	1
LESION(S), MOUTH/LIP(S	1
LESION(S), SKIN	1
NAIL DISORDER	1
NAUSEA	1
PLATELETS LO, BLD	1
PRURITIS, EYE(S)	1
RESPIRATORY DISORDER	1
SKIN DISORDER	1
SWEATING	1
SWELLING, EYE(S)/LID(S	1
SWELLING, HEAD/FACE	1
TASTE ABNORMALITY	1
URTICARIA	1
WHEEZING	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	2
DEATH	1
DEATH(TX FAILURE)	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, ANTIBIOTIC	4
ABORTION	1
BLOAT	1
COUGHING	1
HEMATOCHEZIA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
RECUMBENCY	1
RESPIRATORY DISORDER	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
BLD, LUNG(S)/TRACHEA	1
DYSYPNEA	1
HYPERACTIVITY	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PNEUMONIA	1
POLYPNEA	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
ANOREXIA	1
CONVULSION(S)	1
DEATH	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
INJ SITE SWELLING	1
PANCREATITIS	1
POLYPHAGIA	1
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INEFFECT, ANTIBIOTIC	1
INJ SITE ABN	1
INJ SITE FIBROSIS	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: UNKNOWN

DRUG: TYLOSIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	3
DIARRHEA	2
ANURIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
LAMINITIS	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	3
INJ SITE SWELLING	2
IRRITATION, EYE(S)/LID	2
IRRITATION, PHARYNX/TH	2
RASH	2
URTICARIA	2
CONGESTION, LUNG(S)	1
DEPRESSION/LETHARGY	1
EAR DISORDER	1
EXFOLIATION, SKIN	1
INFLAM, SKIN	1
NAUSEA	1
PAIN	1
PRESSURE HI, BLD	1
PRURITIS	1
SKIN, DRY	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
TASTE ABNORMALITY	1
WHEEZING	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, ANTIBIOTIC	3
ANOREXIA	2
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
DYSPNEA	1
INJ SITE INFLAM	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1
ULCER(S), GI	1

DRUG: TYLOSIN

Species: PIGEON

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEATHERS, ABNORMAL	1
GI, ABNORMAL	1

DRUG: TYLOSIN

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

DRUG: TYLOSIN

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: TURKEY

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, CONGEST	1
RELUCTANT TO MOVE	1
STUPOR	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	2
COLLAPSE	1
SHAKING	1
TREMBLING	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	2
NEUROLOGICAL DISORDER	1
RESPIRATORY DISORDER	1

DRUG: URSODIOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
RECUMBENCY	1
VOMITING	1
WEAKNESS	1

DRUG: URSODIOL

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: VIRGINIAMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	4
PD-CONTAINER(S), DAMAG	1
PD-LABEL(S), ABN	1
PD-UNKNOWN	1

DRUG: VIRGINIAMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: VIRGINIAMYCIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA	2

DRUG: VIRGINIAMYCIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
GI, ABNORMAL	1
RECUMBENCY	1

DRUG: VIRGINIAMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN DISORDER	2

DRUG: VITAMIN A, VITAMIN D

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CELLULITIS	1
INJ SITE ABN	1

DRUG: VITAMIN A, VITAMIN D

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
PNEUMONIA	2
DISCHARGE, NOSE	1
VOCALIZATION	1

DRUG: VITAMIN A, VITAMIN D, VITAMIN E

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: VITAMIN B12

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARESIS, HIND LIMB(S)	1

DRUG: VITAMIN B12

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH(EUTHANIZED)	1
RECUMBENCY	1
THRASHING/PADDLING	1

DRUG: VITAMIN B12

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: VITAMIN B3 (NIACIN, NIACINAMIDE, NICOTINAMIDE)

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
ALOPECIA	1
APPREHENSION	1
DEPRESSION/LETHARGY	1
HAIR, SHEDDING	1
IRRITATION, EAR(S)	1
PARESIS, HIND LIMB(S)	1
POLYDIPSIA	1
POSTURE ABN	1

DRUG: VITAMIN B COMPLEX

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: VITAMIN B COMPLEX

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CAPILLARY REFILL PROLO	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
CYANOSIS	1
DEATH	1
FROTH, MOUTH/LIP(S)	1
WEAKNESS	1

DRUG: VITAMIN B COMPLEX

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
PD-COLOR, ABN	1

DRUG: VITAMIN D

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CA HI, BLD	2
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
VOMITING	1

DRUG: VITAMIN D

Species: DOG

Route of Administration: ORAL

DRUG: VITAMIN K1 (PHYTONADIONE)

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	2
TREMBLING	2
ATAXIA	1
DEATH	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
PALLOR, MUCOUS MEMBRAN	1
PRURITIS	1
URTICARIA	1

DRUG: VITAMINS, MULTIPLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-DISPENSER, ABN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

DRUG: VITAMINS, MULTIPLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
AGGRESSION	1
BITING/CHEWING	1
CREATININE HI, BLD	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1

DRUG: VITAMINS, MULTIPLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, MILD	1
KIDNEY FAILURE	1
NERVOUSNESS	1
VOMITING	1
VOMITING, BLOODY	1

DRUG: VITAMINS, MULTIPLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ILL	1

DRUG: VITAMINS, MULTIPLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BLINDNESS	1
FEVER, BODY	1
STAGGERING	1
STUMBLING	1

DRUG: VITAMINS, MULTIPLE

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: XYLAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	8
PD-SOLUTION, ABN	6
PD-COLOR, ABN	4
PD-CONTAINER(S), DAMAG	3
PD-VIAL(S), ABN	3
PD-PRODUCT DEFECT	2
PD-UNKNOWN	2
INEFFECT, SEDATION	1
PD-CONTAINER(S), ABN	1
PD-POTENCY, HI	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), LEAKING	1

DRUG: XYLAZINE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	2
PD-POTENCY, LO	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BILIRUBIN, URINE	1
BLD, URINE	1
CPK HI, BLD	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1
PD-POTENCY, LO	1

DRUG: XYLAZINE

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DYSYPNEA	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	7
PRESSURE HI, BLD	2
ANESTH RECOV TURBULENT	1
APNEA	1
CONVULSION(S)	1
DEATH	1
HYPERACTIVITY	1
REFLEX(ES) ABN	1
SHAKING	1

DRUG: XYLAZINE

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: MOUSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
SEDATION TOO DEEP	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	4
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(2
SOMNOLENCE	2

DRUG: XYLAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
ARREST, HEART	6
ANESTH RECOV PROLONGED	4
APNEA	4

DRUG: XYLAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
ATAXIA	3
EDEMA, LUNG(S)/TRACHEA	3
SEDATION TOO DEEP	3
BLINDNESS	2
CONVULSION(S)	2
CYANOSIS	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
HYPOPNEA	2
SEDATION PROLONGED	2
VOCALIZATION	2
BLD(ECCHYMOSES)	1
BLD, LUNG(S)/TRACHEA	1
BLD(PETECHIAE)	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
FEVER, BODY	1
HEAD TILT	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ICTERUS, BODY	1
INEFFECT, SEDATION	1
LIVER ENZYMES HI, BLD	1
NEUROLOGICAL DISORDER	1
PLATELETS LO, BLD	1
PNEUMONIA, ASPIRATION	1
PR-LIVER, LESION(S)	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
TREMBLING	1
VESTIBULAR DISORDER	1
WEIGHT LOSS	1

DRUG: XYLAZINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
INEFFECT, SEDATION	4
DYSPNEA	3
INEFFECT, ANESTHESIA	3
ARREST, HEART	2
BLOAT	2
COLLAPSE	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
APNEA	1
ENLARGEMENT(S), SKIN	1
HYPOPNEA	1
INEFFECT	1
RECUMBENCY	1
UNCONSCIOUS	1
VOCALIZATION	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	5
DEATH	4
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	24
CONVULSION(S)	10
INEFFECT, ANESTHESIA	9
INEFFECT, SEDATION	8
APNEA	7
VOMITING	6

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	5
BRADYCARDIA	5
ARREST, HEART	4
ANESTH TOO DEEP	3
HYPERACTIVITY	3
AGGRESSION	2
ANESTH DURATION BRIEF	2
COLLAPSE	2
DYSPNEA	2
HYPERSALIVATION	2
HYPOPNEA	2
INEFFECT, ANALGESIA	2
NERVOUSNESS	2
PRESSURE LO, BLD	2
RECUMBENCY	2
SHOCK	2
STUPOR	2
ANESTH RECOV TURBULENT	1
ATAXIA	1
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
DEATH(EUTHANIZED)	1
DIFFICULTY RISING	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
HEAD TILT	1
HEART DISORDER	1
HEART FAILURE	1
HYPOTHERMIA	1
INEFFECT	1
INEFFECT, DELAYED EFFE	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE ULCER(S)	1
LESION(S), SKIN	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MURMUR, HEART	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
OPISTHOTONOS	1
OTITIS	1
PALLOR, MUCOUS MEMBRAN	1
PD-POTENCY, HI	1
PD-SOLUTION, ABN	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SEDATION	1
SEDATION PROLONGED	1
SEDATION TOO DEEP	1
SOUND ABN, RESPIRATORY	1
SPASM	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TORTICOLLIS	1
TWITCH	1
URTICARIA	1
VOLVULUS	1
WBC HI, BLD	1

DRUG: XYLAZINE

Species: DONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
COLLAPSE	1
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	66
INEFFECT, ANESTHESIA	19
DEATH	17
COLLAPSE	15
CONVULSION(S)	13
DYSPNEA	9
HYPERACTIVITY	9
HYPERPNEA	7
SWEATING	7
ANAPHYLAXIS/TOID	6
ATAXIA	6
RECUMBENCY	6
THRASHING/PADDLING	6
TREMBLING	6
DEATH(EUTHANIZED)	4
TACHYCARDIA	4
ANESTH INDUC TURBULENT	3
ANESTH RECOV PROLONGED	3
ANESTH RECOV TURBULENT	3
CYANOSIS	3
INEFFECT	3
INEFFECT, TRANQUILIZAT	3
SEDATION TOO BRIEF	3
SEDATION TOO DEEP	3
TWITCH	3
URTICARIA	3
AGGRESSION	2
BREATHING ABN	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
FROTH, NOSE	2
INEFFECT, ANALGESIA	2
INJ SITE SWELLING	2
NERVOUSNESS	2
NYSTAGMUS	2
PR-BLD VESSEL(S), LESI	2
PR-BONE(S), LESION(S)	2
PR-MULT SITES, BLD	2

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
REFLEX(ES) ABN	2
SHAKING	2
ANESTH INDUCTION RAPID	1
ANOREXIA	1
APNEA	1
ARREST, HEART	1
ARRHYTHMIA, BLOCK	1
BLD	1
BRADYCARDIA	1
CONFUSION	1
CONGESTION, MUCOUS MEM	1
CYANOSIS, MUCOUS MEMBR	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, PREPUCE	1
EPISTAXIS	1
HYPERSALIVATION	1
INJ SITE PAIN	1
INTERACTION, DRUG(S)	1
NYSTAGMUS, HORIZONTAL	1
PD-POTENCY, LO	1
POLYPNEA	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, PENIS	1
PR-TRACHEA, LESION(S)	1
PRURITIS, EYE(S)	1
REARING	1
RELUCTANT TO MOVE	1
SCALE(S), SKIN	1
SEDATION DELAYED	1
SEDATION PROLONGED	1
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
SHOCK	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SPASM	1
STAGGERING	1
STIFFNESS	1
SWELLING	1
SWELLING, BRISKET/CHES	1
SWELLING, EYE(S)/LID(S)	1
UNCONSCIOUS	1
VOCALIZATION	1
WEAKNESS	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA	1

DRUG: XYLAZINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2

DRUG: XYLAZINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	1
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ANESTH DURATION BRIEF	1
APNEA	1
HYPERPNEA	1
TACHYCARDIA	1

DRUG: XYLAZINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH TOO DEEP	1
DEATH	1
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: TIGER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
DEATH	2
ARREST, HEART	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: PARENTERAL

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	5
ARREST, HEART	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
HYPERTONIA	1
INEFFECT, ANESTHESIA	1
SEDATION TOO DEEP	1
SPASM	1

DRUG: XYLAZINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1
COLLAPSE	1
INEFFECT, SEDATION	1
RECUMBENCY	1
VOCALIZATION	1

DRUG: XYLAZINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: UNKNOWN

DRUG: XYLAZINE

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, SEDATION	3
APNEA	2
ARREST, HEART	2
INEFFECT, ANESTHESIA	2
ANESTH TOO DEEP	1
BILIRUBIN, URINE	1
BLD, URINE	1
BRADYCARDIA	1
BREATHING ABN	1
COLLAPSE	1
DEPRESSION/LETHARGY	1
DIC	1
HYPOTHERMIA	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	13
COLLAPSE	2
CONVULSION(S)	2
HYPERACTIVITY	2
INEFFECT, ANESTHESIA	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV TURBULENT	1
ATAXIA	1
DEATH	1
POLYPNEA	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SHAKING	1
SWEATING	1
TREMBLING	1
TWITCH	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BRADYCARDIA	1
DIZZINESS	1
HYPOESTHESIA	1
INJ SITE PAIN	1

DRUG: XYLAZINE

Species: MOUSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
NEUROLOGICAL DISORDER	1

DRUG: XYLAZINE

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	4
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	2
FEVER, BODY	2

DRUG: XYLAZINE

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: RABBIT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1

DRUG: XYLITOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
CONVULSION(S)	1
DEATH	1
LIVER DISORDER	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, REVERSAL	1

DRUG: YOHIMBINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
CYANOSIS	1
DEATH	1
DYSYPNEA	1
INEFFECT, ANTIDOTE	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	11
ARREST, HEART	7
APNEA	5
POLYPNEA	5
CONVULSION(S)	4
NERVOUSNESS	4
TACHYCARDIA	3

DRUG: YOHIMBINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APPREHENSION	2
CONGESTION, MUCOUS MEM	2
CYANOSIS	2
FEVER, BODY	2
HYPERACTIVITY	2
HYPERSALIVATION	2
PACING	2
RECUMBENCY	2
STUPOR	2
TWITCH	2
VOCALIZATION	2
ANAPHYLAXIS/TOID	1
ANESTH DURATION BRIEF	1
ARRHYTHMIA	1
ATAXIA	1
BITING/CHEWING	1
BLINDNESS, TEMP	1
CAPILLARY REFILL PROLO	1
CIRCLING	1
COLLAPSE	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIFFICULTY RISING	1
DYSPNEA	1
HEAD BOBBING	1
HEAD TILT	1
HEART DISORDER	1
HYPERESTHESIA	1
INEFFECT, ANTIDOTE	1
INEFFECT, REVERSAL	1
MYDRIASIS	1
NAUSEA	1
OPISTHOTONOS	1
OTITIS	1
PRESSURE HI, BLD	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SOUND ABN, RESPIRATORY	1
TORTICOLLIS	1
TREMBLING	1
URTICARIA	1

DRUG: YOHIMBINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIDOTE	1

DRUG: YOHIMBINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
PAIN, ABDOMEN	2
APNEA	1
ARREST, HEART	1
COLLAPSE	1
KICKING	1
TREMBLING	1
TWITCH	1

DRUG: YOHIMBINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHOCK	1
URTICARIA	1

DRUG: YOHIMBINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
REFLEX(ES) ABN	1
SEDATION PROLONGED	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
HYPERSALIVATION	1
NAUSEA	1
NERVOUSNESS	1

DRUG: YOHIMBINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: ZAFIRLUKAST

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
PR-SKIN, LESION(S)	1
SKIN, NECROSIS	1

DRUG: ZERANOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-IMPLANT, ABN	197
PD-DISPENSER, ABN	196

DRUG: ZERANOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	102
PD-UNDERFILL, PACKAGE	9
PD-CONTAINER(S), ABN	2
PD-TABLET(S), ABN	2
PD-APPLICATOR, ABN	1
PD-COLOR, ABN	1
PD-LABEL(S), ABN	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLD, ABDOMEN	1
DEATH	1
PROLAPSE, RECTUM	1
PROLAPSE, VAGINA	1
UDDER, MILK ABN	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, INJ	1
PAIN	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	20
PROLAPSE, VAGINA	19
DEATH	15

DRUG: ZERANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, RECTUM	7
ILL	4
UDDER, SWELLING	4
AGGRESSION	2
ANAPHYLAXIS/TOID	2
ANOREXIA	2
DEATH(SLAUGHTERED)	2
DYSPNEA	2
FERTILITY, REDUCED	2
INEFFECT, WEIGHT INC	2
INJURY	2
PROLAPSE	2
SWELLING, MAMMARY	2
ANESTRUS	1
BREATHING ABN	1
COUGHING	1
DEATH(NEWBORN)	1
DIARRHEA, MILD	1
EDEMA, MAMMARY	1
EDEMA, PREPUCE	1
FERTILITY, LACK OF	1
INEFFECT, PRODUCTION (MEAT)	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PARALYSIS	1
PAREISIS	1
PD-IMPLANT, ABN	1
PNEUMONIA	1
PROLAPSE, UTERUS	1
PR-PERITONEUM, LESION(1
PR-VAGINA/VULVA, LESIO	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
STAGGERING	1
STUMBLING	1
SWELLING, PREPUCE	1
UDDER, HARD	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
UDDER, TEAT(S) DISORDE	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	3
INJ SITE INFLAM	2
ATROPHY, TESTICLE(S)	1
CONGESTION, SKIN	1
INJ SITE BLD	1
INJ SITE PAIN	1
IRRITATION, SKIN	1

DRUG: ZERANOL

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, RECTUM	5
DEATH	3
PROLAPSE, VAGINA	3
UDDER, SWELLING	2
RESPIRATORY DISORDER	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
ESTRUS BEHAVIOR	1
INEFFECT, WEIGHT INC	1
PROLAPSE, PENIS	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PROLAPSE, PREPUCE	1
PROLAPSE, RECTUM	1
PROLAPSE, VAGINA	1
SWELLING, PREPUCE	1
UDDER, SWELLING	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	7
RESPIRATORY DISORDER	3
ANAPHYLAXIS/TOID	2
DYSPNEA	2
PNEUMONIA	2
RECUMBENCY	2
BLD, LUNG(S)/TRACHEA	1
COLLAPSE	1
CONVULSION(S)	1
DIARRHEA	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
ILL	1
INEFFECT, WEIGHT INC	1
OFF FEED	1
PARALYSIS, HIND LIMB(S)	1
PD-IMPLANT, ABN	1
PR-HEART, LESION(S)	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: ZERANOL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFLAM	2
NAUSEA	2
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
DIZZINESS	1
EDEMA	1
HUMAN EXPOSURE, INJ	1
INJ SITE PAIN	1
INJURY	1
IRRITATION, SKIN	1

DRUG: ZILPATEROL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	3
PD-SEAL, ABN	3
PD-UNDERFILL, PACKAGE	3

DRUG: ZILPATEROL

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DYSPNEA	1
PAIN	1
SWEATING	1
VOMITING	1

DRUG: ZILPATEROL

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	17

DRUG: ZILPATEROL

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PNEUMONIA	6
DEATH(SLAUGHTERED)	4
BLOAT	3
INEFFECT, PRODUCTION (MEAT)	3
INEFFECT, WEIGHT INC	3
PR-LUNG(S), LESION(S)	2
PR-STOMACH, LESION(S)	2
ABORTION	1
ANOREXIA	1
BLINDNESS	1
DEATH(EUTHANIZED)	1
ESTRUS BEHAVIOR	1
HOOF DISORDER	1
PACING	1
PR-BRAIN, LESION(S)	1
RECUMBENCY	1
RESIDUE, MEAT	1
ULCER(S), STOMACH	1
VOCALIZATION	1

DRUG: ZILPATEROL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
HYPERACTIVITY	1
NERVOUSNESS	1
RECUMBENCY	1
SWEATING	1
TACHYCARDIA	1
TREMBLING	1

DRUG: ZILPATEROL

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1

DRUG: ZILPATEROL

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3

DRUG: ZILPATEROL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AZOTEMIA	1
CONGESTION, LUNG(S)	1
DEATH(EUTHANIZED)	1
KIDNEY FAILURE	1
SWEATING	1
TREMBLING	1

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, TESTICLE	10
SCROTUM, ABN	7
PR-TESTICLE(S), LESION(S)	6
DEPRESSION/LETHARGY	5
PAIN, SCROTUM	5
ANOREXIA	4
PAIN, TESTICLE	4
SKIN, NECROSIS	4
SWELLING, SCROTUM	4
ULCER(S), SKIN	4

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	4
INFLAM, SKIN	3
ERYTHEMA, SCROTUM	2
INEFFECT, STERILIZATION	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ALKALINE URINE	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ATAXIA	1
BLD, URINE	1
COLLAPSE	1
CPK HI, BLD	1
CRYSTALS, URINE	1
DEATH	1
DEHYDRATION	1
DERMATITIS, MOIST	1
EDEMA, SCROTUM	1
HEAD TILT	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
PR-TESTES, LESION(S)	1
RUPTURE	1
SGPT/ALT HI, BLD	1
SHOCK	1
TESTICLE, ABN	1
ULCER(S)	1
VESTIBULAR DISORDER	1

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, STERILIZATION	1

DRUG: ZONISAMIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONFUSION	1
DEPRESSION/LETHARGY	1
ELIMINATION ABN	1
INTERACTION, DRUG(S)	1
SOMNOLENCE	1
STUPOR	1
WEAKNESS	1

DRUG: ZONISAMIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	2
FEVER, BODY	1
WBC LO, BLD	1