

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Other

[Sign:] Ineffect, Anesthesia

Number of times reported: [6]

[Sign:] Death

Number of times reported: [2]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Pig

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Deafness, Temp

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Primate

[Sign:] Anesth Recov Prolonged
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Rabbit

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Sheep

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Tiger

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Unknown

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Parenteral, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [19]

[Sign:] Death

Number of times reported: [5]

[Sign:] Anesth Recov Turbulent

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Suppository, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Topical, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Cat

[Sign:] Death

Number of times reported: [16]

[Sign:] Ataxia

Number of times reported: [6]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Apnea

Number of times reported: [5]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [5]

[Sign:] Ineffect, Anesthesia

Number of times reported: [5]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Fever, Body

Number of times reported: [4]

[Sign:] Neurological Disorder

Number of times reported: [4]

[Sign:] Nystagmus

Number of times reported: [4]

[Sign:] Anesth Recov Turbulent
Number of times reported: [3]

[Sign:] Blindness
Number of times reported: [3]

[Sign:] Head Bobbing
Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Respiratory Disorder
Number of times reported: [3]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Mydriasis
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Anesth Too Deep
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Fibrillation, Atrial
Number of times reported: [1]

[Sign:] Fibrillation, Ventricu
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Infection, Uterus
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pr-uterus, Lesion(s)
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stool, Muroid
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Chimpanzee

[Sign:] Apnea
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Deer

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Dog

[Sign:] Death

Number of times reported: [10]

[Sign:] Anesth Recov Turbulent

Number of times reported: [9]

[Sign:] Fever, Body

Number of times reported: [8]

[Sign:] Anesth Recov Prolonged

Number of times reported: [7]

[Sign:] Ineffect, Anesthesia

Number of times reported: [7]

[Sign:] Apnea

Number of times reported: [6]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Ineffect, Sedation

Number of times reported: [3]

[Sign:] Vocalization

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Bloat

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hypothermia

Number of times reported: [2]

[Sign:] Polypnea

Number of times reported: [2]

[Sign:] Stupor

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Human

[Sign:] Death

Number of times reported: [2]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Primate

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Hypertonia

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Unknown

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Unknown, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [6]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Various, Cat

[Sign:] Death

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Head Bobbing

Number of times reported: [1]

[Sign:] Hypertonia

Number of times reported: [1]

[Sign:] Mast Cells Hi, Body

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Various, Dog

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Anesth Recov Turbulent

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Anesth Induction Prolonged

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tiletamine, Zolazepam

Various, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tilmicosin

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [28]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [11]

[Sign:] Pd-vial(s), Abn

Number of times reported: [10]

[Sign:] Pd-container(s), Damag

Number of times reported: [7]

[Sign:] Pd-contamination

Number of times reported: [6]

[Sign:] Pd-label(s), Abn

Number of times reported: [6]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [4]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [4]

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Tilmicosin

Inhalation, Human

[Sign:] Discomfort

Number of times reported: [2]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Drug:] Tilmicosin

Missing, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [30]

[Sign:] Death

Number of times reported: [21]

[Sign:] Recumbency

Number of times reported: [7]

[Sign:] Inj Site Swelling

Number of times reported: [6]

[Sign:] Swelling, Joint(s)

Number of times reported: [5]

[Sign:] Abortion

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Stiffness

Number of times reported: [2]

[Sign:] Weakness

Number of times reported: [2]

[Sign:] Abscess, Skin

Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Tilmicosin

Missing, Deer

[Sign:] Ineffect, Loss Of Effe

Number of times reported: [1]

[Drug:] Tilmicosin

Missing, Goat

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Tilmicosin

Missing, Human

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Drug:] Tilmicosin

Missing, Rabbit

[Sign:] Death

Number of times reported: [1]

[Drug:] Tilmicosin

Missing, Sheep

[Sign:] Death

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Drug:] Tilmicosin

Not Applicable, Pig

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]

[Sign:] Stool Abn
Number of times reported: [1]

[Drug:] Tilmicosin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [19]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [19]

[Sign:] Application Site Pain
Number of times reported: [6]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [4]

[Sign:] Pressure Hi, Bld
Number of times reported: [4]

[Sign:] Taste Abnormality
Number of times reported: [4]

[Sign:] Vision Disorder
Number of times reported: [4]

[Sign:] Application Site Erythema
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Headache
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)
Number of times reported: [1]

[Sign:] Application Site Inflammation
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Tilmicosin

Oral, Cattle

[Sign:] Death
Number of times reported: [10]

[Sign:] Death(euthanized)
Number of times reported: [6]

[Sign:] Lameness
Number of times reported: [4]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Arthritis, Septic
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-joint(s), Sepsis
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]

[Drug:] Tilmicosin

Oral, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Tilmicosin

Oral, Human

[Sign:] Taste Abnormality

Number of times reported: [88]

[Sign:] Pain, Brisket/chest

Number of times reported: [23]

[Sign:] Nausea

Number of times reported: [22]

[Sign:] Headache

Number of times reported: [21]

[Sign:] Dizziness

Number of times reported: [19]

[Sign:] Vomiting

Number of times reported: [15]

[Sign:] Hypoesthesia

Number of times reported: [13]

[Sign:] Tachycardia

Number of times reported: [13]

[Sign:] Apprehension

Number of times reported: [11]

[Sign:] Irritation, Pharynx/th

Number of times reported: [9]

[Sign:] Fever, Body

Number of times reported: [8]

[Sign:] Hypoesthesia, Mouth/lip(s)

Number of times reported: [8]

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [7]

[Sign:] Pressure Hi, Bld

Number of times reported: [7]
[Sign:] Bradycardia
Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Dyspnea
Number of times reported: [6]
[Sign:] Tongue, Abn
Number of times reported: [6]
[Sign:] Ill
Number of times reported: [5]
[Sign:] Pain, Abdomen
Number of times reported: [5]
[Sign:] Shaking
Number of times reported: [5]
[Sign:] Sweating
Number of times reported: [5]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Swelling, Tongue
Number of times reported: [4]
[Sign:] Arrhythmia
Number of times reported: [3]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Pain, Muscle(s)
Number of times reported: [3]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Application Site Pain
Number of times reported: [2]
[Sign:] Ecg Abn
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Human Exposure, Mouth/
Number of times reported: [2]
[Sign:] Hypersalivation

Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Xerostomia
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Inflammation
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death(suicide)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Dry Mouth Syndrome
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Enlargement, Salivary Gland
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Hyperactivity

Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness

Number of times reported: [1]

[Drug:] Tilmicosin

Oral, Pig

[Sign:] Ineffect, Antibiotic

Number of times reported: [36]

[Sign:] Death

Number of times reported: [24]

[Sign:] Anorexia

Number of times reported: [17]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [15]

[Sign:] Death(tx Failure)

Number of times reported: [5]

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Off Feed

Number of times reported: [4]

[Sign:] Respiratory Disorder

Number of times reported: [4]

[Sign:] Loss Of Condition

Number of times reported: [3]

[Sign:] Enteritis

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Pneumonia

Number of times reported: [2]

[Sign:] Poor Performance

Number of times reported: [2]

[Sign:] Prolapse, Rectum

Number of times reported: [2]

[Sign:] Tech Error, Mixing

Number of times reported: [2]

[Sign:] Unpalatable

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Arthritis, Septic

Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Effusion, Joint(s)
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Parturition, Abnormal
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reproduction Disorder
Number of times reported: [1]

[Sign:] Septicemia
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Volvulus
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Alpaca

[Sign:] Death
Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Cattle

[Sign:] Death

Number of times reported: [175]

[Sign:] Inj Site Swelling

Number of times reported: [65]

[Sign:] Collapse

Number of times reported: [63]

[Sign:] Ineffect, Antibiotic

Number of times reported: [59]

[Sign:] Recumbency

Number of times reported: [39]

[Sign:] Dyspnea

Number of times reported: [26]

[Sign:] Anaphylaxis/toid

Number of times reported: [25]

[Sign:] Lameness

Number of times reported: [20]

[Sign:] Death(tx Failure)

Number of times reported: [18]

[Sign:] Depression/lethargy

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [10]

[Sign:] Ataxia

Number of times reported: [10]

[Sign:] Shaking

Number of times reported: [8]

[Sign:] Convulsion(s)

Number of times reported: [7]
[Sign:] Staggering
Number of times reported: [7]
[Sign:] Stiffness
Number of times reported: [7]
[Sign:] Tachycardia
Number of times reported: [7]
[Sign:] Thrashing/paddling
Number of times reported: [7]
[Sign:] Vocalization
Number of times reported: [7]
[Sign:] Death(euthanized)
Number of times reported: [6]
[Sign:] Inj Site Inflam
Number of times reported: [6]
[Sign:] Inj Site Pain
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [6]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Inj Site Edema
Number of times reported: [5]
[Sign:] Reluctant To Move
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Hypersalivation
Number of times reported: [4]
[Sign:] Inj Site Abscess
Number of times reported: [4]
[Sign:] Paresis
Number of times reported: [4]
[Sign:] Pr-lung(s), Edema
Number of times reported: [4]
[Sign:] Swelling, Joint(s)
Number of times reported: [4]
[Sign:] Abortion
Number of times reported: [3]
[Sign:] Cns Disorder
Number of times reported: [3]
[Sign:] Distress, Resp

Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Kicking
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [2]
[Sign:] Cellulitis
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Death(slaughtered)
Number of times reported: [2]
[Sign:] Death(stillborn)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Froth
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Laminitis
Number of times reported: [2]
[Sign:] Locomotion Disorder

[Sign:] Death(suicide)
Number of times reported: [4]

[Sign:] Pain, Muscle(s)
Number of times reported: [4]

[Sign:] Somnolence
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Vision Disorder
Number of times reported: [4]

[Sign:] Bld
Number of times reported: [3]

[Sign:] Bld(hematoma)
Number of times reported: [3]

[Sign:] Cyanosis
Number of times reported: [3]

[Sign:] Death
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [3]

[Sign:] Irritation, Pharynx/th
Number of times reported: [3]

[Sign:] Pallor
Number of times reported: [3]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Spasm
Number of times reported: [3]

[Sign:] Trembling
Number of times reported: [3]

[Sign:] Application Site Pain
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Cellulitis
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Heart Disorder
Number of times reported: [2]

[Sign:] Hot Flash
Number of times reported: [2]

[Sign:] Hot Flash/flush
Number of times reported: [2]

[Sign:] Human Exposure, Inj
Number of times reported: [2]

[Sign:] Hyperesthesia
Number of times reported: [2]

[Sign:] Hypertonia
Number of times reported: [2]

[Sign:] Insomnia
Number of times reported: [2]

[Sign:] Pain, Back
Number of times reported: [2]

[Sign:] Pain, Neck
Number of times reported: [2]

[Sign:] Palpitations
Number of times reported: [2]

[Sign:] Paraesthesia
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Bronchitis
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Congestion, Nose
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Dementia
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Ear Disorder
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Enlargement(s)
Number of times reported: [1]

[Sign:] Eructation
Number of times reported: [1]

[Sign:] Fibrillation, Ventricu
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]

[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Hypomotility
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Inj Site Effusion
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Phlebitis
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Odor, Mouth
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]

[Sign:] Pain, Head/face
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Prostration
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Joint(s)
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Pig

[Sign:] Death

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Nervousness

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Rabbit

[Sign:] Death

Number of times reported: [3]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Drug:] Tilmicosin

Parenteral, Sheep

[Sign:] Death

Number of times reported: [15]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Drug:] Tilmicosin

Topical, Human

[Sign:] Taste Abnormality
Number of times reported: [36]

[Sign:] Dizziness
Number of times reported: [30]

[Sign:] Nausea
Number of times reported: [24]

[Sign:] Hypoesthesia
Number of times reported: [20]

[Sign:] Apprehension

Number of times reported: [17]
[Sign:] Tachycardia
Number of times reported: [17]
[Sign:] Weakness
Number of times reported: [16]
[Sign:] Application Site Pain
Number of times reported: [15]
[Sign:] Headache
Number of times reported: [15]
[Sign:] Pain, Brisket/chest
Number of times reported: [15]
[Sign:] Application Site Erythema
Number of times reported: [11]
[Sign:] Ill
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [10]
[Sign:] Fever, Body
Number of times reported: [10]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [9]
[Sign:] Vomiting
Number of times reported: [9]
[Sign:] Depression/lethargy
Number of times reported: [8]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Congestion, Skin
Number of times reported: [7]
[Sign:] Inflammation, Skin
Number of times reported: [7]
[Sign:] Rash
Number of times reported: [7]
[Sign:] Application Site Inflammation
Number of times reported: [6]
[Sign:] Application Site Abnormal
Number of times reported: [5]
[Sign:] Hyperesthesia
Number of times reported: [5]
[Sign:] Nervousness
Number of times reported: [5]
[Sign:] Pain, Abdomen

Number of times reported: [5]
[Sign:] Sweating
Number of times reported: [5]
[Sign:] Application Site Swelling
Number of times reported: [3]
[Sign:] Irritation, Skin
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pain, Limb(s)
Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Paresthesia
Number of times reported: [3]
[Sign:] Pressure Lo, Bld
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Spasm
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [3]
[Sign:] Application Site Lesion(s)
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Heart Disorder
Number of times reported: [2]
[Sign:] Hot Flash/flush
Number of times reported: [2]
[Sign:] Hypoesthesia, Limb(s)
Number of times reported: [2]
[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Inj Site Bld

Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Irritation, Pharynx/th
Number of times reported: [2]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Paraesthesia
Number of times reported: [2]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Skin Disorder
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Stiffness, Neck
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Urine

Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Hot Flash
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Paraesthesia, Nose
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Cat

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Pancytopenia
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Cattle

[Sign:] Death
Number of times reported: [39]

[Sign:] Ineffect, Antibiotic
Number of times reported: [16]

[Sign:] Inj Site Swelling
Number of times reported: [10]

[Sign:] Collapse
Number of times reported: [6]

[Sign:] Anaphylaxis/toid
Number of times reported: [5]

[Sign:] Bloat
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Tech Error Administrat
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-whole Body, Lesion(s)
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Deer

[Sign:] Death

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Goat

[Sign:] Death

Number of times reported: [6]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Horse

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [13]

[Sign:] Inj Site Bld

Number of times reported: [8]

[Sign:] Inj Site Swelling

Number of times reported: [8]

[Sign:] Dizziness

Number of times reported: [6]

[Sign:] Inj Site Inflam

Number of times reported: [6]

[Sign:] Nausea

Number of times reported: [6]

[Sign:] Tachycardia

Number of times reported: [5]
[Sign:] Headache
Number of times reported: [4]
[Sign:] Vomiting
Number of times reported: [4]
[Sign:] Apprehension
Number of times reported: [3]
[Sign:] Death(suicide)
Number of times reported: [3]
[Sign:] Hypoesthesia
Number of times reported: [3]
[Sign:] Pain, Brisket/chest
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Human Exposure, Inj
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Taste Abnormality
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Arrhythmia

Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Dissociation
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Fibrillation, Atrial
Number of times reported: [1]
[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Inj Site Slough

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Other

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Tilmicosin

Unknown, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Drug:] Tilmicosin

Various, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Tilmicosin

Various, Human

[Sign:] Taste Abnormality

Number of times reported: [64]

[Sign:] Nausea

Number of times reported: [20]

[Sign:] Headache

Number of times reported: [16]

[Sign:] Depression/lethargy

Number of times reported: [13]

[Sign:] Hypoesthesia, Mouth/lip(s)

Number of times reported: [12]

[Sign:] Tachycardia

Number of times reported: [12]

[Sign:] Dizziness

Number of times reported: [11]

[Sign:] Pain, Brisket/chest

Number of times reported: [11]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [11]

[Sign:] Hypoesthesia

Number of times reported: [10]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [9]

[Sign:] Application Site Pain

Number of times reported: [8]

[Sign:] Vomiting

Number of times reported: [7]

[Sign:] Weakness

Number of times reported: [6]

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Fever, Body

Number of times reported: [5]

[Sign:] Application Site Erythema

Number of times reported: [4]

[Sign:] Apprehension

Number of times reported: [4]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Pressure Hi, Bld
Number of times reported: [4]
[Sign:] Tongue, Abn
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Application Site Inflamm
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Inj Site Inflamm
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Stomatitis
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anorexia

Number of times reported: [1]
[Sign:] Application Site Lesion(s)
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Glossitis
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hypoesthesia, Limb(s)

Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Palpitations
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] S-irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

[Drug:] Toceranib

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Drug:] Toceranib

Oral, Cat

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Reluctant To Move
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Necrosis, Tumor
Number of times reported: [1]

[Sign:] Odor, Urine
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Toceranib

Oral, Dog

[Sign:] Anorexia
Number of times reported: [84]

[Sign:] Vomiting
Number of times reported: [70]

[Sign:] Depression/lethargy
Number of times reported: [56]

[Sign:] Diarrhea
Number of times reported: [53]

[Sign:] Anemia
Number of times reported: [47]

[Sign:] Death(euthanized)
Number of times reported: [36]

[Sign:] Lameness
Number of times reported: [35]

[Sign:] Segs Lo, Bld
Number of times reported: [33]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [32]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [30]

[Sign:] Death
Number of times reported: [24]

[Sign:] Wbc Lo, Bld
Number of times reported: [23]

[Sign:] Platelets Lo, Bld
Number of times reported: [22]

[Sign:] Weight Loss
Number of times reported: [22]

[Sign:] Ataxia

Number of times reported: [19]
[Sign:] Diarrhea, Bloody
Number of times reported: [19]
[Sign:] Weakness
Number of times reported: [19]
[Sign:] Ineffect
Number of times reported: [18]
[Sign:] Leukoderma
Number of times reported: [17]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [16]
[Sign:] Albumin Lo, Bld
Number of times reported: [15]
[Sign:] Fever, Body
Number of times reported: [15]
[Sign:] Pancreatitis
Number of times reported: [15]
[Sign:] Diarrhea, Mild
Number of times reported: [14]
[Sign:] Bun Hi, Bld
Number of times reported: [13]
[Sign:] Melena
Number of times reported: [12]
[Sign:] Ggt Hi, Bld
Number of times reported: [11]
[Sign:] Alopecia
Number of times reported: [10]
[Sign:] Hematochezia
Number of times reported: [9]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [9]
[Sign:] Infection, Urinary Tra
Number of times reported: [9]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [9]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [8]
[Sign:] Collapse
Number of times reported: [8]
[Sign:] Convulsion(s)
Number of times reported: [8]
[Sign:] Creatinine Hi, Bld

Number of times reported: [8]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [8]
[Sign:] Pallor, Mucous Membran
Number of times reported: [8]
[Sign:] Protein, Urine
Number of times reported: [8]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [8]
[Sign:] Us Abn
Number of times reported: [8]
[Sign:] Epistaxis
Number of times reported: [7]
[Sign:] Lesion(s), Skin
Number of times reported: [7]
[Sign:] Radiograph(s) Abn
Number of times reported: [7]
[Sign:] Recumbency
Number of times reported: [7]
[Sign:] Us-liver Abn
Number of times reported: [7]
[Sign:] Wbc Hi, Bld
Number of times reported: [7]
[Sign:] Dehydration
Number of times reported: [6]
[Sign:] Difficulty Rising
Number of times reported: [6]
[Sign:] Edema, Limb(s)
Number of times reported: [6]
[Sign:] Arrest, Heart
Number of times reported: [5]
[Sign:] Bld(ecchymoses)
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Dyspnea
Number of times reported: [5]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [5]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [5]
[Sign:] Pruritis

Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Vomiting, Bloody
Number of times reported: [5]
[Sign:] Amylase Hi, Bld
Number of times reported: [4]
[Sign:] Bld, Gi
Number of times reported: [4]
[Sign:] Bun Lo, Bld
Number of times reported: [4]
[Sign:] Distention, Abdomen
Number of times reported: [4]
[Sign:] Effusion, Pleural
Number of times reported: [4]
[Sign:] Hair, Abn Color
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Inflamm, Skin
Number of times reported: [4]
[Sign:] Lipase Hi, Bld
Number of times reported: [4]
[Sign:] Lymphs Lo, Bld
Number of times reported: [4]
[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [4]
[Sign:] Abscess, Skin
Number of times reported: [3]
[Sign:] Azotemia
Number of times reported: [3]
[Sign:] Bld, Abdomen
Number of times reported: [3]
[Sign:] Bld(petechiae)
Number of times reported: [3]
[Sign:] Bld, Skin
Number of times reported: [3]
[Sign:] Bld, Tumor

Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [3]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [3]
[Sign:] Coagulation Disorder
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Gi, Abnormal
Number of times reported: [3]
[Sign:] Glucose Lo, Bld
Number of times reported: [3]
[Sign:] Incontinence, Urinary
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Nausea
Number of times reported: [3]
[Sign:] P Hi, Bld
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Abscess, Tumor
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Blindness, Temp

Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Mucoid
Number of times reported: [2]
[Sign:] Diarrhea, Watery
Number of times reported: [2]
[Sign:] Effusion, Peritoneal
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Healing Impaired
Number of times reported: [2]
[Sign:] Hepatitis
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Monos Lo, Bld
Number of times reported: [2]
[Sign:] Necrosis, Tumor
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Pain, Limb(s)

Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Regurgitation
Number of times reported: [2]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [2]
[Sign:] Rupture, Tumor
Number of times reported: [2]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Thrombus
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Ulcer(s), Skin
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Ascites

Number of times reported: [1]
[Sign:] Atony, Bladder
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysuria

Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Eosinos Hi, Body
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypothermia

Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration

Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heartworm Disease
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Sepsis

Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Strabismus
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneous
Number of times reported: [1]
[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Abn

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Toceranib

Topical, Human

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Tolazoline

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Drug:] Tolazoline

Missing, Deer

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Tolazoline

Parenteral, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tolazoline

Parenteral, Deer

[Sign:] Death

Number of times reported: [3]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Drug:] Tolazoline

Parenteral, Goat

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Tolazoline

Parenteral, Horse

[Sign:] Death

Number of times reported: [6]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Myoglobin, Urine
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Phallitis
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Tolazoline

Parenteral, Llama

[Sign:] Death

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Nystagmus

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dysmetria

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Tolazoline

Unknown, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Incontinence, Urinary

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Drug:] Tramadol

Oral, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Dissociation

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Repetitive Movements

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Drug:] Tramadol

Oral, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Head Bobbing

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Drug:] Trazodone

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

[Drug:] Trenbolone

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Drug:] Trenbolone

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Trenbolone

Parenteral, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva

Number of times reported: [1]

[Drug:] Trenbolone

Parenteral, Human

[Sign:] Myositis

Number of times reported: [1]

[Drug:] Trenbolone

Suppository, Cattle

[Sign:] Aggression

Number of times reported: [1]

[Drug:] Triamcinolone

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [259]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [21]

[Sign:] Pd-product Defect

Number of times reported: [17]

[Sign:] Pd-solution, Abn
Number of times reported: [10]

[Sign:] Pd-color, Abn
Number of times reported: [8]

[Sign:] Pd-seal, Abn
Number of times reported: [5]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [5]

[Sign:] Pd-cap(s), Abn
Number of times reported: [4]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [3]

[Sign:] Pd-container(s), Damag
Number of times reported: [2]

[Sign:] Pd-contamination
Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [2]

[Sign:] Ineffect, Antiinflam
Number of times reported: [1]

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Drug:] Triamcinolone

Inhalation, Human

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Drug:] Triamcinolone

Missing, Dog

[Sign:] Urticaria
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Triamcinolone

Not Applicable, Dog

[Sign:] Birth Defect(s), Head/
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Drug:] Triamcinolone

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Triamcinolone

Oral, Cat

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Triamcinolone

Oral, Dog

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Polydipsia

Number of times reported: [2]

[Sign:] Polyuria

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Bld, Abdomen

Number of times reported: [1]

[Sign:] Coagulation Disorder

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dic

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Eosinos Lo, Bld

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mass, Abdomen
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Ulcer(s), Pharynx/thro
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Triamcinolone

Oral, Human

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Triamcinolone

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Inj Site Neoplasm

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polycythemia

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Triamcinolone

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [89]

[Sign:] Vomiting

Number of times reported: [69]

[Sign:] Pallor, Mucous Membran

Number of times reported: [31]

[Sign:] Depression/lethargy

Number of times reported: [30]

[Sign:] Urticaria

Number of times reported: [28]

[Sign:] Collapse

Number of times reported: [26]

[Sign:] Shock

Number of times reported: [24]

[Sign:] Diarrhea

Number of times reported: [19]

[Sign:] Fever, Body

Number of times reported: [17]

[Sign:] Swelling, Head/face

Number of times reported: [16]

[Sign:] Polydipsia
Number of times reported: [14]

[Sign:] Polyuria
Number of times reported: [14]

[Sign:] Pruritis
Number of times reported: [14]

[Sign:] Death
Number of times reported: [13]

[Sign:] Polypnea
Number of times reported: [13]

[Sign:] Recumbency
Number of times reported: [13]

[Sign:] Weakness
Number of times reported: [13]

[Sign:] Diarrhea, Bloody
Number of times reported: [11]

[Sign:] Dyspnea
Number of times reported: [11]

[Sign:] Pallor
Number of times reported: [11]

[Sign:] Anorexia
Number of times reported: [10]

[Sign:] Congestion, Skin
Number of times reported: [10]

[Sign:] Tachycardia
Number of times reported: [10]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [9]

[Sign:] Ineffect, Antiinflam
Number of times reported: [9]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [9]

[Sign:] Ataxia
Number of times reported: [8]

[Sign:] Bradycardia
Number of times reported: [8]

[Sign:] Convulsion(s)
Number of times reported: [8]

[Sign:] Wbc Hi, Bld
Number of times reported: [8]

[Sign:] Death(euthanized)
Number of times reported: [7]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [5]

[Sign:] Nervousness
Number of times reported: [5]

[Sign:] Albumin Lo, Bld
Number of times reported: [4]

[Sign:] Bun Hi, Bld
Number of times reported: [4]

[Sign:] Glucose Hi, Bld
Number of times reported: [4]

[Sign:] Pressure Lo, Bld
Number of times reported: [4]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Apnea
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]

[Sign:] Cyanosis
Number of times reported: [3]

[Sign:] Diarrhea, Mild
Number of times reported: [3]

[Sign:] Edema
Number of times reported: [3]

[Sign:] Edema, Head/face
Number of times reported: [3]

[Sign:] Hyperpnea
Number of times reported: [3]

[Sign:] Hypersalivation
Number of times reported: [3]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]

[Sign:] Platelets Lo, Bld
Number of times reported: [3]

[Sign:] Radiograph(s) Abn
Number of times reported: [3]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory
Number of times reported: [3]

[Sign:] Urination
Number of times reported: [3]

[Sign:] Amylase Hi, Bld
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Chemistry Abn
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Cpk Hi, Bld
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Defecation
Number of times reported: [2]

[Sign:] Edema, Larynx
Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]

[Sign:] Incontinence, Urinary
Number of times reported: [2]

[Sign:] Inj Site Necrosis
Number of times reported: [2]

[Sign:] K Lo, Bld
Number of times reported: [2]

[Sign:] Polyphagia
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]

[Sign:] Pulse Thready
Number of times reported: [2]

[Sign:] Scale(s), Skin
Number of times reported: [2]

[Sign:] Sediment, Urine
Number of times reported: [2]

[Sign:] Segs Hi, Bld
Number of times reported: [2]

[Sign:] Skin, Crust(s)
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Swelling, Ear(s)
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Unconscious
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Acidosis
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albumin Hi, Bld
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Birth Defect(s), Head/
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Cataract(s)
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Muroid
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dilitation, Stomach
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Multiple Sites
Number of times reported: [1]

[Sign:] Edema, Vulva
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Globulin Lo, Bld
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Inflam
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Fibrosis
Number of times reported: [1]

[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Perineum
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mg Hi, Bld
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Myositis
Number of times reported: [1]

[Sign:] Na:k Lo, Bld
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Necrosis
Number of times reported: [1]

[Sign:] Otitis
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Regurgitation
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Mammary
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Tenesmus
Number of times reported: [1]

[Sign:] Trachitis
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Uveitis
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Sign:] Wbc, Urine
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Triamcinolone

Parenteral, Horse

[Sign:] Laminitis

Number of times reported: [13]

[Sign:] Lameness

Number of times reported: [7]

[Sign:] Arthritis

Number of times reported: [6]

[Sign:] Swelling, Joint(s)

Number of times reported: [6]

[Sign:] Inj Site Swelling

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Wbc Hi, Synovial Fluid

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Arthritis, Septic

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Cellulitis

Number of times reported: [1]

[Sign:] Culture/titer Data Abn

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Eosinos Hi, Body

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Infection, Joint(s)

Number of times reported: [1]

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Effusion

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)

Number of times reported: [1]

[Sign:] Pain, Joint(s)

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Stiffness, Front Limb(

Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Drug:] Triamcinolone

Topical, Alpaca

[Sign:] Death(stillborn)

Number of times reported: [1]

[Drug:] Triamcinolone

Topical, Cat

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Application Site Hair, Abn
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Gingiva, Abn
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Triamcinolone

Topical, Dog

[Sign:] Alopecia
Number of times reported: [10]

[Sign:] Depression/lethargy
Number of times reported: [7]

[Sign:] Anorexia
Number of times reported: [5]

[Sign:] Polydipsia
Number of times reported: [5]

[Sign:] Application Site Alopecia
Number of times reported: [4]

[Sign:] Pruritis
Number of times reported: [4]

[Sign:] Vomiting
Number of times reported: [4]

[Sign:] Application Site, Alopecia

Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Exfoliation, Skin
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Inflammation, Skin
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Liver Enzymes High, Blood
Number of times reported: [2]
[Sign:] Rolling
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Application Site Abnormal
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Application Site Inflammation
Number of times reported: [1]
[Sign:] Application Site Lesion(s)
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Application Site Skin, Dry

Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Endocrine Disorder
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pollakiuria
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Skin, Dry

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Triamcinolone

Topical, Human

[Sign:] Human Exposure

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Triamcinolone

Unknown, Cat

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Triamcinolone

Unknown, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [17]

[Sign:] Vomiting
Number of times reported: [10]

[Sign:] Depression/lethargy
Number of times reported: [8]

[Sign:] Death
Number of times reported: [5]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Ineffect, Antiinflam
Number of times reported: [4]

[Sign:] Pallor, Mucous Membran
Number of times reported: [4]

[Sign:] Polypnea
Number of times reported: [4]

[Sign:] Collapse
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Swelling, Head/face
Number of times reported: [3]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [2]

[Sign:] Cyanosis
Number of times reported: [2]

[Sign:] Polydipsia
Number of times reported: [2]

[Sign:] Polyuria
Number of times reported: [2]

[Sign:] Shock
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Deafness
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome
Number of times reported: [1]

[Sign:] Glaucoma
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hyperadrenocorticism
Number of times reported: [1]

[Sign:] Hyperkeratosis
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Skin Disorder
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Drug:] Triamcinolone

Unknown, Horse

[Sign:] Inj Site Hair, Abn

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Drug:] Triamcinolone

Unknown, Human

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Triamcinolone

Various, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Licking

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Trichlorfon

Oral, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Enteritis

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tenesmus, Rectal

Number of times reported: [1]

[Drug:] Trilostane

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Drug:] Trilostane

Missing, Dog

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Liver Failure

Number of times reported: [1]

[Sign:] Neoplasm, Liver

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Trilostane

Oral, Dog

[Sign:] Anorexia

Number of times reported: [89]

[Sign:] Depression/lethargy

Number of times reported: [82]

[Sign:] Vomiting

Number of times reported: [70]

[Sign:] Diarrhea

Number of times reported: [51]

[Sign:] K Hi, Bld

Number of times reported: [31]

[Sign:] Bun Hi, Bld

Number of times reported: [27]

[Sign:] Shaking

Number of times reported: [23]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [22]

[Sign:] Na:k Lo, Bld

Number of times reported: [21]

[Sign:] Hypoadrenocorticism

Number of times reported: [17]

[Sign:] Weakness

Number of times reported: [17]

[Sign:] Creatinine Hi, Bld

Number of times reported: [16]

[Sign:] Na Lo, Bld

Number of times reported: [15]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [15]

[Sign:] Death(euthanized)

Number of times reported: [14]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [12]

[Sign:] Weight Loss

Number of times reported: [12]

[Sign:] Anemia

Number of times reported: [11]

[Sign:] Death

Number of times reported: [11]

[Sign:] Diarrhea, Bloody

Number of times reported: [10]
[Sign:] Trembling
Number of times reported: [10]
[Sign:] Convulsion(s)
Number of times reported: [9]
[Sign:] Pancreatitis
Number of times reported: [9]
[Sign:] Radiograph(s) Abn
Number of times reported: [9]
[Sign:] Acth Stim Abn
Number of times reported: [8]
[Sign:] Collapse
Number of times reported: [8]
[Sign:] Dehydration
Number of times reported: [8]
[Sign:] Wbc Hi, Bld
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [7]
[Sign:] Neurological Disorder
Number of times reported: [7]
[Sign:] Us Abn
Number of times reported: [7]
[Sign:] Dyspnea
Number of times reported: [6]
[Sign:] Polydipsia
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Kidney Failure
Number of times reported: [5]
[Sign:] Lameness
Number of times reported: [5]
[Sign:] Na Hi, Bld
Number of times reported: [5]
[Sign:] Polyuria
Number of times reported: [5]
[Sign:] Apprehension

Number of times reported: [4]
[Sign:] Ca Hi, Bld
Number of times reported: [4]
[Sign:] Chloride Lo, Bld
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [4]
[Sign:] Diarrhea, Mild
Number of times reported: [4]
[Sign:] Infection, Urinary Tra
Number of times reported: [4]
[Sign:] Inflam, Skin
Number of times reported: [4]
[Sign:] Lesion(s), Skin
Number of times reported: [4]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [4]
[Sign:] Polypnea
Number of times reported: [4]
[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Cardiomegaly
Number of times reported: [3]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [3]
[Sign:] Diabetes Mellitus
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Ineffect, Cushings
Number of times reported: [3]
[Sign:] Keratoconjunctivitis S
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] P Hi, Bld

Number of times reported: [3]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Congestion
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Platelets Lo, Bld
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Retina Abn
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Brain, Neoplasm
Number of times reported: [1]
[Sign:] Capillary Refill Prolo

Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Exercise Intolerance
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Mg Hi, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Neoplasm, Liver

Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Reflex(es) Abn

Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Seborrhea
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Uveitis
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Wbc Abn

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Trilostane

Oral, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hypoadrenocorticism

Number of times reported: [1]

[Drug:] Trilostane

Unknown, Dog

[Sign:] Acth Stim Abn

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypoadrenocorticism

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Tripeleennamine

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Tripeleennamine

Missing, Cattle

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Drug:] Tripeleennamine

Missing, Horse

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Drug:] Tripeleennamine

Parenteral, Cat

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Glucose Lo, Bld

Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Drug:] Tripeleppamine

Parenteral, Cattle

[Sign:] Death

Number of times reported: [9]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

- [Sign:] Hyperactivity
Number of times reported: [3]
- [Sign:] Ineffect
Number of times reported: [2]
- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Collapse
Number of times reported: [1]
- [Sign:] Death(tx Failure)
Number of times reported: [1]
- [Sign:] Dyspnea
Number of times reported: [1]
- [Sign:] Neurological Disorder
Number of times reported: [1]
- [Sign:] Recumbency
Number of times reported: [1]

[Drug:] Tripeleennamine

Parenteral, Dog

- [Sign:] Convulsion(s)
Number of times reported: [4]
- [Sign:] Vomiting
Number of times reported: [4]
- [Sign:] Death
Number of times reported: [3]
- [Sign:] Pain, Abdomen
Number of times reported: [3]
- [Sign:] Recumbency
Number of times reported: [3]
- [Sign:] Anaphylaxis/toid
Number of times reported: [2]
- [Sign:] Difficulty Rising
Number of times reported: [2]
- [Sign:] Fever, Body
Number of times reported: [2]
- [Sign:] Hypersalivation
Number of times reported: [2]
- [Sign:] Ineffect
Number of times reported: [2]
- [Sign:] Pruritis
Number of times reported: [2]
- [Sign:] Urticaria

Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)

Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Tripeleennamine

Parenteral, Horse

[Sign:] Death
Number of times reported: [6]

[Sign:] Collapse
Number of times reported: [5]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Hyperactivity
Number of times reported: [5]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Myositis
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Abortion
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Inj Site Sterile Absce
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Death(stillborn)
Number of times reported: [1]

[Sign:] Discharge, Mammary
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Inj Site Abn
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Necrosis
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Repetitive Movements
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Udder, Swelling
Number of times reported: [1]

[Drug:] Tripelennamine

Unknown, Cattle

[Sign:] Death
Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)

Number of times reported: [1]

[Drug:] Tripeleennamine

Unknown, Horse

[Sign:] Aggression

Number of times reported: [2]

[Sign:] Arrhythmia

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Glucose Hi, Bld

Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Chemistry Abn

Number of times reported: [1]

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Drug:] Tulathromycin

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [36]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [17]

[Sign:] Pd-seal, Abn

Number of times reported: [12]

[Sign:] Pd-product Defect

Number of times reported: [11]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [11]

[Sign:] Pd-container(s), Damag

Number of times reported: [8]

[Sign:] Pd-color, Abn

Number of times reported: [7]

[Sign:] Pd-solution, Abn

Number of times reported: [7]

[Sign:] Pd-underfill, Package

Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [4]

[Sign:] Pd-cap(s), Abn

Number of times reported: [3]

[Sign:] Pd-defect Unknown

Number of times reported: [3]

[Sign:] Pd-contamination

Number of times reported: [2]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Tulathromycin

Inhalation, Human

[Sign:] Nausea

Number of times reported: [1]

[Drug:] Tulathromycin

Missing, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Tulathromycin

Missing, Horse

[Sign:] Death

Number of times reported: [1]

[Drug:] Tulathromycin

Missing, Human

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Tulathromycin

Not Applicable, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Tulathromycin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Vision Disorder

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Drug:] Tulathromycin

Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Alpaca

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Cat

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [274]

[Sign:] Death(tx Failure)

Number of times reported: [159]

[Sign:] Death

Number of times reported: [90]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [42]

[Sign:] Inj Site Swelling

Number of times reported: [25]

[Sign:] Culture/titer Data Abn

Number of times reported: [20]

[Sign:] Anaphylaxis/toid

Number of times reported: [19]

[Sign:] Recumbency

Number of times reported: [18]

[Sign:] Collapse

Number of times reported: [12]

[Sign:] Inj Site Alopecia

Number of times reported: [12]

[Sign:] Abortion

Number of times reported: [10]

[Sign:] Dyspnea

Number of times reported: [10]

[Sign:] Ataxia

Number of times reported: [9]

[Sign:] Fever, Body

Number of times reported: [9]

[Sign:] Inj Site Abn

Number of times reported: [9]

[Sign:] Lameness

Number of times reported: [9]

[Sign:] Death(euthanized)

Number of times reported: [8]

[Sign:] Hypersalivation

Number of times reported: [8]

[Sign:] Convulsion(s)

Number of times reported: [7]

[Sign:] Inj Site Inflam

Number of times reported: [7]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Bloat
Number of times reported: [6]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Inj Site Pain
Number of times reported: [6]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [6]
[Sign:] Residue, Milk
Number of times reported: [6]
[Sign:] Hyperactivity
Number of times reported: [5]
[Sign:] Inj Site Abscess
Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [4]
[Sign:] Interaction, Drug(s)
Number of times reported: [4]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Edema
Number of times reported: [4]
[Sign:] Residue, Meat
Number of times reported: [4]
[Sign:] Swelling, Limb(s)
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Inj Site Edema
Number of times reported: [3]
[Sign:] Inj Site Hair, Abn
Number of times reported: [3]
[Sign:] Lesion(s), Skin

Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Cellulitis
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Distress
Number of times reported: [2]
[Sign:] Edema, Brisket/chest
Number of times reported: [2]
[Sign:] Enlargement(s), Skin
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Inj Site Fibrosis
Number of times reported: [2]
[Sign:] Inj Site Mass
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Pd-potency, Lo
Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Swelling, Joint(s)

Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anorexia (not Nursing)
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysmetria
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Emphysema

Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld

Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Udder, Swelling
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Deer

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Goat

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Horse

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Rolling

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [37]

[Sign:] Inj Site Swelling

Number of times reported: [13]

[Sign:] Inj Site Inflam

Number of times reported: [11]

[Sign:] Inj Site Bld

Number of times reported: [5]

[Sign:] Hypoesthesia

Number of times reported: [4]

[Sign:] Dizziness

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Stiffness
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] Paraesthesia
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Pig

[Sign:] Death
Number of times reported: [4]

[Sign:] Inj Site Abn
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Death(tx Failure)
Number of times reported: [2]

[Sign:] Discomfort
Number of times reported: [2]

[Sign:] Distress
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Sign:] Inj Site Pain
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tulathromycin

Parenteral, Sheep

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Head Pressing

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Drug:] Tulathromycin

Topical, Human

[Sign:] Rash

Number of times reported: [3]

[Sign:] Application Site Pain

Number of times reported: [2]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Swelling

Number of times reported: [1]

[Sign:] Fibrillation, Atrial

Number of times reported: [1]

[Sign:] Heart Disorder

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [7]

[Sign:] Death(tx Failure)

Number of times reported: [4]

[Sign:] Death

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Dog

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Head Bobbing

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [24]

[Sign:] Inj Site Swelling

Number of times reported: [12]

[Sign:] Inj Site Inflamm

Number of times reported: [8]

[Sign:] Dizziness

Number of times reported: [3]

[Sign:] Inj Site Abn
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Paraesthesia
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Tulathromycin

Unknown, Pig

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Tylosin

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [26]
[Sign:] Pd-product Defect
Number of times reported: [9]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [8]
[Sign:] Pd-label(s), Abn
Number of times reported: [7]
[Sign:] Pd-potency, Lo
Number of times reported: [6]
[Sign:] Pd-seal, Abn
Number of times reported: [6]
[Sign:] Pd-color, Abn
Number of times reported: [5]
[Sign:] Pd-container(s), Abn
Number of times reported: [5]
[Sign:] Pd-contamination
Number of times reported: [5]
[Sign:] Pd-container(s), Damag
Number of times reported: [3]
[Sign:] Pd-contam, Mold
Number of times reported: [3]
[Sign:] Pd-odor, Abn
Number of times reported: [3]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [3]
[Sign:] Pd-defect Unknown
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] Pd-suspension, Abn
Number of times reported: [2]
[Sign:] Unpalatable
Number of times reported: [2]
[Sign:] Meat Abn
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-contam, Insects
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]
[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [1]

[Drug:] Tylosin

Inhalation, Human

[Sign:] Coughing

Number of times reported: [2]

[Sign:] Headache

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Bronchitis

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Congestion, Nose

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Sinusitis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tylosin

Intramammary, Cattle

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Drug:] Tylosin

Missing, Bird

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Drug:] Tylosin

Missing, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tylosin

Missing, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Tylosin

Missing, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Drug:] Tylosin

Missing, Human

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Drug:] Tylosin

Missing, Pig

[Sign:] Ineffectiveness, Antibiotic

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Drug:] Tylosin

Not Applicable, Cat

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Tylosin

Not Applicable, Dog

[Sign:] Pd-granules/powder, Abn

Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Tylosin

Not Applicable, Pig

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Drug:] Tylosin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [5]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Tylosin

Oral, Bird

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Melena

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pr-crop, Lesion(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tylosin

Oral, Buffalo

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Drug:] Tylosin

Oral, Cat

[Sign:] Hypersalivation

Number of times reported: [4]

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [2]

[Sign:] Ca Hi, Bld

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Tylosin

Oral, Cattle

[Sign:] Death
Number of times reported: [6]

[Sign:] Ineffect, Antibiotic
Number of times reported: [5]

[Sign:] Ineffect
Number of times reported: [4]

[Sign:] Bloat
Number of times reported: [3]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Residue, Meat
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Estrus Behavior
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Residue, Milk
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Drug:] Tylosin

Oral, Chicken

[Sign:] Ineffect, Antibiotic
Number of times reported: [10]

[Sign:] Death
Number of times reported: [5]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Intussusception

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Tylosin

Oral, Dog

[Sign:] Unpalatable, Won't Eat

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [8]

[Sign:] Vomiting

Number of times reported: [8]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [6]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Pruritis

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [3]

[Sign:] Rash

Number of times reported: [3]

[Sign:] Unpalatable

Number of times reported: [3]

[Sign:] Weight Loss

Number of times reported: [3]

[Sign:] Circling
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Congestion, Skin
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Polydipsia
Number of times reported: [2]

[Sign:] Polyuria
Number of times reported: [2]

[Sign:] Stool Abn
Number of times reported: [2]

[Sign:] Tenesmus, Rectal
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld, Passing
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Calculi, Bladder
Number of times reported: [1]

[Sign:] Calculi, Urine
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Deafness
Number of times reported: [1]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Eructation
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Ineffect, Seizures
Number of times reported: [1]

[Sign:] Infection, Eye(s)
Number of times reported: [1]

[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Irritation, Ear(s)
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S
Number of times reported: [1]

[Sign:] Leukoderma
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Neoplasm
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Seborrhea

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stool, Mucoïd

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Drug:] Tylosin

Oral, Goat

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Tylosin

Oral, Horse

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Tylosin

Oral, Human

[Sign:] Taste Abnormality

Number of times reported: [11]

[Sign:] Hyperesthesia

Number of times reported: [2]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Hot Flush

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Drug:] Tylosin

Oral, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Tylosin

Oral, Pig

[Sign:] Death

Number of times reported: [40]

[Sign:] Ineffect, Antibiotic

Number of times reported: [23]

[Sign:] Death(tx Failure)

Number of times reported: [17]

[Sign:] Ineffect

Number of times reported: [16]

[Sign:] Diarrhea

Number of times reported: [13]

[Sign:] Diarrhea, Bloody

Number of times reported: [12]

[Sign:] Diarrhea, Mild

Number of times reported: [9]

[Sign:] Anorexia

Number of times reported: [6]

[Sign:] Lameness

Number of times reported: [6]

[Sign:] Enteritis

Number of times reported: [4]

[Sign:] Ineffect, Weight Inc

Number of times reported: [4]

[Sign:] Tech Error, Mixing

Number of times reported: [4]

[Sign:] Fertility, Reduced

Number of times reported: [3]

[Sign:] Pallor

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Hematochezia

Number of times reported: [2]

[Sign:] Loss Of Condition

Number of times reported: [2]

[Sign:] Melena

Number of times reported: [2]

[Sign:] Poor Performance

Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Ill

Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Inflamm
Number of times reported: [1]
[Sign:] Lesion(s)
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]
[Sign:] Pr-gi, Edema
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Tylosin

Oral, Rabbit

[Sign:] Death

Number of times reported: [1]

[Drug:] Tylosin

Oral, Turkey

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Tylosin

Oral, Various

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Bird

[Sign:] Death

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Cat

[Sign:] Lameness

Number of times reported: [2]

[Drug:] Tylosin

Parenteral, Cattle

[Sign:] Death

Number of times reported: [7]

[Sign:] Ineffect, Antibiotic

Number of times reported: [4]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Chicken

[Sign:] Death

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Ulcer(s)

Number of times reported: [1]

[Sign:] Neck, Ventroflexion

Number of times reported: [1]

[Sign:] Pain, Neck

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Dog

[Sign:] Death
Number of times reported: [3]

[Sign:] Inj Site Swelling
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Inj Site Necrosis
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Slough, Skin
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Goat

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [2]

- [Sign:] Anorexia
Number of times reported: [1]
- [Sign:] Death(newborn)
Number of times reported: [1]
- [Sign:] Depression/lethargy
Number of times reported: [1]
- [Sign:] Distress
Number of times reported: [1]
- [Sign:] Dyspnea
Number of times reported: [1]
- [Sign:] Ineffect, Antibiotic
Number of times reported: [1]
- [Sign:] Inj Site Pain
Number of times reported: [1]
- [Sign:] Inj Site Swelling
Number of times reported: [1]
- [Sign:] Pain
Number of times reported: [1]
- [Sign:] Staggering
Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Horse

- [Sign:] Anorexia
Number of times reported: [3]
- [Sign:] Depression/lethargy
Number of times reported: [3]
- [Sign:] Recumbency
Number of times reported: [2]
- [Sign:] Abn Color, Urine
Number of times reported: [1]
- [Sign:] Congestion, Mucous Mem
Number of times reported: [1]
- [Sign:] Diarrhea, Mild
Number of times reported: [1]
- [Sign:] Ill
Number of times reported: [1]
- [Sign:] Inj Site Edema
Number of times reported: [1]
- [Sign:] Lameness
Number of times reported: [1]
- [Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [24]

[Sign:] Inj Site Bld

Number of times reported: [9]

[Sign:] Inj Site Inflam

Number of times reported: [9]

[Sign:] Inj Site Swelling

Number of times reported: [7]

[Sign:] Inj Site Edema

Number of times reported: [5]

[Sign:] Headache

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Erection, Abn

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Infect

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Phlebitis

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Other

[Sign:] Inflammation

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Pig

[Sign:] Death

Number of times reported: [15]

[Sign:] Ineffect, Antibiotic

Number of times reported: [5]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Thrashing/paddling

Number of times reported: [3]

[Sign:] Trembling

Number of times reported: [3]

[Sign:] Anaphylaxis/toxic

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Inj Site Effusion
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Sheep

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Tylosin

Parenteral, Snake

[Sign:] Bld, Mult Sites
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Drug:] Tylosin

Topical, Human

[Sign:] Rash
Number of times reported: [10]

[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Pruritis
Number of times reported: [4]

[Sign:] Inflammation, Skin
Number of times reported: [3]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Irritation, Mouth/lip
Number of times reported: [2]

[Sign:] Application Site Pruritis
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Nail Disorder
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

- [Sign:] Respiratory Disorder
Number of times reported: [1]
- [Sign:] Skin Disorder
Number of times reported: [1]
- [Sign:] Sweating
Number of times reported: [1]
- [Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
- [Sign:] Swelling, Head/face
Number of times reported: [1]
- [Sign:] Taste Abnormality
Number of times reported: [1]
- [Sign:] Urticaria
Number of times reported: [1]
- [Sign:] Wheezing
Number of times reported: [1]

[Drug:] Tylosin

Unknown, Bird

- [Sign:] Ineffect, Antibiotic
Number of times reported: [2]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Death(tx Failure)
Number of times reported: [1]

[Drug:] Tylosin

Unknown, Cat

- [Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Tylosin

Unknown, Cattle

- [Sign:] Death
Number of times reported: [4]
- [Sign:] Ineffect, Antibiotic
Number of times reported: [4]
- [Sign:] Abortion
Number of times reported: [1]
- [Sign:] Bloat
Number of times reported: [1]
- [Sign:] Coughing

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Dog

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Goat

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Fibrosis

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Horse

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Rash

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Skin, Dry

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Pig

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Pigeon

[Sign:] Feathers, Abnormal

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Rabbit

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Sheep

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Tylosin

Unknown, Turkey

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Tylosin

Various, Bird

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Drug:] Tylosin

Various, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Tylosin

Various, Human

[Sign:] Taste Abnormality
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Drug:] Ursodiol

Oral, Dog

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Ursodiol

Oral, Unknown

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Virginiamycin

Defect, Not Applicable

[Sign:] Pd-product Defect
Number of times reported: [4]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-unknown
Number of times reported: [1]

[Drug:] Virginiamycin

Oral, Cattle

[Sign:] Death
Number of times reported: [1]

[Drug:] Virginiamycin

Oral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Virginiamycin

Topical, Human

[Sign:] Skin Disorder

Number of times reported: [2]

[Drug:] Vitamin A, Vitamin D

Parenteral, Alpaca

[Sign:] Cellulitis

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Drug:] Vitamin A, Vitamin D

Parenteral, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Pneumonia

Number of times reported: [2]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Vitamin A, Vitamin D, Vitamin E

Missing, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Vitamin B12

Parenteral, Cat

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Drug:] Vitamin B12

Parenteral, Cattle

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Vitamin B12

Parenteral, Pig

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Vitamin B3 (niacin, Niacinamide, Nicotinamide, Nicotinic Acid)

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hair, Shedding

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]

[Drug:] Vitamin B Complex

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Vitamin B Complex

Missing, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Capillary Refill Prolo

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Vitamin B Complex

Parenteral, Dog

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Drug:] Vitamin D

Oral, Dog

[Sign:] Ca Hi, Bld

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Vitamin K1 (phytonadione)

Parenteral, Dog

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Vitamins, Multiple

Defect, Not Applicable

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Vitamins, Multiple

Oral, Cat

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Vitamins, Multiple

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Drug:] Vitamins, Multiple

Oral, Horse

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Drug:] Vitamins, Multiple

Parenteral, Alpaca

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Xylazine

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [8]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-vial(s), Abn

Number of times reported: [3]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-unknown

Number of times reported: [2]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Xylazine

Missing, Cat

[Sign:] Death

Number of times reported: [1]

[Drug:] Xylazine

Missing, Deer

[Sign:] Ineffect, Sedation

Number of times reported: [2]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Xylazine

Missing, Dog

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Xylazine

Missing, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Xylazine

Missing, Horse

[Sign:] Ineffect, Sedation
Number of times reported: [7]

[Sign:] Pressure Hi, Bld
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Drug:] Xylazine

Missing, Missing Information

[Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Xylazine

Missing, Mouse

[Sign:] Death
Number of times reported: [1]

[Sign:] Sedation Too Deep
Number of times reported: [1]

[Drug:] Xylazine

Missing, Various

[Sign:] Ineffect, Sedation
Number of times reported: [4]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Drug:] Xylazine

Oral, Dog

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Xylazine

Oral, Human

[Sign:] Irritation, Mouth/lip(

Number of times reported: [2]

[Sign:] Somnolence

Number of times reported: [2]

[Drug:] Xylazine

Parenteral, Cat

[Sign:] Death

Number of times reported: [9]

[Sign:] Arrest, Heart

Number of times reported: [6]

[Sign:] Anesth Recov Prolonged

Number of times reported: [4]

[Sign:] Apnea

Number of times reported: [4]

[Sign:] Ineffect, Anesthesia

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [3]

[Sign:] Sedation Too Deep

Number of times reported: [3]

[Sign:] Blindness

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hypopnea

Number of times reported: [2]

[Sign:] Sedation Prolonged

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Cattle

[Sign:] Death

Number of times reported: [10]

[Sign:] Ineffect, Sedation

Number of times reported: [4]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Bloat

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Enlargement(s), Skin

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Deer

[Sign:] Ineffect, Sedation

Number of times reported: [5]

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Dog

[Sign:] Death

Number of times reported: [24]

[Sign:] Convulsion(s)

Number of times reported: [10]

[Sign:] Ineffect, Anesthesia

Number of times reported: [9]

[Sign:] Ineffect, Sedation

Number of times reported: [8]

[Sign:] Apnea

Number of times reported: [7]

[Sign:] Vomiting

Number of times reported: [6]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Bradycardia

Number of times reported: [5]

[Sign:] Arrest, Heart

Number of times reported: [4]

[Sign:] Anesth Too Deep

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [3]

[Sign:] Aggression

Number of times reported: [2]

[Sign:] Anesth Duration Brief

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Hypopnea

Number of times reported: [2]

[Sign:] Ineffect, Analgesia

Number of times reported: [2]

[Sign:] Nervousness

Number of times reported: [2]

[Sign:] Pressure Lo, Bld
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Shock
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld, Passing
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Otitis
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pd-potency, Hi
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Sedation Too Deep
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

- [Sign:] Swelling, Head/face
Number of times reported: [1]
- [Sign:] Tachycardia
Number of times reported: [1]
- [Sign:] Torticollis
Number of times reported: [1]
- [Sign:] Twitch
Number of times reported: [1]
- [Sign:] Urticaria
Number of times reported: [1]
- [Sign:] Volvulus
Number of times reported: [1]
- [Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Donkey

- [Sign:] Convulsion(s)
Number of times reported: [2]
- [Sign:] Collapse
Number of times reported: [1]
- [Sign:] Ineffect, Sedation
Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Horse

- [Sign:] Ineffect, Sedation
Number of times reported: [66]
- [Sign:] Ineffect, Anesthesia
Number of times reported: [19]
- [Sign:] Death
Number of times reported: [17]
- [Sign:] Collapse
Number of times reported: [15]
- [Sign:] Convulsion(s)
Number of times reported: [13]
- [Sign:] Dyspnea
Number of times reported: [9]
- [Sign:] Hyperactivity
Number of times reported: [9]
- [Sign:] Hyperpnea
Number of times reported: [7]

[Sign:] Sweating
Number of times reported: [7]

[Sign:] Anaphylaxis/toid
Number of times reported: [6]

[Sign:] Ataxia
Number of times reported: [6]

[Sign:] Recumbency
Number of times reported: [6]

[Sign:] Thrashing/paddling
Number of times reported: [6]

[Sign:] Trembling
Number of times reported: [6]

[Sign:] Death(euthanized)
Number of times reported: [4]

[Sign:] Tachycardia
Number of times reported: [4]

[Sign:] Anesth Induc Turbulent
Number of times reported: [3]

[Sign:] Anesth Recov Prolonged
Number of times reported: [3]

[Sign:] Anesth Recov Turbulent
Number of times reported: [3]

[Sign:] Cyanosis
Number of times reported: [3]

[Sign:] Ineffect
Number of times reported: [3]

[Sign:] Ineffect, Tranquilizat
Number of times reported: [3]

[Sign:] Sedation Too Brief
Number of times reported: [3]

[Sign:] Sedation Too Deep
Number of times reported: [3]

[Sign:] Twitch
Number of times reported: [3]

[Sign:] Urticaria
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Breathing Abn
Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Froth, Nose
Number of times reported: [2]

[Sign:] Ineffect, Analgesia
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Nystagmus
Number of times reported: [2]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [2]

[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]

[Sign:] Reflex(es) Abn
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Anesth Induction Rapid
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Arrhythmia, Block
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Prepuce
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Penis
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Rearing
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Sedation Delayed
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Self-mutilation
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Brisket/ches
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Human

[Sign:] Hypoesthesia
Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Llama

[Sign:] Death
Number of times reported: [2]

[Drug:] Xylazine

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Rabbit

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Rat

[Sign:] Death

Number of times reported: [3]

[Sign:] Anesth Duration Brief

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Sheep

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Tiger

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Drug:] Xylazine

Parenteral, Various

[Sign:] Ineffect, Sedation

Number of times reported: [5]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Hypertonia

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Cattle

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Deer

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Dog

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect, Sedation

Number of times reported: [3]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dic

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [13]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Human

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Mouse

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Unknown

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Unknown, Various

[Sign:] Ineffect, Sedation

Number of times reported: [4]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Various, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Drug:] Xylazine

Various, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Xylazine

Various, Rabbit

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Xylazine

Various, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Xylitol

Oral, Dog

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Drug:] Yohimbine

Missing, Dog

[Sign:] Ineffect, Reversal

Number of times reported: [1]

[Drug:] Yohimbine

Parenteral, Cat

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Antidote

Number of times reported: [1]

[Drug:] Yohimbine

Parenteral, Dog

[Sign:] Death

Number of times reported: [11]

[Sign:] Arrest, Heart
Number of times reported: [7]

[Sign:] Apnea
Number of times reported: [5]

[Sign:] Polypnea
Number of times reported: [5]

[Sign:] Convulsion(s)
Number of times reported: [4]

[Sign:] Nervousness
Number of times reported: [4]

[Sign:] Tachycardia
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Congestion, Mucous Mem
Number of times reported: [2]

[Sign:] Cyanosis
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Pacing
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anesth Duration Brief
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Ineffect, Antidote
Number of times reported: [1]

[Sign:] Ineffect, Reversal
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Otitis

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Yohimbine

Parenteral, Goat

[Sign:] Ineffect, Antidote

Number of times reported: [1]

[Drug:] Yohimbine

Parenteral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Yohimbine

Parenteral, Pig

[Sign:] Shock

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Yohimbine

Unknown, Cat

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Drug:] Yohimbine

Unknown, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Drug:] Yohimbine

Unknown, Horse

[Sign:] Death

Number of times reported: [1]

[Drug:] Zafirlukast

Oral, Cat

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Drug:] Zeranol

Defect, Not Applicable

[Sign:] Pd-implant, Abn

Number of times reported: [197]

[Sign:] Pd-dispenser, Abn

Number of times reported: [196]

[Sign:] Pd-product Defect
Number of times reported: [102]

[Sign:] Pd-underfill, Package
Number of times reported: [9]

[Sign:] Pd-container(s), Abn
Number of times reported: [2]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [2]

[Sign:] Pd-applicator, Abn
Number of times reported: [1]

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Drug:] Zeranol

Missing, Cattle

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Prolapse, Rectum
Number of times reported: [1]

[Sign:] Prolapse, Vagina
Number of times reported: [1]

[Sign:] Udder, Milk Abn
Number of times reported: [1]

[Drug:] Zeranol

Missing, Human

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Human Exposure, Inj
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Drug:] Zeranol

Parenteral, Cattle

[Sign:] Estrus Behavior
Number of times reported: [20]

[Sign:] Prolapse, Vagina

Number of times reported: [19]
[Sign:] Death
Number of times reported: [15]
[Sign:] Prolapse, Rectum
Number of times reported: [7]
[Sign:] Ill
Number of times reported: [4]
[Sign:] Udder, Swelling
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Death(slaughtered)
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fertility, Reduced
Number of times reported: [2]
[Sign:] Ineffect, Weight Inc
Number of times reported: [2]
[Sign:] Injury
Number of times reported: [2]
[Sign:] Prolapse
Number of times reported: [2]
[Sign:] Swelling, Mammary
Number of times reported: [2]
[Sign:] Anestrus
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Edema, Mammary
Number of times reported: [1]
[Sign:] Edema, Prepuce

Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Ineffect, Production (meat)
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pd-implant, Abn
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Prolapse, Uterus
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-vagina/vulva, Lesio
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Udder, Hard
Number of times reported: [1]
[Sign:] Udder, Teat(s) Disorde
Number of times reported: [1]

[Drug:] Zeranol

Parenteral, Human

- [Sign:] Inj Site Swelling
Number of times reported: [3]
- [Sign:] Inj Site Inflammation
Number of times reported: [2]
- [Sign:] Atrophy, Testicle(s)
Number of times reported: [1]
- [Sign:] Congestion, Skin
Number of times reported: [1]
- [Sign:] Inj Site Blood
Number of times reported: [1]
- [Sign:] Inj Site Pain
Number of times reported: [1]
- [Sign:] Irritation, Skin
Number of times reported: [1]

[Drug:] Zeranol

Parenteral, Sheep

- [Sign:] Prolapse, Rectum
Number of times reported: [5]
- [Sign:] Death
Number of times reported: [3]
- [Sign:] Prolapse, Vagina
Number of times reported: [3]
- [Sign:] Udder, Swelling
Number of times reported: [2]
- [Sign:] Respiratory Disorder
Number of times reported: [1]

[Drug:] Zeranol

Topical, Cattle

- [Sign:] Death
Number of times reported: [2]
- [Sign:] Anorexia
Number of times reported: [1]
- [Sign:] Estrus Behavior
Number of times reported: [1]
- [Sign:] Ineffect, Weight Inc
Number of times reported: [1]
- [Sign:] Prolapse, Penis
Number of times reported: [1]
- [Sign:] Prolapse, Prepuce
Number of times reported: [1]

[Sign:] Prolapse, Rectum
Number of times reported: [1]

[Sign:] Prolapse, Vagina
Number of times reported: [1]

[Sign:] Swelling, Prepuce
Number of times reported: [1]

[Sign:] Udder, Swelling
Number of times reported: [1]

[Drug:] Zeranol

Unknown, Cattle

[Sign:] Death
Number of times reported: [7]

[Sign:] Respiratory Disorder
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Pneumonia
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Froth, Nose
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Weight Inc

Number of times reported: [1]

[Sign:] Off Feed

Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-implant, Abn

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Drug:] Zeranol

Unknown, Human

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Injury

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Drug:] Zilpaterol

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [3]

[Sign:] Pd-seal, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Drug:] Zilpaterol

Inhalation, Human

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Zilpaterol

Oral, Cattle

[Sign:] Death

Number of times reported: [17]

[Sign:] Pneumonia

Number of times reported: [6]

[Sign:] Death(slaughtered)

Number of times reported: [4]

[Sign:] Bloat

Number of times reported: [3]

[Sign:] Ineffect, Production (meat)

Number of times reported: [3]

[Sign:] Ineffect, Weight Inc

Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Estrus Behavior

Number of times reported: [1]

[Sign:] Hoof Disorder

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Zilpaterol

Oral, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Zilpaterol

Oral, Pig

[Sign:] Death(euthanized)

Number of times reported: [1]

[Drug:] Zilpaterol

Unknown, Cattle

[Sign:] Death

Number of times reported: [3]

[Drug:] Zilpaterol

Unknown, Horse

[Sign:] Azotemia

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Zinc Gluconate

Parenteral, Dog

[Sign:] Swelling, Testicle

Number of times reported: [10]

[Sign:] Scrotum, Abn

Number of times reported: [7]

[Sign:] Pr-testicle(s), Lesion(s)

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Pain, Scrotum

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Pain, Testicle

Number of times reported: [4]

[Sign:] Skin, Necrosis

Number of times reported: [4]

[Sign:] Swelling, Scrotum

Number of times reported: [4]

[Sign:] Ulcer(s), Skin

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Inflamm, Skin

Number of times reported: [3]
[Sign:] Erythema, Scrotum
Number of times reported: [2]
[Sign:] Ineffect, Sterilization
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Edema, Scrotum
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pr-testes, Lesion(s)

Number of times reported: [1]

[Sign:] Rupture

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Testicle, Abn

Number of times reported: [1]

[Sign:] Ulcer(s)

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Drug:] Zinc Gluconate

Unknown, Dog

[Sign:] Ineffect, Sterilization

Number of times reported: [1]

[Drug:] Zonisamide

Oral, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Zonisamide

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]