

Drug Facts

Active ingredient (in each XX)


Naloxone hydrochloride X mg.....Emergency treatment of opioid overdose

Purpose

Uses


- To "revive" someone during an overdose from many prescription pain medications or street drugs such as heroin
- This medicine can save a life

Directions



Step 1: CHECK:

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell "Wake up!"
- shake the person gently
- if the person is not awake, go to Step 2




Step 2: GIVE 1st dose

- **GIVE** the 1st dose of this medicine
- place the injector on the LEG above the knee and press down



Step 3: CALL

- **CALL 911** immediately after giving the 1st dose



Step 4: WATCH & GIVE

- **WAIT** 2-3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
 - **CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
 - it is safe to keep giving doses



Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

Warnings

When using this product some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Other information • store at room temperature • [advise insert tamper evident statement here]

Inactive Ingredients

Questions?

(phone number, website)