

**Chlortetracycline Cattle Ration V  
Type C Medicated Feed**

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

For the control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline in beef cattle over 700 lbs.

**ACTIVE DRUG INGREDIENT**

Chlortetracycline to provide 0.5 mg/lb body weight/day varying with body weight and feed consumption.

**GUARANTEED ANALYSIS**

Crude protein equivalent from NPN <sup>1</sup> (max).....	%
Crude Fat, not less than.....	%
Crude Fiber, not more than.....	%
Calcium (min).....	%
Calcium (max).....	%
Phosphorus (min).....	%
Salt <sup>1</sup> (min).....	%
Salt <sup>1</sup> (max).....	%
Sodium <sup>2</sup> (min).....	%
Sodium <sup>2</sup> (max).....	%
Potassium (min).....	%
Vitamin A <sup>1,3</sup> .....	IU/LB

<sup>1</sup>If added

<sup>2</sup>Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee

<sup>3</sup>Other than precursors of Vitamin A, if added

**INGREDIENTS**

Ingredients as defined by AAFCO

**DIRECTIONS FOR USE**

For example, the table below with the stated drug concentration, body weight and feed consumption will provide beef cattle over 700 lbs with 0.5 mg/lb body weight/day of chlortetracycline (based upon a feed intake of 2% of the body weight).

<u>Body Weight (lbs.)</u>	<u>Feed Consumption (lbs. per day)</u>	<u>Required Chlortetracycline Level (grams/ton)</u>
700	14	50
800	16	50
900	18	50
1000	20	50
1100	22	50
1200	24	50

Feed as the sole ration.

**WARNING:** A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Net Weight \_\_\_\_\_ lb (\_\_\_\_\_ kg)  
Manufactured by  
Blue Bird Feed Company  
Blue Bird, MD 00000