

**Chlortetracycline – CMX/Salinomycin Chicken Feed
Type C Medicated Complete Feed
(chlortetracycline/salinomycin Type C medicated feed)**

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For the prevention of coccidiosis caused by *Eimeria acervulina*, *E. tenella*, *E. brunetti*, *E. maxima*, *E. necatrix* and *E. mivati* and as an aid in the reduction of mortality due to *E. coli* infections susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENTS

Chlortetracycline calcium complex^a (equivalent to chlortetracycline HCl)..... (0.055%) 500 g/ton
Salinomycin sodium activity^b.....(0.0044-0.0066%) 40-60 g/ton*

GUARANTEED ANALYSIS

Crude Protein (Min).....	_____	%
Lysine (Min).....	_____	%
Methionine (Min).....	_____	%
Crude Fat (Min).....	_____	%
Crude Fiber (Max).....	_____	%
Calcium (Min).....	_____	%
Calcium (Max).....	_____	%
Phosphorus (Min).....	_____	%
Salt ¹ (Min).....	_____	%
Salt ¹ (Max).....	_____	%
Sodium ² (Min).....	_____	%
Sodium ² (Max).....	_____	%

¹ Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

² Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

DIRECTIONS FOR USE

For broiler chickens only;
In feeds containing 0.8% dietary calcium, not to be fed for more than five days;
Not approved for use with pellet binders.



WARNING: Withdraw 24 hours before slaughter. Do not feed to laying chickens producing eggs for human consumption. Not to be fed continuously for more than 5 days.
May be fatal if accidentally fed to adult turkeys or to horses. When handling or mixing SACOX premixes use protective clothing, impervious gloves, eye protection and an approved dust respirator. Operators should wash thoroughly with soap and water after handling medicated feeds and premixes.



Lot Number (if applicable): _____

MANUFACTURED BY

Blue Bird Feed Company
Robin, Indiana 11111

NET WEIGHT ON BAG OR BULK

*Final Type C medicated feed must list a single level of salinomycin.

^aChlorMax® is the proprietary name of chlortetracycline Type A medicated article (NADA 046-699).

^bSACOX® is the proprietary name of salinomycin Type A medicated article (NADA 200-075).

Zoetis Inc. [3 November 2016]