

CHLORTETRACYCLINE
TYPE C
BLUE BIRD
CHICKEN FEED B
MEDICATED

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For chickens for control of chronic respiratory disease (CRD) and air sac infection caused by *Mycoplasma gallisepticum* and *Escherichia coli* susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT

Chlortetracycline calcium complex200 to 400 g/ton

GUARANTEED ANALYSIS

Crude Protein (Min)	_____ %
Lysine (Min).....	_____ %
Methionine (Min)	_____ %
Crude Fat (Min).....	_____ %
Crude Fiber (Max).....	_____ %
Calcium (Min)	_____ %
Calcium (Max)	_____ %
Phosphorus (Min)	_____ %
Salt, if added (Min)	_____ %
Salt, if added (Max).....	_____ %
Total Sodium (Min)*	_____ %
Total Sodium (Max)*	_____ %

* Minimum and maximum percentage of total sodium shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Ingredients as defined by AAFCO.

FEEDING DIRECTIONS

Feed 200 - 400 g chlortetracycline per ton of feed continuously for 7 - 14 days.

RESIDUE WARNINGS AND WITHDRAWAL PERIODS: ZERO-DAY WITHDRAWAL PERIOD. DO NOT ADMINISTER TO CHICKENS PRODUCING EGGS FOR HUMAN CONSUMPTION.

_____lbs (_____kg) NET WEIGHT

BLUE BIRD FEED MILL
Robin, IN 00000