

NEOMYCIN - OXYTETRACYCLINE  
 TYPE B  
 BLUE BIRD  
 SWINE FEED A  
 MEDICATED

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

**ACTIVE DRUG INGREDIENT<sup>1</sup>**

Oxytetracycline (from oxytetracycline dihydrate) equivalent to oxytetracycline hydrochloride ..... 10 g/lb  
 Neomycin Sulfate..... 10 g/lb  
<sup>1</sup> In a one to one ratio.

INDICATIONS FOR USE	Drug Concentration in Type C Medicated Feed, g/ton	lb of Type B/ton of feed
Treatment of bacterial enteritis caused by <i>Escherichia coli</i> and <i>Salmonella choleraesuis</i> susceptible to oxytetracycline and treatment of bacterial pneumonia caused by <i>Pasteurella multocida</i> susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial enteritis) caused by <i>E. coli</i> susceptible to neomycin.	400 - 600	40 - 60
For breeding swine for control and treatment of Leptospirosis (reducing the incidence of abortion and shedding of leptospirae) caused by <i>Leptospira pomona</i> susceptible to oxytetracycline	400 - 600	40 - 60

**GUARANTEED ANALYSIS**

Crude Protein (Min)..... \_\_\_\_\_ %  
 Lysine (Min)..... \_\_\_\_\_ %  
 Crude Fat (Min)..... \_\_\_\_\_ %  
 Crude Fiber (Max)..... \_\_\_\_\_ %  
 Calcium (Min)..... \_\_\_\_\_ %  
 Calcium (Max)..... \_\_\_\_\_ %  
 Phosphorus (Min)..... \_\_\_\_\_ %  
 Salt (Min)..... \_\_\_\_\_ %  
 Salt (Max)..... \_\_\_\_\_ %  
 Selenium (Min)..... \_\_\_\_\_ ppm  
 Zinc (Min)..... \_\_\_\_\_ ppm

(Minimum and maximum percentage of total sodium shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee)

**INGREDIENTS**

Ingredients as defined by AAFCO

**WARNING: WITHDRAW 5 DAYS BEFORE SLAUGHTER.**

\_\_\_\_\_ lbs ( \_\_\_\_\_ kg) NET WEIGHT

BLUE BIRD FEED MILL  
 Robin, IN 00000