

CHLORTETRACYCLINE  
TYPE C  
BLUE BIRD  
CATTLE FEED B  
MEDICATED

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

For calves, beef and nonlactating dairy cattle, for treatment of bacterial enteritis caused by *E. coli* and bacterial pneumonia caused by *P. multocida* organisms susceptible to chlortetracycline.

**ACTIVE DRUG INGREDIENT**

Chlortetracycline calcium complex .....approximately 400 g/ton\*

**GUARANTEED ANALYSIS**

Crude Protein (Min) ..... %  
Equivalent crude protein from Non-Protein Nitrogen (NPN) when added (max) ..... %  
Crude Fat (Min) ..... %  
Crude Fiber (Max) ..... %  
Calcium, if added (Min) ..... %  
Calcium, if added (Max) ..... %  
Phosphorus, if added (Min) ..... %  
Salt, if added (Min) ..... %  
Salt, if added (Max) ..... %  
Sodium (Min)\* ..... %  
Sodium (Max)\* ..... %  
Potassium, if added (Min) ..... ppm  
Vitamin A, if added (Min) ..... IU/lb

\* Minimum and maximum percentage of total sodium shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

**INGREDIENTS**

Ingredients as defined by AAFCO

**FEEDING DIRECTIONS**

Feed for not more than 5 days to provide chlortetracycline at the rate of 10 mg per pound of body weight per day. Feed approximately 400 g/ton, varying with body weight and feed consumption.

**RESIDUE WARNINGS AND WITHDRAWAL PERIODS: WITHDRAW 10 DAYS PRIOR TO SLAUGHTER. A WITHDRAWAL PERIOD HAS NOT BEEN ESTABLISHED FOR THIS PRODUCT IN PRERUMINATING CALVES. DO NOT USE IN CALVES TO BE PROCESSED FOR VEAL.**

\_\_\_\_ lbs (\_\_\_\_ kg) NET WEIGHT

BLUE BIRD FEED MILL  
Robin, IN 00000

\* Label must show actual concentration of chlortetracycline, which will vary with feed consumption to provide 10 mg/lb body weight/day.