

VIRGINIAMYCIN/AMPROLIUM
TYPE C MEDICATED FEED

BLUE BIRD
BROILER FEED B
MEDICATED

(virginiamycin and amprolium Type C medicated feed)

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

INDICATIONS FOR USE

For prevention of necrotic enteritis caused by *Clostridium perfringens* susceptible to virginiamycin; and for the prevention of coccidiosis where immunity to coccidiosis is not desired in broiler chickens.

ACTIVE INGREDIENTS

Virginiamycin.....20 g/ton
Amprolium 113.5 – 227 g/ton*

GUARANTEED ANALYSIS

Crude Protein (Min) %
Crude Fat (Min)..... %
Crude Fiber (Max)..... %
Calcium (Min) %
Calcium (Max) %
Phosphorus (Min) %
Salt (Min, if added) %
Salt (Max, if added)..... %
Lysine (Min)..... %
Methionine (Min) %
Sodium (Min, if exceeds salt min)¹ %
Sodium (Max, if exceeds salt max)¹ %

¹Minimum and maximum percentage of total Sodium shall be guaranteed only when total Sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Ingredients as defined by AAFCO.

FEEDING DIRECTIONS

For most field conditions as they exist under modern management practices, feed 113.5 g/ton (0.0125%) amprolium continuously. Where severe coccidiosis conditions exist, feed 227 g/ton (0.025%).

CAUTION: Use as the sole source of amprolium. Do not use in feeds containing bentonite. Do not change the litter while giving this feed unless absolutely necessary. If losses exceed 0.5% in a 2-day period, obtain an accurate diagnosis and follow the instructions of your veterinarian or poultry pathologist. Losses may result from intercurrent disease or other conditions affecting drug intake, which can contribute to the virulence of coccidiosis under field conditions. Increasing

levels of amprolium may not prevent coccidiosis caused by strains of *Eimeria* commonly found to be resistant to amprolium.

WARNINGS:

■ **Withdrawal Periods and Residue warnings: No withdrawal period is required when used according to labeling. Not for use in laying chickens.** ■

User Safety Warnings: Not for human use. Keep out of the reach of children.

_____lbs (_____kg) NET WEIGHT

BLUEBIRD FEED COMPANY
ANYTOWN, USA 12345

Lot #: _____

* Final printed label should contain one concentration of amprolium.