

# Errata to the FDA Briefing Document

Oncologic Drugs Advisory Committee Meeting (ODAC) March 7, 2018

BLA 125557 Blincyto (blinatumomab)

Applicant: Amgen, Inc.

Oncologic Drugs Advisory Committee (ODAC) FDA Briefing Document March 7, 2018 Page 2

1. On page 16, Table 5:

Philadelphia chromosome		
• Positive	5 (4)	0 (0)
<ul> <li>Negative</li> </ul>	108 (96)	87 (100)

#### **Corrected to read:**

Philadelphia chromosome		
<ul><li>Positive</li></ul>	5 (4)	1 (1)
<ul> <li>Negative</li> </ul>	108 (96)	86 (99)

### 2. On page 16, text below Table 6:

"Also, FDA noted that approximately 45% of the MRD-responders underwent HSCT compared with 15% in MRD-nonresponders. However, due to the small sample sizes, a quantitative interaction of MRD response status and HSCT was not found."

#### **Corrected to read:**

"Also, FDA noted that approximately 45% of **RFS events occurred** in the MRD-responders **who** underwent HSCT compared with 15% in MRD-nonresponders. However, due to the small sample sizes, a quantitative interaction of MRD response status and HSCT was not found."

### 3. On page 17, text above Table 7:

"Using the FDA efficacy analysis set, the 18-month RFS was 56%."

#### **Corrected to read:**

"Using the FDA efficacy analysis set, the 18-month RFS was 58.5%."

# 4. On page 19, text above Table 9:

"Adding a criterion of minimal 14 days between MRD measurement and start of blinatumomab further reduced the sample size from Study MT103-203 from n=113 in PE FAS to n=73 in the Primary Analysis Set (33% reduction)."

#### **Corrected to read:**

"Restricting the population to only patients in CR1 reduced the sample size from Study MT103-203 from N=113 in PE FAS to N=73 in the propensity score subset (35% reduction)."

### 5. On page 23, text above Figure 6:

"The estimated median OS time was 76.1 months (95% CI: 26.23, NE) for the blinatumomab group and 30.59 months (95% CI: 22.45, NE) for the control group."

## **Corrected to read:**

"The estimated median OS time was 76.1 months (95% CI: 26.23, NE) for the **control group** and 30.59 months (95% CI: 22.45, NE) for the **blinatumomab group**."

Oncologic Drugs Advisory Committee (ODAC) FDA Briefing Document March 7, 2018 Page 3

# 6. On page 24, Table 10:

OS	No HSCT	0.61 (0.40, 0.94)
	HSCT	1.62 (0.61, 4.3)

### **Corrected to read:**

OS	No HSCT	0.61 (0.40, 0.94)
	HSCT	1.04 (0.61,1.76)

# 7. On page 24, text below Table 10:

"It is not clear whether the lack of effect of blinatumomab on RFS (or worsen effect on OS) with HSCT was due to disease-related events or transplant-related mortality"

### **Corrected to read:**

"It is not clear whether the lack of effect of blinatumomab on RFS (or OS) with HSCT was due to disease-related events or transplant-related mortality."