



**April 27, 2018**

Immucor, Inc.  
Attention: Ms. Patricia Lehman  
3130 Gateway Drive  
Norcross, GA 30091

Re: BK170132

Trade/Device Name: Galileo Echo® (v.2.0)  
Regulation Number: 21 CFR 864.9175  
Regulation Name: Automated blood grouping and antibody test system  
Regulatory Class: Class II  
Product Code: KSZ  
Dated: April 24, 2018  
Received: April 24, 2018

Dear Ms. Lehman:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (the Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801 and 809); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for more information.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email ([DICE@fda.hhs.gov](mailto:DICE@fda.hhs.gov)) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

Orieji Illoh, MD  
Director  
Division of Blood Components and Devices  
Office of Blood Research and Review  
Center for Biologics Evaluation and Research

Enclosure

### Indications for Use

510(k) Number: BK170132

Device Name: Galileo Echo v.2.0

#### Indications for Use:

The Galileo Echo is a microprocessor-controlled instrument designed to fully automate immunohematology in vitro diagnostic testing of human blood. The Galileo Echo automates test processing, result interpretation and data management functions. The Galileo Echo is designed to automate standard immunohematology assays using a micro-well strip-based platform. Assays include ABO and Rh (D) typing, detection/identification of IgG red blood cell antibodies, compatibility testing and red blood cell phenotyping.

The Galileo Echo is a closed system intended for use only with the reagents described in the Galileo Echo Operator Manual, Regional Attachment – North America- Galileo Echo Assay Reagents and Cutoffs.

Prescription Use    
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use   
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CBER, Office of Blood Research and Review

---

Division Sign-Off, Office of Blood Research and Review