

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
Post Donation Information					37,265	72.4%
PD1101	0	1	0	0	1	<0.1%
PD1103	18	0	0	3	21	<0.1%
PD1105	17	0	0	1	18	<0.1%
PD1107	33	2	0	2	37	0.1%
PD1109	4	0	0	0	4	<0.1%
PD1111	5	0	0	0	5	<0.1%
PD1113	4	0	0	0	4	<0.1%
PD1114	10	0	0	1,935	1,945	3.8%
PD1116	1	0	0	0	1	<0.1%
PD1201	109	9	0	600	718	1.4%
PD1202	66	0	0	11	77	0.1%
PD1203	3	0	0	0	3	<0.1%
PD1204	6	0	0	1	7	<0.1%
PD1205	6	1	0	5	12	<0.1%
PD1206	29	1	0	11	41	0.1%
PD1207	7	0	0	4	11	<0.1%
PD1213	2	0	0	46	48	0.1%
PD1214	421	5	0	251	677	1.3%
PD1215	62	2	0	12	76	0.1%
PD1216	304	2	0	527	833	1.6%
PD1217	90	1	0	35	126	0.2%
PD1218	2	0	0	41	43	0.1%
PD1221	1	0	0	0	1	<0.1%
PD1222	41	0	0	27	68	0.1%
PD1223	12	1	0	9	22	<0.1%
PD1228	109	3	0	12	124	0.2%
PD1229	479	7	0	73	559	1.1%
PD1236	4,052	80	0	0	4,132	8.0%
PD1237	14	2	0	7	23	<0.1%
PD1237A	23	1	0	0	24	<0.1%
PD1237F	11	11	0	4	26	0.1%
PD1237G	4	0	0	0	4	<0.1%
PD1237I	98	4	0	1	103	0.2%
PD1237J	24	0	0	0	24	<0.1%
PD1237K	18	0	0	0	18	<0.1%
PD1237L	3	0	0	3	6	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
PD1240	35	0	0	15	50	0.1%
PD1241	190	1	0	7	198	0.4%
PD1242	2,111	46	0	270	2,427	4.7%
PD1243	8	0	0	12	20	<0.1%
PD1244	11	1	0	4	16	<0.1%
PD1245	877	19	0	3	899	1.7%
PD1246	501	7	0	68	576	1.1%
PD1247	48	1	0	13	62	0.1%
PD1248	7	0	0	0	7	<0.1%
PD1249	98	2	0	859	959	1.9%
PD1250	0	0	0	4	4	<0.1%
PD1253	36	0	0	66	102	0.2%
PD1254	0	0	0	972	972	1.9%
PD1255	2	0	0	901	903	1.8%
PD1257	2	0	0	0	2	<0.1%
PD1258	3	0	0	0	3	<0.1%
PD1259	1,195	14	0	15,997	17,206	33.5%
PD1260	184	4	0	44	232	0.5%
PD1261	21	0	0	187	208	0.4%
PD1263	131	1	0	261	393	0.8%
PD1264	119	7	0	802	928	1.8%
PD1265	77	2	0	7	86	0.2%
PD1266	1	0	0	2	3	<0.1%
PD1266A	120	1	0	0	121	0.2%
PD1267	6	0	0	0	6	<0.1%
PD1301	4	0	0	1	5	<0.1%
PD1301A	26	0	0	0	26	0.1%
PD1301B	2	0	0	0	2	<0.1%
PD1301C	2	0	0	0	2	<0.1%
PD1301D	7	0	0	0	7	<0.1%
PD1301F	427	1	0	1	429	0.8%
PD1301G	251	0	0	4	255	0.5%
PD1301H	57	1	0	0	58	0.1%
PD1301I	16	0	0	0	16	<0.1%
PD1301J	14	0	0	0	14	<0.1%
PD1301K	1	0	0	0	1	<0.1%
PD1301L	10	0	0	0	10	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
PD1302	7	0	0	6	13	<0.1%
PD1303	23	1	0	35	59	0.1%
PD1304	20	1	0	25	46	0.1%
PD1305	1	0	0	0	1	<0.1%
PD1306	10	0	0	0	10	<0.1%
PD1307	3	0	0	0	3	<0.1%
PD1310	10	0	0	0	10	<0.1%
PD1401	1	0	0	0	1	<0.1%
PD1402	22	0	0	43	65	0.1%
PD1403	7	0	0	0	7	<0.1%
Donor Screening					1,070	2.1%
DS2001	2	0	0	1	3	<0.1%
DS2101	4	0	0	6	10	<0.1%
DS2102	14	7	0	0	21	<0.1%
DS2103	2	0	0	1	3	<0.1%
DS2104	5	0	0	38	43	0.1%
DS2201	1	0	0	0	1	<0.1%
DS2202	11	2	0	41	54	0.1%
DS2203	32	1	0	11	44	0.1%
DS2203A	0	0	0	8	8	<0.1%
DS2203B	5	0	0	0	5	<0.1%
DS2203C	8	1	0	4	13	<0.1%
DS2203D	160	4	0	10	174	0.3%
DS2204	1	1	0	2	4	<0.1%
DS2205	5	0	0	2	7	<0.1%
DS2207	3	0	0	0	3	<0.1%
DS2601	337	0	0	27	364	0.7%
DS2702	14	0	0	0	14	<0.1%
DS2703	11	0	0	0	11	<0.1%
DS2704	8	1	0	0	9	<0.1%
DS2705	17	0	0	0	17	<0.1%
DS2706	4	0	0	0	4	<0.1%
DS2707	7	0	0	0	7	<0.1%
DS2801	8	0	0	3	11	<0.1%
DS2802	8	0	0	0	8	<0.1%
DS2804	2	0	0	0	2	<0.1%
DS2814	5	0	0	0	5	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
DS2816	3	0	0	0	3	<0.1%
DS2818	1	0	0	0	1	<0.1%
DS2822	2	0	0	0	2	<0.1%
DS2836	4	0	0	0	4	<0.1%
DS2837I	3	0	0	0	3	<0.1%
DS2842	17	0	0	0	17	<0.1%
DS2843	1	0	0	0	1	<0.1%
DS2846	1	0	0	0	1	<0.1%
DS2849	1	0	0	0	1	<0.1%
DS2853	1	0	0	0	1	<0.1%
DS2855	0	1	0	1	2	<0.1%
DS2859	1	0	0	1	2	<0.1%
DS2860	1	0	0	0	1	<0.1%
DS2861	1	0	0	0	1	<0.1%
DS2901	5	0	0	0	5	<0.1%
DS2914	0	1	0	1	2	<0.1%
DS2916	1	0	0	0	1	<0.1%
DS2917	1	0	0	0	1	<0.1%
DS2929	7	0	0	3	10	<0.1%
DS2936	72	7	0	0	79	0.2%
DS2937	1	0	0	0	1	<0.1%
DS2937F	0	1	0	0	1	<0.1%
DS2937H	1	0	0	0	1	<0.1%
DS2937I	4	0	0	0	4	<0.1%
DS2941	0	1	0	0	1	<0.1%
DS2942	31	4		4	39	0.1%
DS2945	3	0	0	0	3	<0.1%
DS2946	10	3	0	0	13	<0.1%
DS2947	2	0	0	0	2	<0.1%
DS2959	3	0	0	3	6	<0.1%
DS2960	2	0	0	0	2	<0.1%
DS2963	2	0	0	0	2	<0.1%
DS2964	1	1	0	7	9	<0.1%
DS2967	3	0	0	0	3	<0.1%
Donor Deferral					43	0.1%
DD3103	2	0	0	0	2	<0.1%
DD3104	1	0	0	0	1	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
DD3201	0	0	0	2	2	<0.1%
DD3205	1	0	0	0	1	<0.1%
DD3216	1	0	0	0	1	<0.1%
DD3222	1	0	0	0	1	<0.1%
DD3229	1	0	0	0	1	<0.1%
DD3236	4	0	0	0	4	<0.1%
DD3237G	1	0	0	0	1	<0.1%
DD3237I	4	0	0	0	4	<0.1%
DD3242	1	1	0	0	2	<0.1%
DD3245	1	0	0	0	1	<0.1%
DD3247	0	0	0	1	1	<0.1%
DD3259	1	0	0	3	4	<0.1%
DD3260	1	0	0	0	1	<0.1%
DD3264	0	0	0	9	9	<0.1%
DD3402	0	1	0	0	1	<0.1%
DD3403	1	0	0	0	1	<0.1%
DD3404	1	0	0	0	1	<0.1%
DD3406	1	0	0	0	1	<0.1%
DD3547	0	0	0	1	1	<0.1%
DD3549	1	0	0	0	1	<0.1%
DD3559	1	0	0	0	1	<0.1%
Blood Collection					949	1.8%
BC4101	2	0	0	0	2	<0.1%
BC4102	40	2	0	0	42	0.1%
BC4102A	11	0	0	0	11	<0.1%
BC4102B	2	0	0	0	2	<0.1%
BC4102C	9	0	0	0	9	<0.1%
BC4102D	4	0	0	0	4	<0.1%
BC4102E	2	0	0	0	2	<0.1%
BC4102F	1	0	0	0	1	<0.1%
BC4103	6	0	0	5	11	<0.1%
BC4104	13	0	0	2	15	<0.1%
BC4205	4	0	0	0	4	<0.1%
BC4206	1	0	0	0	1	<0.1%
BC4301	3	0	0	0	3	<0.1%
BC4302	4	2	0	0	6	<0.1%
BC4303	1	0	0	0	1	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
BC4305	790	16	0	0	806	1.6%
BC4306	12	1	0	0	13	<0.1%
BC4308	7	0	0	0	7	<0.1%
BC4309	4	0	0	0	4	<0.1%
BC4401	2	0	0	2	4	<0.1%
BC4403	0	1	0	0	1	<0.1%
Component Preparation					250	0.5%
CP5103	4	1	0	1	6	<0.1%
CP5104	3	0	0	0	3	<0.1%
CP5201	5	1	0	2	8	<0.1%
CP5202	1	0	0	0	1	<0.1%
CP5203	2	0	0	0	2	<0.1%
CP5205	7	5	0	0	12	<0.1%
CP5206	1	0	0	0	1	<0.1%
CP5207	2	0	0	0	2	<0.1%
CP5208	3	2	0	0	5	<0.1%
CP5209	1	1	0	0	2	<0.1%
CP5210	2	0	0	0	2	<0.1%
CP5211	20	20	0	0	40	0.1%
CP5212	1	0	0	0	1	<0.1%
CP5213	10	0	0	0	10	<0.1%
CP5214	0	1	1	0	2	<0.1%
CP5215	3	1	0	0	4	<0.1%
CP5216	0	3	0	0	3	<0.1%
CP5217	20	24	4	0	48	0.1%
CP5218	3	0	0	0	3	<0.1%
CP5301	1	0	0	0	1	<0.1%
CP5302	1	0	0	0	1	<0.1%
CP5304	13	0	0	0	13	<0.1%
CP5306	48	3	0	0	51	0.1%
CP5401	2	0	0	0	2	<0.1%
CP5302	1	1	0	0	2	<0.1%
CP5403	1	0	0	0	1	<0.1%
CP5404	17	0	0	0	17	<0.1%
CP5405	7	0	0	0	7	<0.1%
Transfusion-Transmitted Infection Testing					43	0.1%
VT7100	1	0	0	0	1	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
VT7101	2	0	0	0	2	<0.1%
VT7106	10	1	0	0	11	<0.1%
VT7112	1	0	0	0	1	<0.1%
VT7115	1	0	0	0	1	<0.1%
VT7117	7	3	0	0	10	<0.1%
VT7118	2	0	0	0	2	<0.1%
VT7119	6	3	0	0	9	<0.1%
VT7204	6	0	0	0	6	<0.1%
Routine Testing					777	1.5%
RT6101	6	0	0	0	6	<0.1%
RT6101A	5	0	0	0	5	<0.1%
RT6104	61	23	23	0	107	0.2%
RT6105	7	40	55	0	102	0.2%
RT6106	63	15	20	0	98	0.2%
RT6107	1	1	0	0	2	<0.1%
RT6108	6	63	97	0	166	0.3%
RT6109	0	0	2	0	2	<0.1%
RT6110	0	0	3	0	3	<0.1%
RT6111	3	7	9	0	19	<0.1%
RT6201	0	0	1	0	1	<0.1%
RT6202	3	7	2	0	12	<0.1%
RT6203	2	36	40	0	78	0.2%
RT6204	1	8	11	0	20	<0.1%
RT6301	2	5	4	0	11	<0.1%
RT6304	6	19	13	0	38	0.1%
RT6305	1	12	11	0	24	<0.1%
RT6306	12	20	21	0	53	0.1%
RT6307	0	7	19	0	26	0.1%
RT6308	0	2	2	0	4	<0.1%
Labeling					1,825	3.5%
LA8101	60	30	4	1	95	0.2%
LA8102	15	1	2	0	18	<0.1%
LA8104	28	46	16	0	90	0.2%
LA8106	31	91	30	2	154	0.3%
LA8108	16	4	1	0	21	<0.1%
LA8109	21	12	3	1	37	0.1%
LA8110	17	16	14	0	47	0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
LA8111	83	14	4	0	101	0.2%
LA8112	39	35	1	0	75	0.1%
LA8113	10	0	0	0	10	<0.1%
LA8114	0	1	0	0	1	<0.1%
LA8115	3	4	0	0	7	<0.1%
LA8116	8	3	1	0	12	<0.1%
LA8201	1	3	1	0	5	<0.1%
LA8201A	0	2	2	0	4	<0.1%
LA8202	2	6	4	0	12	<0.1%
LA8203	0	22	4	0	26	0.1%
LA8204	2	30	26	0	58	0.1%
LA8205	2	37	21	0	60	0.1%
LA8206	10	39	33	0	82	0.2%
LA8207	67	161	125	0	353	0.7%
LA8208	22	18	22	0	62	0.1%
LA8209	10	0	2	0	12	<0.1%
LA8210	1	0	0	0	1	<0.1%
LA8211	1	0	0	0	1	<0.1%
LA8212	2	9	14	0	25	<0.1%
LA8213	2	10	3	0	15	<0.1%
LA8214	0	9	3	0	12	<0.1%
LA8216	10	155	98	0	263	0.5%
LA8217	1	11	9	0	21	<0.1%
LA8219	1	10	17	0	28	0.1%
LA8220	6	57	54	0	117	0.2%
Quality Control & Distribution					4,869	9.5%
QC9107	0	0	0	1	1	<0.1%
QC9116	0	0	0	2	2	<0.1%
QC9137	1	0	0	0	1	<0.1%
QC9137F	0	0	0	1	1	<0.1%
QC9137I	1	0	0	0	1	<0.1%
QC9146	1	0	0	1	2	<0.1%
QC9149	0	0	0	1	1	<0.1%
QC9154	0	0	0	1	1	<0.1%
QC9155	1	0	0	0	1	<0.1%
QC9156	7	1	0	37	45	0.1%
QC9160	0	0	0	4	4	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
QC9161	0	0	0	1	1	<0.1%
QC9164	0	0	0	1	1	<0.1%
QC9165	0	0	0	2	2	<0.1%
QC9166	1	0	0	0	1	<0.1%
QC9201A	3	0	0	0	3	<0.1%
QC9201F	3	0	0	0	3	<0.1%
QC9201H	1	0	0	0	1	<0.1%
QC9201J	23	1	0	0	24	<0.1%
QC9201K	3	0	0	0	3	<0.1%
QC9204	1	0	0	0	1	<0.1%
QC9210	1	0	3	521	525	1.0%
QC9211	2	1	1	0	4	<0.1%
QC9212	0	0	0	1	1	<0.1%
QC9214	0	1	0	0	1	<0.1%
QC9216	244	2	0	0	246	0.5%
QC9216A	8	0	0	0	8	<0.1%
QC9216B	2	0	0	0	2	<0.1%
QC9216C	20	0	0	0	20	<0.1%
QC9216D	5	0	0	0	5	<0.1%
QC9216E	6	0	0	0	6	<0.1%
QC9216F	3	1	0	0	4	<0.1%
QC9216G	2	0	0	0	2	<0.1%
QC9301	0	2	0	0	2	<0.1%
QC9301A	1	8	4	0	13	<0.1%
QC9301G	16	3	0	0	19	<0.1%
QC9301H	0	1	1	0	2	<0.1%
QC9301I	0	0	1	0	1	<0.1%
QC9301J	12	5	0	0	17	<0.1%
QC9310	5	57	39	0	101	0.2%
QC9311	8	39	56	0	103	0.2%
QC9312	0	0	0	17	17	<0.1%
QC9313	1	0	0	6	7	<0.1%
QC9314	1	23	35	0	59	0.1%
QC9315	0	0	0	8	8	<0.1%
QC9316	5	32	54	0	91	0.2%
QC9317	0	12	8	0	20	<0.1%
QC9318	39	32	0	0	71	0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
QC9401	1	3	7	0	11	<0.1%
QC9402	22	21	27	0	70	0.1%
QC9404	5	0	0	0	5	<0.1%
QC9404A	83	4	0	0	87	0.2%
QC9404B	10	0	0	0	10	<0.1%
QC9404C	22	0	0	0	22	<0.1%
QC9404D	5	0	0	0	5	<0.1%
QC9404E	100	8	0	0	108	0.2%
QC9404F	27	5	0	0	32	0.1%
QC9404I	23	1	0	0	24	<0.1%
QC9404J	5	0	0	0	5	<0.1%
QC9404K	22	0	0	0	22	<0.1%
QC9405	16	25	2	1	44	0.1%
QC9406	5	4	3	0	12	<0.1%
QC9406A	5	2	0	0	7	<0.1%
QC9406C	6	1	0	0	7	<0.1%
QC9406D	9	0	0	0	9	<0.1%
QC9406E	0	2	0	0	2	<0.1%
QC9406F	5	1	0	0	6	<0.1%
QC9406G	2	11	0	0	13	<0.1%
QC9406H	2	0	1	0	3	<0.1%
QC9406I	8	2	0	0	10	<0.1%
QC9406J	1	1	0	0	2	<0.1%
QC9406K	0	0	1	0	1	<0.1%
QC9406M	1	3	2	0	6	<0.1%
QC9406O	0	4	2	0	6	<0.1%
QC9406P	0	1	3	0	4	<0.1%
QC9408	1	1	0	0	2	<0.1%
QC9408A	5	0	0	0	5	<0.1%
QC9408B	4	0	2	0	6	<0.1%
QC9408C	0	0	2	0	2	<0.1%
QC9408D	1	0	1	0	2	<0.1%
QC9409	10	0	0	0	10	<0.1%
QC9412	17	0	0	0	17	<0.1%
QC9412A	5	0	0	0	5	<0.1%
QC9412B	0	0	0	2	2	<0.1%
QC9412C	3	0	1	0	4	<0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
QC9412D	2	0	0	0	2	<0.1%
QC9412E	12	0	0	0	12	<0.1%
QC9413	13	2	1	0	16	<0.1%
QC9413B	2	2	0	0	4	<0.1%
QC9413C	1	0	0	0	1	<0.1%
QC9413D	1	0	0	0	1	<0.1%
QC9414	5	1	1	1	8	<0.1%
QC9415	5	0	0	4	9	<0.1%
QC9415A	18	2	0	1	21	<0.1%
QC9415B	0	0	0	1	1	<0.1%
QC9415E	4	0	0	0	4	<0.1%
QC9416	1	1	0	0	2	<0.1%
QC9417	3	1	0	0	4	<0.1%
QC9417A	8	1	5	0	14	<0.1%
QC9417B	2	0	0	0	2	<0.1%
QC9418	1	1	0	9	11	<0.1%
QC9418A	5	2	0	0	7	<0.1%
QC9601	1	0	0	0	1	<0.1%
QC9602	32	0	0	0	32	0.1%
QC9603	10	6	12	0	28	0.1%
QC9604	23	10	11	1	45	0.1%
QC9605	16	13	8	0	37	0.1%
QC9606	18	0	0	0	18	<0.1%
QC9607	53	9	5	1	68	0.1%
QC9608	5	1	0	0	6	<0.1%
QC9609	9	1	0	0	10	<0.1%
QC9701	0	3	1	0	4	<0.1%
QC9702	17	180	128	0	325	0.6%
QC9703	7	64	36	0	107	0.2%
QC9704	22	174	85	0	281	0.5%
QC9705	4	142	71	0	217	0.4%
QC9706	5	4	7	0	16	<0.1%
QC9707	7	25	29	0	61	0.1%
QC9708	1	28	14	0	43	0.1%
QC9710	0	2	2	0	4	<0.1%
QC9711	1	0	1	0	2	<0.1%
QC9712	1	11	16	0	28	0.1%

Attachment 1 – FY17: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
QC9713	3	87	98	0	188	0.4%
QC9714	0	6	8	0	14	<0.1%
QC9715	6	7	9	0	22	<0.1%
QC9717	0	17	0	0	17	<0.1%
QC9718	2	12	9	0	23	<0.1%
QC9719	13	645	409	0	1,067	2.1%
QC9720	1	23	1	0	25	<0.1%
QC9721	1	12	5	0	18	<0.1%
Miscellaneous					4,343	8.4%
MI0101	5	0	0	0	5	<0.1%
MI0103B	2	0	0	0	2	<0.1%
MI0104	1	0	0	0	1	<0.1%
MI0105	17	1	0	0	18	<0.1%
MI0107	2	0	0	0	2	<0.1%
MI0201	92	2	0	0	94	0.2%
MI0201A	1	0	0	0	1	<0.1%
MI0201B	2	1	0	3	6	<0.1%
MI0201C	2	0	0	1	3	<0.1%
MI0202	129	0	0	445	574	1.1%
MI0202A	3	0	0	2	5	<0.1%
MI0203	74	0	0	641	715	1.4%
MI0203A	95	0	0	0	95	0.2%
MI0204	314	2	0	1,946	2,262	4.4%
MI0205	64	2	0	0	66	0.1%
MI0207	484	0	0	0	484	0.9%
MI0208	10	0	0	0	10	<0.1%
Total	17,956	3,298	2,080	28,100	51,434	100%