

INDEX OF MEMORANDA OF INTERPRETATION (M-a)

February 21, 2019

NOTE: Some M-a memoranda make reference to the 1953, 1965, 1978, 1989, 1993, 2001, 2003, 2005, 2007, 2009, 2011, 2013, 2015 and 2017 revisions of the PMO. Where noted as “**ACTIVE**” under Status, this interpretation applies to the 2011, 2013, 2015 and 2017 revisions of the PMO or other NCIMS document. Where noted as “Inactive” under Status, the content is covered in the current PMO, or other NCIMS document or is no longer applicable.

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-1	Boiler Water, Sweet Water, Cooling Water	7p	10/10/1962 Revised 12/26/1962 Revised 8/17/1979	Inactive See M-I-06-1
M-a-2	Separate Rooms	5p	10/10/1962 Revised 8/17/1979	Inactive See M-I-06-1
M-a-3	Construction, Cleaning and Sanitizing of Bottling and Packaging Equipment	18p	10/10/1962 Revised 8/17/1979	ACTIVE
M-a-4	Well Pit Accessibility for Inspection	8r	10/10/1962 Amended 6/6/1973 Revised 8/17/1979	Inactive See M-I-03-1
M-a-5	Storage of Antibiotics, Rodenticides and Insecticides in the Milk House or Room	15r	10/10/1962	Inactive See M-a-44
M-a-6	Left-over Feed in Mangers Constitutes a Violation	3r	10/10/1962	Inactive See M-a-44
M-a-7	Tuberculin Testing of Dairy Cattle	Sec. 8	2/28/1963	Inactive See M-a-44
M-a-8	Criteria for Reviewing Multi-use Plastic Equipment or Parts Used as Milk and Milk Product Contact Surfaces	9r, 10r, 11r, 9p, 10p, and 11p	5/22/1963 Revised and Reissued 8/17/1979	Inactive See M-I-03-1
M-a-9	Silo Storage Tanks	9r, 10p, and 11p	5/22/1963	Inactive See M-a-64
M-a-10	Welded Pipelines	9r, 10p, and 11p	6/6/1963	Inactive See M-a-44
M-a-11	Acceptable Plastics for Food Contact Surfaces	9r	6/7/1963	Inactive See M-a-44
Sup. 1	Acceptable Plastics for Food Contact Surfaces	9r	10/14/1963	Inactive See M-a-44

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
Sup. 2	Acceptable Plastics for Food Contact Surfaces	9r	2/10/1964	Inactive See M-a-44
Sup. 3	Acceptable Plastics for Food Contact Surfaces	9r	3/1/1965	Inactive See M-a-44
M-a-12	Transparent Flexible Plastic Tubing Used in Connection with Milk Transfer Systems	9r	7/22/1963 Revised 8/17/1979	Inactive See M-I-06-1
M-a-13	Submerged Water Inlets to a Culture Vat	7p	1/27/1964 Revised 8/17/1979	ACTIVE
M-a-14	Bacteriological Testing of Water Supplies and Rating Debits	8r and MMSR	1/27/1964 Revised 8/17/1979	Inactive See M-I-06-1
M-a-15	Determination of Cleanliness in Short Lengths of Flexible Plastic Tubing	9r	4/27/1964 Reissued 8/17/1979	Inactive See M-I-06-1
M-a-16	Feeding of Poultry Litter or Manure to Dairy Cattle	1r	7/15/1965 Reissued 9/17/1979	Inactive
2 nd Revision	Feeding of Poultry Litter or Manure to Dairy Cattle	1r	3/1/1982	Inactive See M-I-92-15
M-a-17	Specifications for Recording Thermometer Charts Used on Batch Pasteurizers	App. H	11/8/1965 Revised 8/17/1979	Inactive See M-I-06-1
M-a-18	Use of Ultraviolet Process for Disinfection of Water Supplies	8r	5/5/1966 Reissued 8/17/1979	ACTIVE
M-a-19	Definition for Eggnog and Eggnog Flavored Milk	Sec. 1	6/23/1966	Inactive See M-a-44
M-a-20	Revision of Section 3-Permits and Section 6-Examination of Milk and Milk Products, of the 1965 <i>Grade "A" Pasteurized Milk Ordinance</i>	Sec.'s 3 and 6	7/12/1966	Inactive See M-a-44
M-a-21	Laboratories Performing Vitamin and/or Mineral Assays of Milk and Milk Products	Sec. 6	10/19/1966	Inactive See M-a-44
M-a-22	Definition for Frozen Milk Concentrate	Sec. 1	12/8/1966	Inactive See M-a-44

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-23	Revision of Section 6-Examination of Milk and Milk Products (Administrative Procedures-Sampling Procedures) and Section 7-Standards for Milk and Milk Products (Item 17p-Cooling of Milk)	Sec. 6 and 17p	1/16/1967	Inactive See M-a-64
M-a-24	Utensil and Equipment Construction and Storage	12r	3/16/1967 Revised 8/17/1979	ACTIVE
M-a-25	Definition for Eggnog Flavored Low Fat Milk	Sec. 1	9/20/1967	Inactive
Amend- ment # 1	Pasteurization of Eggnog, Eggnog Flavored Milk, and Eggnog Flavored, Low-Fat Milk	16p	11/20/1969 Removed 8/10/1979	Inactive See M-a-64
M-a-26	Change in Definition M of <i>Pasteurized Milk Ordinance</i>	Sec. 1	8/15/1968	Inactive See M-a-64
M-a-27	Definition Q-Optional Ingredients, 1965 <i>Pasteurized Milk Ordinance</i>	Sec. 1	8/15/1968	Inactive See M-a-64
M-a-28	Clarification of "Guidelines for the Control of Abnormal Milk"	Sec. 4	10/1/1968	Inactive See M-a-44
M-a-29	Silo Storage Tanks	9r, 10p, and 11p	1/31/1969	Inactive See M-a-64
M-a-30	Circular Chart Support Pin	16p(A) and 16p(B)	4/8/1969	Inactive See M-a-64
M-a-31	Use of Clarifiers on Dairy Farms	Sec. 7	5/15/1970 Revised 8/17/1979	ACTIVE
Sup. 1	Use of Separators on Dairy Farms	Sec. 7	1/17/1984	ACTIVE
M-a-32	Acceptable Minimum Distances Between Individual Water Wells and Sources of Contamination	8r and App. D	6/24/1970	Inactive See M-a-64
M-a-33	Hermetically Sealed Containers for Use with "Sterilized" Milk Products	Sec. 1 and 16p(C)	8/26/1970 Revised 8/17/79	Inactive See M-I-00-6
M-a-34	Abnormal Milk Control Program	1r	9/15/1970	Inactive See M-a-44

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-35	Definition G – Pasteurization, 1969 Edition, <i>Grade “A” Condensed and Dry Milk Products</i>	DMO- Sec. 1	3/22/1971 Removed 8/10/1964	Inactive See M-a-64
M-a-36 Rescinded by M-a-38	Item 8r, Water Supply, Water Well Casings that Terminate Below Ground Level, i.e., Buried Seals	8r	5/10/1971	Inactive See M-a-44
M-a-37	Trial Acceptance of Acoustical Composition Ceiling with a Nonabsorbent Finish	2p	10/15/1971 Reissued 8/17/1979	Inactive See M-I-03-1
Sup. 1	Acoustical Composition Ceiling Tile with a Nonabsorbent Finish	2p	7/11/1973 Revised 8/17/1979	Inactive See M-I-03-1
M-a-38 Rescinds M-a-36	Item 8r, Water Supply, Water Well Casings that Terminate Below Ground Level, i.e., Buried Seals (Rescinds M-a-36)	8r and 7p	12/9/1971 Amended 2/26/1974	Inactive See M-a-64
Sup. 1 Rescinds Effective Date of M-a-38	Item 8r, Water Supply	8r and 7p	2/27/1974	Inactive See M-I-92-15
M-a-39	Region III Seminar Questions & Answers (Testing Indicating Thermometers on Storage Tanks at Receiving/Transfer Stations and Highest Raw in HTST System)	16p and 17p	12/17/1971 Revised 8/17/1979	ACTIVE
M-a-40	Debiting of Abnormal Milk Counts During Surveys – 2 Out of the Last 4 Samples Exceed the Limit	MMSR Sec. B, 2, e, 2) and App. Sec. A, 10	1/6/1972	Inactive See M-a-64
M-a-41	Air Vents in Milking Machine Inflatons	9r	11/07/1972 Revised 8/17/1979	Inactive See M-I-03-1
M-a-42	Coded Memoranda Transmittal		2/6/1973 Revised and Reissued 8/17/1979	Inactive See M-I-00-6

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-43	Single Line Farm Pipeline Milkers Using Vacuum-Gravity (Reverse Flush) Washing Systems	10r and 11r	5/31/1973 Revised 8/17/1979	ACTIVE
M-a-44	Updating of the M-a Series of the Rating Officers Manual	Rating Officers Manual	6/6/1973	Inactive See M-a-64
M-a-45	Milk Temperatures at Transfer Stations	17p	6/20/1973 Revised 8/17/1979	Inactive See M-I-03-1
M-a-46	Mechanical Cleaning, Sanitizing and Storage of Pipeline Milking Equipment in Milking Barns or Parlors	12r	7/12/1973	Inactive See M-a-64
M-a-47	Rinse Tests for Single Service Containers	12p and App. G	8/21/1973	Inactive See M-a-64
M-a-48	Definition of Cottage Cheese	Sec. 1	10/12/1973	Inactive See M-a-64
M-a-49	Nonfat Dry Milk Labels Containing Two Grade Designations (Dry Milk Ordinance)	DMO-Sec. 4	11/28/1973 Revised 8/17/1979	ACTIVE
M-a-50	Protection of Plastic Milk Dispenser Bags	19p	2/25/1974 Reissued 8/17/1979	Inactive See M-I-03-1
Sup. 1	Protection of Plastic Milk Dispenser Bags	19p	3/13/1974 Revised and Reissued 8/17/1979	Inactive See M-I-03-1
M-a-51	Filtration of Air for Blow Molding Single Service Plastic Milk Containers	15p(A) and App. H	7/2/1974 Revised 8/17/1979	ACTIVE
M-a-52	Additives to Boiler Feed Water	15p(A) and App. H	7/11/1974	Inactive See M-a-64
M-a-53	Unloading of Milk Transport Trucks	15p(A)	9/9/1974	Inactive See M-a-64
Sup. 1	Unloading of Milk Transport Trucks	15p(A)	12/2/1974	Inactive See M-a-64

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-54	Use of Whey in Grade "A" Milk and Milk Products	Sec. 9	2/3/1975	Inactive See M-a-64
M-a-55	Interim Criteria and Sanitation Standards for Use of Sweet Whey in Grade "A" Milk and Milk Products	Sec. 7	3/14/1975	Inactive See M-a-64
Sup. 1	Amendment to Interim Criteria and Sanitation Standards for Use of Sweet Whey in Grade "A" Milk and Milk Products	Sec. 7	6/29/1976	Inactive See M-a-64
M-a-56	Ultra-Pasteurization	16p	7/16/1975 Revised 8/17/1979	Inactive See M-I-06-1
M-a-57	Use of Auxiliary High Pressure Water Pumps on Grade "A" Dairy Farms	8r	10/24/1975 Revised 8/17/1979	ACTIVE
Sup. 1	Clarification of M-a-57: Use of Auxiliary High Pressure Water Pumps on Grade "A" Dairy Farms	8r	6/30/1993	Inactive (Withdrawn)
Sup. 1 (Revised)	Withdrawal of M-a-57-Supplement 1	8r	9/17/1993	ACTIVE
M-a-58	Lowfat Milk with Lactobacillus acidophilus Culture Added	Sec. 1	10/28/75	Inactive See M-a-64
M-a-59	Use of a Magnetic Flow Meter as a Replacement for the Metering Pump in High Temperature Short Time Pasteurizing Systems	16p, App. H and App. I	9/28/1976 Revised and Reissued 8/17/1979	Inactive See M-I-92-15
Sup. 1	Field Tests for Use with DeLaval-Foxboro Magnetic Flow Meter System	16p, App. H and App. I	6/6/1977 Reissued 8/17/1979	Inactive See M-I-92-15
Sup. 2	DeLaval-Foxboro Magnetic Flow Meter System	16p, App. H and App. I	9/10/1979	Inactive See M-I-92-15
M-a-60	Yogurt and Yogurt Products Covered Under the PMO	Sec. 1	6/13/1977 Revised 8/17/1979	Inactive See M-I-03-1
Sup. 1	Clarification – Frozen Yogurt Status Under the PMO not Resolved	Sec. 1	9/12/1977 Reissued 8/17/1979	Inactive See M-I-03-1

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-61	Use of "Butter Flakes/Granules" as Optional Ingredients in Grade "A" Cultured Buttermilk and/or Grade "A" Acidified Buttermilk	Sec. 1	6/24/1977 Revised 8/17/1979	ACTIVE
Sup. 1	Use of "Butter Flakes/Granules" and "Butterflake Substitutes" as Optional Ingredients in Grade "A" Cultured Buttermilk and/or Grade "A" Acidified Buttermilk	Sec. 1	4/30/1979 Revised 8/17/1979	ACTIVE
M-a-62	Multiuse Plastic Milk Containers	12p	10/20/1977 Reissued 8/17/1979	Inactive See M-I-00-6
M-a-63	Well Pits and Existing Water Supplies	8r	5/12/1978 Revised 8/17/1979	Inactive See M-I-06-1
M-a-64	Updating of the M-a Series of the Milk Sanitation Rating Officers Manual	Rating Officers Manual	8/10/1979	Inactive See M-I-92-15
M-a-65	Reverse Flush System for Flushing Milk Hoses, Teat Cup Clusters, Milker Claws and Inflatons Between Cows	9r	11/15/1979	Inactive See M-I-06-1
Sup. 1	Clarification (Air Under Pressure)	16r	12/10/1980	ACTIVE
M-a-66	Sampling Frequency for Milk and Milk Products from Beyond the Limits of Routine Inspection (Section 11)	Sec. 11	11/22/1979	Inactive Rescinded See M-I-03-1
M-a-66 Revised	Sampling Frequency for Milk and Milk Products from Beyond the Limits of Routine Inspection (Section 11)	Sec. 11	10/20/1980	Inactive Rescinded See M-I-03-1
Sup. 1	Sampling Frequency for Milk and Milk Products from Beyond the Limits of Routine Inspection (Section 11)	MMSR	12/8/1980	Inactive Rescinded See M-I-03-1

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-66 2nd Revision Rescinds M-a-66 and M-a-66 Revised	Sampling Frequency for Milk and Milk Products from Beyond the Limits of Routine Inspection (Section 11)	Sec. 11	3/1/1982	Inactive See M-I-03-1
M-a-67	Multi-use Polycarbonate Plastic Milk Containers	12p	8/28/1980	Inactive See M-I-06-1
M-a-68	7-Day Recording Thermometer on Raw Milk Storage Tanks	12p	12/10/1980	Inactive See M-I-03-1
M-a-69	Guidelines for Interpretation of Item 9r	9r	3/6/1981	Inactive See M-I-06-1
M-a-70	Milk Loading and Unloading Hoses	11p	3/1/1982	Inactive See M-I-06-1
M-a-71	Milk Line Drip Deflectors and Gravity-Type Strainers for Farm Bulk Tanks	14r	3/1/1982	Inactive See M-I-07-1
M-a-72	Antibiotic Analysis of Cultured Dairy Products and Eggnog and Eggnog Flavored Products	Sec. 6	3/1/1982	Inactive See IMS-a-45 and M-I-07-1
M-a-73	Use of Intermittent, Timed Release, High Pressure Insect Fogging Systems on Grade "A" Dairy Farms	19r	9/14/1984	Inactive See M-I-06-1
M-a-74	Handling, Storage, Sampling and Shipment of Bulk Pasteurized Grade "A" Milk and Milk Products	Sec's. 6, 7 and 11, 12p and 18p	5/5/1988 Re-instated to Active Status 12/27/2004	ACTIVE See M-I-04-9
M-a-75	FDA Determination of Sampling for Animal Drug Residues and Other Contaminants in Milk	Sec. 6	4/2/1990 See M-I-90-5 for Effective Date- 7/16/1990	Inactive See M-I-06-1
M-a-76	Separation of Pipelines	15p	4/19/1990 See M-I-90-5 for Effective Date- 7/16/1990	Inactive See M-I-06-1

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
Sup. 1	Separation of Pipelines Update, Including Use of Block and Bleed Arrangements to Separate Product and Chemical Circuits	15p(B)	2/1/1995	Inactive See M-I-06-1
M-a-77	Need for Calculating Adjusted Product Holding Times for HTST Pasteurization Systems	MMSR Sec. D, 4	4/11/1990 See M-I-90-5 for Effective Date- 7/16/1990	Inactive See M-I-00-6
M-a-78	Interpretation of Appendix N of the PMO Regarding Implementation	App. N - Parts I and III	12/4/1991	Inactive Revised M-a-78
Revised	Interpretation of Appendix N of the PMO Regarding Implementation	App. N - Parts I and III	3/6/1992 Effective Date- 3/6/1992	Inactive See M-I-06-1
M-a-79	Implementation of Appendix N of the PMO	App. N - Part II	7/22/1992	Inactive See Revision #1 M-a-79
Revision #1	Implementation of Appendix N of the PMO	App. N - Part II	3/10/1994	Inactive See M-I-06-1
M-a-80	Interpretation Regarding Water Supplies (PMO/State Water Control Authority)	8r and App. D	12/4/1992 Revised 3/17/1993	Inactive See M-I-06-1
M-a-81	Thermometric Lag Tests on Indicating Thermometers for UP and UHT (Aseptic) Processing Systems	App. I	6/20/1993 Revised-Issue and Effective Date- 8/20/1993	Inactive See M-I-00-6
M-a-82	Appendix N of the PMO – Laboratory Requirements	App. N	Proposed 12/28/1993- Executive Board Voted Not to Issue on 1/28/1994 FDA Concurred and Rescinded M-a-82 on 3/15/1994	Inactive See M-I-00-6
M-a-83	Grade "A" Powdered Dairy Blends as Ingredients of Other Grade "A" Dairy Products	DMO	5/2/1994 Effective 9/1/1994	Inactive See M-I-06-1

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-84	Charm <u>B. stearothermophilus</u> Tablet Disk Assay	Sec. 6	5/2/1994 Effective 9/1/1994	Inactive M-a-85 (Latest Revision) See M-I-03-1
M-a-85	Beta lactam Test Methods	Sec. 6 and App. N	4/22/1994 for Comment with an Effective Date of 8/22/1994 Reviewed by NCIMS Board- Rescinded 1/1/1995	Inactive Rescinded
M-a-85 Revision #1	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	9/1/1994	Inactive Rescinded
M-a-85 Revision #2	Revision of M-a-85 to Include the Charm I/Cowside II Test for Cloxacillin In Milk	Sec. 6 and App. N	6/21/1995 Comment with Effective Date of 10/21/1995 Reviewed by NCIMS Board – Rescinded 9/20/95	Inactive Rescinded
M-a-85 Revision #3	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	9/20/1995	Inactive Rescinded
M-a-85 Revision #3 Corrected	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO Corrected	Sec. 6 and App. N	12/21/1995	Inactive Rescinded
M-a-85 Revision #4	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	6/3/1996	Inactive Rescinded
M-a-85 Revision #5	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	7/31/1996	Inactive Rescinded
M-a-85 Revision #5 Addendum	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO Addendum	Sec. 6 and App. N	9/5/1996	Inactive Rescinded
M-a-85 Revision #6	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	7/14/1997	Inactive Rescinded

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-85 Revision #7	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	5/21/1999	Inactive Rescinded
M-a-85 Revision #8	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	1/22/2001	Inactive Rescinded
M-a-85 Revision #9	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	12/21/2001	Inactive Rescinded
M-a-85 Revision #10	Beta lactam Test Methods for Use Under Appendix N and Section 6 of PMO	Sec. 6 and App. N	5/30/2003	Inactive Rescinded
M-a-85 Revision #11	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	3/10/2004	Inactive Rescinded
M-a-85 Revision #12	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	10/1/2007	Inactive Rescinded
M-a-85 Revision #13	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	1/4/2010	Inactive Rescinded
M-a-85 Revision #14	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	3/22/2012	Inactive Rescinded
M-a-85 Revision #15	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	8/29/2016	Inactive Rescinded
M-a-85 Revision #16	Beta lactam Test Methods for Use Under Appendix N and Section 6 of the PMO	Sec. 6 and App. N	12/20/2018	ACTIVE
M-a-86	Certification of Industry Personnel (Supervisors) in the Use of FDA Evaluated Drug Residue Tests (1991 NCIMS Conference Problem 239) for Screening Bulk Milk Pickup Tankers	App. N	6/13/1999 Effective Date of 10/13/1994- Reviewed by NCIMS Board Rescinded 1/1/1995	Inactive Rescinded
M-a-86- Revised	Certification of Industry Personnel (Supervisors) in the Use of FDA Evaluated Drug Residue Tests (1991 NCIMS Conference Problem 239) for Screening Bulk Milk Pickup Tankers	App. N	9/30/1994 Effective 1/1/1995 Rescinded 8/1/2000	Inactive Rescinded

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-86 Revision #1	Appendix N Testing Program for Drug Residues	App. N	9/17/1999 for Comment with an Effective Date of 12/17/1999 Rescinded 8/1/2000	Inactive Rescinded
M-a-86 Revision #2	Appendix N Testing Program for Drug Residues	App. N	2/1/2000-Effective 8/1/2000 Rescinded 7/23/01	Inactive Rescinded
M-a-86 Revised	Appendix N Testing Program for Drug Residues	App. N	1/22/2001 for Comment with an Effective Date 5/22/2001	Inactive Rescinded
M-a-86 Revision #3	Appendix N Testing Program for Drug Residues	App. N	7/23/2001	Inactive See M-I-06-1
M-a-87	Use of Ball Type Sanitary Check Valves in HTST, HHST, and Aseptic Processing Systems	Sec. 7 16p(B), 16p(D)	3/21/1995 for Comment with an Effective Date of 8/21/1995 Revised and Issued 8/15/1995 with an Effective Date of 10/15/1995	ACTIVE
M-a-88	Maximum Flush Times for Leak Detect Valves and Lines in Continuous Flow Pasteurization Systems	16p(B)	4/1/1995 for Comment with an Effective Date of 8/1/1995 Corrected and Issued 11/15/1995 with Effective Date of 10/15/1995	Inactive See M-I-03-1
M-a-89	Reclaiming Heat from Vapors Drawn from Pasteurized Milk and Milk Products for Heating Raw Milk	16p(D), and 15p(B)	3/25/1996 Effective 3/25/1996	ACTIVE

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-90	Delvo P Multi Test	Sec. 6	6/5/1995 Sent out for Comment with a Proposed Effective Date of 10/1/1995 Corrections were made and Re-Issued on 8/15/1995 with an Effective Date of 8/1/1995	ACTIVE
M-a-91	Definition of "Component Part" for Single-Service Containers	App. J	2/23/1996	Inactive See M-I-06-1
M-a-92	FDA Position on Extra-Label Use of Fluoroquinolones.	15r	11/13/1995 for Comment with an Effective Date of 3/13/1996 Rescinded 4/10/1996	Inactive Rescinded See M-I-03-2
M-a-93	Sampling Related Questions and Answers	Sec. 6	8/27/1999 for Comment with an Effective Date of 12/27/1999 Revised and Issued 11/12/1999- Effective Same Date	ACTIVE
M-a-94	Single-Service Glass Milk Containers	App. J	2/17/2004	Inactive See M-I-07-1
M-a-95	Effect of Cooling Rates on the Growth of <i>Salmonella</i> spp., <i>Listeria monocytogenes</i> and <i>Escherichia coli</i> O157:H7 in Sorbate-Free Cultured Sour Cream and Acidified Sour Cream Utilized to Modify the Cooling Temperature Requirements of Item 17p of the Grade "A" Pasteurized Milk Ordinance for these Sour Cream Products	17p	8/18/2006 Implementation Date of 12/1/2006	Inactive See IMS-a-46 and M-I-09-1

<u>CODE #</u>	<u>SUBJECT</u>	<u>ITEM</u>	<u>ISSUE DATE</u>	<u>STATUS</u>
M-a-96	Evaluation of Milk Laboratories (2005 Revision)	Section 6 and Appendix G	11/21/2006 Implementation Date of 1/1/2007	Inactive See M-I-09-4
M-a-97	Specified Microbial Inhibitors and/or Preservatives Accepted By FDA For Use In The Production Of Cottage Cheese That Will Be Filled At 13°C (55°F) Or Less, Cooled To 10°C (50°F) Or Less Within Twenty-Four (24) Hours Of Filling, And Cooled To 7°C (45°F) Or Less Within Seventy-Two (72) Hours Of Filling	17p	6/7/2011 Implementation Date of 6/15/2011	Inactive Rescinded
M-a-97 Revision #1	Specified Microbial Inhibitors and/or Preservatives Accepted By FDA For Use In The Production Of Cottage Cheese That Will Be Filled At 13°C (55°F) Or Less, Cooled To 10°C (50°F) Or Less Within Twenty-Four (24) Hours Of Filling, And Cooled To 7°C (45°F) Or Less Within Seventy-Two (72) Hours Of Filling	17p	9/2/2016	ACTIVE
M-a-98	Official Grade “A” Pasteurized Milk Ordinance (PMO) Regulatory Laboratory Test For Grade “A” Milk And Milk Products And Grade “A” Dairy Farm And Milk Plant Water	Section 6 and Appendix N	3/1/2013 Implementation Date of 3/15/2013	ACTIVE