

**BLUE BIRD  
LPK  
Type C Cattle Feed – FE/ROG  
Medicated**

For improved feed efficiency and increased rate of weight gain in cattle fed in confinement for slaughter.

**Active Drug Ingredient**

Laidlomycin propionate potassium.....5 g/ton

**Guaranteed Analysis**

Crude Protein (Min).....	_____	%
NPN <sup>a</sup> (Max).....	_____	%
Crude Fat (Min).....	_____	%
Crude Fiber (Max).....	_____	%
Calcium <sup>a</sup> (Min).....	_____	%
Calcium <sup>a</sup> (Max).....	_____	%
Phosphorus <sup>a</sup> (Min).....	_____	%
Potassium <sup>a</sup> (Min).....	_____	%
Salt <sup>a</sup> (Min).....	_____	%
Salt <sup>a</sup> (Max).....	_____	%
Sodium <sup>b</sup> (Min).....	_____	%
Sodium <sup>b</sup> (Max).....	_____	%
Vitamin A <sup>a</sup> (Min).....	_____	IU/lb

<sup>a</sup> Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.  
<sup>b</sup> Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

**Ingredients**

Ingredients as defined by AAFCO

**Feeding Directions**

Feed continuously to provide laidlomycin propionate potassium at the rate of not less than 30 mg nor more than 75 mg/head/day. The following table provides examples:

Body weight (lb)	Feed consumption (lb/head/day)	mg laidlomycin/head/day	Type C laidlomycin concentration (g/ton)
500	12	30	5
800	20	50	5
1000	25	62.5	5
1200	30	75	5

**Caution**

Do not allow horses or other equines access to feeds containing laidlomycin propionate potassium. The safety of laidlomycin propionate potassium in unapproved species has not been established. Not for use in animals intended for breeding.

**Manufactured By:**  
Blue Bird Feed Mill  
City, State, Zip

**NET WEIGHT ON BAG OR BULK**

Expiration Date: [7 days from date of manufacture of Type C feeds made from liquid Type B feeds]