























































































































Store unopened casirivimab and imdevimab vials in a refrigerator at 2°C to 8°C (36°F to 46°F) in the original carton to protect from light. Unopened vials may be stored in the original carton at room temperature [up to 25°C (77°F)] and must be used within 30 days. If not used in the 30 days, discard vials.

**DO NOT FREEZE. DO NOT SHAKE. DO NOT EXPOSE TO DIRECT LIGHT.**

Solution in vial requires dilution prior to intravenous administration. The prepared infusion solution is intended to be used immediately. If immediate administration is not possible, store diluted casirivimab and imdevimab infusion solution in the refrigerator at 2°C to 8°C (36°F to 46°F) for no more than 36 hours or at room temperature up to 25°C (77°F) for no more than 4 hours. If refrigerated, allow the infusion solution to equilibrate to room temperature for approximately 30 minutes prior to administration.

The prepared syringes should be administered immediately. If immediate administration is not possible, store the prepared casirivimab and imdevimab syringes in the refrigerator between 2°C to 8°C (36°F to 46°F) for no more than 24 hours, or at room temperature up to 25°C (77°F) for no more than 8 hours. If refrigerated, allow the syringes to equilibrate to room temperature for approximately 20 minutes prior to administration.

## **20 PATIENT COUNSELING INFORMATION**

Patients treated with REGEN-COV (casirivimab and imdevimab) should continue to self-isolate and use infection control measures (e.g., wear mask, isolate, social distance, avoid sharing personal items, clean and disinfect “high touch” surfaces, and frequent handwashing) according to CDC guidelines. Also see Fact Sheet for Patients, Parents and Caregivers.

## **21 CONTACT INFORMATION**

For additional information visit [www.REGENCOV.com](http://www.REGENCOV.com)  
If you have questions, please contact Regeneron at 1-844-734-6643.

### **REGENERON**

Manufactured by:  
Regeneron Pharmaceuticals, Inc.  
777 Old Saw Mill River Road  
Tarrytown, NY 10591-6707  
©2021 Regeneron Pharmaceuticals, Inc. All rights reserved.  
Revised: 12/2021