

**Patient Information**  
**VAXNEUVANCE™ (pronounced “VAKS-noo-vans”)**  
**(Pneumococcal 15-valent Conjugate Vaccine)**

Before you get VAXNEUVANCE™, read this information sheet and be sure you understand it. If you have questions or experience any side effects, talk to your healthcare provider. This information does not take the place of talking about VAXNEUVANCE with your healthcare provider. Your healthcare provider will decide if VAXNEUVANCE is right for you.

**What is VAXNEUVANCE?**

- VAXNEUVANCE is a vaccine for adults 18 years of age and older to help protect against invasive disease caused by 15 types of pneumococcus (pronounced “noo-mo-ca-cus”), a kind of bacteria. Invasive disease includes:
  - an infection in the blood (bacteremia).
  - an infection of the coverings of the brain and spinal cord (meningitis).
- VAXNEUVANCE will not give you disease caused by pneumococcus.
- VAXNEUVANCE might not protect everyone who gets the vaccine.

**Who should not get VAXNEUVANCE?**

Do not get VAXNEUVANCE if you:

- have or had an allergic reaction to any of the ingredients in VAXNEUVANCE or to diphtheria toxoid. (See the list of ingredients at the end of this information sheet.)

**What should I tell my healthcare provider before getting VAXNEUVANCE?**

Tell your healthcare provider if you:

- have or had an allergic reaction to any vaccine.
- have a weak immune system (which means your body has a hard time fighting off infections).
- take medicines or treatments that might weaken your immune system (like immunosuppressants or steroids).
- are pregnant or planning to get pregnant.
- are breast-feeding.

**How is VAXNEUVANCE given?**

VAXNEUVANCE is given as an injection into the muscle (usually in your upper arm).

**What are the possible side effects of VAXNEUVANCE?**

The most common side effects seen with VAXNEUVANCE are:

- Pain, swelling or redness where you got the injection
- Feeling tired

- Muscle aches
- Headache
- Joint pain

These side effects generally last three days or less.

If you have any side effects that bother you or any other unusual symptoms that develop after you get this injection, tell your healthcare provider. Tell your healthcare provider right away if you have symptoms of an allergic reaction which may include:

- Difficulty breathing
- Swelling of your face, lips, tongue or throat
- Hives
- Rash

There may be side effects that are not listed here. For more information, ask your healthcare provider.

You may also report any side effects to Merck Sharp & Dohme Corp., a subsidiary of Merck & Co., Inc., at 1-877-888-4231 or directly to Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is 1-800-822-7967 or report online to [www.vaers.hhs.gov](http://www.vaers.hhs.gov).

### **What are the ingredients in VAXNEUVANCE?**

Active ingredient: Bacterial sugars from 15 types of pneumococcus each linked to a protein (CRM<sub>197</sub>). The sugars from these bacteria and the protein are not alive and do not cause disease.

Inactive ingredients: Sodium chloride, L-histidine, polysorbate 20 and aluminum (aluminum phosphate is included to help the vaccine work better).

VAXNEUVANCE does not have any preservatives.

The tip cap and plunger stopper of the prefilled syringe are not made with natural rubber latex.

### **What if I have other questions?**

If you have questions about VAXNEUVANCE, talk to your healthcare provider or call the Merck National Service Center at 1-800-622-4477.

---

Manufactured by: Merck Sharp & Dohme Corp., a subsidiary of  
 **MERCK & CO., INC.**, Whitehouse Station, NJ 08889, USA

For patent information: [www.merck.com/product/patent/home.html](http://www.merck.com/product/patent/home.html)

Copyright © 2021 Merck Sharp & Dohme Corp., a subsidiary of **Merck & Co., Inc.**

All rights reserved.

usppi-v114-i-2107r000

This Patient Information has been approved by the U.S. Food and Drug Administration.

Issued: 07/2021