

M11 Technical Specification: Clinical Electronic Structured Harmonised Protocol (CeSHarP)

This draft guidance, when finalized, will represent the current thinking of the Food and Drug Administration (FDA or Agency) on this topic. It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. To discuss an alternative approach, contact the FDA staff responsible for this guidance as listed on the title page. The draft guidance has been left in the original International Council for Harmonisation format. The final guidance will be reformatted and edited to conform with FDA's good guidance practice regulation and style.

For questions regarding this draft document, contact (CDER) Veronica Pei, Veronica.Pei@fda.hhs.gov or (CBER) Ronald Fitzmartin, Ronald.Fitzmartin@fda.hhs.gov.

FOREWORD

The International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH) has the mission of achieving greater regulatory harmonization worldwide to ensure that safe, effective, and high-quality medicines are developed, registered, and maintained in the most resource-efficient manner. By harmonizing the regulatory expectations in regions around the world, ICH guidelines have substantially reduced duplicative clinical studies, prevented unnecessary animal studies, standardized safety reporting and marketing application submissions, and contributed to many other improvements in the quality of global drug development and manufacturing and the products available to patients.

ICH is a consensus-driven process that involves technical experts from regulatory authorities and industry parties in detailed technical and science-based harmonization work that results in the development of ICH guidelines. The commitment to consistent adoption of these consensus-based guidelines by regulators around the globe is critical to realizing the benefits for safe, effective, and high-quality medicines for patients as well as for industry. As a Founding Regulatory Member of ICH, the Food and Drug Administration (FDA) plays a major role in the development of each of the ICH guidelines, which FDA then adopts and issues as a guidance to industry.

INTERNATIONAL COUNCIL FOR HARMONISATION OF TECHNICAL
REQUIREMENTS FOR PHARMACEUTICALS FOR HUMAN USE

ICH HARMONISED GUIDELINE

**CLINICAL ELECTRONIC STRUCTURED HARMONISED
PROTOCOL**
(CeSHarP)

M11 TECHNICAL SPECIFICATION

Updated Step 2 Draft

03 February 2025

At Step 2 of the ICH Process, a consensus draft text or guideline, agreed by the appropriate ICH Expert Working Group, is transmitted by the ICH Assembly to the regulatory authorities of the ICH regions for internal and external consultation, according to national or regional procedures.

M11 Technical Specification Document History

Code	History	Date
M11	<p>Endorsement by the Members of the ICH Assembly under Step 2 and release for public consultation (document dated 6 September 2022)</p> <p><i>Minor editorial changes made pre-publication (document dated 14 October 2022)</i></p>	27 September 2022
M11	Updated Step 2 Draft for second round of public consultation (document dated 03 Feb 2025)	03 February 2025

Legal notice: This document is protected by copyright and may, with the exception of the ICH logo, be used, reproduced, incorporated into other works, adapted, modified, translated or distributed under a public license provided that ICH's copyright in the document is acknowledged at all times. In case of any adaptation, modification or translation of the document, reasonable steps must be taken to clearly label, demarcate or otherwise identify that changes were made to or based on the original document. Any impression that the adaptation, modification or translation of the original document is endorsed or sponsored by the ICH must be avoided.

The document is provided "as is" without warranty of any kind. In no event shall the ICH or the authors of the original document be liable for any claim, damages or other liability arising from the use of the document.

The above-mentioned permissions do not apply to content supplied by third parties. Therefore, for documents where the copyright vests in a third party, permission for reproduction must be obtained from this copyright holder.

1 TECHNICAL SPECIFICATION

2 The purpose of this document is to serve as a technical representation of the ICH M11
3 protocol template. This Technical Specification (TS) is aligned with the latest version of the
4 ICH M11 Guideline and protocol template, but with flexibility in addressing data exchange
5 needs per ICH and those of regional authorities.

6 DEFINITION OF TABLE ELEMENTS

Term (Variable)	Term (variable) is the verbatim term from the Template.
Data Type	Data type is a classification that specifies which type of value a variable has.
Data (D), Value (V) or Heading (H)	Specifies the type of the Data as Heading, Data or Value. Selections: <ul style="list-style-type: none">• Heading: section heading including table heading, non-numbered title.• Data: Content such as text, image, equation, table• Value: if there is a pick list for the data
Definition	Definition is the meaning of the ICH M11 Data Elements.
User Guidance	User guidance is directly from the instructions of the template.
Conformance	Rules and actions in accordance with the Template conventions and general instructions which characterize how the Headers, data element or Text content will conform
Cardinality	Common cardinalities include one to one, one to many, and many to many. An example of Cardinality is the numerical relationship between rows of one table and rows in another.
Relationship content from ToC representing the protocol hierarchy	Relationship content from ToC representing the protocol hierarchy is relationship to the template Table of Contents.
Value	Indicates the value of a specific data element or heading. Specifies the actual value or value range of specific data (e.g. Value may be from the ICH M11 Valid Value List. For numbered heading, the number will NOT be included here).
Business rules	Value Allowed: Is a value allowed If the header is required, the value will be No. If there is universal text, the Value will be No. Relationship: What is the relationship? Identify relationship for the element including the relationship to the ToC. For ToC, numbers are listed Lower to Higher. For Tables elements, there may be a row or a column heading as a relationship. Other Relationships are also defined, for example an Amendment number to a Protocol Identifier. Concept: Identify the Concept for headings expect to see Heading and for other elements expect reference to controlled terminology or detailed information.
Repeating and/or Reuse Rules	Instructions on how components are repeated and/or reused within the protocol. Is this component repeated? Is this component reused? Is this component repeated/reused in other sections of the document? Repeating is defined as replication of the data element for new content. Reuse is defined as using verbatim content in more than one data element location in the protocol.

9

10 APPENDIX 1: DETAILED DESCRIPTIONS OF INFORMATION COMPONENTS

11 TITLE PAGE

Term (Variable)	Sponsor Confidentiality Statement:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Confidentiality Statement:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

12

Term (Variable)	<Sponsor Confidentiality Statement>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C181236 For review purpose, see definition of the controlled terminology below: A written message within the study protocol that asserts a statement of non-disclosure, such that information contained within the protocol document may only be shared with authorized parties.
User Guidance	Insert the Sponsor's confidentiality statement, if applicable, otherwise delete.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading Concept: C181236
Repeating and/or Reuse Rules	No

13

Term (Variable)	Full Title:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Full Title:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

14

Term (Variable)	<Full Title>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C132346 For review purpose, see definition of the controlled terminology below: The formal descriptive name for the protocol that contains key elements of the study.
User Guidance	The protocol should have a descriptive title that identifies the scientific aspects of the trial sufficiently to ensure it is immediately evident what the trial is investigating and on whom, and to allow retrieval from literature or internet searches.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: C132346
Repeating and/or Reuse Rules	No

15

Term (Variable)	Trial Acronym:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Trial Acronym:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

16

Term (Variable)	<Trial Acronym>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C94108 For review purpose, see definition of the controlled terminology below: Acronym or abbreviation used publicly to identify the clinical trial.
User Guidance	Acronym or abbreviation used publicly to identify the clinical trial. Delete this line from the table if not applicable.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Protocol Identifier Concept: C94108
Repeating and/or Reuse Rules	No

17

Term (Variable)	Sponsor Protocol Identifier:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Protocol Identifier
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

18

Term (Variable)	<Sponsor Protocol Identifier>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C132351 For review purpose, see definition of the controlled terminology below: A sequence of characters assigned by the sponsor that uniquely identifies a specific protocol.
User Guidance	A unique alphanumeric identifier for the trial, designated by the Sponsor.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title page

Value	Text
Business rules	Value Allowed: Yes Relationship: Heading Concept: C132351 Note: Must have at least One Character, May not be space (null)
Repeating and/or Reuse Rules	No

19

Term (Variable)	Original Protocol:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Original Protocol:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

20

Term (Variable)	[Original Protocol Indicator]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the protocol document reflects the original version of the protocol.
User Guidance	N/A
Conformance	Required
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title page
Value	Yes (C49488), No (C49487)
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

21

NCI C-code	M11 Preferred Term	Draft Definition
C49487	No	The non-affirmative response to a question.
C49488	Yes	The affirmative response to a question.

22

Term (Variable)	Version Number:
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Version Number:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

23

Term (Variable)	<Version Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C181232 For review purpose, see definition of the controlled terminology below: A string of alphanumeric characters that uniquely identifies a specific version of a study protocol.
User Guidance	For use by the Sponsor at their discretion.
Conformance	Optional
Cardinality	One to one, Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Number
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: C181232
Repeating and/or Reuse Rules	No

24

Term (Variable)	Version Date:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one; One to Version Number
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Version Date:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading

Repeating and/or Reuse Rules	No																						
25	<table border="1"> <tr> <td data-bbox="235 297 535 329">Term (Variable)</td><td data-bbox="535 297 1434 329"><Version Date></td></tr> <tr> <td data-bbox="235 329 535 361">Data Type</td><td data-bbox="535 329 1434 361">Date</td></tr> <tr> <td data-bbox="235 361 535 430">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 361 1434 430">D</td></tr> <tr> <td data-bbox="235 430 535 521">Definition</td><td data-bbox="535 430 1434 521">C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.</td></tr> <tr> <td data-bbox="235 521 535 553">User Guidance</td><td data-bbox="535 521 1434 553">For use by the Sponsor at their discretion.</td></tr> <tr> <td data-bbox="235 553 535 585">Conformance</td><td data-bbox="535 553 1434 585">Optional</td></tr> <tr> <td data-bbox="235 585 535 616">Cardinality</td><td data-bbox="535 585 1434 616">One to one; one to Version Number</td></tr> <tr> <td data-bbox="235 616 535 707">Relationship content from ToC representing the protocol hierarchy</td><td data-bbox="535 616 1434 707">Title page</td></tr> <tr> <td data-bbox="235 707 535 739">Value</td><td data-bbox="535 707 1434 739">Date Format</td></tr> <tr> <td data-bbox="235 739 535 830">Business rules</td><td data-bbox="535 739 1434 830"> Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813 </td></tr> <tr> <td data-bbox="235 830 535 903">Repeating and/or Reuse Rules</td><td data-bbox="535 830 1434 903">No</td></tr> </table>	Term (Variable)	<Version Date>	Data Type	Date	Data (D), Value (V) or Heading (H)	D	Definition	C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.	User Guidance	For use by the Sponsor at their discretion.	Conformance	Optional	Cardinality	One to one; one to Version Number	Relationship content from ToC representing the protocol hierarchy	Title page	Value	Date Format	Business rules	Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813	Repeating and/or Reuse Rules	No
Term (Variable)	<Version Date>																						
Data Type	Date																						
Data (D), Value (V) or Heading (H)	D																						
Definition	C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.																						
User Guidance	For use by the Sponsor at their discretion.																						
Conformance	Optional																						
Cardinality	One to one; one to Version Number																						
Relationship content from ToC representing the protocol hierarchy	Title page																						
Value	Date Format																						
Business rules	Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813																						
Repeating and/or Reuse Rules	No																						
26	<table border="1"> <tr> <td data-bbox="235 946 535 977">Term (Variable)</td><td data-bbox="535 946 1434 977">{Amendment Identifier:}</td></tr> <tr> <td data-bbox="235 977 535 1009">Data Type</td><td data-bbox="535 977 1434 1009">Text</td></tr> <tr> <td data-bbox="235 1009 535 1079">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 1009 1434 1079">H</td></tr> <tr> <td data-bbox="235 1079 535 1110">Definition</td><td data-bbox="535 1079 1434 1110">Heading</td></tr> <tr> <td data-bbox="235 1110 535 1142">User Guidance</td><td data-bbox="535 1110 1434 1142">N/A</td></tr> <tr> <td data-bbox="235 1142 535 1174">Conformance</td><td data-bbox="535 1142 1434 1174">Conditional: when there is an amendment</td></tr> <tr> <td data-bbox="235 1174 535 1205">Cardinality</td><td data-bbox="535 1174 1434 1205">One to one; One to Sponsor Protocol Identifier</td></tr> <tr> <td data-bbox="235 1205 535 1296">Relationship content from ToC representing the protocol hierarchy</td><td data-bbox="535 1205 1434 1296">Title page</td></tr> <tr> <td data-bbox="235 1296 535 1328">Value</td><td data-bbox="535 1296 1434 1328">Amendment Identifier</td></tr> <tr> <td data-bbox="235 1328 535 1419">Business rules</td><td data-bbox="535 1328 1434 1419"> Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW </td></tr> <tr> <td data-bbox="235 1419 535 1486">Repeating and/or Reuse Rules</td><td data-bbox="535 1419 1434 1486">Yes, reuse to/from table for document history</td></tr> </table>	Term (Variable)	{Amendment Identifier:}	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Conditional: when there is an amendment	Cardinality	One to one; One to Sponsor Protocol Identifier	Relationship content from ToC representing the protocol hierarchy	Title page	Value	Amendment Identifier	Business rules	Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW	Repeating and/or Reuse Rules	Yes, reuse to/from table for document history
Term (Variable)	{Amendment Identifier:}																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	H																						
Definition	Heading																						
User Guidance	N/A																						
Conformance	Conditional: when there is an amendment																						
Cardinality	One to one; One to Sponsor Protocol Identifier																						
Relationship content from ToC representing the protocol hierarchy	Title page																						
Value	Amendment Identifier																						
Business rules	Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW																						
Repeating and/or Reuse Rules	Yes, reuse to/from table for document history																						
27	<table border="1"> <tr> <td data-bbox="235 1529 535 1560">Term (Variable)</td><td data-bbox="535 1529 1434 1560">{Amendment Identifier}</td></tr> <tr> <td data-bbox="235 1560 535 1592">Data Type</td><td data-bbox="535 1560 1434 1592">Text</td></tr> <tr> <td data-bbox="235 1592 535 1662">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 1592 1434 1662">D</td></tr> <tr> <td data-bbox="235 1662 535 1752">Definition</td><td data-bbox="535 1662 1434 1752">CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.</td></tr> <tr> <td data-bbox="235 1752 535 1822">User Guidance</td><td data-bbox="535 1752 1434 1822">Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"</td></tr> <tr> <td data-bbox="235 1822 535 1854">Conformance</td><td data-bbox="535 1822 1434 1854">Conditional: when there is an amendment</td></tr> <tr> <td data-bbox="235 1854 535 1886">Cardinality</td><td data-bbox="535 1854 1434 1886">One to one; One to Protocol Identifier if not original</td></tr> </table>	Term (Variable)	{Amendment Identifier}	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.	User Guidance	Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"	Conformance	Conditional: when there is an amendment	Cardinality	One to one; One to Protocol Identifier if not original								
Term (Variable)	{Amendment Identifier}																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.																						
User Guidance	Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"																						
Conformance	Conditional: when there is an amendment																						
Cardinality	One to one; One to Protocol Identifier if not original																						
Repeating and/or Reuse Rules	No																						
25	<table border="1"> <tr> <td data-bbox="235 297 535 329">Term (Variable)</td><td data-bbox="535 297 1434 329"><Version Date></td></tr> <tr> <td data-bbox="235 329 535 361">Data Type</td><td data-bbox="535 329 1434 361">Date</td></tr> <tr> <td data-bbox="235 361 535 430">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 361 1434 430">D</td></tr> <tr> <td data-bbox="235 430 535 521">Definition</td><td data-bbox="535 430 1434 521">C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.</td></tr> <tr> <td data-bbox="235 521 535 553">User Guidance</td><td data-bbox="535 521 1434 553">For use by the Sponsor at their discretion.</td></tr> <tr> <td data-bbox="235 553 535 585">Conformance</td><td data-bbox="535 553 1434 585">Optional</td></tr> <tr> <td data-bbox="235 585 535 616">Cardinality</td><td data-bbox="535 585 1434 616">One to one; one to Version Number</td></tr> <tr> <td data-bbox="235 616 535 707">Relationship content from ToC representing the protocol hierarchy</td><td data-bbox="535 616 1434 707">Title page</td></tr> <tr> <td data-bbox="235 707 535 739">Value</td><td data-bbox="535 707 1434 739">Date Format</td></tr> <tr> <td data-bbox="235 739 535 830">Business rules</td><td data-bbox="535 739 1434 830"> Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813 </td></tr> <tr> <td data-bbox="235 830 535 903">Repeating and/or Reuse Rules</td><td data-bbox="535 830 1434 903">No</td></tr> </table>	Term (Variable)	<Version Date>	Data Type	Date	Data (D), Value (V) or Heading (H)	D	Definition	C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.	User Guidance	For use by the Sponsor at their discretion.	Conformance	Optional	Cardinality	One to one; one to Version Number	Relationship content from ToC representing the protocol hierarchy	Title page	Value	Date Format	Business rules	Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813	Repeating and/or Reuse Rules	No
Term (Variable)	<Version Date>																						
Data Type	Date																						
Data (D), Value (V) or Heading (H)	D																						
Definition	C93813 For review purpose, see definition of the controlled terminology below The date on which the document is versioned.																						
User Guidance	For use by the Sponsor at their discretion.																						
Conformance	Optional																						
Cardinality	One to one; one to Version Number																						
Relationship content from ToC representing the protocol hierarchy	Title page																						
Value	Date Format																						
Business rules	Value Allowed: Yes Relationship: Heading; Version number; Sponsor Protocol Identifier Concept: C93813																						
Repeating and/or Reuse Rules	No																						
26	<table border="1"> <tr> <td data-bbox="235 946 535 977">Term (Variable)</td><td data-bbox="535 946 1434 977">{Amendment Identifier:}</td></tr> <tr> <td data-bbox="235 977 535 1009">Data Type</td><td data-bbox="535 977 1434 1009">Text</td></tr> <tr> <td data-bbox="235 1009 535 1079">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 1009 1434 1079">H</td></tr> <tr> <td data-bbox="235 1079 535 1110">Definition</td><td data-bbox="535 1079 1434 1110">Heading</td></tr> <tr> <td data-bbox="235 1110 535 1142">User Guidance</td><td data-bbox="535 1110 1434 1142">N/A</td></tr> <tr> <td data-bbox="235 1142 535 1174">Conformance</td><td data-bbox="535 1142 1434 1174">Conditional: when there is an amendment</td></tr> <tr> <td data-bbox="235 1174 535 1205">Cardinality</td><td data-bbox="535 1174 1434 1205">One to one; One to Sponsor Protocol Identifier</td></tr> <tr> <td data-bbox="235 1205 535 1296">Relationship content from ToC representing the protocol hierarchy</td><td data-bbox="535 1205 1434 1296">Title page</td></tr> <tr> <td data-bbox="235 1296 535 1328">Value</td><td data-bbox="535 1296 1434 1328">Amendment Identifier</td></tr> <tr> <td data-bbox="235 1328 535 1419">Business rules</td><td data-bbox="535 1328 1434 1419"> Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW </td></tr> <tr> <td data-bbox="235 1419 535 1486">Repeating and/or Reuse Rules</td><td data-bbox="535 1419 1434 1486">Yes, reuse to/from table for document history</td></tr> </table>	Term (Variable)	{Amendment Identifier:}	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Conditional: when there is an amendment	Cardinality	One to one; One to Sponsor Protocol Identifier	Relationship content from ToC representing the protocol hierarchy	Title page	Value	Amendment Identifier	Business rules	Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW	Repeating and/or Reuse Rules	Yes, reuse to/from table for document history
Term (Variable)	{Amendment Identifier:}																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	H																						
Definition	Heading																						
User Guidance	N/A																						
Conformance	Conditional: when there is an amendment																						
Cardinality	One to one; One to Sponsor Protocol Identifier																						
Relationship content from ToC representing the protocol hierarchy	Title page																						
Value	Amendment Identifier																						
Business rules	Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Table Row Heading, Sponsor Protocol Identifier Concept: CNEW																						
Repeating and/or Reuse Rules	Yes, reuse to/from table for document history																						
27	<table border="1"> <tr> <td data-bbox="235 1529 535 1560">Term (Variable)</td><td data-bbox="535 1529 1434 1560">{Amendment Identifier}</td></tr> <tr> <td data-bbox="235 1560 535 1592">Data Type</td><td data-bbox="535 1560 1434 1592">Text</td></tr> <tr> <td data-bbox="235 1592 535 1662">Data (D), Value (V) or Heading (H)</td><td data-bbox="535 1592 1434 1662">D</td></tr> <tr> <td data-bbox="235 1662 535 1752">Definition</td><td data-bbox="535 1662 1434 1752">CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.</td></tr> <tr> <td data-bbox="235 1752 535 1822">User Guidance</td><td data-bbox="535 1752 1434 1822">Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"</td></tr> <tr> <td data-bbox="235 1822 535 1854">Conformance</td><td data-bbox="535 1822 1434 1854">Conditional: when there is an amendment</td></tr> <tr> <td data-bbox="235 1854 535 1886">Cardinality</td><td data-bbox="535 1854 1434 1886">One to one; One to Protocol Identifier if not original</td></tr> </table>	Term (Variable)	{Amendment Identifier}	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.	User Guidance	Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"	Conformance	Conditional: when there is an amendment	Cardinality	One to one; One to Protocol Identifier if not original								
Term (Variable)	{Amendment Identifier}																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.																						
User Guidance	Enter the amendment identifier (e.g. amendment number). If this is the original instance of the protocol, delete the row or enter "Not applicable"																						
Conformance	Conditional: when there is an amendment																						
Cardinality	One to one; One to Protocol Identifier if not original																						

Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes if Original Protocol = No; blank if Original Protocol = Yes Relationship: Heading, Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for Table for Document History

28

Term (Variable)	{Amendment Scope:}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Amendment Scope:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

29

Term (Variable)	{[Amendment Scope]}
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below A description as to whether the amendment scope applies globally across the trial.
User Guidance	Leave blank for original protocol. If this is the original instance of the protocol, delete the row or enter "Not applicable". If an amendment applies to all sites in the trial, enter "global" and delete the Country, Region and Site Identifier fields. If amending a single-country study, enter "global".
Conformance	Conditional: when there is an amendment
Cardinality	One to one, One to Amendment Identifier
Relationship content from ToC representing the protocol hierarchy	Title page
Value	Blank; Global (C68846), Not Global (CNEW)
Business rules	Value Allowed: Yes; es if Original Protocol = No; blank if Original Protocol = Yes Relationship: Heading, Amendment Identifier, Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

30

31

NCI C-code	M11 Preferred Term	Draft Definition
C68846	Global	Covering or affecting the whole of a system.
CNEW	Not Global	Covering or affecting a portion of the system.

32

Term (Variable)	{[Country Identifier] or [Region Identifier] or <Site Identifier>}
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>C20108 CNEW CNEW</p> <p>For review purpose, see definition of the controlled terminology below C20108</p> <p>A sequence of characters used to identify and/or name the country. CNEW</p> <p>A sequence of characters used to identify and/or name the region CNEW</p> <p>A sequence of characters used to identify and/or name the study site.</p>
User Guidance	Leave blank for original protocol. If the amendment does not apply to all sites in the trial, select “Not Global” and utilise one of the identifiers based on amendment scope.
Conformance	Conditional: when Amendment scope is not global
Cardinality	One to one; Many to Amendment Scope; One to Amendment Identifier; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	<p>Country specific: [Country Identifier] (ISO 3166 Country Codes, Alpha 3; ISO 3166 Country Codes, Alpha 2; GENC)</p> <p>or</p> <p>Region Specific: [Region Identifier] (ISO 3166 Region Codes, Alpha 3; ISO 3166 Region Codes, Alpha 2; GENC)</p> <p>or</p> <p>Site specific: [Site Identifier] (Text) Site Identifier Text</p> <p>Conditional Blank for Original Protocol Indicator = yes</p>
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading, Amendment Scope, Amendment Identifier, Sponsor Protocol Identifier</p> <p>Concept: C20108; CNEW; CNEW</p>
Repeating and/or Reuse Rules	Yes, repeatable in 12.2 country/region-specific differences

33

Term (Variable)	Sponsor's Investigational Product Code(s):
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor's Investigational Product Code(s):
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each Investigational compound

34

Term (Variable)	<Sponsor's Investigational Product Code(s)>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below: A symbol or combination of symbols that are assigned by the Sponsor to uniquely identify an experimental intervention.
User Guidance	Enter the Sponsor's unique identifier for investigational compound(s) in the trial. Add fields as needed.
Conformance	Optional: if there is Sponsor Investigational Product Code
Cardinality	One to one, Many to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each Investigational compound Yes, repeatable in 1.1.2 under Intervention

35

Term (Variable)	Investigational Product Name(s):
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one; Many to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Investigational Product Name(s):
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

36

Term (Variable)	<Nonproprietary Name(s)>
------------------------	--------------------------

Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C97054</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Drug name that is not protected by a trademark, usually descriptive of its chemical structure, and sometimes a public name. (ICH E2B)</p>
User Guidance	Omit nonproprietary name fields if a nonproprietary name has not yet been assigned.
Conformance	Optional; Blank
Cardinality	One to many; Many to Sponsor Investigational Product Code(s); Many to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text Use for example WHO INN, USAN, JAN, XEVMPD
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading, Sponsor Protocol Identifier</p> <p>Concept: C97054</p>
Repeating and/or Reuse Rules	<p>Yes, repeatable for each nonproprietary name</p> <p>Yes, repeatable in 1.1.2 under intervention</p>

37

Term (Variable)	<Proprietary Name(s)>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C71898</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A commercial name granted by an authority for use in marketing/registering a product.</p>
User Guidance	Omit proprietary name fields if not yet established.
Conformance	Optional; Blank
Cardinality	One to many; Many to Sponsor Investigational Product Code(s); Many to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Protocol Identifier; Compound Code</p> <p>Concept: C71898</p>
Repeating and/or Reuse Rules	Yes, repeatable for each proprietary name

38

Term (Variable)	Trial Phase:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one; One to Sponsor Protocol Identifier

39

Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Trial Phase:
Business rules	Value Allowed: No Relationship: Table row heading; Sponsor Protocol Identifier Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	[Trial Phase]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C48281 For review purpose, see definition of the controlled terminology below A stage in the clinical research and development of a therapy from first-in-human to post-approval clinical trials.
User Guidance	For trials combining investigational drugs or vaccines with devices, classify according to the phase of drug development.
Conformance	Required
Cardinality	One to one; Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Early Phase 1 (C54721); Phase 1(C15600); Phase 1/Phase 2 (C15693) Phase 1/Phase 2/Phase 3 (C198366); Phase 1/Phase 3(C198367); Phase 2(C15601); Phase 2/Phase 3(C15694); Phase2/Phase 3/Phase 4(CNEW); Phase 3(C15602); Phase 3/Phase 4 (CNEW); Phase 4 (C15603)))
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: C48281
Repeating and/or Reuse Rules	No

40

NCI C-code	M11 Preferred Term	Draft Definition
C54721	Early Phase 1	First-in-human trials, in a small number of participants, that are conducted before Phase 1 trials and are intended to assess new candidate therapeutic and imaging agents. The study agent is administered at a low dose for a limited time, and there is no therapeutic or diagnostic intent.
C15600	Phase 1	The initial administration of an investigational medicinal product (IMP) into humans in order to examine clinical tolerability and therapeutic intent. Phase 1 trials are typically closely monitored and may be conducted in patients or healthy volunteer participants.
C15693	Phase 1/Phase 2	A clinical trial that combines elements characteristic of traditional Phase 1 and Phase 2 trials.
C198366	Phase 1/Phase 2/Phase 3	A clinical trial that begins as a Phase 1 trial and transitions into Phases 2 and 3 based upon successful completion of a milestone that enables transition.
C198367	Phase 1/Phase 3	A clinical trial that begins as a Phase 1 trial and transitions into a Phase 3 trial based upon successful completion of a milestone that enables transition.

CNEW	Phase 2/Phase 3/Phase 4	A study that begins as a Phase 2 study and transitions into Phases 3 and 4 based upon successful completion of each previous portion. A clinical trial that begins as a Phase 2 trial and transitions into Phases 3 and 4 based upon successful completion of a milestone that enables transition.
C15601	Phase 2	Exploratory trials conducted to evaluate the safety and efficacy of the investigational intervention in patients with the disease or condition. Objectives can be clinical pharmacology, dose-ranging (dose-response, frequency of dosing), type of patients, or numerous other characteristics of safety and efficacy.
C15694	Phase 2/Phase 3	A class of clinical study that combines elements characteristic of traditional Phase 2 and Phase 3 trials. A clinical trial that combines elements characteristic of traditional Phase 2 and Phase 3 trials.
CNEW	Phase 3/Phase 4	A clinical trial that combines elements characteristic of traditional Phase 3 and Phase 4 trials.
C15602	Phase 3	Confirmatory trials conducted to demonstrate safety, efficacy and tolerability of the intervention in patients with the disease or condition. Their objectives are to evaluate the overall benefit-risk relationship and to provide substantial evidence for regulatory approval and labeling.
C15603	Phase 4	Post-approval trials conducted to further understand the safety and efficacy of the drug in its approved indication. They are not considered necessary for approval but are often important for optimising the drug's use.
C17649	Other	Different than the one(s) previously specified or mentioned.

41

Term (Variable)	Short Title
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Short Title:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

42

Term (Variable)	<Trial Short Title>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The short descriptive name for the trial.

User Guidance	Short title should convey <u>in plain language</u> what the trial is about and should be suitable for use as “Brief Title” or “Title in Plain Language” in global clinical trial registries. It can also be suitable for use with informed consents and ethics committee submissions.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

43

Term (Variable)	Sponsor Name and Address:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Name and Address:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

44

Term (Variable)	<Sponsor Name>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C70793 For review purpose, see definition of the controlled terminology below The literal identifier (i.e., distinctive designation) of the trial sponsor.
User Guidance	Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.
Conformance	Required
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier

	Concept: C70793																								
45	<table border="1"> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> <tr> <td>Term (Variable)</td><td><Sponsor Legal Address></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The legally registered address of the trial sponsor.</p> </td></tr> <tr> <td>User Guidance</td><td>Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to one; One to Sponsor Name</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>Title Page</td></tr> <tr> <td>Value</td><td>Text</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Name</p> <p>Concept: CNEW</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Repeating and/or Reuse Rules	No	Term (Variable)	<Sponsor Legal Address>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The legally registered address of the trial sponsor.</p>	User Guidance	Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.	Conformance	Required	Cardinality	One to one; One to Sponsor Name	Relationship content from ToC representing the protocol hierarchy	Title Page	Value	Text	Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Name</p> <p>Concept: CNEW</p>	Repeating and/or Reuse Rules	No
Repeating and/or Reuse Rules	No																								
Term (Variable)	<Sponsor Legal Address>																								
Data Type	Text																								
Data (D), Value (V) or Heading (H)	D																								
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The legally registered address of the trial sponsor.</p>																								
User Guidance	Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.																								
Conformance	Required																								
Cardinality	One to one; One to Sponsor Name																								
Relationship content from ToC representing the protocol hierarchy	Title Page																								
Value	Text																								
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Name</p> <p>Concept: CNEW</p>																								
Repeating and/or Reuse Rules	No																								
46	<table border="1"> <tr> <td>Term (Variable)</td><td>Co-Sponsor Name and Address:</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Optional</td></tr> <tr> <td>Cardinality</td><td>One to one; One to Sponsor Name; One to Sponsor Protocol Identifier</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>Title Page</td></tr> <tr> <td>Value</td><td>Co-Sponsor Name and Address:</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: No</p> <p>Relationship: Heading; Sponsor Name; Sponsor Protocol Identifier</p> <p>Concept: Heading</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	Co-Sponsor Name and Address:	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Optional	Cardinality	One to one; One to Sponsor Name; One to Sponsor Protocol Identifier	Relationship content from ToC representing the protocol hierarchy	Title Page	Value	Co-Sponsor Name and Address:	Business rules	<p>Value Allowed: No</p> <p>Relationship: Heading; Sponsor Name; Sponsor Protocol Identifier</p> <p>Concept: Heading</p>	Repeating and/or Reuse Rules	No		
Term (Variable)	Co-Sponsor Name and Address:																								
Data Type	Text																								
Data (D), Value (V) or Heading (H)	H																								
Definition	Heading																								
User Guidance	N/A																								
Conformance	Optional																								
Cardinality	One to one; One to Sponsor Name; One to Sponsor Protocol Identifier																								
Relationship content from ToC representing the protocol hierarchy	Title Page																								
Value	Co-Sponsor Name and Address:																								
Business rules	<p>Value Allowed: No</p> <p>Relationship: Heading; Sponsor Name; Sponsor Protocol Identifier</p> <p>Concept: Heading</p>																								
Repeating and/or Reuse Rules	No																								
47	<table border="1"> <tr> <td>Term (Variable)</td><td><Co-Sponsor Name></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The literal identifier (i.e., distinctive designation) of the trial co-sponsor.</p> </td></tr> </table>	Term (Variable)	<Co-Sponsor Name>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The literal identifier (i.e., distinctive designation) of the trial co-sponsor.</p>																
Term (Variable)	<Co-Sponsor Name>																								
Data Type	Text																								
Data (D), Value (V) or Heading (H)	D																								
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The literal identifier (i.e., distinctive designation) of the trial co-sponsor.</p>																								

User Guidance	Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.
Conformance	Optional
Cardinality	One to one; One to Co-Sponsor Name; One to Sponsor Name; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Co-Sponsor Name; Sponsor Name; Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

48

Term (Variable)	<Co-Sponsor Legal Address>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The legally registered address of the trial co-sponsor.
User Guidance	Provide the legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. If more than one Sponsor, list the Primary Sponsor in this field.
Conformance	Optional
Cardinality	One to one; One to Heading; One to Co-Sponsor Name
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Co-Sponsor Name Concept: CNEW
Repeating and/or Reuse Rules	No

49

Term (Variable)	Local Sponsor Name and Address:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one; One to Sponsor Name and Address; One to Protocol Sponsor Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Local Sponsor Name and Address:

Business rules	Value Allowed: No Relationship: Heading Sponsor Name and Address Concept: Heading
Repeating and/or Reuse Rules	No

50

Term (Variable)	<Local Sponsor Name>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The literal identifier (i.e. distinctive designation) of the sponsor's legal representative at a geographical region within which the sponsor has no legal presence.
User Guidance	In some countries, the clinical trial Sponsor may be the local affiliate company (or designee). In such cases, indicate this in the Local Sponsor Name and Address Field.
Conformance	Optional
Cardinality	One to one; One to Sponsor Name and Address; Many to Sponsor Name
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Name and Address; Sponsor Name; Country Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each Local Sponsor Name

51

Term (Variable)	<Local Sponsor Address>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The legally registered address of the sponsor's legal representative at a geographical region within which the sponsor has no legal presence.
User Guidance	In some countries, the clinical trial Sponsor may be the local affiliate company (or designee). In such cases, indicate this in the Sponsor Local Name and Address Field.
Conformance	Optional
Cardinality	One to one; One to Local Sponsor; One to Country
Relationship content from ToC representing the protocol hierarchy	Title page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Local Sponsor; Country Concept: CNEW
Repeating and/or Reuse Rules	No

52

Term (Variable)	Device Manufacturer Name and Address:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Device Manufacturer Name and Address:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

53

Term (Variable)	<Device Manufacturer Name>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The literal identifier (i.e., distinctive designation) of the organization defined as being responsible for creating the device as stated on the package in which the product is supplied.
User Guidance	Manufacturer name and address information is required only for protocols that include investigational device(s) and <u>should not</u> be included for other protocols. Include the manufacturer address only if the manufacturer is different than the Sponsor listed above. Add additional fields as needed if multiple investigational devices will be used in the trial. Delete this line if not applicable.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier; One to Sponsor Name
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier; Sponsor Name Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each device manufacturers

54

Term (Variable)	<Device Manufacturer Address>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The legally registered address of the device manufacturer.

User Guidance	Manufacturer name and address information is required only for protocols that include investigational device(s) and should not be included for other protocols. Include the manufacturer address only if the manufacturer is different than the Sponsor listed above. Add additional fields as needed if multiple investigational devices will be used in the trial. Delete this line if not applicable.
Conformance	Optional
Cardinality	One to One; One to Device Manufacturer Name
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Device Manufacturing Name Concept: CNEW
Repeating and/or Reuse Rules	No

55

Term (Variable)	Regulatory or Clinical Trial Identifier(s):
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Regulatory or Clinical Trial Identifier(s):
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

56

Term (Variable)	<EU CT Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify a clinical trial, as assigned by the Clinical Trials Information System (CTIS) of the European Medicines Agency.
User Guidance	Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page

Value	Text
Business rules	Value Allowed: Yes; EU CT number: yyyy-5xxxxx-xx with YYYY corresponding to a year i.e. 2024 and x being an integer Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

57

Term (Variable)	<FDA IND Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify a clinical trial under an Investigational New Drug (IND) application, as assigned by the US Food and Drug Administration.
User Guidance	Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

58

Term (Variable)	<IDE Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify a clinical trial under an Investigational Device Exemption (IDE) application, as assigned by the US Food and Drug Administration.
User Guidance	Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes

	Relationship: Heading; Protocol Identifier Concept: CNEW
59	Repeating and/or Reuse Rules No
	Term (Variable) <jRCT Number> Data Type Text Data (D), Value (V) or Heading (H) D Definition CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify a clinical trial, as assigned by the Japan Registry for Clinical Trials (JRCT) of the Ministry of Health, Labour and Welfare (MHLW) in Japan.
	User Guidance Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
	Conformance Optional Cardinality One to one; One to Sponsor Protocol Identifier Relationship content from ToC representing the protocol hierarchy Title Page Value Text Business rules Value Allowed: Yes Relationship: Heading; Protocol Identifier Concept: CNEW
	Repeating and/or Reuse Rules No
60	Term (Variable) <NCT Number> Data Type Text Data (D), Value (V) or Heading (H) D Definition CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify a clinical trial, as assigned by the protocol registration and results (PRS) system of the US National Library of Medicine.
	User Guidance Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
	Conformance Optional Cardinality One to one; One to Sponsor Protocol Identifier Relationship content from ToC representing the protocol hierarchy Title Page Value Text Business rules Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW

Repeating and/or Reuse Rules	No
-------------------------------------	----

61

Term (Variable)	<NMPA IND Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A sequence of characters used to identify a clinical trial under an Investigational New Drug (IND) application, as assigned by the Chinese National Medicinal Products Administration (NMPA).</p>
User Guidance	Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Protocol Identifier</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

62

Term (Variable)	<WHO/UTN Number>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A sequence of characters used to identify a clinical trial, as assigned by the World Health Organisation's International Clinical Trial's Registry Platform (ICTRP).</p>
User Guidance	Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	UTN/WHO: Uxxxx-xxxx-xxxx with X being an integer
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Protocol Identifier</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

63

Term (Variable)	<Other Regulatory or Clinical Trial Identifier>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A sequence of characters assigned by a regulatory agency or other health authority that is used to identify a clinical trial, and that is different than the one(s) previously specified or mentioned.</p>
User Guidance	Include all identifiers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for identifiers not available at the time of document finalisation. Delete unused fields. Add fields for “other” if more than one is needed.
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Heading; Sponsor Protocol Identifier</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, repeatable for each regulatory agency identifier

64

Term (Variable)	Sponsor Approval:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title page
Value	Sponsor Approval:
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table row heading</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

65

Term (Variable)	[<Approval Date> or <State location where Information can be found>]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The date that the sponsor approved the current or prior version of the protocol, or the physical or virtual location of the date on which the sponsor approved the current or prior version of the protocol.</p>
User Guidance	All versions should be uniquely identifiable.

Conformance	Required
Cardinality	One to one; One to Protocol Identifier; One to Original Protocol One to Amendment Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Approval Date (C132352) Location of Sponsor Approval Date (CNEW)
Business rules	Value Allowed: Yes Relationship: Heading; Protocol Identifier; Protocol Amendment Concept: CNEW
Repeating and/or Reuse Rules	Yes, reuse to approval date in Section 12.3

66

NCI C-code	M11 Preferred Term	Draft Definition
C132352	Sponsor Approval Date	The date that the sponsor approved the current version of the protocol.
CNEW	Location of Sponsor Approval Date	The physical or virtual location of the date on which the sponsor approved the current version of the protocol.

67

Term (Variable)	Sponsor Signatory:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Signatory:
Business rules	Value Allowed: No Relationship: Heading Concept: Heading
Repeating and/or Reuse Rules	No

68

Term (Variable)	[{<sponsor signature block (name and title of sponsor signatory and signature date)>} or {This protocol was approved via <describe method>}]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below A block of text containing the name and signature of the sponsor's signatory, along with a signature date, or a statement on behalf of the sponsor that describes the method of protocol approval.
User Guidance	Include either the Sponsor signature or the statement below.
Conformance	Optional
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Sponsor Signature Block (CNEW) OR Sponsor Protocol Approval Statement (CNEW)
Business rules	Value Allowed: Yes Relationship: Heading Concept: CNEW
Repeating and/or Reuse Rules	No

69

NCI C-code	M11 Preferred Term	Draft Definition
CNEW	Sponsor Signature Block	A block of text containing the name and signature of the sponsor's signatory, along with the signature date.
CNEW	Sponsor Protocol Approval Statement	A statement that the protocol was approved by a method as described.

70

Term (Variable)	<Describe Method>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The narrative text describing the technique used to approve the protocol.
User Guidance	Include either the Sponsor signature or the statement below.
Conformance	Conditional if there is a Sponsor Protocol Approval Statement
Cardinality	One to Sponsor Protocol Approval Statement
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	Value Allowed: Yes Relationship: Sponsor Protocol Approval Statement Concept: CNEW
Repeating and/or Reuse Rules	No

71

Term (Variable)	Medical Expert Contact:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Medical Expert Contact:
Business rules	Value Allowed: No Relationship: Heading Concept: Heading

Repeating and/or Reuse Rules	No
-------------------------------------	----

72

Term (Variable)	<contact information for Medical Expert (as designated by sponsor) or state location where information can be found>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The contact information for the sponsor's representative who can advise on specific trial-related medical questions or problems, or state location where information can be found.</p>
User Guidance	N/A
Conformance	Optional
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Title Page
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Medical Expert Contact Response</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

73

Term (Variable)	Amendment Details
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Amendment Details
Business rules	<p>Value Allowed: No</p> <p>Relationship: Heading</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

74

Term (Variable)	Amendment Details
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A written message within the study protocol that describes the amendment details, especially as to whether the protocol has been amended previously.</p>

User Guidance	Choose the applicable statement below. For an original protocol that has not been amended, retain the first sentence below and delete the remainder of this entire section. {Not applicable. This protocol has not been amended.} Or include the below as applicable. {This protocol has been amended previously. Details of prior amendments are presented in Section 12.3 Prior Protocol Amendment(s).}
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Not applicable. This protocol has not been amended. (CNEW) OR This is the first protocol amendment. (CNEW) OR This protocol has been amended previously. Details of prior amendments are presented in Prior Protocol Amendment(s). (CNEW)
Business rules	Value Allowed: Yes Relationship: Heading Concept: CNEW
Repeating and/or Reuse Rules	No

75

NCI C-code	M11 Preferred Term	Draft Definition
CNEW	Not applicable. This protocol has not been amended.	Not applicable. This protocol has not been amended.
CNEW	Not applicable. This is the first protocol amendment.	Not applicable. This is the first protocol amendment.
CNEW	This protocol has been amended previously. Details of prior amendments are presented in Section 12.3 Prior Protocol Amendments.	This protocol has been amended previously. Details of prior amendments are presented in Section 12.3 Prior Protocol Amendments.
CNEW	This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.	This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.

76
77

Term (Variable)	{Current Amendment}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If Protocol is Original = No
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Current Amendment
Business rules	Value Allowed: No Relationship: Heading Concept: Heading
Repeating and/or Reuse Rules	No

78

Term (Variable)	The table below describes the current amendment
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Universal Text
Business rules	Value Allowed: No Relationship: Current Amendment Concept: Required text
Repeating and/or Reuse Rules	No

79

Term (Variable)	Approximate <(#/%)> Enrolled at Time of Sponsor Approval
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Approximate # enrolled at Time of Sponsor Approval or Approximate % enrolled at Time of Sponsor Approval
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

80

Term (Variable)	Approximately <#/%> enrolled <Globally/Locally/by Cohort>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW

	For review purpose, see definition of the controlled terminology below The value (expressed either numerically or as a percentage) for the estimated number of participants enrolled at the time of the protocol amendment.
User Guidance	<p>Enter the approximate number or percentage of participants enrolled as a percentage of the expected total. If the number of expected participants is changing as a result of the current amendment, use the updated number of expected participants to estimate the current per cent of enrollment. Estimates are adequate, as precise enrollment figures will likely be changing while an amendment is being prepared.</p> <ul style="list-style-type: none"> • For a <u>global or single-country amendment</u>, provide the estimated total enrollment at the time of the Sponsor approved the amendment. • For <u>global amendments providing (or consolidating) only country/region-specific requirements</u>, list approximate local enrollment (total or percentage) at the time of the amendment and select “locally”. • If consolidating a series of local amendments, the status of all the relevant locations can be listed <p>For a <u>country/regional amendment</u>, provide the estimated local or regional enrollment at the time the Sponsor approved the amendment.</p>
Conformance	Optional
Cardinality	One to one; One to amendment number
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Approximate <#/%> enrolled <Globally/Locally/by Cohort>
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Statement</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, reuse to Section 12.3

81

Term (Variable)	Number or %
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below The numeric value (expressed as an absolute value or percentage) for the estimated number of participants enrolled at the time of the protocol amendment.</p>
User Guidance	<p>Enter the approximate number or percentage of participants enrolled as a percentage of the expected total. If the number of expected participants is changing as a result of the current amendment, use the updated number of expected participants to estimate the current per cent of enrollment. Estimates are adequate, as precise enrollment figures will likely be changing while an amendment is being prepared.</p> <ul style="list-style-type: none"> • For a <u>global or single-country amendment</u>, provide the estimated total enrollment at the time of the Sponsor approved the amendment. • For <u>global amendments providing (or consolidating) only country/region-specific requirements</u>, list approximate local enrollment (total or percentage) at the time of the amendment and select “locally”. • If consolidating a series of local amendments, the status of all the relevant locations can be listed <p>For a <u>country/regional amendment</u>, provide the estimated local or regional enrollment at the time the Sponsor approved the amendment.</p>

Conformance	Conditional if Original Protocol =No
Cardinality	One to Amendment Number
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Integer for Number or one decimal point for percent
Business rules	Value Allowed: Yes Relationship: Table Row Heading; Statement Concept: CNEW
Repeating and/or Reuse Rules	Yes, reuse to section 12.3

82

Term (Variable)	Amendment Scope Enrollment Description
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V or D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The enrollment description as to whether the amendment scope applies globally, locally, or per cohort across the trial.</p>
User Guidance	<p>Enter the approximate number or percentage of participants enrolled as a percentage of the expected total. If the number of expected participants is changing as a result of the current amendment, use the updated number of expected participants to estimate the current per cent of enrollment. Estimates are adequate, as precise enrollment figures will likely be changing while an amendment is being prepared.</p> <ul style="list-style-type: none"> For a <u>global or single-country amendment</u>, provide the estimated total enrollment at the time of the Sponsor approved the amendment. For <u>global amendments providing (or consolidating) only country/region-specific requirements</u>, list approximate local enrollment (total or percentage) at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed <p>For a <u>country/regional amendment</u>, provide the estimated local or regional enrollment at the time the Sponsor approved the amendment.</p>
Conformance	Conditional if Original Protocol =No
Cardinality	One to Amendment Number
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Globally (C68846); Locally (CNEW); Cohort (CNEW)
Business rules	Value Allowed: Yes Relationship: Statement Concept: CNEW
Repeating and/or Reuse Rules	Yes, reuse to section 12.3

83

NCI C-code	M11 Preferred Term	Draft Definition
C68846	Globally	Covering or affecting the whole of a system.
CNEW	Locally	Covering or affecting a portion of the system.
CNEW	Cohort	Covering or affecting a cohort of individuals.

84

Term (Variable)	{Reason(s) for Amendment}
------------------------	---------------------------

Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If Original Protocol = No
Cardinality	One to one; Amendment Number
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Reason(s) for Amendment:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

85

Term (Variable)	Primary:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If Original Protocol = No
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Primary:
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

86

Term (Variable)	[Primary Reason for Amendment]{} Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The rationale for the change(s) to, or formal clarification of, a protocol.
User Guidance	Choose from the available categories as the <u>primary</u> reason and <u>secondary</u> reason(s) for the amendment. Select the closest match among the choices. Changes to primary estimand, endpoints, or related measures should be listed as a change of strategy. If none of the choices apply, choose “other” and provide a description. If no secondary reason, indicate “not applicable” for the secondary reason.
Conformance	Conditional: if the protocol is = No
Cardinality	One to Amendment Details
Relationship content from ToC representing the protocol hierarchy	Amendment Details

Value	<ul style="list-style-type: none"> • Regulatory agency request to amend (CNEW) • New regulatory guidance (CNEW) • IRB/IEC feedback (CNEW) • New safety information available (CNEW) • Manufacturing change (NEW) • IMP addition (CNEW) • Change in strategy (CNEW) • Change in standard of care (CNEW) • New data available (other than safety data) (CNEW) • Investigator/site feedback (CNEW) • Recruitment difficulty (CNEW) • Inconsistency and/or error in the protocol (CNEW) • Protocol design error (CNEW) • Other(C17649) • Not applicable(C48660)
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier; Protocol Amendment Concept: CNEW
Repeating and/or Reuse Rules	Yes, Multiple values can be selected except when it is Original Protocol

87

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Regulatory Agency Request To Amend	A regulatory agency has expressed a need for a change(s) to, or formal clarification of, the protocol.
CNEW	New Regulatory Guidance	A regulatory agency has published a guidance document that necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	IRB/IEC Feedback	Feedback from the institutional review board or independent ethics committee necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	New Safety Information Available	Previously unavailable safety data becomes available, which necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Manufacturing Change	A change to manufacturing processes of the study agents necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	IMP Addition	The addition of an investigational medicinal product to a clinical trial design necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Change In Strategy	A change in the study purpose or intent of the scientific plan necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Change In Standard Of Care	A change in the standard of care necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	New Data Available (Other Than Safety Data)	Previously unavailable data (other than safety data) becomes available, which necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Investigator/Site Feedback	Feedback from the investigator or study site necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Recruitment Difficulty	Challenges with participant recruitment necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Inconsistency And/Or Error In The Protocol	An error or inconsistency in the protocol necessitates a change(s) to, or formal clarification of, the protocol.

88

CNEW	Protocol Design Error	A protocol design error necessitates a change(s) to, or formal clarification of, a document.
C17649	Other	Different than the one(s) previously specified or mentioned.
C48660	Not Applicable	Determination of a value is not relevant in the current context.

Term (Variable)	Other
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Other:
Business rules	Value Allowed: No Relationship: Selection of Other Concept: Heading
Repeating and/or Reuse Rules	No

89

Term (Variable)	Other description
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C17649 For review purpose, see definition of the controlled terminology below Different than the one(s) previously specified or mentioned.
User Guidance	Choose from the available categories the <u>primary</u> reason and <u>secondary</u> reason(s) for the amendment. Select the closest match among the choices. Changes to primary estimand, endpoints, or related measures should be listed as a change of strategy. If none of the choices apply, choose “other” and provide a description. If no secondary reason, indicate “Not applicable” for the secondary reason.
Conformance	Conditional if Other is selected as a Valid Value
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Text
Business rules	Value Allowed: Yes Relationship: Heading; Primary reason; Sponsor Protocol Identifier; Protocol Amendment Concept: C17649
Repeating and/or Reuse Rules	No
Term (Variable)	Secondary
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

Conformance	Conditional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Secondary:
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

90

Term (Variable)	{[Secondary Reason for Amendment]}
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Additional rationale for the protocol amendment that is not considered the primary rationale.</p>
User Guidance	<p>Choose from the available categories as the <u>primary</u> reason and <u>secondary</u> reason(s) for the amendment. Select the closest match among the choices.</p> <p>Changes to primary estimand, endpoints, or related measures should be listed as a change of strategy. If none of the choices apply, choose “other” and provide a description. If no secondary reason, indicate “not applicable” for the secondary reason.</p>
Conformance	Conditional If Protocol Original = No
Cardinality	One to one; One to Protocol Identifier; One to Amendment Identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	<ul style="list-style-type: none"> Regulatory agency request to amend (CNEW) New regulatory guidance (CNEW) IRB/IEC feedback (CNEW) New safety information available (CNEW) Manufacturing change (CNEW) IMP addition (CNEW) Change in strategy (CNEW) Change in standard of care (CNEW) New data available (other than safety data) (CNEW) Investigator/site feedback (CNEW) Recruitment difficulty (CNEW) Inconsistency and/or error in the protocol (CNEW) Protocol design error (CNEW) Other(C17649) Not applicable(C48660)
Business rules	Value Allowed: Yes Relationship: Heading, Sponsor Protocol Identifier, Protocol Amendment Concept: CNEW
Repeating and/or Reuse Rules	Yes, Multiple accepted except for the Original

91

NCI C-Code	M11 Preferred Term	Draft Definition
------------	--------------------	------------------

CNEW	Regulatory Agency Request To Amend	A regulatory agency has expressed a need for a change(s) to, or formal clarification of, the protocol.
CNEW	New Regulatory Guidance	A regulatory agency has published a guidance document that necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	IRB/IEC Feedback	Feedback from the institutional review board or independent ethics committee necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	New Safety Information Available	Previously unavailable safety data becomes available, which necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Manufacturing Change	A change to manufacturing processes of the study agents necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	IMP Addition	The addition of an investigational medicinal product to a clinical trial design necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Change In Strategy	A change in the study purpose or intent of the scientific plan necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Change In Standard Of Care	A change in the standard of care necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	New Data Available (Other Than Safety Data)	Previously unavailable data (other than safety data) becomes available, which necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Investigator/Site Feedback	Feedback from the investigator or study site necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Recruitment Difficulty	Challenges with participant recruitment necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Inconsistency And/Or Error In The Protocol	An error or inconsistency in the protocol necessitates a change(s) to, or formal clarification of, the protocol.
CNEW	Protocol Design Error	A protocol design error necessitates a change(s) to, or formal clarification of, a document.
C17649	Other	Different than the one(s) previously specified or mentioned.
C48660	Not Applicable	Determination of a value is not relevant in the current context.

92

Term (Variable)	{Amendment Summary:}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if original protocol = No
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Amendment Summary:
Business rules	Value Allowed: No Relationship: Amendment details, Amendment Identifier Concept: Heading
Repeating and/or Reuse Rules	No

93

Term (Variable)	{<Amendment Summary>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D

Definition	CNEW For review purpose, see definition of the controlled terminology below A short description describing the changes introduced in the current version of the protocol.
User Guidance	Describe key changes briefly. Changes which are included in the amendment but unrelated to the key changes do not need to be described here.
Conformance	Conditional: if there is an amendment
Cardinality	One to Amendment identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Text
Business rules	Value Allowed: Yes Relationship: Amendment Details; Amendment Identifier; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

94

Term (Variable)	{Is this amendment likely to have a substantial impact on the safety or rights of the participants?}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to one amendment identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Is this amendment likely to have a substantial impact on the safety or rights of the participants?
Business rules	Value Allowed: No Relationship: Amendment Details Concept: Heading
Repeating and/or Reuse Rules	No

95

Term (Variable)	[Yes/No]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the amendment likely to have a substantial impact on the safety or rights of the participants.
User Guidance	N/A
Conformance	Conditional If there is an amendment
Cardinality	One to one; One to Amendment Identifier; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details

Value	Yes (C49488); No (C49487)
Business rules	Value Allowed: Yes Relationship: Amendment Details; Amendment Identifier; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

96

NCI C-Code	M11 Preferred Term	Draft Definition
C49487	No	The non-affirmative response to a question.
C49488	Yes	The affirmative response to a question.

97

Term (Variable)	{If yes, briefly explain}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A short descriptive account of any substantial impacts on the safety or rights of the participants due to the protocol amendment.</p>
User Guidance	Briefly Explain Substantial Impact on Safety
Conformance	Conditional: if there is an amendment and if "Is this amendment likely to have a substantial impact on the safety or rights of the participants? " is Yes
Cardinality	<p>One to one Amendment Identifier,</p> <p>Is this amendment likely to have a substantial impact on the safety or rights of the participants? Response when Yes</p>
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Text
Business rules	Value Allowed: Yes Relationship: Amendment Details, Amendment Identifier, Sponsor Protocol Identifier When the value is yes there is a text response for explanation Concept: CNEW
Repeating and/or Reuse Rules	No

98

Term (Variable)	{Is this amendment likely to have a substantial impact on the reliability and robustness of the data generated in the clinical trial?}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is an amendment
Cardinality	One to amendment details, One amendment identifier, Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Is this amendment likely to have a substantial impact on the reliability and robustness of the data generated in the clinical trial?

Business rules	Value Allowed: No Relationship: Amendment Details, Sponsor Protocol Identifier Concept: Heading
Repeating and/or Reuse Rules	No

99

Term (Variable)	[Yes/No]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the amendment likely to have a substantial impact on the reliability and robustness of the data generated in the clinical trial.
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to one; One to Amendment Identifier; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Yes (C49488), No (C49487)
Business rules	Value Allowed: Yes Relationship: Amendment Details; Amendment Identifier; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

100

NCI C-Code	M11 Preferred Term	Draft Definition
C49487	No	The non-affirmative response to a question.
C49488	Yes	The affirmative response to a question.

101

Term (Variable)	{If yes, briefly explain}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A short descriptive account of any substantial impacts on the reliability and robustness of the data generated in the clinical trial due to the protocol amendment.
User Guidance	Briefly Explain Substantial Impact on Data
Conformance	Conditional: if there is an amendment and if the answer to "Is this amendment likely to have a substantial impact on the reliability and robustness of the data generated in the clinical trial?" is Yes
Cardinality	One to amendment identifier
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Text
Business rules	Value Allowed: Yes

102

	<p>Relationship: Amendment Details; Amendment Identifier; Sponsor Protocol Identifier</p> <p>When the value is yes there is a text response for explanation</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

103

Term (Variable)	{Overview of Changes in the Current Amendment:}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	<p>Instructions for the Overview of Changes:</p> <ul style="list-style-type: none"> • If an Overview of Changes already exists from a prior amendment, move it to Section 12.3 Prior Protocol Amendment(s), and populate a clean overview table for the current amendment. • List the changes that apply to the current amendment. Provide a brief description of the change(s) and a concise scientific rationale for specific changes (e.g., change to inclusion/exclusion criteria). • If the same change affects multiple parts of the protocol, it is acceptable to list multiple locations in the right column. • Table can be sorted in any order preferred by the sponsor. • Minor edits such as clarifications and corrections to typographical errors do not need to be itemised in this table. • The changes in the table do not need to be detailed in revision marks, as these can be provided in a separate supporting document. <p>Tabular presentation is common but not required. The page can be changed to landscape orientation if necessary.</p>
Conformance	Conditional: if there is an amendment
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Overview of Changes in the Current Amendment:
Business rules	<p>Value Allowed: No</p> <p>Relationship: Amendment Details</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

Term (Variable)	{Description of Change}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Description of Change
Business rules	Value Allowed: No

	Relationship: Table Column Heading; Amendment Details Concept: Heading																						
104	<table border="1"> <tr> <td>Term (Variable)</td><td><Description of Change></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below:</p> <p>A description of the change introduced in the current or prior version of the protocol.</p> </td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Conditional: if there is an amendment</td></tr> <tr> <td>Cardinality</td><td>One to many</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>Amendment Details</td></tr> <tr> <td>Value</td><td>Text</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading and Row; Amendment Details; Column Heading; Row Heading</p> <p>Concept: CNEW</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>Yes, repeatable for every description of change in the amendment</td></tr> </table>	Term (Variable)	<Description of Change>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below:</p> <p>A description of the change introduced in the current or prior version of the protocol.</p>	User Guidance	N/A	Conformance	Conditional: if there is an amendment	Cardinality	One to many	Relationship content from ToC representing the protocol hierarchy	Amendment Details	Value	Text	Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading and Row; Amendment Details; Column Heading; Row Heading</p> <p>Concept: CNEW</p>	Repeating and/or Reuse Rules	Yes, repeatable for every description of change in the amendment
Term (Variable)	<Description of Change>																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below:</p> <p>A description of the change introduced in the current or prior version of the protocol.</p>																						
User Guidance	N/A																						
Conformance	Conditional: if there is an amendment																						
Cardinality	One to many																						
Relationship content from ToC representing the protocol hierarchy	Amendment Details																						
Value	Text																						
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading and Row; Amendment Details; Column Heading; Row Heading</p> <p>Concept: CNEW</p>																						
Repeating and/or Reuse Rules	Yes, repeatable for every description of change in the amendment																						
105	<table border="1"> <tr> <td>Term (Variable)</td><td>{Brief Rationale for Change}</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Conditional: if there is an amendment</td></tr> <tr> <td>Cardinality</td><td>One to many</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>Amendment Details</td></tr> <tr> <td>Value</td><td>Brief Rationale for Change</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: No</p> <p>Relationship: Table Column Heading</p> <p>Concept: Heading</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	{Brief Rationale for Change}	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Conditional: if there is an amendment	Cardinality	One to many	Relationship content from ToC representing the protocol hierarchy	Amendment Details	Value	Brief Rationale for Change	Business rules	<p>Value Allowed: No</p> <p>Relationship: Table Column Heading</p> <p>Concept: Heading</p>	Repeating and/or Reuse Rules	No
Term (Variable)	{Brief Rationale for Change}																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	H																						
Definition	Heading																						
User Guidance	N/A																						
Conformance	Conditional: if there is an amendment																						
Cardinality	One to many																						
Relationship content from ToC representing the protocol hierarchy	Amendment Details																						
Value	Brief Rationale for Change																						
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table Column Heading</p> <p>Concept: Heading</p>																						
Repeating and/or Reuse Rules	No																						
106	<table border="1"> <tr> <td>Term (Variable)</td><td><Brief Rationale for Change></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td>CNEW</td></tr> </table>	Term (Variable)	<Brief Rationale for Change>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	CNEW														
Term (Variable)	<Brief Rationale for Change>																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	CNEW																						

	For review purpose, see definition of the controlled terminology below The brief reason for the change introduced in the current or prior version of the protocol.
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Text
Business rules	Value Allowed: Yes Relationship: Amendment Details; Table Column Heading Row; Description of change; Section # and Name Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each description of change in the amendment

107

Term (Variable)	{Section # and Name}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Section # and Name
Business rules	Value Allowed: No Relationship: Amendment Details; Description of Change; Brief Rationale for Change; Table Heading Row Concept: Heading
Repeating and/or Reuse Rules	No

108

Term (Variable)	<Section # and Name of Change>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The protocol section number and name containing the change introduced in the current or prior version of the protocol.
User Guidance	N/A
Conformance	Conditional: if there is an amendment
Cardinality	One to many Row description of change Description of Change, Rationale for Amendment Change
Relationship content from ToC representing the protocol hierarchy	Amendment Details; Description of Change; Brief Rationale for Change; Table Column Heading

Value	
Business rules	Value Allowed: Yes Relationship: Amendment Details, Brief Rational; Change description; Table Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each description of change in the amendment

NCI C-code	M11 Preferred Term	Draft Definition
CNEW	1 PROTOCOL SUMMARY	Section 1 of the ICH M11 Protocol standard, PROTOCOL SUMMARY.
CNEW	1.1 Protocol Synopsis	Section 1.1 of the ICH M11 Protocol standard, Protocol Synopsis.
CNEW	1.1.1 Primary and Secondary Objectives and Estimands	Section 1.1.1 of the ICH M11 Protocol standard, Primary and Secondary Objectives and Estimands.
CNEW	1.1.2 Overall Design	Section 1.1.2 of the ICH M11 Protocol standard, Overall Design.
CNEW	1.2 Trial Schema	Section 1.2 of the ICH M11 Protocol standard, Trial Schema.
CNEW	1.3 Schedule of Activities	Section 1.3 of the ICH M11 Protocol standard, Schedule of Activities.
CNEW	2 INTRODUCTION	Section 2 of the ICH M11 Protocol standard, INTRODUCTION.
CNEW	2.1 Purpose of Trial	Section 2.1 of the ICH M11 Protocol standard, Purpose of Trial.
CNEW	2.2 Assessment of Risks and Benefits	Section 2.2 of the ICH M11 Protocol standard, Assessment of Risks and Benefits.
CNEW	2.2.1 Risk Summary and Mitigation Strategy	Section 2.2.2 of the ICH M11 Protocol standard, Risk Summary and Mitigation Strategy.
CNEW	2.2.2 Benefit Summary	Section 2.2.1 of the ICH M11 Protocol standard, Benefit Summary.
CNEW	2.2.3 Overall Benefit-Risk Assessment	Section 2.2.3 of the ICH M11 Protocol standard, Overall Benefit:Risk Assessment.
CNEW	3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS	Section 3 of the ICH M11 Protocol standard, TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS.
CNEW	3.1 Primary Objective(s) and Associated Estimand(s)	Section 3.1 of the ICH M11 Protocol standard, Primary Objective(s) and Associated Estimand(s).
CNEW	3.1.1 Primary Objective #	Section 3.1.1 of the ICH M11 Protocol standard, Primary Objective.
CNEW	3.2 Secondary Objective(s) and Associated Estimand(s)	Section 3.2 of the ICH M11 Protocol standard, Secondary Objective(s) and Associated Estimand(s).
CNEW	3.2.1 Secondary Objective #	Section 3.2.1 of the ICH M11 Protocol standard, Secondary Objective.
CNEW	3.3 Exploratory Objective(s)	Section 3.3 of the ICH M11 Protocol standard, Exploratory Objective(s).
CNEW	3.3.1 Exploratory Objective #	Section 3.3.1 of the ICH M11 Protocol standard, Exploratory Objective.
CNEW	4 TRIAL DESIGN	Section 4 of the ICH M11 Protocol standard, TRIAL DESIGN.
CNEW	4.1 Description of Trial Design	Section 4.1 of the ICH M11 Protocol standard, Description of Trial Design.
CNEW	4.1.1 Stakeholder Input into Design	Section 4.1.1 of the ICH M11 Protocol standard, Stakeholder Input into Design.

CNEW	4.2 Rationale for Trial Design	Section 4.2 of the ICH M11 Protocol standard, Rationale for Trial Design.
CNEW	4.2.1 Rationale for Estimand(s)	Section 4.2.1 of the ICH M11 Protocol standard, Rationale for Estimand(s).
CNEW	4.2.2 Rationale for Intervention Model	Section 4.2.2 of the ICH M11 Protocol standard, Rationale for Intervention Model.
CNEW	4.2.3 Rationale for Control Type	Section 4.2.3 of the ICH M11 Protocol standard, Rationale for Control Type.
CNEW	4.2.4 Rationale for Trial Duration	Section 4.2.4 of the ICH M11 Protocol standard, Rationale for Trial Duration.
CNEW	4.2.3 Rationale for Estimand Attributes	Section 4.2.3 of the ICH M11 Protocol standard, Rationale for Estimand Attributes.
CNEW	4.2.5 Rationale for Adaptive or Novel Trial Design	Section 4.2.5 of the ICH M11 Protocol standard, Rationale for Adaptive or Novel Trial Design.
CNEW	4.2.6 Rationale for Interim Analysis	Section 4.2.6 of the ICH M11 Protocol standard, Rationale for Interim Analysis.
CNEW	4.2.7 Rationale for Other Trial Design Aspects	Section 4.2.7 of the ICH M11 Protocol standard, Rationale for Other Trial Design Aspects.
CNEW	4.3 Trial Stopping Rules	Section 4.3 of the ICH M11 Protocol standard, Trial Stopping Rules.
CNEW	4.4 Start of Trial and End of Trial	Section 4.4 of the ICH M11 Protocol standard, Start of Trial and End of Trial.
CNEW	4.5 Access to Trial Intervention After End of Trial	Section 4.5 of the ICH M11 Protocol standard, Access to Trial Intervention After End of Trial.
CNEW	5 TRIAL POPULATION	Section 5 of the ICH M11 Protocol standard, TRIAL POPULATION.
CNEW	5.1 Description of Trial Population and Rationale	Section 5.1 of the ICH M11 Protocol standard, Description of Trial Population and Rationale.
CNEW	5.2 Inclusion Criteria	Section 5.2 of the ICH M11 Protocol standard, Inclusion Criteria.
CNEW	5.3 Exclusion Criteria	Section 5.3 of the ICH M11 Protocol standard, Exclusion Criteria.
CNEW	5.4 Contraception	Section 5.4 of the ICH M11 Protocol standard, Contraception.
CNEW	5.4.1 Definitions Related to Childbearing Potential	Section 5.4.1 of the ICH M11 Protocol standard, Definitions Related to Childbearing Potential.
CNEW	5.4.2 Contraception Requirements	Section 5.4.2 of the ICH M11 Protocol standard, Contraception Requirements.
CNEW	5.5 Lifestyle Restrictions	Section 5.5 of the ICH M11 Protocol standard, Lifestyle Restrictions.
CNEW	5.5.1 Meals and Dietary Restrictions	Section 5.5.1 of the ICH M11 Protocol standard, Meals and Dietary Restrictions.
CNEW	5.5.2 Caffeine, Alcohol, Tobacco, and Other Restrictions	Section 5.5.2 of the ICH M11 Protocol standard, Caffeine, Alcohol, Tobacco, and Other Restrictions.
CNEW	5.5.3 Physical Activity Restrictions	Section 5.5.3 of the ICH M11 Protocol standard, Physical Activity Restrictions.
CNEW	5.5.4 Other Activity Restrictions	Section 5.5.4 of the ICH M11 Protocol standard, Other Activity Restrictions.
CNEW	5.6 Screen Failure and Rescreening	Section 5.6 of the ICH M11 Protocol standard, Screen Failure and Rescreening.
CNEW	6 TRIAL INTERVENTION	Section 6 of the ICH M11 Protocol standard, TRIAL INTERVENTION AND CONCOMITANT THERAPY.

	AND CONCOMITANT THERAPY	
CNEW	6.1 Description of Investigational Trial Intervention	Section 6.1 of the ICH M11 Protocol standard, Description of Investigational Trial Intervention.
CNEW	6.2 Rationale for Investigational Trial Intervention Dose and Regimen	Section 6.2 of the ICH M11 Protocol standard, Rationale for Investigational Trial Intervention Dose and Regimen.
CNEW	6.3 Investigational Trial Intervention Administration	Section 6.3 of the ICH M11 Protocol standard, Investigational Trial Intervention Administration.
CNEW	6.4 Investigational Trial Intervention Dose Modification	Section 6.4 of the ICH M11 Protocol standard, Investigational Trial Intervention Dose Modification.
CNEW	6.5 Management of Investigational Trial Intervention Overdose	Section 6.5 of the ICH M11 Protocol standard, Management of Investigational Trial Intervention Overdose.
CNEW	6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention	Section 6.6 of the ICH M11 Protocol standard, Preparation, Storage, Handling and Accountability of Investigational Trial Intervention.
CNEW	6.6.1 Preparation of Investigational Trial Intervention	Section 6.6.1 of the ICH M11 Protocol standard, Preparation of Investigational Trial Intervention.
CNEW	6.6.2 Storage and Handling of Investigational Trial Intervention	Section 6.6.2 of the ICH M11 Protocol standard, Storage and Handling of Investigational Trial Intervention.
CNEW	6.6.3 Accountability of Investigational Trial Intervention	Section 6.6.3 of the ICH M11 Protocol standard, Accountability of Investigational Trial Intervention.
CNEW	6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding	Section 6.7 of the ICH M11 Protocol standard, Investigational Trial Intervention Assignment, Randomisation and Blinding.
CNEW	6.7.1 Participant Assignment to Investigational Trial Intervention	Section 6.7.1 of the ICH M11 Protocol standard, Participant Assignment to Investigational Trial Intervention.
CNEW	6.7.2 Randomisation	Section 6.7.2 of the ICH M11 Protocol standard, Randomisation.
CNEW	6.7.3 Measures to Maintain Blinding	Section 6.7.3 of the ICH M11 Protocol standard, Measures to Maintain Blinding.
CNEW	6.7.4 Emergency Unblinding at the Site	Section 6.7.4 of the ICH M11 Protocol standard, Emergency Unblinding at the Site.
CNEW	6.8 Investigational Trial Intervention Adherence	Section 6.8 of the ICH M11 Protocol standard, Investigational Trial Intervention Adherence.
CNEW	6.9 Description of Noninvestigational Trial Intervention	Section 6.9 of the ICH M11 Protocol standard, Description of Noninvestigational Trial Intervention.

CNEW	6.9.1 Background Trial Intervention	Section 6.9.1 of the ICH M11 Protocol standard, Background Trial Intervention.
CNEW	6.9.2 Rescue Therapy	Section 6.9.2 of the ICH M11 Protocol standard, Rescue Therapy.
CNEW	6.9.3 Other Noninvestigational Trial Intervention	Section 6.9.3 of the ICH M11 Protocol standard, Other Noninvestigational Trial Intervention.
CNEW	6.10 Concomitant Therapy	Section 6.10 of the ICH M10 Protocol standard, Concomitant Therapy.
CNEW	6.10.1 Prohibited Concomitant Therapy	Section 6.10.1 of the ICH M10 Protocol standard, Prohibited Concomitant Therapy.
CNEW	6.10.2 Permitted Concomitant Therapy	Section 6.10.2 of the ICH M10 Protocol standard, Permitted Concomitant Therapy.
CNEW	7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL	Section 7 of the ICH M11 Protocol standard, PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL.
CNEW	7.1 Discontinuation of Trial Intervention for Individual Participants	Section 7.1 of the ICH M11 Protocol standard, Discontinuation of Trial Intervention for Individual Participants.
CNEW	7.1.1 Permanent Discontinuation of Trial Intervention	Section 7.1.1 of the ICH M11 Protocol standard, Permanent Discontinuation of Trial Intervention.
CNEW	7.1.2 Temporary Discontinuation of Trial Intervention	Section 7.1.2 of the ICH M11 Protocol standard, Temporary Discontinuation of Trial Intervention.
CNEW	7.1.3 Rechallenge	Section 7.1.3 of the ICH M11 Protocol standard, Rechallenge.
CNEW	7.2 Participant Discontinuation or Withdrawal from the Trial	Section 7.2 of the ICH M11 Protocol standard, Participant Discontinuation or Withdrawal from the Trial.
CNEW	7.3 Lost to Follow-Up	Section 7.3 of the ICH M11 Protocol standard, Lost to Follow-Up.
CNEW	8 TRIAL ASSESSMENTS AND PROCEDURES	Section 8 of the ICH M11 Protocol standard, TRIAL ASSESSMENTS AND PROCEDURES.
CNEW	8.1 Trial Assessments and Procedures Considerations	Section 8.1 of the ICH M11 Protocol standard, Trial Assessments and Procedures Considerations.
CNEW	8.2 Screening/Baseline Assessments and Procedures	Section 8.2 of the ICH M11 Protocol standard, Screening/Baseline Assessments and Procedures.
CNEW	8.3 Efficacy Assessments and Procedures	Section 8.3 of the ICH M11 Protocol standard, Efficacy Assessments and Procedures.
CNEW	8.4 Safety Assessments and Procedures	Section 8.4 of the ICH M11 Protocol standard, Safety Assessments and Procedures.
CNEW	8.4.1 Physical Examination	Section 8.4.1 of the ICH M11 Protocol standard, Physical Examination.
CNEW	8.4.2 Vital Signs	Section 8.4.2 of the ICH M11 Protocol standard, Vital Signs.
CNEW	8.4.3 Electrocardiograms	Section 8.4.3 of the ICH M11 Protocol standard, Electrocardiograms.

CNEW	8.4.4 Clinical Laboratory Assessments	Section 8.4.4 of the ICH M11 Protocol standard, Clinical Laboratory Assessments.
CNEW	8.4.5 Pregnancy Testing	Section 8.4.5 of the ICH M11 Protocol standard, Pregnancy Testing.
CNEW	8.4.6 Suicidal Ideation and Behaviour Risk Monitoring	Section 8.4.6 of the ICH M11 Protocol standard, Suicidal Ideation and Behaviour Risk Monitoring.
CNEW	8.5 Pharmacokinetics	Section 8.5 of the ICH M11 Protocol standard, Pharmacokinetics.
CNEW	8.6 Biomarkers	Section 8.6 of the ICH M11 Protocol standard, Biomarkers.
CNEW	8.6.1 Genetics and Pharmacogenomics	Section 8.6.1 of the ICH M11 Protocol standard, Genetics and Pharmacogenomics.
CNEW	8.6.2 Pharmacodynamic Biomarkers	Section 8.6.2 of the ICH M11 Protocol standard, Pharmacodynamic Biomarkers.
CNEW	8.6.3 Other Biomarkers	Section 8.6.3 of the ICH M11 Protocol standard, Other Biomarkers.
CNEW	8.7 Immunogenicity Assessments	Section 8.7 of the ICH M11 Protocol standard, Immunogenicity Assessments.
CNEW	8.8 Medical Resource Utilisation and Health Economics	Section 8.8 of the ICH M11 Protocol standard, Medical Resource Utilisation and Health Economics.
CNEW	9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS	Section 9 of the ICH M11 Protocol standard, ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS.
CNEW	9.1 Definitions	Section 9.1 of the ICH M11 Protocol standard, Definitions.
CNEW	9.1.1 Definitions of Adverse Events	Section 9.1.1 of the ICH M11 Protocol standard, Definitions of Adverse Events.
CNEW	9.1.2 Definitions of Serious Adverse Events	Section 9.1.2 of the ICH M11 Protocol standard, Definitions of Serious Adverse Events.
CNEW	9.1.3 Definitions of Product Complaints	Section 9.1.3 of the ICH M11 Protocol standard, Definitions of Product Complaints.
CNEW	9.1.3.1 Definitions of Medical Device Product Complaints	Section 9.1.3.1 of the ICH M11 Protocol standard, Definitions of Medical Device Product Complaints.
CNEW	9.2 Timing and Procedures for Collection and Reporting	Section 9.2 of the ICH M11 Protocol standard, Timing and Procedures for Collection and Reporting.
CNEW	9.2.1 Timing	Section 9.2.1 of the ICH M11 Protocol standard, Timing.
CNEW	9.2.2 Collection Procedures	Section 9.2.2 of the ICH M11 Protocol standard, Collection Procedures.
CNEW	9.2.3 Reporting	Section 9.2.3 of the ICH M11 Protocol standard, Reporting.
CNEW	9.2.3.1 Regulatory Reporting Requirements	Section 9.2.3.1 of the ICH M11 Protocol standard, Regulatory Reporting Requirements.

CNEW	9.2.4 Adverse Events of Special Interest	Section 9.2.4 of the ICH M11 Protocol standard, Adverse Events of Special Interest.
CNEW	9.2.5 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs	Section 9.2.5 of the ICH M11 Protocol standard, Disease-related Events or Outcomes Not Qualifying as AEs or SAEs.
CNEW	9.3 Pregnancy and Postpartum Information	Section 9.3 of the ICH M11 Protocol standard, Pregnancy and Postpartum Information.
CNEW	9.3.1 Participants Who Become Pregnant During the Trial	Section 9.3.1 of the ICH M11 Protocol standard, Participants Who Become Pregnant During the Trial.
CNEW	9.3.2 Participants Whose Partners Become Pregnant During the Trial	Section 9.3.2 of the ICH M11 Protocol standard, Participants Whose Partners Become Pregnant During the Trial.
CNEW	9.4 Special Safety Situations	Section 9.4 of the ICH M11 Protocol standard, Special Safety Situations.
CNEW	10 STATISTICAL CONSIDERATIONS	Section 10 of the ICH M11 Protocol standard, STATISTICAL CONSIDERATIONS.
CNEW	10.1 General Considerations	Section 10.1 of the ICH M11 Protocol standard, General Considerations.
CNEW	10.2 Analysis Sets	Section 10.2 of the ICH M11 Protocol standard, Analysis Sets.
CNEW	10.3 Analyses of Demographics and Other Baseline Variables	Section 10.3 of the ICH M11 Protocol standard, Analyses of Demographics and Other Baseline Variables.
CNEW	10.4 Analyses Associated with the Primary Objective(s)	Section 10.4 of the ICH M11 Protocol standard, Analyses Associated with the Primary Objective(s).
CNEW	10.4.1 Primary Objective #	Section 10.4.1 of the ICH M11 Protocol standard, Primary Objective.
CNEW	10.4.1.1 Statistical Analysis Method	Section 10.4.1.1 of the ICH M11 Protocol standard, Statistical Analysis Method.
CNEW	10.4.1.2 Handling of Data in Relation to Primary Estimand(s)	Section 10.4.1.2 of the ICH M11 Protocol standard, Handling of Data in Relation to Primary Estimand(s).
CNEW	10.4.1.3 Handling of Missing Data in Relation to Primary Estimand(s)	Section 10.4.1.3 of the ICH M11 Protocol standard, Handling of Missing Data in Relation to Primary Estimand(s)
CNEW	10.4.1.4 Sensitivity Analysis	Section 10.4.1.4 of the ICH M11 Protocol standard, Sensitivity Analysis.
CNEW	10.4.1.5 Supplementary Analysis	Section 10.4.1.5 of the ICH M11 Protocol standard, Supplementary Analysis.
CNEW	10.5 Analyses Associated with the Secondary Objective(s)	Section 10.5 of the ICH M11 Protocol standard, Analyses Associated with the Secondary Objective(s).
CNEW	10.5.1 Secondary Objective #	Section 10.5.1 of the ICH M11 Protocol standard, Secondary Objective.
CNEW	10.5.1.1 Statistical Analysis Method	Section 10.5.1.1 of the ICH M11 Protocol standard, Statistical Analysis Method.

CNEW	10.5.1.2 Handling of Data in Relation to Secondary Estimand(s)	Section 10.5.1.2 of the ICH M11 Protocol standard, Handling of Data in Relation to Secondary Estimand(s).
CNEW	10.5.1.3 Handling of Missing Data in Relation to Secondary Estimand(s)	Section 10.5.1.3 of the ICH M11 Protocol standard, Handling of Missing Data in Relation to Secondary Estimand(s).
CNEW	10.5.1.4 Sensitivity Analysis	Section 10.5.1.4 of the ICH M11 Protocol standard, Sensitivity Analysis.
CNEW	10.5.1.5 Supplementary Analysis	Section 10.5.1.5 of the ICH M11 Protocol standard, Supplementary Analysis.
CNEW	10.6 Analysis Associated with the Exploratory Objective(s)	Section 10.6 of the ICH M11 Protocol standard, Analysis Associated with the Exploratory Objective(s).
CNEW	10.7 Safety Analyses	Section 10.7 of the ICH M11 Protocol standard, Safety Analyses.
CNEW	10.8 Other Analyses	Section 10.8 of the ICH M11 Protocol standard, Other Analyses.
CNEW	10.9 Interim Analyses	Section 10.9 of the ICH M11 Protocol standard, Interim Analyses.
CNEW	10.10 Multiplicity Adjustments	Section 10.10 of the ICH M11 Protocol standard, Multiplicity Adjustments.
CNEW	10.11 Sample Size Determination	Section 10.11 of the ICH M11 Protocol standard, Sample Size Determination.
CNEW	11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS	Section 11 of the ICH M11 Protocol standard, TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS.
CNEW	11.1 Regulatory and Ethical Considerations	Section 11.1 of the ICH M11 Protocol standard, Regulatory and Ethical Considerations.
CNEW	11.2 Trial Oversight	Section 11.2 of the ICH M11 Protocol standard, Trial Oversight.
CNEW	11.2.1 Investigator Responsibilities	Section 11.2.1 of the ICH M11 Protocol standard, Investigator Responsibilities.
CNEW	11.2.2 Sponsor Responsibilities	Section 11.2.2 of the ICH M11 Protocol standard, Sponsor Responsibilities.
CNEW	11.3 Informed Consent Process	Section 11.3 of the ICH M11 Protocol standard, Informed Consent Process.
CNEW	11.3.1 Informed Consent for Rescreening	Section 11.3.1 of the ICH M11 Protocol standard, Informed Consent for Rescreening.
CNEW	11.3.2 Informed Consent for Use of Remaining Samples in Exploratory Research	Section 11.3.2 of the ICH M11 Protocol standard, Informed Consent for Use of Remaining Samples in Exploratory Research.
CNEW	11.4 Committees	Section 11.4 of the ICH M11 Protocol standard, Committees.
CNEW	11.5 Insurance and Indemnity	Section 11.5 of the ICH M11 Protocol standard, Insurance and Indemnity.
CNEW	11.6 Risk-Based Quality Management	Section 11.6 of the ICH M11 Protocol standard, Risk-Based Quality Management.
CNEW	11.7 Data Governance	Section 11.7 of the ICH M11 Protocol standard, Data Governance.
CNEW	11.8 Data Protection	Section 11.8 of the ICH M11 Protocol standard, Data Protection.
CNEW	11.9 Source Data	Section 11.9 of the ICH M11 Protocol standard, Source Data.
CNEW	11.10 Protocol Deviations	Section 11.10 of the ICH M11 Protocol standard, Protocol Deviations.

CNEW	11.11 Early Site Closure	Section 11.11 of the ICH M11 Protocol standard, Early Site Closure.
CNEW	11.12 Data Dissemination	Section 11.12 of the ICH M11 Protocol standard, Data Dissemination.
CNEW	12 APPENDIX: SUPPORTING DETAILS	Section 12 of the ICH M11 Protocol standard, APPENDIX: SUPPORTING DETAILS.
CNEW	12.1 Clinical Laboratory Tests	Section 12.1 of the ICH M11 Protocol standard, Clinical Laboratory Tests.
CNEW	12.2 Country/Region-Specific Differences	Section 12.2 of the ICH M11 Protocol standard, Country/Region-Specific Differences.
CNEW	12.3 Prior Protocol Amendment(s)	Section 12.3 of the ICH M11 Protocol standard, Prior Protocol Amendment(s).
CNEW	13 APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS	Section 13 of the ICH M11 Protocol standard, APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS.
CNEW	14 APPENDIX: REFERENCES	Section 14 of the ICH M11 Protocol standard, APPENDIX: REFERENCES.

110

Term (Variable)	Table of Contents
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Table of Contents
Value	Table of Contents
Business rules	Value Allowed: No Relationship: N/A Concept: N/A
Repeating and/or Reuse Rules	No

111

Term (Variable)	Table of Contents
Data Type	Word Generated Table of Contents
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	N/A
Conformance	Generated
Cardinality	N/A
Relationship content from ToC representing the protocol hierarchy	Table of Contents
Value	Text
Business rules	Value Allowed: Yes Relationship: N/A Concept: N/A

Repeating and/or Reuse Rules	No
-------------------------------------	----

112

1 PROTOCOL SUMMARY

Term (Variable)	1 PROTOCOL SUMMARY
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (Heading only)
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1
Value	PROTOCOL SUMMARY
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

113

114

1.1 Protocol Synopsis

Term (Variable)	1.1 Protocol Synopsis
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	The protocol synopsis is a short summary of the key points of the trial. In order to keep the synopsis brief, cross references to full details in the main body of the protocol are acceptable. No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1
Value	Protocol Synopsis
Business rules	<p>Value Allowed: No</p> <p>Relationship: 1 PROTOCOL SUMMARY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

115

116

1.1.1 Primary and Secondary Objectives and Estimands

Term (Variable)	1.1.1 Primary and Secondary Objectives and Estimands
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	<p>Summarise the primary and secondary objectives and any associated estimands in natural, nontechnical (layperson) language.</p> <p>For trials intended to estimate a treatment effect or test a hypothesis related to a treatment effect, include the primary and secondary objectives and any associated estimands using a nontechnical summary describing the objective and treatment effect of interest (estimand).</p> <p>For other types of trials not intended to estimate a treatment effect or test a hypothesis related to a treatment effect, define trial objectives and describe additional information relevant to the clinical question(s) of interest (e.g., the endpoint(s) associated with each objective).</p> <p>For trials with numerous objectives in which the description of objectives will exceed half a page, consider including the most important objectives and estimands in the synopsis and refer to Section 3 Trial Objectives and Associated Estimands, which covers the objectives and estimands in technical detail. For considerations on estimands, refer to ICH E9(R1).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.1
Value	Primary and Secondary Objectives and Estimands
Business rules	<p>Value Allowed: No</p> <p>Relationship: 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

117

Term (Variable)	<Primary and Secondary Objectives and Estimands>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A descriptive summary of the primary and secondary objectives and their associated estimands related to the trial.</p>
User Guidance	<p>Summarise the primary and secondary objectives and any associated estimands in natural, nontechnical (layperson) language.</p> <p>For trials intended to estimate a treatment effect or test a hypothesis related to a treatment effect, include the primary and secondary objectives and any associated estimands using a nontechnical summary describing the objective and treatment effect of interest (estimand).</p> <p>For other types of trials not intended to estimate a treatment effect or test a hypothesis related to a treatment effect, define trial objectives and describe additional information relevant to the clinical question(s) of interest (e.g., the endpoint(s) associated with each objective).</p> <p>For trials with numerous objectives in which the description of objectives will exceed half a page, consider including the most important objectives and estimands in the synopsis and refer to Section 3 Trial Objectives and Associated Estimands, which covers the objectives and estimands in technical detail. For considerations on estimands, refer to ICH E9(R1).</p>
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	1.1.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 1.1.1 Primary and Secondary Objectives and Estimands Concept: CNEW
Repeating and/or Reuse Rules	Yes, Reuse <Primary Objective> and <Endpoint> for each Primary Objective from section 3.1, reuse <Secondary Objective and <endpoint> for each Secondary Objective from section 3.2.

118

119

1.1.2 Overall Design

Term (Variable)	1.1.2 Overall Design
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Overall Design
Business rules	Value Allowed: No Relationship: 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

120

Term (Variable)	Key aspects of the trial design are summarised below.
Data Type	Universal Text
Data (D), Value (V) or Heading (H)	H
Definition	N/A
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Key aspects of the trial design are summarised below.
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Required sentence – Universal Text
Repeating and/or Reuse Rules	No

121

Term (Variable)	Intervention
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Intervention:
Business rules	Value Allowed: No Relationship: Table Cell title Concept: Heading
Repeating and/or Reuse Rules	No

122

Term (Variable)	[Sponsor's Investigational Product Code(s)]
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A symbol or combination of symbols that are assigned by the sponsor to uniquely identify an experimental intervention.</p>
User Guidance	N/A
Conformance	Optional Required Either Sponsor Investigational Product Code or Nonproprietary Name
Cardinality	One to one; One to Heading; One to Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Row title; Sponsor's Protocol Identifier Concept:
Repeating and/or Reuse Rules	Yes, repeatable from Title Page Sponsor Investigational Product Code(s) yes, reuse for each Investigational Product

123

Term (Variable)	[NonProprietary Name(s)]
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Drug name that is not protected by a trademark, usually descriptive of its chemical structure, and sometimes a public name</p>
User Guidance	N/A
Conformance	Optional Required Either Sponsor Investigational Product Code or Nonproprietary Name
Cardinality	One to one; One to Heading; One to Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2

Value	Text
Business rules	Value Allowed: Yes Relationship: Row title; Sponsor's Protocol Identifier Concept:
Repeating and/or Reuse Rules	Yes, repeatable from Title Page Nonproprietary Name(s) Yes, reuse for each Investigational Product

124

Term (Variable)	Intervention Model
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Intervention Model:
Business rules	Value Allowed: No Relationship: Table Cell title Concept: Heading
Repeating and/or Reuse Rules	No

125

Term (Variable)	[Intervention Model]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C98746 For review purpose, see definition of the controlled terminology below The overall design configuration for assigning intervention to participants.
User Guidance	N/A
Conformance	Required
Cardinality	One to one; One to Heading; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Single group (C82640); parallel group (C82639); cross-over (C82637); factorial (C82637); sequential (C142568); other (C17649)
Business rules	Value Allowed: Yes Relationship: Row title; Sponsor Protocol Identifier Concept: C98746
Repeating and/or Reuse Rules	No

126

NCI C-code	M11 Preferred Term	Draft Definition
C82637	Cross-over	Participants receive one of two or more alternative intervention(s) during the initial epoch of the study and receive other intervention(s) during the subsequent epoch(s) of the trial.
C82638	Factorial	Two or more interventions, each alone or in combination, are evaluated in parallel against a control group. This study design allows for the comparison of active drug to placebo, presence of

		drug-drug interactions, and comparison of active drugs against each other.
C82639	Parallel Group	Participants are assigned to one of two or more treatment groups in parallel for the duration of the study.
C142568	Sequential	Groups of participants are assigned to receive interventions based on prior milestones being reached in the study.
C82640	Single Group	All trial participants are assigned to a single treatment group for the duration of the study.
C17649	Other	Different than the one(s) previously specified or mentioned.

127

Term (Variable)	Population Type
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Population Type:
Business rules	Value Allowed: No Relationship: Table Cell title Concept: Heading
Repeating and/or Reuse Rules	No

128

Term (Variable)	[Population Type]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below A characterisation or classification of the trial population.
User Guidance	N/A
Conformance	Required
Cardinality	One to one; One to Heading; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	With Disease (CNEW); Without Disease (CNEW)
Business rules	Value Allowed: Yes Relationship: Row Title; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

129

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	With Disease	An indication that the individual or group of individuals has been diagnosed with the disease of interest or under study.
CNEW	Without Disease	An indication that the individual or group of individuals has not been diagnosed with the disease of interest or under study.

130

Term (Variable)	Control Type
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Control Type:
Business rules	Value Allowed: No Relationship: Table Cell Title Concept: Heading
Repeating and/or Reuse Rules	No

131

Term (Variable)	[Control Type]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C49647 For review purpose, see definition of the controlled terminology below A characterization or classification of the comparator against which the study intervention is evaluated.
User Guidance	Control method (for example, placebo, active comparator, low dose, historical, standard of care, sham procedure, or none [uncontrolled])
Conformance	Required
Cardinality	One to one; One to Heading; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Placebo (C49648); Active Comparator (C49649); Dose Response (C120841); Different Dose or Regimen (CNEW); External (CNEW); Sham procedure (C184727); or No Control (C120841)
Business rules	Value Allowed: Yes Relationship: Row Title; Sponsor Protocol Identifier Concept: C49647
Repeating and/or Reuse Rules	No

132

NCI C-code	M11 Preferred Term	Draft Definition
C49649	Active Comparator	A type of control, which has a demonstrated effect, administered as a comparator to participants in a clinical trial.
C120841	Dose Response	A type of control using different doses or regimens of the same treatment across the treatment arms.
C28280	No Control	A clinical study that lacks a comparison (i.e., a control) group.
C49648	Placebo	An inactive, identical-appearing drug or treatment that does not contain the test product.

CNEW	Different Dose or Regimen	A type of control that comprises a different dose or dosage regimen in comparison to the investigational intervention dose or dosage regimen.
CNEW	External	The use of external control data as a control arm for those studies where ethical concerns and/or underserved disease indications may make it difficult to enroll participants.
C184727	Sham Procedure	A type of negative control in which a procedure is performed that mimics the procedure under study but does not include investigational processes or components.

133

Term (Variable)	Population Diagnosis or Condition
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Population Diagnosis or Condition:
Business rules	Value Allowed: No Relationship: Table cell title Concept: N/A
Repeating and/or Reuse Rules	No

134

Term (Variable)	[Population Diagnosis or Condition]
Data Type	Valid Value or Text
Data (D), Value (V) or Heading (H)	V or D
Definition	C112038 For review purpose, see definition of the controlled terminology below A description of the condition, disease or disorder that the clinical trial is intended to investigate or address.
User Guidance	MedDRA Preferred Term(s) or indicate “other” and describe.
Conformance	Required
Cardinality	One to one; One to Heading; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Use examples MedDRA PT or SNOMED CT: “acute lung injury,” or a specific biomarker profile); indicate “N/A – Healthy” for studies in healthy volunteers
Business rules	Value Allowed: Yes Relationship: Row Title Heading; Sponsor Protocol Identifier Concept: C112038
Repeating and/or Reuse Rules	Yes, repeatable for each population diagnosis or condition

135

Term (Variable)	Control Description
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Control Description:
Business rules	Value Allowed: No Relationship: Table Cell title; Sponsor Protocol Identifier Concept: Heading
Repeating and/or Reuse Rules	No

136

Term (Variable)	{[Nonproprietary name] or [INN] or <Enter "Not applicable">}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative representation of the comparator against which the study intervention is evaluated.</p>
User Guidance	<p>Further clarification:</p> <ul style="list-style-type: none"> Control description - if active comparator or low dose, pick nonproprietary name or International Nonproprietary Name, indicate N/A if not applicable
Conformance	Conditional: if there is a nonproprietary name or INN or Not applicable
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	[Nonproprietary name] or [INN] or <Enter "N/A">
Business rules	Value Allowed: Yes Relationship: Row title; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

137

Term (Variable)	[Nonproprietary name]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>C97054</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Drug name that is not protected by a trademark, usually descriptive of its chemical structure.</p>
User Guidance	<p>Further clarification:</p> <ul style="list-style-type: none"> Control description: if active comparator or low dose, pick nonproprietary name or International Nonproprietary Name; indicate "Not applicable" if not applicable
Conformance	Conditional: if there is a Nonproprietary name

138

Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Use for example WHO INN, USAN, JAN, XEVMPD
Business rules	Value Allowed: Yes Relationship: Row title; Control Description; Sponsor Protocol Identifier Concept: C97054
Repeating and/or Reuse Rules	Yes, repeatable for each nonproprietary name used as control

139

Term (Variable)	or [INN] or
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C142585 For review purpose, see definition of the controlled terminology below A unique name that is globally recognized and public property, which identifies pharmaceutical substances or active pharmaceutical ingredients.
User Guidance	Further clarification: <ul style="list-style-type: none">Control description - if active comparator or low dose, pick nonproprietary name or International Nonproprietary Name, indicate N/A if not applicable
Conformance	Conditional: if there is an INN
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	or use for example WHO INN, USAN, JAN, XEVMPD
Business rules	Value Allowed: Yes Relationship: Row title; Control Description; Protocol Identifier Concept: C142585
Repeating and/or Reuse Rules	Yes, repeatable for each INN used as control

Term (Variable)	<“Not applicable”>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	Verbatim Text
User Guidance	Further clarification: <ul style="list-style-type: none">Control description - if active comparator or low dose, pick nonproprietary name or International Nonproprietary Name, indicate N/A if not applicable
Conformance	Conditional: if there is no nonproprietary name and INN
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	N/A
Business rules	Value Allowed: Yes, cannot have not applicable if Nonproprietary or INN are completed Relationship: Row title; Control Description; Protocol Identifier

	Concept: Verbatim Text																								
140	<table border="1"> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> <tr> <td>Term (Variable)</td><td>Population Age</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading The ages, or range of ages, for a trial population</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to two</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>1.1.2</td></tr> <tr> <td>Value</td><td>Population Age:</td></tr> <tr> <td>Business rules</td><td> Value Allowed: No Relationship: Row Table cell title Concept: Heading </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Repeating and/or Reuse Rules	No	Term (Variable)	Population Age	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading The ages, or range of ages, for a trial population	User Guidance	N/A	Conformance	Required	Cardinality	One to two	Relationship content from ToC representing the protocol hierarchy	1.1.2	Value	Population Age:	Business rules	Value Allowed: No Relationship: Row Table cell title Concept: Heading	Repeating and/or Reuse Rules	No
Repeating and/or Reuse Rules	No																								
Term (Variable)	Population Age																								
Data Type	Text																								
Data (D), Value (V) or Heading (H)	H																								
Definition	Heading The ages, or range of ages, for a trial population																								
User Guidance	N/A																								
Conformance	Required																								
Cardinality	One to two																								
Relationship content from ToC representing the protocol hierarchy	1.1.2																								
Value	Population Age:																								
Business rules	Value Allowed: No Relationship: Row Table cell title Concept: Heading																								
Repeating and/or Reuse Rules	No																								
141	<table border="1"> <tr> <td>Term (Variable)</td><td>Minimum</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to two; One to Sponsor Protocol Identifier</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>1.1.2</td></tr> <tr> <td>Value</td><td>Minimum:</td></tr> <tr> <td>Business rules</td><td> Value Allowed: No Relationship: Population Age; Sponsor Protocol Identifier Concept: Heading </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	Minimum	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Required	Cardinality	One to two; One to Sponsor Protocol Identifier	Relationship content from ToC representing the protocol hierarchy	1.1.2	Value	Minimum:	Business rules	Value Allowed: No Relationship: Population Age; Sponsor Protocol Identifier Concept: Heading	Repeating and/or Reuse Rules	No		
Term (Variable)	Minimum																								
Data Type	Text																								
Data (D), Value (V) or Heading (H)	H																								
Definition	Heading																								
User Guidance	N/A																								
Conformance	Required																								
Cardinality	One to two; One to Sponsor Protocol Identifier																								
Relationship content from ToC representing the protocol hierarchy	1.1.2																								
Value	Minimum:																								
Business rules	Value Allowed: No Relationship: Population Age; Sponsor Protocol Identifier Concept: Heading																								
Repeating and/or Reuse Rules	No																								
142	<table border="1"> <tr> <td>Term (Variable)</td><td><Minimum age></td></tr> <tr> <td>Data Type</td><td>Number</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td>C49693 For review purpose, see definition of the controlled terminology below The anticipated minimum age of the participants to be entered in a clinical trial.</td></tr> <tr> <td>User Guidance</td><td>Population age range - For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges.</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> </table>	Term (Variable)	<Minimum age>	Data Type	Number	Data (D), Value (V) or Heading (H)	D	Definition	C49693 For review purpose, see definition of the controlled terminology below The anticipated minimum age of the participants to be entered in a clinical trial.	User Guidance	Population age range - For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges.	Conformance	Required												
Term (Variable)	<Minimum age>																								
Data Type	Number																								
Data (D), Value (V) or Heading (H)	D																								
Definition	C49693 For review purpose, see definition of the controlled terminology below The anticipated minimum age of the participants to be entered in a clinical trial.																								
User Guidance	Population age range - For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges.																								
Conformance	Required																								

143

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Integer
Business rules	Value Allowed: Yes Relationship: Population Age; Minimum; unit of minimum age Concept: C49693
Repeating and/or Reuse Rules	No

144

NCI C-Code	M11 Preferred Term	Draft Definition
C25301	DAYS	A unit of measurement of time equal to 24 hours.
C25529	HOURS	A unit of measurement of time equal to 60 minutes.
C29846	MONTHS	One of the 12 divisions of a year as determined by a calendar. It corresponds to the unit of time of approximately to one cycle of the moon's phases, about 30 days or 4 weeks.
C29844	WEEKS	Any period of seven consecutive days.
C29848	YEARS	The period of time that it takes for Earth to make a complete revolution around the sun, approximately 365 days; a specific one year period.

145

Term (Variable)	Maximum
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required

146

Cardinality	One to two; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Maximum:
Business rules	Value Allowed: No Relationship: Population Age; Sponsor Protocol Identifier Concept: Heading
Repeating and/or Reuse Rules	No

147

Term (Variable)	<maximum age>
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	C49694 For review purpose, see definition of the controlled terminology below The anticipated maximum age of the participants to be entered in a clinical trial.
User Guidance	Population age range - For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Integer
Business rules	Value Allowed: Yes Relationship: Population Age; Maximum Age; unit of maximum age Concept: C49694
Repeating and/or Reuse Rules	No

Term (Variable)	[units of maximum age]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C50400 For review purpose, see definition of the controlled terminology below Those units of time that are routinely used to express the age of a person.
User Guidance	Population age range - For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Hours (C25529); Days (C25301); Weeks (C29844); Months (C29846); Years (C29848)
Business rules	Value Allowed: Yes

148

	Relationship: Population Age; Maximum, Numeric Maximum Concept: C50400
Repeating and/or Reuse Rules	No

149

Term (Variable)	Intervention Assignment Method
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Intervention Assignment Method:
Business rules	Value Allowed: No Relationship: Row Table cell Title Concept: Heading
Repeating and/or Reuse Rules	No

150

Term (Variable)	[Intervention Assignment Method]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The process used to assign trial participants to a trial intervention or trial arm.
User Guidance	Intervention assignment method - Do NOT state block size.
Conformance	Required
Cardinality	One to one; One to Sponsor Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Randomisation (C25196); Stratification (C25689); Stratified Randomisation (CNEW); Other (C17649); or Not Applicable (C48660)
Business rules	Value Allowed: Yes Relationship: Row title identifier; Sponsor Protocol Identifiers Concept: CNEW

Repeating and/or Reuse Rules	No
-------------------------------------	----

151

NCI C-Code	M11 Preferred Term	Draft Definition
C25196	Randomisation	The process of assigning trial participants to treatment or control groups using an element of chance to determine the assignments in order to reduce bias.
C25689	Stratification	Grouping defined by important prognostic factors measured at baseline.
C147145	Stratified Randomisation	The process of grouping trial participants into strata according to important prognostic factors and then assigning participants within each stratum to different treatment or control groups using an element of chance and in order to reduce bias.

152

Term (Variable)	Site Distribution and Geographic Scope
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to two
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Site Distribution and Geographic Scope:
Business rules	Value Allowed: No Relationship: Row title Heading; Site distribution; Site Geographic scope Concept: Heading
Repeating and/or Reuse Rules	No

153

Term (Variable)	[Site Distribution]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the occurrence applies to a single or multiple trial sites.
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	single-centre (CNEW), multi-centre(CNEW)
Business rules	Value Allowed: Yes Relationship: Row Title heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

154

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Single-Centre	A clinical study that is conducted at a single study site.
CNEW	Multicentre	A clinical trial conducted according to a single protocol but at more than one site, and therefore, carried out by more than one investigator.

155

Term (Variable)	[Site geographic scope]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the trial is taking place in one or more countries.
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Single Country (CNEW); Multiple Countries (CNEW)
Business rules	Value Allowed: Yes Relationship: Row Title Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

156

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Single Country	Of, or pertaining to, an occurrence in one country.
CNEW	Multiple Countries	Of, or pertaining to, an occurrence in more than one country.

157

Term (Variable)	Adaptive Trial Design:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Adaptive Trial Design:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

158

Term (Variable)	[Adaptative Trial Design Indicator]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V

Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the clinical trial uses an adaptive trial design.
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Yes (C49488), No (C49487)
Business rules	Value Allowed: Yes Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

159

Term (Variable)	Master Protocol:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to One
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Master Protocol:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

160

Term (Variable)	[Master Protocol Indicator]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the protocol is a master protocol.
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Yes (C49488), No (C49487)
Business rules	Value Allowed: Yes Relationship: Heading Master Protocol Indicator; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

161

NCI C-Code	M11 Preferred Term	Draft Definition
C49487	No	The non-affirmative response to a question.
C49488	Yes	The affirmative response to a question.

162

Term (Variable)	Drug/Device Combination Product Indicator:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Drug/Device Combination Product Indicator:
Business rules	Value Allowed: No Relationship: Table row heading Concept: Heading
Repeating and/or Reuse Rules	No

163

Term (Variable)	[Drug/Device Combination Product Indicator]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the clinical trial is testing a drug-device combination product.
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Yes (C49488), No (C49487)
Business rules	Value Allowed: Yes Relationship: Heading Drug/Device Combination Product; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

164

NCI C-Code	M11 Preferred Term	Draft Definition
C49487	No	The non-affirmative response to a question.
C49488	Yes	The affirmative response to a question.

165

Term (Variable)	Number of Arms
Data Type	Text
Data (D), Value (V) or Heading (H)	H

Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Number of Arms:
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

166

Term (Variable)	[Number of Arms]
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	C98771 For review purpose, see definition of the controlled terminology below The planned number of intervention groups.
User Guidance	Select the numeric value for the number of arms in the trial. For trials with a different number of arms in different periods, populate this field based on the total number of arms.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Integer
Business rules	Value Allowed: Yes Relationship: Number of Arms; Heading; Sponsor Protocol Identifier Concept: C98771
Repeating and/or Reuse Rules	No

167

Term (Variable)	Trial Blind Schema
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Trial Blind Schema:
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading

168

Repeating and/or Reuse Rules	No
Term (Variable)	[Trial Blind Schema]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>C49658</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The type of experimental design used to describe the level of awareness of the trial participants and/ or personnel as it relates to the respective intervention(s) or assessments being observed, received or administered.</p>
User Guidance	For designs in which these details may differ in one or more trial periods, answer according to the portion of the trial in which the highest number of blinded roles occurs. Additional details can be provided in Section 6.7.3 Blinding.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Double Blind (C15228), Observer Blind (C187674), Open Label (C49659), Single Blind (C28233)
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Trial Blind Schema; Heading; Protocol Sponsor Identifier</p> <p>Concept: C49658</p>
Repeating and/or Reuse Rules	No

169

NCI C-Code	M11 Preferred Term	Draft Definition
C15228	Double Blind	A study in which neither the participant nor the study personnel interacting with the participant or data during the study knows what intervention a participant is receiving.
C187674	Observer Blind	A study in which the study personnel who measure, record, or assess the participant do not know which intervention the participant is receiving or, in the context of observational studies, do not know the external factors to which a participant has been exposed.
C49659	Open Label	A study in which participants and study personnel know which intervention each participant is receiving.
C28233	Single Blind	A study in which one party, either the participant or study personnel, does not know which intervention is administered to the participant.

170

Term (Variable)	Blinded roles:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2

Value	Blinded roles: The following roles indicated will not be made aware of the treatment group assignment during the trial:
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

171

Term (Variable)	[Blinded roles]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An identifying designation assigned to a blinded individual within a clinical trial that corresponds with their function
User Guidance	“Not applicable (No blinding)” indicates an open-label trial.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Participant (C142710); Care Provider (C17445); Investigator (C25936); Outcomes Assessor (CNEW); Sponsor (C70793); Not Applicable (C48660)
Business rules	Value Allowed: Yes, Multiple roles can be selected Relationship: Blinded Roles; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

172

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Trial Blinding Role	A terminology value set relevant to the trial blinding roles within the ICH M11 Protocol model.
C142710	Participant	A member of the clinical study population from whom data are being collected.
C17445	Care Provider	The primary person in charge of the care of a patient, usually a family member or a designated health care professional.
C25936	Investigator	A person responsible for the conduct of the clinical trial at a trial site. If a trial is conducted by a team of individuals at the trial site, the investigator is the responsible leader of the team and may be called the principal investigator.
C207599	Outcomes Assessor	The individual who evaluates the outcome(s) of interest.
C70793	Sponsor	An individual, company, institution, or organization that takes responsibility for the initiation, management, and/or financing of a clinical study.
C48660	Not Applicable	Determination of a value is not relevant in the current context.

173

Term (Variable)	Number of participants:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Number of Participants:
Business rules	<p>Value Allowed: No</p> <p>Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

174

Term (Variable)	[Target/Maximum]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A characterisation or classification of the trial participant numbers as to whether the numbers reflect a target or maximum.</p>
User Guidance	State the expected number of participants to be assigned to trial intervention/enrolled. Indicate whether the number provided is the target or maximum number of individuals to be randomly assigned to trial intervention/enrolled.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	A (choose Target/Maximum) of
Business rules	<p>Value Allowed: Universal Text and Yes</p> <p>Relationship: Heading; Sponsor Protocol Identifier</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

175

Term (Variable)	<Number of Participants>
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	<p>C49692</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The planned number of participant be entered in a clinical trial.</p>
User Guidance	State the expected number of participants to be assigned to trial intervention/enrolled. Indicate whether the number provided is the target or maximum number of individuals to be randomly assigned to trial intervention/enrolled
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Integer; <Number of Participants> participants will be
Business rules	Value Allowed: Universal Text and Yes Relationship: Heading; Sponsor Protocol Identifiers Concept: C49692
Repeating and/or Reuse Rules	No

176

Term (Variable)	[randomly assigned to trial intervention/enrolled]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The target or maximum number of participants who have been randomly assigned to the trial intervention or enrolled in the trial.
User Guidance	State the expected number of participants to be assigned to trial intervention/enrolled. Indicate whether the number provided is the target or maximum number of individuals to be randomly assigned to trial intervention/enrolled
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	randomly assigned to trial intervention/enrolled
Business rules	Value Allowed: Universal Text Relationship: Heading; Sponsor Protocol Identifier Concept: CNEW
Repeating and/or Reuse Rules	No

177

Term (Variable)	Duration
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Duration:
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design, 1.1 Protocol Synopsis, 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

178

Term (Variable)	Total planned duration of trial intervention for each participant:
Data Type	Universal Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., “event-driven” or “adaptive design”)
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Total planned duration of trial intervention for each participant:
Business rules	<p>Value Allowed: No</p> <p>Relationship: Duration</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

179

Term (Variable)	{<total planned duration of trial intervention> [total planned duration of trial unit of time]}
Data Type	Integer, Valid value
Data (D), Value (V) or Heading (H)	D, V
Definition	<p>Total planned duration of trial intervention CNEW</p> <p>Total planned duration of trial intervention unit of time: CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <ul style="list-style-type: none"> • Number: The numeric value for the planned duration of trial intervention. • Unit of time: The unit of time associated with the numeric value for the planned duration of trial intervention.
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., “event-driven” or “adaptive design”)
Conformance	Conditional: when Planned Duration of trial Intervention Number and unit of time
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	<p>Total planned duration of trial intervention: Integer</p> <p>Total planned duration of trial intervention unit of time: Days (C25301); Hours (25529); Months (C29846); Weeks (C29844); Years (C29848)</p>
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Total duration of trial intervention for each participant:</p> <p>Concept: CNEW; CNEW</p>
Repeating and/or Reuse Rules	No

180

NCI C-Code	M11 Preferred Term	Draft Definition
C25301	DAYS	A unit of measurement of time equal to 24 hours.
C25529	HOURS	A unit of measurement of time equal to 60 minutes.
C29846	MONTHS	One of the 12 divisions of a year as determined by a calendar. It corresponds to the unit of time of approximately to one cycle of the moon's phases, about 30 days or 4 weeks.
C29844	WEEKS	Any period of seven consecutive days.
C29848	YEARS	The period of time that it takes for Earth to make a complete revolution around the sun, approximately 365 days; a specific one year period.

181

Term (Variable)	{<alternate description of planned duration of trial intervention if duration will vary>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An alternative textual narrative for the planned duration of trial intervention.
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., "event-driven" or "adaptive design")
Conformance	Conditional: when an alternate description for planned duration of trial Intervention if the duration varies
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Total duration of trial intervention for each participant: Concept: CNEW
Repeating and/or Reuse Rules	No

182

Term (Variable)	Total planned duration of trial participation for each participant:
Data Type	Universal Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., "event-driven" or "adaptive design")
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2

183

Value	Total planned duration of trial participation for each participant:
Business rules	Value Allowed: No Relationship: Duration Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	{<total planned duration of trial participation> [Total planned duration of trial participation unit of time]}
Data Type	Integer, Valid value
Data (D), Value (V) or Heading (H)	D, V
Definition	Total planned duration of trial participation: CNEW Total planned duration of trial participation Unit of time: CNEW For review purpose, see definition of the controlled terminology below <ul style="list-style-type: none"> Number: The numeric value for the planned duration of trial participation. Unit of time: The unit of time associated with the numeric value for the planned duration of trial participation.
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., “event-driven” or “adaptive design”)
Conformance	Conditional: when planned duration of trial participation number and unit of time
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Total planned duration of trial participation: Integer Total planned duration of trial participation unit of time: Days (C25301); Hours (25529); Months (C29846); Weeks (C29844); Years (C29848)
Business rules	Value Allowed: Yes Relationship: Total duration of trial participation for each participant: Concept: CNEW; CNEW
Repeating and/or Reuse Rules	No

184

NCI C-Code	M11 Preferred Term	Draft Definition
C25301	DAYS	A unit of measurement of time equal to 24 hours.
C25529	HOURS	A unit of measurement of time equal to 60 minutes.
C29846	MONTHS	One of the 12 divisions of a year as determined by a calendar. It corresponds to the unit of time of approximately to one cycle of the moon's phases, about 30 days or 4 weeks.
C29844	WEEKS	Any period of seven consecutive days.
C29848	YEARS	The period of time that it takes for Earth to make a complete revolution around the sun, approximately 365 days; a specific one year period.

185

Term (Variable)	{<alternate description of planned duration of trial participation if duration will vary>}
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An alternative narrative for the planned duration of trial participation.
User Guidance	Select one of the two options for total planned duration of trial intervention and trial participation for each participant. Note that the total duration of trial participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. When duration will vary, provide a short explanation (e.g., “event-driven” or “adaptive design”)
Conformance	Conditional: when an alternate description for planned duration of trial participation if duration will vary
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Total duration of planned duration of trial participation if duration will vary: Concept: CNEW
Repeating and/or Reuse Rules	No

186

Term (Variable)	<Additional Description of Duration>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A narrative providing additional details about the duration of an participant's use of a trial intervention or their planned participation time in the trial.
User Guidance	If necessary, include any clarifications or cross-references to details in the main body of the protocol in the optional field below.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Duration Concept: CNEW
Repeating and/or Reuse Rules	No

187

Term (Variable)	Committees:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required

188

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Committees:
Business rules	Value Allowed: No Relationship: 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

189

Term (Variable)	Independent Committees:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Independent Committees:
Business rules	Value Allowed: No Relationship: Committees; 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	Independent Committees
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An independent group of experts that has oversight over, and conducts periodic review of, specific trial activities.
User Guidance	Indicate whether any committee(s) will be reviewing data while the trial is ongoing, and the type of committee. Common examples include Data Monitoring Committee, Dose Escalation Committee, or Endpoint Adjudication Committee; describe others, if applicable. List independent committees in the space indicated. Other committees may be included in the separate space provided. Committees listed here should be fully described in Section 11.4 Committees.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Independent Data Monitoring Committee (C142578); Dose Escalation Committee (C78726); Endpoint Adjudication Committee (C78726); Other (C17649); None (C41132)

Business rules	Value Allowed: Yes, more than one committee can be selected Relationship: Independent Committees Concept: CNEW
Repeating and/or Reuse Rules	No

190

NCI C-Code	M11 Preferred Term	Draft Definition
C142578	Independent Data Monitoring Committee	A committee established by the sponsor to assess at intervals the progress of a clinical trial, safety data, and critical efficacy variables and recommend to the sponsor whether to continue, modify, or terminate the trial.
CNEW	Dose Escalation Committee	A type of safety monitoring committee that monitors dose escalation activities in first-in-human trials.
C78726	Endpoint Adjudication Committee	An external committee whose purpose is to evaluate study data and decide whether a study endpoint or other criterion has been met.
C17649	Other	Different than the one(s) previously specified or mentioned.
C41132	None	No person or thing, nobody, not any.

191

Term (Variable)	Other Committees:
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Other Committees:
Business rules	Value Allowed: No Relationship: Committees; 1.1.2 Overall Design; 1.1 Protocol Synopsis; 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

192

Term (Variable)	Other Committees
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A committee that is different than the one(s) previously specified or mentioned.
User Guidance	Delete “Other Committees” if not applicable.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.1.2
Value	Text
Business rules	Value Allowed: Yes

	Relationship: Other Committees Concept: CNEW
Repeating and/or Reuse Rules	No

193

194 1.2 Trial Schema

Term (Variable)	1.2 Trial Schema
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	The purpose of this section is to provide a visual depiction of the trial design, orienting users of the protocol to the key features of the trial design. The schema depicts the trial arms, the flow of individual participants through the progression of trial period(s)/epochs (such as screening, washout/run-in, intervention, and key milestones [e.g., randomisation, cross-over, end of treatment]). For complex trials, additional schemas may be added to describe activities or trial periods in greater detail.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	1.2
Value	Trial Schema
Business rules	Value Allowed: No Relationship: 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

195

Term (Variable)	<Trial Schema>
Data Type	Image; Text
Data (D), Value (V) or Heading (H)	D
Definition	C93682 For review purpose, see definition of the controlled terminology below A diagram that outlines the decision points (e.g. randomisation, response evaluation) that define the different paths a participant could take through the trial.
User Guidance	The purpose of this section is to provide a visual depiction of the trial design, orienting users of the protocol to the key features of the design. The schema depicts the trial arms, the flow of individual participants through the progression of trial period(s)/epochs (such as screening, washout/run-in, intervention, and key milestones [e.g., randomisation, cross-over, end of treatment, end of study, post-treatment follow-up]). For complex trials, additional schemas may be added to describe activities or trial periods in greater detail.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.2
Value	Image; Text

Business rules	Value Allowed: Yes Relationship: 1.2 Trial Schema Concept: C93682
Repeating and/or Reuse Rules	Yes, repeatable within Section

196

Term (Variable)	<Schema Notes>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A brief written record describing the trial schematic.
User Guidance	The purpose of this section is to provide a visual depiction of the trial design, orienting users of the protocol to the key features of the design. The schema depicts the trial arms, the flow of individual participants through the progression of trial period(s)/epochs (such as screening, washout/run-in, intervention, and key milestones [e.g., randomisation, cross-over, end of treatment, end of study, post-treatment follow-up]). For complex trials, additional schemas may be added to describe activities or trial periods in greater detail.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 1.2 Trial Schema Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable and aligned with appropriate schema

197

198

1.3 Schedule of Activities

Term (Variable)	1.3 Schedule of Activities
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	The schedule of activities must capture the procedures that will be accomplished at each trial visit, and all contact with trial participants, e.g., telephone contacts. This includes any tests that are used for eligibility, participant randomisation or stratification, or decisions on trial intervention discontinuation. Allowable windows should be stated for all visits and procedures. A tabular format is recommended. When applicable for studies with extensive sampling (e.g., serial PK sampling) a separate table may be added.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.3
Value	Schedule of Activities

Business rules	Value Allowed: No Relationship: 1 PROTOCOL SUMMARY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

199

Term (Variable)	<Schedule of Activities>
Data Type	Table; Text; Image
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A standardised representation of planned clinical trial activities including interventions (e.g. administering drug, surgery) and study administrative activities (e.g. obtaining informed consent, distributing clinical trial material and diaries, randomisation) as well as assessments.
User Guidance	The schedule of activities must capture the procedures that will be accomplished at each trial visit, and all contact with participants, e.g., telephone contacts. This includes any tests that are used for eligibility, participant randomisation or stratification, or decisions on trial intervention discontinuation. Allowable windows should be stated for all visits and procedures. A tabular format is recommended. When applicable for studies with extensive sampling, e.g., serial PK sampling, a separate table may be added.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	1.3
Value	Table; text; Image
Business rules	Value Allowed: Yes Relationship: 1.3 Schedule of Activities Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each Schedule of Activity if needed

200

201

2 INTRODUCTION

Term (Variable)	2 INTRODUCTION
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (Heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2
Value	INTRODUCTION
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading

Repeating and/or Reuse Rules	No
-------------------------------------	----

202

203 2.1 Purpose of Trial

Term (Variable)	2.1 Purpose of Trial
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.1
Value	Purpose of Trial
Business rules	Value Allowed: No Relationship: 2 INTRODUCTION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

204

Term (Variable)	<Purpose of Trial>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C146997 For review purpose, see definition of the controlled terminology below The overall rationale, reason, or intention of the clinical trial.
User Guidance	Explain why the trial is needed, and why the research questions being asked are important. Do not restate the objectives or estimands. Do not restate the IB; rather, cross reference to the IB as applicable to the description.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.1 Purpose of Trial Concept: C146997
Repeating and/or Reuse Rules	No

205

206 2.2 Assessment of Risks and Benefits

Term (Variable)	2.2 Assessment of Risks and Benefits
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	Include an assessment of known and potential risks and benefits, if any, as a result of participating in the trial from the perspective of an individual participant, including the basis of the risk (e.g., nonclinical trials or prior clinical trials). This section may be structured under one single heading 2.2 Assessment of Risks and Benefits, or if applicable under 3 subheadings as 2.2.1 Risk Summary and Mitigation Strategy, 2.2.2 Benefit Assessment and 2.2.3 Overall Risk-Benefit Assessment
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	2.2
Value	Assessment of Risks and Benefits
Business rules	Value Allowed: No Relationship: 2 INTRODUCTION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

207 **2.2.1 Risk Summary and Mitigation Strategy**

Term (Variable)	2.2.1 Risk Summary and Mitigation Strategy
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	2.2.1
Value	Risk Summary and Mitigation Strategy
Business rules	Value Allowed: No Relationship: 2.2 Assessment of Risks and Benefits, 2 INTRODUCTION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

208

Term (Variable)	<Trial-specific Intervention Risks and Mitigations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the potential risks associated with the trial interventions and mitigation strategies to be employed within the trial.
User Guidance	Trial Intervention – Describe risks related to trial-specific treatments and interventions. For the protocol, focus on the relevant key risks for THIS trial. Provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section.
Conformance	Optional
Cardinality	One to one

209

Relationship content from ToC representing the protocol hierarchy	2.2.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.2.1 Risk Summary and Mitigation Strategy Concept: CNEW
Repeating and/or Reuse Rules	No

210

Term (Variable)	<Trial-specific Procedure Risks and Mitigations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the potential risks associated with the trial procedures and mitigation strategies to be employed within the trial.
User Guidance	Trial Procedures – Describe risks associated with the design (for example, placebo arm) and procedures specific to this trial (e.g., biopsies), and any measures to control or mitigate the risks. Provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section. This is not intended to be an exhaustive list of all possible risks associated with trial procedures but should focus on the unique risks inherent in the design or less common or high-risk procedures. As above, provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.2.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.2.1 Risk Summary and Mitigation Strategy Concept: CNEW
Repeating and/or Reuse Rules	No

Term (Variable)	<Trial-specific Other Risks and Mitigations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the potential risks associated with the trial procedures and mitigation strategies to be employed within the trial that are different than the one(s) previously specified or mentioned.
User Guidance	Other – Consider risks associated with other items (e.g., challenge agents, imaging agents, medical devices). This could include discussion of risk mitigation for special populations, if not described elsewhere. Insert a line for each, as needed.
Conformance	Optional

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.2.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.2.1 Risk Summary and Mitigation Strategy Concept: CNEW
Repeating and/or Reuse Rules	No

211

212 2.2.2 Benefit Summary

Term (Variable)	2.2.2 Benefit Summary
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.2.2
Value	Benefit Summary
Business rules	Value Allowed: No Relationship: 2.2 Assessment of Risks and Benefits, 2 INTRODUCTION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

213

Term (Variable)	<Benefit Summary>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A short textual description containing the potential physical, psychological, social, legal, and other benefits to the trial participant.
User Guidance	The benefit summary should describe any physical, psychological, social, or any other potential benefits to individual participants as a result of participating in the trial, addressing immediate potential benefits and/or long-range potential benefits. Clearly state if no benefits to an individual participant can be anticipated, or if potential benefits are unknown. For early clinical trials such as Phase 1 or trials in healthy participants, benefits for an individual participant (other than those of altruism) are expected to be minimal. Benefits to society in general may also be included but should be described separately from the individual participant perspective.
Conformance	Optional
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	2.2.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.2.2 Benefit Summary Concept: CNEW
Repeating and/or Reuse Rules	No

214

215 2.2.3 Overall Risk-Benefit Assessment

Term (Variable)	2.2.3 Overall Risk-Benefit Assessment
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.2.3
Value	Overall Risk-Benefit Assessment
Business rules	Value Allowed: No Relationship: 2.2 Assessment of Risks and Benefits, 2 INTRODUCTION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

216

Term (Variable)	<Overall Risk-Benefit Assessment>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A short textual description containing the risks and benefits associated with participation in the trial.
User Guidance	Provide a succinct, concluding statement on the perceived balance between risks that have been identified from cumulative safety data, protocol procedures, and anticipated efficacy/benefits within the context of the proposed trial.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	2.2.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 2.2.3 Overall Risk-Benefit Assessment OR 2.2 Assessment of Risks and Benefits (when the Optional Level 3 subheading (2.2.3) is not used) If the Optional Level 3 subheadings (2.2.1, 2.2.2, 2.2.3) are not used, the user guidance below Section 2.2 applies.

	Concept: CNEW
Repeating and/or Reuse Rules	No

217

218

3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS

Term (Variable)	3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	In this section, precisely define each trial objective and refine each trial objective into a precise clinical question of interest by defining the associated estimand. For considerations on estimands, see ICH E9(R1). Ensure alignment with every other section of the protocol. Include additional level 3 Headings (e.g. add a new level 3 Heading for each secondary objective) as needed. If there is more than one objective in a category (e.g., more than one secondary objective), number each objective consecutively as the level 3 heading (e.g., Secondary Objective 1, Secondary Objective 2, etc.). No text is intended here (Heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3
Value	TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

219

220

3.1 Primary Objective(s) and Associated Estimand(s)

Term (Variable)	3.1 Primary Objective(s) and Associated Estimand(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (Heading only)
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1
Value	Primary Objective(s) and Associated Estimand(s)
Business rules	Value Allowed: No Relationship: 3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

221

222 3.1.1 Primary Objective <#>

Term (Variable)	3.1.X Primary Objective <#>
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	<p>For all trials, precisely state each primary trial objective by providing a meaningful and concise description of the treatment effect of interest using natural, non-technical language for clear understanding of sponsors, investigators, clinical site personnel, trial participants, ethics committees, and regulators.</p> <p>For trials intended to estimate a treatment effect or test a hypothesis related to a treatment effect, use the table to precisely describe the associated estimand(s). This includes specification of the target population, the treatment condition(s), the endpoint (or variable) and the population-level summary. Precise specifications of treatment, population, and variable are likely to address many of the key intercurrent events. Other key intercurrent events not already addressed in the clinical question of interest by the aforementioned attributes should be described with their associated strategies. For other types of trials not intended to estimate a treatment effect or test a hypothesis related to a treatment effect, describe additional information relevant to the clinical question(s) of interest (at a minimum, present the endpoint(s) associated with each objective). For these trials, including the table is not required.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X where X is a unique number for each primary objective
Value	Primary Objective <#>: # is a unique number for each primary objective; if there is only one primary objective, # is blank. If more than one primary objective, add sequential unique number for each objective
Business rules	Value Allowed: No Relationship: 3.1 Primary Objective and Associated Estimand(s); 3. TRIAL OBJECTIVES AND ASSOCIATED ESTIMAND; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective. Yes, reuse to the table in Section 1.1.1. for each primary objective

223

Term (Variable)	<Primary Objective>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C85826</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The principle reason for performing a study in terms of the scientific questions to be answered by the analysis of data collected during the study.</p>
User Guidance	N/A
Conformance	Required
Cardinality	One to One; One to Table of Contents Number 3.1.X; One to Estimand Characteristics Table, Primary Objective <#>, Protocol Identifier

Relationship content from ToC representing the protocol hierarchy	3.1.X: X is a unique number for each primary objective.
Value	Text and unique integer which is same as Level 3 number for the section.
Business rules	Value Allowed: Yes Relationship: 3.1.X Primary Objective <#> Concept: C85826
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective. Yes, reuse to the table in Section 1.1.1.for each primary objective

224

Term (Variable)	< Table of Estimand Characteristics including Endpoint at a minimum>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X: X is a unique number for each primary objective
Value	Estimand Characteristics including Table of Estima Characteristics endpoint at minimum
Business rules	Value Allowed: Yes Relationship: 3.1.X Primary Objective <#> Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective. Yes, reuse to the table in Section 1.1.1.for each primary objective

225

Term (Variable)	Estimand Characteristic
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Estimand Characteristic
Business rules	Value Allowed: No Relationship: 3.1 Primary Objective(s) and associated Estimand(s); Table column Heading; Description; Population; Treatment; Endpoint; Population-Level Summary; Other Intercurrent Event Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective Yes, reuse to the table in Section 1.1.1.for each primary objective

226

Term (Variable)	Description
Data Type	Text
Data (D), Value (V) or Heading (H)	H

Definition	Table Column Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Description
Business rules	<p>Value Allowed: No</p> <p>Relationship: 3.1 Primary Objective(s) and associated Estimand(s); Table column Heading; Estimand Characteristic; Population; Treatment; Endpoint; Population-Level; Other Intercurrent Event; Strategy</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	<p>Yes, repeatable for each numbered primary objective</p> <p>Yes, reuse to the table in Section 1.1.1. for each primary objective</p>

227

Term (Variable)	{Population}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a population as estimand characteristic
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	{Population}
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Estimand Characteristic</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

228

Term (Variable)	{<Population>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C70833</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The population of patients targeted by the clinical question. This will be represented by the entire trial population, a subgroup defined by a particular characteristic measured at baseline, or a principal stratum defined by the occurrence (or non-occurrence, depending on context) of a specific intercurrent event.</p>
User Guidance	List of key characteristics, such as demographic characteristics (e.g. age, sex) and clinical characteristics (e.g. prior therapies, symptoms, severity, biomarker status)
Conformance	Conditional: If there is a population as estimand characteristic
Cardinality	One to Row Heading; One to Primary Objective Table; Primary Objective <#>; Protocol Identifier

229

Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Description Concept: C70833
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

230

Term (Variable)	{<Treatment>}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a treatment as estimand characteristic
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	{Treatment}
Business rules	Value Allowed: No Relationship: Row Heading; Estimand Characteristic Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective
Term (Variable)	{<Treatment>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C49236 For review purpose, see definition of the controlled terminology below The treatment condition of interest and, as appropriate, the alternative treatment condition to which comparison will be made (referred to as “treatment” through the remainder of this document). These might be individual interventions, combinations of interventions administered concurrently, e.g. as add-on to standard of care, or might consist of an overall regimen involving a complex sequence of interventions.
User Guidance	List of key aspects of treatment regimens in each study group, including at least investigational agents, dosage, and administration route
Conformance	Conditional: If there is a treatment as estimand characteristic
Cardinality	One to Row Heading; One to Primary Objective Table; Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Description Concept: C49236
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

231

Term (Variable)	Endpoint
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Endpoint
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Estimand Characteristic</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

232

Term (Variable)	{< Endpoint >}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C25212</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The variable to be obtained for each patient that is required to address the clinical question. The specification of the variable might include whether the patient experiences an <u>intercurrent event</u>.</p>
User Guidance	Definition of the endpoint
Conformance	Required
Cardinality	One to Row Heading; One to Primary Objective Table; Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading; Description</p> <p>Concept: C25212</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

233

Term (Variable)	{Population-level Summary}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a population -level summary as estimand characteristic
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	{Population-level Summary}

234

Business rules	Value Allowed: No Relationship: Row Heading; Estimand Characteristics Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

235

Term (Variable)	{Other Intercurrent Event}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: If there is one or more other intercurrent events as estimand characteristic.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Intercurrent Event
Business rules	Value Allowed: No Relationship: Row Heading; Estimand Characteristics Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

236

Term (Variable)	{Strategy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A

Conformance	Conditional: If there is one or more other intercurrent events as estimand characteristic.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Strategy
Business rules	Value Allowed: No Relationship: Table column Heading; Other Intercurrent Event; Description Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered primary objective

237

Term (Variable)	{Description of Intercurrent Event}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C188856 For review purpose, see definition of the controlled terminology below A description of the intercurrent event.
User Guidance	Description of the strategy to address the intercurrent event (e.g., a treatment policy strategy); cross reference the justification in Section 4 Trial Design. If there is >1 intercurrent event for an objective, add additional intercurrent event rows
Conformance	Conditional: If there is one or more other intercurrent events as estimand characteristic.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Estimand Characteristics Concept: C188856
Repeating and/or Reuse Rules	Yes, repeatable for each intercurrent event

238

Term (Variable)	{Intercurrent Event 1 Strategy}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C188857 For review purpose, see definition of the controlled terminology below A description of the planned strategy to address intercurrent events.
User Guidance	Description of the strategy to address the intercurrent event (e.g., a treatment policy strategy); cross reference the justification in Section 4 Trial Design. If there is >1 intercurrent event for an objective, add additional intercurrent event rows
Conformance	Conditional: If there is one or more other intercurrent events as estimand characteristic.
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	3.1.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Strategy; Description Concept: C188857
Repeating and/or Reuse Rules	Yes, repeatable for each intercurrent event

239

240 3.2 Secondary Objective(s) and Associated Estimand(s)

Term (Variable)	3.2 Secondary Objective(s) and Associated Estimand(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.2
Value	Secondary Objective(s) and Associated Estimand(s)
Business rules	Value Allowed: No Relationship: 3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMAND(S); Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

241

242 3.2.1 Secondary Objective <#>

Term (Variable)	{3.2.X Secondary Objective <#>}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Describe the secondary objective(s) and associated estimand(s) as outlined in Section 3.1 Primary Objective(s) and Associated Estimand(s). Use the same approach as above and consider including a table for a precise estimand description. No text is intended here (heading only) unless there is no secondary objective, in which case indicate "Not applicable".
Conformance	Conditional: when there are secondary objective heading for each secondary requirement
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.2.X where X is a unique secondary objective

Value	Secondary Objective <#>: # is a unique number for each secondary objective; if there is only one secondary objective, # is blank. If more than one secondary objective, add sequential unique number for each objective
Business rules	Value Allowed: No Relationship: 3.2 Secondary Objective and Associated Endpoints; 3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMAND(S); Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

243

Term (Variable)	<Secondary Objective>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C85827 For review purpose, see definition of the controlled terminology below The secondary reason for performing a study in terms of the scientific questions to be answered by the analysis of data collected during the study.
User Guidance	N/A
Conformance	Required
Cardinality	One to one; Table of Contents Number 3.2.X; One to Estimand Characteristic Table, Secondary Objective <#>, Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text and unique integer which is same as Level 3 number for the section.
Business rules	Value Allowed: Yes Relationship: 3.2.X Secondary Objective <#>; Estimand Characteristics table Concept: C85827
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

244

Term (Variable)	{If a Secondary Objective has been entered: <Enter Table of Estimand Characteristics including Endpoint at a minimum>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	{If a Secondary Objective has been entered: <Enter Table of Estimand Characteristics>} including Endpoint at a minimum
Conformance	Conditional: either Enter Table of Estimand Characteristics or details of the characteristics relevant to objective
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Estimand Characteristics
Business rules	Value Allowed: No Relationship: 3.3.2 Secondary Objective(s) and associated Estimand(s) Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

245

Term (Variable)	{Estimand Characteristics}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: if there is a secondary objective
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Estimand Characteristics
Business rules	<p>Value Allowed: No</p> <p>Relationship: 3.2 Secondary Objective(s) and associated Estimand(s); Table column Heading; Description, Population; Treatment; Endpoint; Population-Level Summary; Intercurrent Event</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

246

Term (Variable)	{Description}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Description
Business rules	<p>Value Allowed: No</p> <p>Relationship: 3.2 Secondary Objective(s) and associated Estimand(s); Table column Heading; Estimand Characteristics; Population; Treatment; Endpoint, Population-Level Summary; Other Intercurrent Event; Strategy</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

247

Term (Variable)	{Population}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a population
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	{Population}
Business rules	Value Allowed: No

248

	Relationship: Row Heading; Estimand Characteristic Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

249

Term (Variable)	{<Population>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C70833</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The population of patients targeted by the clinical question. This will be represented by the entire trial population, a subgroup defined by a particular characteristic measured at baseline, or a principal stratum defined by the occurrence (or non-occurrence, depending on context) of a specific intercurrent event.</p>
User Guidance	List of key characteristics, such as demographic characteristics (e.g. age, sex) and clinical characteristics (e.g. prior therapies, symptoms, severity, biomarker status)
Conformance	Conditional: If there is a population for Secondary
Cardinality	One to Row Heading; One to Secondary Objective Table; Secondary Objective <#>; Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading, Description; Estimand Characteristic</p> <p>Concept: C70833</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

250

Term (Variable)	{Treatment}
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	<p>C49236</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The treatment condition of interest and, as appropriate, the alternative treatment condition to which comparison will be made (referred to as “treatment” through the remainder of this document). These might be individual interventions, combinations of interventions administered concurrently, e.g. as add-on to standard of care, or might consist of an overall regimen involving a complex sequence of interventions.</p>
User Guidance	List of key aspects of treatment regimens in each study group, including at least investigational agents, dosage, and administration route
Conformance	Conditional: If there is a population for Secondary
Cardinality	One to Row Heading, One to Secondary Objective Table, Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading, Description; Estimand Characteristics</p> <p>Concept: C49236</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

251

Term (Variable)	{Endpoint}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if there is a secondary Objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Endpoint
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Description; Estimand Characteristic</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

252

Term (Variable)	{< Endpoint >}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C25212</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The variable to be obtained for each patient that is required to address the clinical question. The specification of the variable might include whether the patient experiences an intercurrent event</p>
User Guidance	Definition of the endpoint
Conformance	Required

253

Cardinality	One to Row Heading, One to Secondary Objective Table, Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading; Description; Table Estimand Characteristics; Secondary (1...n) Estimand</p> <p>Concept: C25212</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

254

Term (Variable)	{<Population-level Summary>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C188853 For review purpose, see definition of the controlled terminology below Population level summary for the clinical endpoint of interest, which provides a basis for comparison between treatment conditions.
User Guidance	Description of the population-level summary (e.g., mean difference, relative risk)
Conformance	Conditional: If there is a population for Secondary
Cardinality	One to Row Heading; One to Secondary Objective Table; Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading; Description; Table estimand Characteristics; Secondary (1...n) Estimand; Protocol Identifier</p> <p>Concept: C188853</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

255

Term (Variable)	{Other Intercurrent Event}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: If there is one or more other intercurrent events
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Intercurrent Event
Business rules	<p>Value Allowed: No</p> <p>Relationship: 3.3.2 Secondary Objective(s) and associated Estimand(s); Table Column Heading</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

256

Term (Variable)	{Strategy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: If there is one or more other intercurrent events
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Strategy
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table column Heading; Other Intercurrent Event (1...n)</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered secondary objective.

257

Term (Variable)	{Description of Intercurrent Event}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	<p>C188856</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the intercurrent event.</p>
User Guidance	Enter Description of Intercurrent Event
Conformance	Conditional: If there is one or more other intercurrent events.
Cardinality	One to one or as many intercurrent event as available
Relationship content from ToC representing the protocol hierarchy	3.2.X
Value	Text
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Estimand Characteristics; Protocol Identifier</p>

258

	Concept: C188856
Repeating and/or Reuse Rules	Yes, repeatable for each intercurrent event

259

260

3.3 Exploratory Objective(s)

Term (Variable)	3.3 Exploratory Objective(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	State each exploratory objective. This should generally include documentation of associated exploratory endpoints. It may be helpful in some cases to describe precise estimands to provide clarity on what is being estimated. No text is intended here (heading only) unless there is no exploratory objective, in which case indicate “Not applicable”.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3
Value	Exploratory Objective(s)
Business rules	Value Allowed: No Relationship: TRIAL OBJECTIVES AND ENDPOINT; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

261

3.3.1 Exploratory Objective <#>

Term (Variable)	3.3.X Exploratory Objective <#>
------------------------	---------------------------------

Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there are exploratory objective heading for each exploratory requirement
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3.X where X is a unique number for each exploratory objective
Value	Exploratory Objective <#>: # is a unique number for each exploratory objective; if there is only one exploratory objective, # is blank If more than one exploratory objective, add sequential unique number for each objective
Business rules	Value Allowed: No Relationship: 3.3 Exploratory Objective(s); 3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

262

Term (Variable)	<Exploratory Objective>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C163559 For review purpose, see definition of the controlled terminology below The exploratory reason for performing a study in terms of the scientific questions to be answered by the analysis of data collected during the study.
User Guidance	State each exploratory objective. This should generally include documentation of associated exploratory endpoints. It may be helpful in some cases to describe precise estimands to provide clarity on what is being estimated. No text is intended here (heading only) unless there is no exploratory objective, in which case indicate "Not applicable".
Conformance	Conditional: if an exploratory objective is part of the trial
Cardinality	One to Table of Contents Number 3.3.X; One to Estimand Characteristic Table, Exploratory Objective <#>, Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	Value Allowed: Yes Relationship: 3.3.X Exploratory Objective <#> Concept: C163559
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

263

Term (Variable)	{If an Exploratory Objective has been entered: <Enter Table of Estimand Characteristics> including Endpoint at a minimum}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	N/A

User Guidance	{If an Exploratory Objective has been entered: <Table of Estimand Characteristics> including Endpoint at a minimum}
Conformance	Conditional: either Enter Table of Estimand Characteristics or details of the characteristics relevant to objective
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 3.3.3 Exploratory Objective(s) and associated Estimand(s); Table column Heading; Description; Population; Treatment; Endpoint; Population-Level; Intercurrent Event (1...n)</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

264

Term (Variable)	Estimand Characteristic
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: if there is exploratory endpoint(s).
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Estimand Characteristics
Business rules	<p>Value Allowed: No</p> <p>Relationship: 3.3.X Exploratory Objective; Table Column Heading; Description; Population; Treatment; Endpoint; Population-Level; Intercurrent Event</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

265

Term (Variable)	Description
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Description
Business rules	Value Allowed: No

	<p>Relationship: 3.3.X Exploratory Objective Table Column Heading; Estimand Characteristic; Population; Treatment; Endpoint; Population-Level; Intercurrent Event (1...n); Strategy</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

266

Term (Variable)	{Population}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a population as estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Population
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Estimand Characteristic</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

267

Term (Variable)	{<Population>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C70833</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The population of patients targeted by the clinical question. This will be represented by the entire trial population, a subgroup defined by a particular characteristic measured at baseline, or a principal stratum defined by the occurrence (or non-occurrence, depending on context) of a specific intercurrent event.</p>
User Guidance	List of key characteristics, such as demographic characteristics (e.g. age, sex) and clinical characteristics (e.g. prior therapies, symptoms, severity, biomarker status)
Conformance	Conditional: If there is a population as estimand characteristic
Cardinality	One to Row Heading; One to Exploratory Objective Table, Exploratory Objective <#>, Protocol Identifier
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading, Description; Table Estimand Characteristics; Exploratory (1...n) Estimand</p> <p>Concept: C70833</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

268

Term (Variable)	{Treatment}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a treatment as estimand.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	{Treatment}
Business rules	<p>Value Allowed: No</p> <p>Relationship: Row Heading; Estimand Characteristic</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

269

Term (Variable)	{<Treatment>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C49236</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The treatment condition of interest and, as appropriate, the alternative treatment condition to which comparison will be made (referred to as “treatment” through the remainder of this document). These might be individual interventions, combinations of interventions administered concurrently, e.g. as add-on to standard of care, or might consist of an overall regimen involving a complex sequence of interventions.</p>
User Guidance	List of key aspects of treatment regimens in each study group, including at least investigational agents, dosage, and administration route
Conformance	Conditional: If there is a treatment as estimand
Cardinality	One to Row Heading; One to Exploratory Objective Table; Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Row Heading, Description; Table Estimand Characteristics; Exploratory (1...n) Estimand; Protocol Identifier</p> <p>Concept: C49236</p>
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

270

Term (Variable)	Endpoint
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: if there is exploratory endpoint(s).
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Endpoint
Business rules	Value Allowed: No Relationship: Row Heading; Estimand Characteristic Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

271

Term (Variable)	Endpoint
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C25212</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The variable to be obtained for each patient that is required to address the clinical question. The specification of the variable might include whether the patient experiences an intercurrent event</p>
User Guidance	Definition of the endpoint
Conformance	Conditional: if there is exploratory endpoint(s).
Cardinality	One to Row Heading; One to Exploratory Objective Table, Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Description; Table Estimand Characteristics; Exploratory (1...n) Estimand Concept: C25212
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

272

Term (Variable)	{Population-level Summary}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: If there is a population-level summary
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Population-level Summary
Business rules	Value Allowed: No Relationship: Row Heading; Estimand Characteristics Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

273

Term (Variable)	{<Population-level Summary>}
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	C188853 For review purpose, see definition of the controlled terminology below Population level summary for the clinical endpoint of interest, which provides a basis for comparison between treatment conditions.
User Guidance	List of key characteristics, such as demographic characteristics (e.g. age, sex) and clinical characteristics (e.g. prior therapies, symptoms, severity, biomarker status)
Conformance	Conditional: If there is a population-level summary
Cardinality	One to Row Heading; One to Exploratory Objective Table, Project Identifier
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading; Description; Table Estimand Characteristics; Exploratory (1...n) Estimand Concept: C188853
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

274

Term (Variable)	{Other Intercurrent Event}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: If there is one or more other intercurrent event as estimand characteristic.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Other Intercurrent Event
Business rules	Value Allowed: No Relationship: 3.3.3 Exploratory Objective(s) and associated Estimand(s); Table column Heading; Estimand Characteristic Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

275

Term (Variable)	{Strategy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: If there is one or more other intercurrent event as estimand.
Cardinality	One to many rows
Relationship content from ToC representing the protocol hierarchy	3.3.X

276

Value	Strategy
Business rules	Value Allowed: No Relationship: Table Column Heading; Estimand Characteristics; Other Intercurrent Event Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each numbered exploratory objective.

277

Term (Variable)	{<Intercurrent Event # Strategy>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C188856 For review purpose, see definition of the controlled terminology below A description of the intercurrent event.
User Guidance	Enter Description of Intercurrent Event
Conformance	Conditional: If there is one or more other intercurrent events as estimand characteristic.
Cardinality	One to one or as many intercurrent event as available
Relationship content from ToC representing the protocol hierarchy	3.3.X
Value	Text
Business rules	Value Allowed: Yes Relationship: Row Heading, Estimand Characteristics Concept: C188856
Repeating and/or Reuse Rules	Yes, repeatable for each intercurrent event

278

279 4 TRIAL DESIGN

Term (Variable)	4 TRIAL DESIGN
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	In the subsections below, describe the trial design with specific mention, as applicable, of the components of an adequate and well-controlled trial and reflect the principles of Quality by Design. The description of the design should be concise and consistent with Section 1.1 Protocol Synopsis and Section 1.2 Trial Schema. The trial design should align with objectives/estimand(s) described in Section 3 Trial Objectives and Associated Estimands. This section is intended to provide a description for the important aspects of the trial design and rationale for its key attributes. Operational details needed to implement the trial design should be covered in more detail in subsequent sections. No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4
Value	TRIAL DESIGN
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

280

281 4.1 Description of Trial Design

Term (Variable)	4.1 Description of Trial Design
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	4.1
Value	Description of Trial Design
Business rules	Value Allowed: No Relationship: 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

282

283

284

Term (Variable)	<Overall Description of Trial Design and Description of Intervention Model>
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	<p>C147139</p> <p>For review purpose, see definition of the controlled terminology below</p> <p><u>A description summarizing the overall trial design and intervention model.</u></p>
User Guidance	<p>Describe the overall trial design and intervention model (e.g., single group, parallel group, cross-over, factorial, sequential), the expected number of participants, and the control method (e.g., placebo, active comparator, low dose, external, standard of care, sham procedure, or none [uncontrolled]). If there are any key aspects of the investigational trial intervention that inform the selection of the intervention model, this should be described.</p> <p>If applicable, indicate other design characteristics (e.g., superiority, noninferiority, dose escalation, or equivalence).</p> <p>If the trial will have an adaptive or novel design (e.g., the trial will be conducted under a master protocol), provide a summary of these design aspects.</p> <p>If applicable, describe within-trial transition rules, e.g., transitions involving cohorts or trial parts. Dose escalation or dose-ranging details should also be described.</p>
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 4.1 Description of Trial Design</p> <p>Concept: C147139</p>
Repeating and/or Reuse Rules	No

285

Term (Variable)	<Description of Trial Duration>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p><u>A description of the trial duration.</u></p>
User Guidance	<p>Describe the trial duration with reference to Section 1.2, Trial Schema. Explain what the overall duration for an individual participant is anticipated to be and why, including the sequence and duration of trial periods (for example, screening, run-in, randomisation, treatment [fixed dose/titration], follow-up/washout periods). Where applicable, include discussion of sentinel dosing (or lack thereof), dose escalation, and cohort expansion. If dose modification decisions are dependent upon review by a committee, include details in Section 11.4 Committees.</p>
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 4.1 Description of Trial Design</p> <p>Concept: CNEW</p>

286
287

Repeating and/or Reuse Rules	No
-------------------------------------	----

288

Term (Variable)	<Description of Level and Method of Blinding>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the level of awareness of the study participants and/or personnel to the respective intervention(s) or assessments being observed, received or administered, and the methodology by which study participants or personnel are blinded.
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.1 Description of Trial Design Concept: CNEW
Repeating and/or Reuse Rules	No

289
290

Term (Variable)	<Additional Description of Trial Design>
Data Type	Text
Data (D), Value (V) or Heading (H)	D

Definition	CNEW For review purpose, see definition of the controlled terminology below An extra or further textual representation of the trial design.
User Guidance	Describe any other important aspects of the design, e.g.: <ul style="list-style-type: none"> Geographic scope of trial (e.g., single-centre, multi-centre, or multi-centre and multi-national); Use of decentralised processes, tools, or features in the trial; Planned use of a Data Monitoring Committee, or similar review group and cross-reference Section 11.4, Committees, for details; Whether an interim analysis is planned and, if so, refer to details in Section 10.9, Interim Analyses Any planned extension trial, long-term follow-up/registry, planned future use of samples or data, or post-trial sample analysis or other data-related activities.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.1 Description of Trial Design Concept: CNEW
Repeating and/or Reuse Rules	No

291

292

4.1.1 Stakeholder Input into Design

Term (Variable)	4.1.1 Stakeholder Input into Design
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1.1
Value	Stakeholder Input into Design
Business rules	Value Allowed: No Relationship: 4.1.1 Stakeholder Input into Design; 4.1 Description of Trial Design; 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

293

Term (Variable)	<Stakeholder Input into Design>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below

	A description of the way in which trial stakeholders were consulted when determining the trial design.
User Guidance	If applicable, describe any stakeholder (e.g., patient, healthcare professional and patient advocacy groups) involvement in the design of the trial and any suggestions implemented
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.1.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.1.1 Stakeholder Input into Design Concept: CNEW
Repeating and/or Reuse Rules	No

294

295 4.2 Rationale for Trial Design

Term (Variable)	4.2 Rationale for Trial Design
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2
Value	Rationale for Trial Design
Business rules	Value Allowed: No Relationship: 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

296

Term (Variable)	<Overall Rationale for Trial Design>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An explanation as to the scientific reasons for the choice of the trial design.
User Guidance	N/A
Conformance	Conditional: If Level 3 subheadings are not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.2 Rationale for Trial Design Concept: CNEW

Repeating and/or Reuse Rules	No
-------------------------------------	----

297

298 4.2.1 Rationale for Estimand(s)

Term (Variable)	4.2.1 Rationale for Estimand(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.1
Value	Rationale for Estimand(s)
Business rules	<p>Value Allowed: No</p> <p>Relationship: 4.2 Rationale for Trial Design; 4 TRIAL DESIGN; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

299

Term (Variable)	<Rationale for Estimand(s)>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An explanation as to the scientific reasons for the choice of the trial estimand(s).</p>
User Guidance	When estimands are associated with the Primary and Secondary Objectives described in Section 3 Trial Objectives and Associated Estimands, provide a rationale for the estimand attributes not described elsewhere in the document. This should include a rationale that the selected endpoint(s) are clinically relevant and provide a reliable and valid measurement of the intended intervention effect. It should also include a rationale for the selected strategies for handling intercurrent events.
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 4.2.1 Rationale for Estimand(s)</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

300

301 4.2.2 Rationale for Intervention Model

Term (Variable)	4.2.2 Rationale for Intervention Model
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.2
Value	Rationale for Intervention Model
Business rules	<p>Value Allowed: No</p> <p>Relationship: 4.2 Rationale for Trial Design; 4 TRIAL DESIGN; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

302

Term (Variable)	<Rationale for Trial Intervention Model>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An explanation as to the scientific reasons for why the intervention model was chosen for the trial.</p>
User Guidance	<p>Provide a rationale for the trial intervention model described in Section 4.1, Description of Trial Design with a cross-reference to Section 6.2 Rationale for Investigational Intervention Dose and Regimen. Rationale for choice of comparator, if applicable, should be described separately in Section 4.2.5, Rationale for Control Type. A rationale for the choice of trial population should be described separately in Section 5.1, Description of Trial Population and Rationale.</p>
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 4.2.2 Rationale for Intervention Model</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

303

304 4.2.3 Rationale for Control Type

Term (Variable)	4.2.3 Rationale for Control Type
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.3
Value	Rationale for Control Type
Business rules	Value Allowed: No Relationship: 4.2 Rationale for Trial Design; 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

305

Term (Variable)	<Rationale for Control Type>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An explanation as to the scientific reasons for the choice of the control types used in the trial.
User Guidance	If applicable, provide a rationale for the type and choice of control selected for the trial (e.g., placebo, active drug, combination, external). Describe any known or potential problems associated with the control group selected in light of the specific disease and intervention(s) being studied. If comparators will differ by region, describe. The rationale for dose/dose regimen is explained in Section 6.2 Rationale for Investigational Trial Intervention Dose and Regimen.
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.2.3 Rationale for Control Type Concept: CNEW
Repeating and/or Reuse Rules	No

306

307

4.2.4 Rationale for Trial Duration

Term (Variable)	4.2.4 Rationale for Trial Duration
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one

308

Relationship content from ToC representing the protocol hierarchy	4.2.4
Value	Rationale for Trial Duration
Business rules	Value Allowed: No Relationship: 4.2 Rationale for Trial Design, 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

309

310

Term (Variable)	<Rationale for Trial Duration>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An explanation as to the scientific reasons for the trial duration.
User Guidance	Provide a rationale that the trial duration is appropriate for a reliable and relevant evaluation of the trial intervention per the trial objective(s).
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.2.4 Rationale for Trial Duration Concept: CNEW
Repeating and/or Reuse Rules	No

311

4.2.5 Rationale for Adaptive or Novel Trial Design

Term (Variable)	4.2.5 Rationale for Adaptive or Novel Trial Design
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.5
Value	Rationale for Adaptive or Novel Design
Business rules	Value Allowed: No Relationship: 4.2 Rationale for Trial Design; 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Rationale for Adaptive or Novel Trial Design>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An explanation as to the scientific reasons for why an adaptive or novel trial design was chosen for the trial.</p>
User Guidance	If applicable, provide a rationale for the use of an adaptive or novel design.
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.5
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 4.2.5 Rationale for Adoptive or Novel Trial Design</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

312 **4.2.6 Rationale for Interim Analysis**

Term (Variable)	4.2.6 Rationale for Interim Analysis
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.6
Value	Rationale for Interim Analysis
Business rules	<p>Value Allowed: No</p> <p>Relationship: 4.2 Rationale for Trial Design; 4 TRIAL DESIGN; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

313

Term (Variable)	<Rationale for Interim Analysis>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An explanation for the analysis comparing intervention groups at any time before the formal completion of the trial, usually before recruitment is complete.</p>
User Guidance	If applicable, provide a rationale for any interim analysis planned with respect to its purpose (e.g., stopping the trial early for efficacy or futility) and timing.
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	4.2.6
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.2.6 Rationale for Interim Analysis Concept: CNEW
Repeating and/or Reuse Rules	No

314

315 4.2.7 Rationale for Other Trial Design Aspects

Term (Variable)	4.2.7 Rationale for Other Trial Design Aspects
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.7
Value	Rationale for Other Trial Design Aspects
Business rules	Value Allowed: No Relationship: 4.2 Rationale for Trial Design, 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

316

Term (Variable)	<Rationale for Other Trial Design Aspects>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An explanation as to the scientific reasons for additional trial design considerations that are different than the one(s) previously specified or mentioned.
User Guidance	Discuss rationale for any additional aspects of the design not addressed above.
Conformance	Conditional: when <Overall Rationale for Trial Design> is not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.2.7
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.2.7 Rationale for Other Trial Design Aspects Concept: CNEW
Repeating and/or Reuse Rules	No

317

318 **4.3 Trial Stopping Rules**

Term (Variable)	4.3 Trial Stopping Rules
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.3
Value	Trial Stopping Rules
Business rules	Value Allowed: No Relationship: 4 TRIAL DESIGN and Table for Content Concept: Heading
Repeating and/or Reuse Rules	No

319

Term (Variable)	<Trial Stopping Rules>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C142698 For review purpose, see definition of the controlled terminology below A criterion that, when met by the accumulating data, indicates that the trial can or should be stopped early to avoid putting participants at risk unnecessarily or because the intervention effect is so great that further data collection is unnecessary.
User Guidance	If applicable, describe any trial-specific stopping rules, including guidance on when the trial should be stopped for efficacy or safety reasons, when a cohort or dose escalation should be terminated, and/or when a given treatment arm should be terminated. If applicable, describe any rules that may result in a temporary pause of dosing and/or enrollment into the trial and criteria for restarting enrollment. Ensure that the trial stopping rules are aligned with the specifications that are described in Section 10.9 for Interim Analyses.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.3 Trial Stopping Rules Concept: C142698
Repeating and/or Reuse Rules	No

320

321 **4.4 Start of Trial and End of Trial**

Term (Variable)	4.4 Start of Trial and End of Trial
Data Type	Text

322

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	4.4
Value	Start of Trial and End of Trial
Business rules	Value Allowed: No Relationship: 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

323

Term (Variable)	<Start of Trial>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description containing a concise explanation, any local regulatory requirements and considerations, extensions, follow-up, and analysis for the trial start.
User Guidance	Define key timepoints in the trial, including trial start and end timepoint definitions. (e.g., a key timepoint definition for start of trial might be when the informed consent is signed by the first participant and a key timepoint definition for end of trial might be when participants are no longer being examined or the last participant's last trial assessment has occurred). Consider local regulatory requirements for these and other definitions (e.g., the first act of recruitment). If appropriate, provide a cross-reference to Section 11.11 Early Site Closure.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.4 Start of Trial and End of Trial Concept: CNEW
Repeating and/or Reuse Rules	No

Term (Variable)	<End of Trial>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description containing a concise explanation, any local regulatory requirements and considerations, extensions, follow-up, and analysis for the trial end.
User Guidance	Define key timepoints in the trial, including trial start and end timepoint definitions. (e.g., a key timepoint definition for start of trial might be when the informed consent is signed by the first participant and a key timepoint definition for end of trial might be when participants are no longer being examined or the

	last participant's last trial assessment has occurred). If applicable, consider local regulatory requirements for these and other definitions (e.g., the first act of recruitment). If appropriate, provide a cross-reference to Section 11.11 Early Site Closure.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 4.4 Start of Trial Concept: CNEW
Repeating and/or Reuse Rules	No

324

325 4.5 Access to Trial Intervention After End of Trial

Term (Variable)	4.5 Access to Trial Intervention After End of Trial
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.5
Value	Access to Trial Intervention After End of Trial
Business rules	Value Allowed: No Relationship: 4 TRIAL DESIGN; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

326

Term (Variable)	<Access to Trial Intervention after End of Trial>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A narrative description containing information about whether and how trial participants have access to the trial interventions after the trial ends.
User Guidance	If applicable, describe any possibilities for access to trial intervention, if any, beyond completion of the trial. Planned extension trials, if described in Section 4.1 Description of Trial Design, do not need to be repeated in this section.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	4.5

Value	Text
Business rules	Value Allowed: Yes Relationship: 4.5 Access to Trial Intervention After End of Trial Concept: CNEW
Repeating and/or Reuse Rules	No

327

328

5 TRIAL POPULATION

Term (Variable)	5 TRIAL POPULATION
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	<p>In the subsections below, describe the trial population: inclusion and exclusion criteria, contraception requirements and lifestyle restrictions. The trial population should generally be aligned with the population attribute of the primary estimand that was defined in Section 3 Trial Objectives and Associated Estimands.</p> <p>Consider the following when developing participant eligibility criteria to be listed in Section 5.2 Inclusion Criteria, and Section 5.3 Exclusion Criteria:</p> <ul style="list-style-type: none"> • List the criteria necessary for participation in the trial. Ensure that each criterion can be easily assessed definitively and answered with yes/no responses. • Criteria should be written to avoid protocol waivers or exemptions. • If participants require screening, distinguish between screening vs enrolling participants. • Identify specific laboratory tests or clinical characteristics that will be used as criteria for inclusion or exclusion and any documentation needed to demonstrate the criterion is met (e.g., laboratory tests or imaging). If permitting existing medical diagnosis, imaging, genetic tests, or laboratory results, state any required window or acceptable test type. • If measures to enrich the trial population for pre-specified subgroups of interest are used, these should be described. <p>No text is intended here (heading only).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5
Value	TRIAL POPULATION
Business rules	Value Allowed: No Relationship: Table of contents Concept: Heading
Repeating and/or Reuse Rules	No

329

330

5.1 Description of Trial Population and Rationale

Term (Variable)	5.1 Description of Trial Population and Rationale
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.1
Value	Description of Trial Population and Rationale
Business rules	<p>Value Allowed: No</p> <p>Relationship: 5 TRIAL POPULATION; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

331

Term (Variable)	<Description of Trial Population and Rationale>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>A description of the rationale for selection of trial population describing how the selected population can meet the trial objectives and how the enrollment criteria reflect the targeted populations.</p>
User Guidance	<p>Describe the population selected (e.g., healthy participants, adult participants, paediatric participants, pregnant participants, or breastfeeding participants) and how the enrollment criteria reflect the populations that are likely to use the drug if approved. Specify the population age range (e.g., \leq3 months, \geq18 to \leq80 years old) including the time point at which qualification for age criteria is determined (e.g., at time of screening vs randomisation for paediatric trials). Specify any key diagnostic criteria for the population (e.g., “acute lung injury”, or a specific biomarker profile). If applicable, describe similar conditions or diseases and their differential diagnosis.</p> <p>Provide a rationale for the trial population ensuring that the population selected is well defined and clinically recognisable. Describe how the selected population can meet the trial objectives and how the enrollment criteria reflect the population of interest.</p> <p>If the population targeted by a clinical question is based on a subset of the entire trial population, e.g., defined by a particular characteristic measured at baseline (e.g., a specific biomarker), this subset should be justified in this section.</p> <p>Justify whether the trial intervention is to be evaluated in paediatric participants, in adults unable to consent for themselves, other vulnerable participant populations, or those that may respond to the trial intervention differently (e.g., elderly, hepatic or renally impaired, or immunocompromised participants).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 5.1 Description of Trial Population and Rationale</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

332

Term (Variable)	Prospective approval of protocol deviations to recruitment and enrollment criteria, also known as protocol waivers or exemptions, is not permitted.
Data Type	Text
Data (D), Value (V) or Heading (H)	V
Definition	Universal Text
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.1
Value	Prospective approval of protocol deviations to recruitment and enrollment criteria, also known as protocol waivers or exemptions, is not permitted.
Business rules	Value Allowed: No Relationship: 5.1 Description of Trial Population and Rationale Concept: Universal text
Repeating and/or Reuse Rules	No

333

334

5.2 Inclusion Criteria

Term (Variable)	5.2 Inclusion Criteria
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Inclusion criteria are characteristics that define the trial population, i.e., those criteria that every potential participant must satisfy to qualify for trial enrollment.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	5.2
Value	5.2 Inclusion Criteria
Business rules	Value Allowed: No Relationship: 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

335

Term (Variable)	To be eligible to participate in this trial, an individual must meet all the following criteria:
Data Type	Text
Data (D), Value (V) or Heading (H)	V
Definition	Universal text
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.2

336

Value	To be eligible to participate in this trial, an individual must meet all the following criteria:
Business rules	Value Allowed: No Relationship: 5.2 Inclusion Criteria Concept: Universal text
Repeating and/or Reuse Rules	No

337

Term (Variable)	<Inclusion Criterion>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C25532 For review purpose, see definition of the controlled terminology below The criteria in a protocol that prospective participants must meet to be eligible for participation in a study.
User Guidance	Add criteria as needed. Consider numbering the criteria sequentially.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.2
Value	Text
Business rules	Value Allowed: Yes Relationship: to Number #, 5.2 Inclusion Criteria Concept: C25532
Repeating and/or Reuse Rules	Yes, number consecutively, repeatable for each inclusion criteria, if deleted do not replace, do not duplicate

338

339

5.3 Exclusion Criteria

Term (Variable)	5.3 Exclusion Criteria
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Exclusion criteria are characteristics that make an individual ineligible for participation.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	5.3
Value	Exclusion Criteria
Business rules	Value Allowed: No Relationship: 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

340

Term (Variable)	An individual who meets any of the following criteria will be excluded from participation in this trial:
Data Type	Text
Data (D), Value (V) or Heading (H)	V
Definition	Universal text
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.3
Value	An individual who meets any of the following criteria will be excluded from participation in this trial:
Business rules	Value Allowed: No Relationship: 5.3 Exclusion Criteria; 5 TRIAL POPULATION; Table of Contents Concept: Universal text
Repeating and/or Reuse Rules	No

341

Term (Variable)	<#>
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	Add criteria as needed. Number the criteria sequentially
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	5.3
Value	# is an identifier <criterion identifier> unique number and not replaceable
Business rules	Value Allowed: Yes Relationship: 5.3 Exclusion Criteria Concept: Sequential number

Repeating and/or Reuse Rules	Yes. number consecutively, repeatable for each exclusion criteria, if deleted do not replace, do not duplicate
-------------------------------------	--

342

Term (Variable)	<Exclusion Criterion>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C25370 For review purpose, see definition of the controlled terminology below List of characteristics in a protocol, any one of which excludes a potential participant from participation in a study.
User Guidance	Add criteria as needed. Consider numbering the criteria sequentially.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	5.3
Value	Text
Business rules	Value Allowed: Yes Relationship: to Number #; 5.3 Exclusion Criteria Concept: C25370
Repeating and/or Reuse Rules	Yes, repeatable for each exclusion criterion, if deleted do not replace, do not duplicate

343

344 5.4 Contraception

Term (Variable)	5.4 Contraception
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.4
Value	Contraception
Business rules	Value Allowed: No Relationship: 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

345

346 5.4.1 Definitions Related to Childbearing Potential

Term (Variable)	5.4.1 Definitions Related to Childbearing Potential
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

347

Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.4.1
Value	Definitions Related to Childbearing Potential
Business rules	Value Allowed: No Relationship: 5.4 Contraception; 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

348

349

5.4.2 Contraception Requirements

Term (Variable)	5.4.2 Contraception Requirements
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.4
Value	Contraception Requirements
Business rules	Value Allowed: No Relationship: 5.4 Contraception; 5 TRIAL POPULATION; Table of Contents Concept: Heading

350	<table border="1"> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Repeating and/or Reuse Rules	No																				
Repeating and/or Reuse Rules	No																						
	<table border="1"> <tr> <td>Term (Variable)</td><td><Contraception Requirements></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the requirements for the prevention of conception or impregnation by the use of devices or drugs or surgery within a context of a trial, or state not applicable.</p> </td></tr> <tr> <td>User Guidance</td><td> <p>Specify the:</p> <ul style="list-style-type: none"> • contraceptive methods required • duration of use </td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to one</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>5.4</td></tr> <tr> <td>Value</td><td>Text</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: Yes</p> <p>Relationship: 5.4.2 Contraception requirements</p> <p>Concept: CNEW</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	<Contraception Requirements>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the requirements for the prevention of conception or impregnation by the use of devices or drugs or surgery within a context of a trial, or state not applicable.</p>	User Guidance	<p>Specify the:</p> <ul style="list-style-type: none"> • contraceptive methods required • duration of use 	Conformance	Required	Cardinality	One to one	Relationship content from ToC representing the protocol hierarchy	5.4	Value	Text	Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 5.4.2 Contraception requirements</p> <p>Concept: CNEW</p>	Repeating and/or Reuse Rules	No
Term (Variable)	<Contraception Requirements>																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the requirements for the prevention of conception or impregnation by the use of devices or drugs or surgery within a context of a trial, or state not applicable.</p>																						
User Guidance	<p>Specify the:</p> <ul style="list-style-type: none"> • contraceptive methods required • duration of use 																						
Conformance	Required																						
Cardinality	One to one																						
Relationship content from ToC representing the protocol hierarchy	5.4																						
Value	Text																						
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 5.4.2 Contraception requirements</p> <p>Concept: CNEW</p>																						
Repeating and/or Reuse Rules	No																						

351

352 5.5 Lifestyle Restrictions

352	<table border="1"> <tr> <td>Term (Variable)</td><td>5.5 Lifestyle Restrictions</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to one</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>5.5</td></tr> <tr> <td>Value</td><td>Lifestyle Restrictions</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: No</p> <p>Relationship: 5 TRIAL POPULATION; Table of Contents</p> <p>Concept: Heading</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	5.5 Lifestyle Restrictions	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Required	Cardinality	One to one	Relationship content from ToC representing the protocol hierarchy	5.5	Value	Lifestyle Restrictions	Business rules	<p>Value Allowed: No</p> <p>Relationship: 5 TRIAL POPULATION; Table of Contents</p> <p>Concept: Heading</p>	Repeating and/or Reuse Rules	No
Term (Variable)	5.5 Lifestyle Restrictions																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	H																						
Definition	Heading																						
User Guidance	N/A																						
Conformance	Required																						
Cardinality	One to one																						
Relationship content from ToC representing the protocol hierarchy	5.5																						
Value	Lifestyle Restrictions																						
Business rules	<p>Value Allowed: No</p> <p>Relationship: 5 TRIAL POPULATION; Table of Contents</p> <p>Concept: Heading</p>																						
Repeating and/or Reuse Rules	No																						

353

353	<table border="1"> <tr> <td>Term (Variable)</td><td>{<Lifestyle Restrictions>}</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> </td></tr> </table>	Term (Variable)	{<Lifestyle Restrictions>}	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p>
Term (Variable)	{<Lifestyle Restrictions>}								
Data Type	Text								
Data (D), Value (V) or Heading (H)	D								
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p>								

	A description of the restrictions related to trial participant lifestyle such as diet, substance intake, and physical or other daily activities.
User Guidance	In the following subsections, describe any restrictions during the trial pertaining to lifestyle and/or diet, intake of caffeine, alcohol, or tobacco, or physical and other activities. If not applicable, include a statement that no restrictions are required.
Conformance	Conditional: If Level 3 subheadings are not used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5
Value	Text
Business rules	Value Allowed: Yes Relationship: 5.5 Lifestyle Restrictions Concept: CNEW
Repeating and/or Reuse Rules	No

354

355 5.5.1 Meals and Dietary Restrictions

Term (Variable)	5.5.1 Meals and Dietary Restrictions
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.1
Value	Meals and Dietary Restrictions
Business rules	Value Allowed: No Relationship: 5.5 Lifestyle Restrictions; 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

356

Term (Variable)	<Meals and Dietary Restrictions>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the restrictions related to participant diet during the trial.
User Guidance	If applicable, describe any restrictions on diet (e.g., food and drink restrictions, timing of meals relative to dosing).
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.1

Value	Text
Business rules	Value Allowed: Yes Relationship: 5.5.1 Meals and Dietary Restrictions Concept: CNEW
Repeating and/or Reuse Rules	No

357

358 5.5.2 Caffeine, Alcohol, Tobacco, and Other Restrictions

Term (Variable)	5.5.2 Caffeine, Alcohol, Tobacco, and Other Restrictions
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.2
Value	Caffeine, Alcohol, Tobacco, and Other Restrictions
Business rules	Value Allowed: No Relationship: 5.5 Lifestyle Restrictions; 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

359

Term (Variable)	<Caffeine, Alcohol, Tobacco, and Other Restrictions>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the restrictions related to participant intake of caffeine, alcohol, tobacco, and other habit-forming substances during the trial.
User Guidance	If applicable, describe any restrictions on the intake of caffeine, alcohol, tobacco, or other restrictions.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 5.2.2 Caffeine, Alcohol, Tobacco, and Other Restrictions Concept: CNEW
Repeating and/or Reuse Rules	No

360

361 5.5.3 Physical Activity Restrictions

Term (Variable)	5.5.3 Physical Activity Restrictions
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.3
Value	Physical Activity Restrictions
Business rules	Value Allowed: No Relationship: 5.5 Lifestyle Restrictions; 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

362

Term (Variable)	<Physical Activity Restrictions>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the restrictions related to participant physical activity during the trial.
User Guidance	If applicable, describe any restrictions on activity (e.g., in first-in-human trials, activity may be restricted by ensuring participants remain in bed for 4 to 6 hours after dosing).
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 5.5.3 Physical Activity Restrictions Concept: CNEW
Repeating and/or Reuse Rules	No

363

364 5.5.4 Other Activity Restrictions

Term (Variable)	5.5.4 Other Activity Restrictions
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.4
Value	Other Activity Restrictions
Business rules	Value Allowed: No Relationship: 5.5 Lifestyle Restrictions; 5 TRIAL POPULATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

365

Term (Variable)	<Other Activity Restrictions>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below An activity that is different than the one(s) previously specified or mentioned.
User Guidance	If applicable, describe restrictions on any other activity (e.g., blood or tissue donation, driving, heavy machinery use, or sun exposure).
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.5.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 5.5.4 Other Activity Restrictions Concept: CNEW
Repeating and/or Reuse Rules	No

366

367

5.6 Screen Failure and Rescreening

Term (Variable)	5.6 Screen Failure and Rescreening
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	5.6
Value	Screen Failure and Rescreening
Business rules	Value Allowed: No Relationship: 5 TRIAL POPULATION; Table of Contents Concept: Heading

368

Repeating and/or Reuse Rules	No
Term (Variable)	<Screen Failure>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C49628</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The potential subject who does not meet eligibility (inclusion/exclusion) criteria during the screening period.</p>
User Guidance	Describe screen failure and indicate how screen failure will be handled in the trial, including conditions and criteria upon which rescreening is acceptable. If applicable, indicate the circumstances and time window under which a repeat procedure is allowed for screen failure relating to specific inclusion/exclusion criteria for the trial.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.6
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 5.6 Screen Failure and Rescreening</p> <p>Concept: C49628</p>
Repeating and/or Reuse Rules	No

369

Term (Variable)	<Rescreening>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The process of active consideration of subjects for enrollment in a trial, for those potential subjects who have failed a prior screening attempt.</p>
User Guidance	Describe screen failure and indicate how screen failure will be handled in the trial, including conditions and criteria upon which rescreening is acceptable. If applicable, indicate the circumstances and time window under which a repeat procedure is allowed for screen failure relating to specific inclusion/exclusion criteria for the trial.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	5.6
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 5.6 Screen Failure and Rescreening</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

370

371 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY

Term (Variable)	6 TRIAL INTERVENTION AND CONCOMITANT THERAPY
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6
Value	TRIAL INTERVENTION AND CONCOMITANT THERAPY
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

372

Term (Variable)	<Description of the overview of trial interventions or a heading for the optional table below>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A free text description of the trial intervention; alternatively can be used as a heading for a table containing information about the trial intervention.
User Guidance	Trial interventions are all pre-specified, investigational and non-investigational medicinal products, medical devices or other interventions intended for the participants during the trial. The investigational trial intervention is the product used in the trial as part of trial objectives. Description of investigational trial intervention is provided in Section 6.1. Other trial interventions that are not part of trial objectives (not an investigational role in this trial) are described in Section 6.9 Description of Non-investigational trial interventions. Any regional requirements should be noted in the appropriate subsections. Provide an overview of investigational and non-investigational trial interventions. Classify the trial intervention as IMP, NIMP/AxMP designations based on study design and local legislation. Consider the optional table below
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6
Value	Text
Business rules	Value Allowed: Yes Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY Concept: CNEW
Repeating and/or Reuse Rules	No

373

Term (Variable)	Arm Name
------------------------	----------

Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Arm Name
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

374

Term (Variable)	Arm Type
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Arm Type
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

375

Term (Variable)	Intervention Name
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Intervention Name
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

376

Term (Variable)	Intervention Type
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Intervention Type
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

377

Term (Variable)	Pharmaceutical Dose Form
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Pharmaceutical Dose Form
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

378

Term (Variable)	Dosage Strength(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Dosage Strength(s)
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

379

Term (Variable)	Dosage Level(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Dosage Level(s)
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

380

Term (Variable)	Route of Administration
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Route of Administration
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

381

Term (Variable)	Regimen/Treatment Period/Vaccination Regimen
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Regimen/Treatment Period/Vaccination Regimen
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading

382

Repeating and/or Reuse Rules	No
Term (Variable)	Use
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Use
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

383

Term (Variable)	IMP/NIMP
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	IMP/NIMP
Business rules	Value Allowed: No Relationship: Optional Table Heading Concept: Heading
Repeating and/or Reuse Rules	No

384

Term (Variable)	Sourcing
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Sourcing
Business rules	Value Allowed: No Relationship: Optional Table Heading

385

	Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Arm Name>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C93729 For review purpose, see definition of the controlled terminology below The literal identifier (i.e. distinctive designation) for the arm.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many; one to interventions for arm name
Relationship content from ToC representing the protocol hierarchy	6
Value	Text
Business rules	Value Allowed: Yes Relationship: arm name Concept: C93729
Repeating and/or Reuse Rules	Yes, repeatable for each arm name and intervention and use combination

386

Term (Variable)	<Arm Type>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C172457 For review purpose, see definition of the controlled terminology below A characterization or classification of the study arm.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each arm name
Relationship content from ToC representing the protocol hierarchy	6
Value	Experimental Arm(C174266), Active Comparator Arm(C174267), Placebo Comparator Arm (C174268, Sham Comparator Arm (C174269), No Intervention Arm (C174270), Control Arm(C174226)
Business rules	Value Allowed: Yes Relationship: Arm name and arm type Concept: C172457
Repeating and/or Reuse Rules	Yes, repeatable for each arm name

387

NCI C-Code	M11 Preferred Term	Draft Definition
C174267	Active Comparator Arm	An arm describing the active comparator.
C174226	Control Arm	An arm describing the intervention or treatment plan for a group of participants in the study receiving a control. The control may comprise a non-investigational product (active control) or regimen, placebo, or no treatment.

388

C174266	Experimental Arm	An arm describing the intervention or treatment plan for a group of participants in the study receiving test product(s).
C174270	No Intervention Arm	A study arm without an intervention or treatment.
C174268	Placebo Comparator Arm	An arm describing the placebo comparator.
C174269	Sham Comparator Arm	An arm describing the sham comparator.

389

Term (Variable)	<Intervention Name>	
Data Type	Text	
Data (D), Value (V) or Heading (H)	D	
Definition	<p>C177930</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The literal identifier (i.e. distinctive designation) for the study intervention.</p>	
User Guidance	N/A	
Conformance	Optional: if the table used	
Cardinality	One to arm name and arm type	
Relationship content from ToC representing the protocol hierarchy	6	
Value	Select Nonproprietary name or Sponsor Investigational Product Code	
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Arm name and intervention name</p> <p>Concept: C177930</p>	
Repeating and/or Reuse Rules	Yes, repeatable for each arm name and arm type	

390

NCI C-Code	M11 Preferred Term	Draft Definition
C15184	Behavioral	A technique used to change the behavior of a participant (e.g., psychotherapy, lifestyle counseling, or hypnosis).

C307	Biologic	A product of biological origin applicable to the prevention, treatment, or cure of a disease or condition, for example: virus, therapeutic serum, toxin, antitoxin, vaccine, blood, blood component or derivative, allergenic product, or analogous product.
C923	Vaccine	A medicinal product inducing immunity against disease, most often to prevent occurrence of a disease, (e.g., a preventative vaccine against infectious disease), but also to treat a disease, (e.g., a therapeutic vaccine against cancer).
C54696	Combination Product	A product composed of two or more different types of medical products (i.e., a combination of a drug, device, and/or biological product with one another and are referred to as "constituent parts" of the combination product).
C16830	Device	Any instrument, apparatus, implement, machine, appliance, implant, reagent for in vitro use, software, material or other similar or related article, intended by the manufacturer to be used, alone or in combination for, one or more specific medical purpose(s).
C1505	Dietary Supplement	Preparations containing ingredient(s) intended to supplement the diet.
C1909	Drug	An active natural, synthetic or semi-synthetic ingredient including endogenous body substance that is intended to furnish pharmacological activity or other direct effect in the diagnosis, cure, mitigation, treatment, or prevention of disease or to affect the structure or any function of the human body, but does not include intermediates used in the synthesis of such ingredient
C15238	Genetic	Introduction of genetic material into cells in order to correct or treat an inherited or acquired disease.
C15329	Surgery	A diagnostic or treatment procedure performed by manual and/or instrumental means, often involving an incision and the removal or replacement of a diseased organ or tissue; of or relating to or involving or used in surgery or requiring or amenable to treatment by surgery.
CNEW	Non-Surgical Procedure	A medical procedure that produces an effect, or that is intended to alter the course of a disease in a patient or population, which is not considered a surgical procedure.
C15313	Radiation	Use of targeted or whole body radiation to treat a disease.
C18020	Diagnostic Test	Any procedure or test to diagnose a disease or disorder.

391

Term (Variable)	<Pharmaceutical Dose Formulation>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C42636 For review purpose, see definition of the controlled terminology below Physical characteristics of a drug product, (e.g., tablet, capsule, or solution) that contains a drug substance, generally-but not necessarily-in association with one or more other ingredients.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each arm name, arm type and intervention combination
Relationship content from ToC representing the protocol hierarchy	6
Value	Use IDMP (ISO 11239) or CDISC SDTM Terminology
Business rules	Value Allowed: Yes

392

	Relationship: Arm name and dosage formulation Concept: C42636
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name and Pharmaceutical Dose Formulation

393

	Term (Variable) <Dosage Level(s)>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C94394 For review purpose, see definition of the controlled terminology below Specified quantity of a medicine, to be taken at one time or at stated intervals.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each intervention name and pharmaceutical dose formulation
Relationship content from ToC representing the protocol hierarchy	Trial Intervention and Concomitant Therapy
Value	Text
Business rules	Value Allowed: Yes Relationship: Arm name and dose level Concept: C94394
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name and formulation pharmaceutical dose formulation per arm name and arm type

394

	Term (Variable) <Route of Administration>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	C38114

	For review purpose, see definition of the controlled terminology below Path by which the pharmaceutical product is taken into or makes contact with the body.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each intervention name and pharmaceutical dose formulation
Relationship content from ToC representing the protocol hierarchy	6
Value	Use IDMP (ISO 11239) or CDISC SDTM Terminology
Business rules	Value Allowed: Yes Relationship: Arm name and route of administration Concept: C38114
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name, pharmaceutical dose formulation, per arm name

395

Term (Variable)	{<Regimen/Treatment Period/Vaccination Regimen>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the schedule and periodicity of a treatment or vaccination regimen.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each intervention name, pharmaceutical dose formulation, dosage strength per arm name
Relationship content from ToC representing the protocol hierarchy	6
Value	Describe Regimen/Treatment Period/Vaccination Regimen
Business rules	Value Allowed: Yes Relationship: Arm name and regimen/treatment period/vaccine regimen Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each arm name

396

Term (Variable)	<Use>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The reason or intention for the use of the trial intervention within the trial arm.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each intervention
Relationship content from ToC representing the protocol hierarchy	6

Value	Experimental Intervention (C41161), Placebo (C753), Rescue Medicine (C165835), Background treatment (C165822), Challenge Agent (C158128), Diagnostic (C18020), Additional Required treatment (CNEW)
Business rules	Value Allowed: Yes Relationship: Arm name and use Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name per arm

397

NCI C-Code	M11 Preferred Term	Draft Definition
C41161	Experimental Intervention	The drug, device, therapy, procedure, or process under investigation in a clinical study that is believed to have an effect on outcomes of interest in a study (e.g., health-related quality of life, efficacy, safety, pharmacoeconomics).
C753	Placebo	A pharmaceutical preparation that does not contain the investigational agent and is generally prepared to be physically indistinguishable from the preparation containing the investigational product.
C165835	Rescue Medicine	Medicinal products identified in the protocol as those that may be administered to participants when the efficacy of the investigational medicinal product (IMP) is not satisfactory, the effect of the IMP is too great and is likely to cause a hazard to the patient, or to manage an emergency situation.
C165822	Background Treatment	Medicinal products that are administered to each clinical trial participant, regardless of randomization group, a) to treat the indication which is the object of the study, or b) required in the protocol as part of standard care for a condition that is not the indication under investigation, and is relevant for the clinical trial design.
C158128	Challenge Agent	A non-investigational medicinal product (NIMP) given to trial participants to produce a physiological response that is necessary before the pharmacological action of the investigational medicinal product can be assessed.
C18020	Diagnostic	Any procedure or test to diagnose a disease or disorder.
CNEW	Additional Required Treatment	A medicinal product that must be administered along with the experimental treatment (e.g., drug studies wherein opioid blockers are administered to prevent overdose).

398

Term (Variable)	<IMP/NIMP>
Data Type	Valid value
Data (D), Value (V) or Heading (H)	V
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An indication as to whether the investigational intervention is an investigational medicinal product or an auxiliary medicinal product.</p>
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to each intervention
Relationship content from ToC representing the protocol hierarchy	6
Value	IMP (CNEW), NIMP (C156473)
Business rules	Value Allowed: Yes

	Relationship: One per each intervention name Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name per arm

399

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	IMP	A medicinal product which is being tested or used as a reference, including as a placebo, in a clinical trial.
C156473	NIMP	A medicinal product that is related to the specific needs of the clinical trial as described in the protocol, but not as an investigational medicinal product.

400

Term (Variable)	<Sourcing>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the investigational intervention is centrally or locally sourced.
User Guidance	N/A
Conformance	Optional: if the table used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6
Value	Centrally Sourced (CNEW); Locally Sourced (CNEW)
Business rules	Value Allowed: Yes Relationship: One per each Intervention name Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each intervention name per arm name

401

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Centrally Sourced	An indication that the entity is obtained from a central source.
CNEW	Locally Sourced	An indication that the entity is obtained from a local source.

402

403 6.1 Description of Investigational Trial Intervention

Term (Variable)	6.1 Description of Investigational Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.1
Value	Description of Investigational Trial Intervention
Business rules	Value Allowed: No

	Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

404

Term (Variable)	<Description of Investigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the investigational trial intervention.</p>
User Guidance	<p>Describe the investigational trial intervention to be administered in each arm of the trial and for each period of the trial including route and mode of administration, dose, dosage regimen, duration of intervention, use, packaging and labelling.</p> <p>Refer to approved regional labelling, as appropriate.</p> <p>For drug/device combination products, include details on the configuration and use of the device and device manufacturer. A device user manual may be referenced in this section.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.1 Description of Investigational Trial Intervention</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

405

406

6.2 Rationale for Investigational Trial Intervention Dose and Regimen

Term (Variable)	6.2 Rationale for Investigational Trial Intervention Dose and Regimen
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.2
Value	Rationale for Investigational Trial Intervention Dose and Regimen
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

407

Term (Variable)	<Rationale for Investigational Trial Intervention Dose and Regimen>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>An explanation as to the scientific reasons for the choice of the trial intervention dose and dose regimen.</p>
User Guidance	<p>Provide a rationale for the selection of the dose(s) or dose range, pharmaceutical dose form, the route of administration, and dosing regimen of the investigational trial intervention, as applicable. This rationale should include relevant results from previous nonclinical studies and clinical trials that support selection of the dose and regimen. Discuss impact of differences in study population characteristics (for example, age, sex and/or race) which could lead to differences in pharmacokinetics and pharmacodynamics in this study as compared to previous studies. If applicable, justify any differences in dose regimen or therapeutic use relative to approved labelling. Describe prior trials and other information that support the dose and/or dose regimen of the investigational intervention.</p> <p>Include a rationale for prospective dose adjustments incorporated in the trial, if any.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.2 Rationale for Investigational Trial Intervention Dose and Regimen</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

408

409

6.3 Investigational Trial Intervention Administration

Term (Variable)	6.3 Investigational Trial Intervention Administration
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.3
Value	Investigational Trial Intervention Administration
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY;</p> <p>Table of Contents</p> <p>Concept: Heading</p>

Repeating and/or Reuse Rules	No
Term (Variable)	<Investigational Trial Intervention Administration>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The way in which the investigational trial intervention is dispensed, applied, or tendered to the trial participant.</p>
User Guidance	<p>Describe the detailed procedures for administration of each participant's dose of each investigational trial intervention. This may include the timing of dosing (for example, time of day, interval), the duration (for example, the length of time participants will be administered the investigational trial intervention), and the timing of dosing relative to meals.</p> <p>Include any specific instructions to trial participants about when or how to prepare and take the dose(s) and how delayed or missed doses should be handled.</p> <p>Dose escalation or cohort expansion as part of the overall design should be covered in Section 4.1 Description of Trial Design.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.3 Investigational Trial Intervention Administration</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

411

412 6.4 Investigational Trial Intervention Dose Modification

Term (Variable)	6.4 Investigational Trial Intervention Dose Modification
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.4
Value	Investigational Trial Intervention Dose Modification
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

413

Term (Variable)	<Investigational Trial Intervention Dose Modification>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A change, alteration, or adjustment to the dose of an investigational trial intervention.</p>
User Guidance	<p>For each participant, describe any dose modifications allowed, including conditions for such dose modifications, particularly regarding failure to respond or safety concerns. State any minimum period required before a participant's dose might be raised to the next higher dose or dose range. Include whether it is permissible to start and stop treatment and how dose reductions (if permitted) are to be managed.</p> <p>Information on stopping investigational trial intervention for participants due to safety/other reasons should be detailed in Section 7 Participant Discontinuation of Trial Intervention and Discontinuation or Withdrawal from Trial.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.4
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.4 Investigational Trial Intervention Dose Modification</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

414

415 6.5 Management of Investigational Trial Intervention Overdose

Term (Variable)	6.5 Management of Investigational Trial Intervention Overdose
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.5
Value	Management of Investigational Trial Intervention Overdose
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY;</p> <p>Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

416

Term (Variable)	<Management of Investigational Trial Intervention Overdose>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of how a potential investigational trial intervention overdose will be handled.</p>
User Guidance	Describe what is meant by investigational trial intervention overdose. Provide any available information on managing the overdose and ensure it is consistent with the Investigator's Brochure or product labelling. Cross reference these documents as applicable.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.5
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.5 Management of Investigational Trial Intervention Overdose</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

417

418 **6.6 Preparation, Storage, Handling and Accountability of Investigational Trial**
 419 **Intervention**

Term (Variable)	6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6
Value	Preparation, Storage, Handling and Accountability of Investigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY;</p> <p>Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

420

421 **6.6.1 Preparation of Investigational Trial Intervention**

Term (Variable)	6.6.1 Preparation of Investigational Trial Intervention
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.1
Value	Preparation of Investigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

422

Term (Variable)	<Preparation of Investigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C176274</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The way in which the investigational trial intervention is prepared for use or administration to the trial participant.</p>
User Guidance	<p>Describe any preparation of the investigational trial intervention, and when necessary, by whom. When applicable, describe the maximum hold time once thawed/mixed before administration. Include thawing, diluting, mixing, and reconstitution/preparation instructions. For drug/device combination products, include any relevant assembly or use instructions and reference the package insert that is provided separately.</p> <p>If the instructions are lengthy or complicated, it is acceptable to reference the package insert (if applicable) or include instructions in a separate document(s) provided to the site (for example, a pharmacy manual). If the latter, reference the separate documents.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.6.1 Preparation of Investigational Trial Intervention</p> <p>Concept: C176274</p>
Repeating and/or Reuse Rules	No

423

424

6.6.2 Storage and Handling of Investigational Trial Intervention

Term (Variable)	6.6.2 Storage and Handling of Investigational Trial Intervention
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.2
Value	Storage and Handling of Investigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

425

Term (Variable)	<Storage and Handling of Investigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C115525</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative description containing information about the handling, storage, and distribution of investigational trial intervention.</p>
User Guidance	<p>Describe storage and handling requirements (e.g., protection from light, temperature, humidity) for the investigational trial intervention(s). For trials in which multi-dose vials are utilised, provide additional information regarding stability and expiration time after initial use (e.g., if the seal is broken).</p> <p>Explain how the investigational trial intervention will be provided to the Investigator. If applicable, include details about kits, packaging, or other material of the investigational trial intervention for blinding purposes.</p> <p>If the instructions are lengthy or complicated, it is acceptable to reference the package insert (if applicable) or include instructions in separate documents provided to the site (e.g., a pharmacy manual) and reference the separate documents.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.6.2 Storage and Handling of Investigational Trial Intervention</p> <p>Concept: C115525</p>
Repeating and/or Reuse Rules	No

426

427 6.6.3 Accountability of Investigational Trial Intervention

Term (Variable)	6.6.3 Accountability of Investigational Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.3
Value	Accountability of Investigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

428

Term (Variable)	<Accountability of Investigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C176267</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The act or process for documenting the storage, inventory tracking, and disposition of the investigational trial intervention.</p>
User Guidance	<p>Describe the accountability method, including:</p> <ul style="list-style-type: none"> • how the investigational trial intervention will be distributed • who will distribute the investigational trial intervention • participation of a drug storage repository or pharmacy, if applicable • plans for disposal or return of unused product • if applicable, plans for reconciliation of investigational trial intervention
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.6.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.6.3 Accountability of Investigational Trial Intervention</p> <p>Concept: C176267</p>
Repeating and/or Reuse Rules	No

429

430 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding

Term (Variable)	6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	6.7
Value	Investigational Trial Intervention Assignment, Randomisation and Blinding
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

431

432 6.7.1 Participant Assignment to Investigational Trial Intervention

Term (Variable)	6.7.1 Participant Assignment to Investigational Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.1
Value	Participant Assignment to Investigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

433

Term (Variable)	<Participant Assignment to Investigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The technique used to assign trial participants to a trial arm.</p>
User Guidance	<p>State that at enrollment, participant identification codes should be assigned.</p> <p>Describe the method of assigning participants to investigational trial intervention without being so specific that blinding or randomisation might be compromised. If assignment to investigational trial intervention is by randomisation, describe when randomisation occurs relative to screening.</p>

	If adaptive randomisation or other methods of covariate balancing/minimisation are employed, include a cross reference to the methods of analysis in Section 10 Statistical Considerations. As applicable, details regarding the implementation of procedures to minimise bias should be described.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.7.1 Participant Assignment to Investigational Trial Intervention Concept: CNEW
Repeating and/or Reuse Rules	No

434

435

6.7.2 Randomisation

Term (Variable)	6.7.2 {Randomisation}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when randomised trial
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.2
Value	Randomisation
Business rules	Value Allowed: No Relationship: 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

436

Term (Variable)	{<Randomisation>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C25196 For review purpose, see definition of the controlled terminology below The process of assigning trial subjects to treatment or control groups using an element of chance to determine the assignments in order to reduce bias.
User Guidance	Describe the randomisation procedures (e.g., central randomisation procedures), the method used to generate the randomisation schedule (e.g., computer generated), the source of the randomisation schedule (e.g., sponsor, investigator, or other), and whether IxRS will be used. To maintain the integrity of the blinding, do not include the block size.
Conformance	Conditional: when randomised trial
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	6.7.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.7.2 Randomisation Concept: C25196
Repeating and/or Reuse Rules	No

437

438 6.7.3 Measures to Maintain Blinding

Term (Variable)	6.7.3 {Measures to Maintain Blinding}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when blind trial
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.3
Value	Measures to Maintain Blinding
Business rules	Value Allowed: No Relationship: 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

439

Term (Variable)	{<Measures to Maintain Blinding>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C189349 For review purpose, see definition of the controlled terminology below A description of the measures taken to ensure the blinding is maintained.
User Guidance	Describe efforts to maintain blinding: <ul style="list-style-type: none">The investigational trial interventions are as indistinguishable as possiblePlans for the maintenance of randomisation codes and appropriate blinding for the trialProcedures for planned (e.g., interim analysis), and unintentional (e.g., breach of procedure) breaking of randomisation codes For unplanned but intentional actions (e.g., safety events), refer to Section 6.7.4 Emergency Unblinding at the Site. If the trial allows for some investigators or other designated staff to remain unblinded (e.g., to allow them to adjust investigational trial intervention), the means of maintaining the blinding for other investigators or staff should be explained. Measures to prevent unblinding by laboratory measurements or while performing study assessments, if used, should be described.
Conformance	Conditional: when blind trial

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.7.3 Blinding Concept: C189349
Repeating and/or Reuse Rules	No

440

441 6.7.4 Emergency Unblinding at the Site

Term (Variable)	6.7.4 {Emergency Unblinding at the Site}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when blind trial
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.4
Value	Emergency Unblinding at the Site
Business rules	Value Allowed: No Relationship: 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

442

Term (Variable)	{<Emergency Unblinding at the Site>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the methodology used for unblinding of the trial treatment in the case of a sudden unforeseen crisis that requires immediate medical care of the participant.
User Guidance	Describe the criteria for breaking the trial blind or participant code. Describe the circumstances that would require breaking the blind, either for an individual participant or all participants, and specify who will be responsible for this decision. Include the procedure for emergency unblinding as well as documentation of unblinding. Indicate to whom the intentional and unplanned unblinding should be reported.
Conformance	Conditional: when blind trial
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.7.4

Value	Text
Business rules	Value Allowed: Yes Relationship: 6.7.4 Emergency Unblinding at the Site Concept: CNEW
Repeating and/or Reuse Rules	No

443

444 6.8 Investigational Trial Intervention Adherence

Term (Variable)	6.8 Investigational Trial Intervention Adherence
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.8
Value	Investigational Trial Intervention Adherence
Business rules	Value Allowed: No Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

445

Term (Variable)	<Investigational Trial Intervention Adherence>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the measures taken to ensure trial intervention adherence, including mandatory documentation to be filled out and the source data that will be used to document investigational trial intervention compliance.
User Guidance	Describe the measures to monitor and document participants' compliance with investigational intervention (e.g. study intervention accountability records, diary cards, or investigational intervention concentration measurements). List what documents are mandatory to complete (for example, participant drug log) and what source data/records will be used to document investigational intervention compliance.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.8
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.8 Investigational Trial Intervention Adherence Concept: CNEW

Repeating and/or Reuse Rules	No
-------------------------------------	----

446

447 6.9 Description of Noninvestigational Trial Intervention

Term (Variable)	6.9 Description of Noninvestigational Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9
Value	Description of Noninvestigational Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

448

Term (Variable)	<Description of Noninvestigational Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the noninvestigational trial intervention.</p>
User Guidance	<p>As stated in Section 6 Trial Intervention and Concomitant Therapy, noninvestigational interventions are pre-specified products used in the trial but are not part of trial objectives and hence, are not investigational trial interventions. The non-investigational trial intervention(s) may be described concisely in a table or in the following sections as applicable.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.9 Description of Noninvestigational Trial Intervention</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

449

450 6.9.1 Background Trial Intervention

Term (Variable)	6.9.1 {Background Trial Intervention}
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when any background interventions are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9.1
Value	Background Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.9 Description of Noninvestigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

451

Term (Variable)	{<Background Trial Intervention>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C165822</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Medicinal products that are administered to each clinical trial participant, regardless of randomization group, a) to treat the indication which is the object of the study, or b) required in the protocol as part of standard care for a condition that is not the indication under investigation, and is relevant for the clinical trial design.</p>
User Guidance	Describe permitted background intervention(s), including administration and any conditions for use.
Conformance	Conditional: when any background interventions are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.9.1 Background Trial Intervention</p> <p>Concept: C165822</p>
Repeating and/or Reuse Rules	No

452

453

6.9.2 Rescue Therapy

Term (Variable)	6.9.2 {Rescue Therapy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when any rescue therapies are defined
Cardinality	One to one

454

Relationship content from ToC representing the protocol hierarchy	6.9.2
Value	Rescue Therapy
Business rules	Value Allowed: No Relationship: 6.9 Description of Noninvestigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	{<Rescue Therapy>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C165835</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Any rescue medications, treatments, and/or procedures identified in the protocol as those that may be administered to participants when the efficacy of the investigational intervention is not satisfactory, its effect is too great and is likely to cause a hazard to the patient, or to manage an emergency situation.</p>
User Guidance	<p>List all permitted rescue medications, treatments, and/or procedures, including any relevant instructions on administration and any conditions of use.</p> <p>If administration of rescue therapy leads to the temporary discontinuation of trial intervention or a participant's withdrawal from the trial, refer to Section 7 Participant Discontinuation of Trial Intervention and Discontinuation or Withdrawal from Trial.</p>
Conformance	Conditional: when any rescue therapies are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.9.2 Rescue Therapy Concept: C165835
Repeating and/or Reuse Rules	No

455

456

6.9.3 Other Noninvestigational Intervention

Term (Variable)	6.9.3 {Other Noninvestigational Intervention}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when any other noninvestigational interventions are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.9.3
Value	Other Noninvestigational Intervention

457

Business rules	Value Allowed: No Relationship: 6.9 Description of Noninvestigational Trial Intervention; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

458

459

6.10 Concomitant Therapy

Term (Variable)	6.10 Concomitant Therapy
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10
Value	Concomitant Therapy
Business rules	Value Allowed: No Relationship: 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

460

Term (Variable)	<Concomitant Therapy>
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	<p>C53630</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Any pharmaceutical agent, other than the trial interventions, that is administered to or used by the subject prior to or during a specified time period.</p>
User Guidance	<p>Specify the concomitant medications, supplements, complementary and alternative therapies, treatments, and/or procedures which are prohibited or permitted during the trial and include details about when the information will be collected (e.g., during screening, at each visit).</p> <p>When appropriate to separate the content, subheadings may be used.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 6.10 Concomitant Therapy</p> <p>Concept: C53630</p>
Repeating and/or Reuse Rules	No

461

462

6.10.1 Prohibited Concomitant Therapy

Term (Variable)	6.10.1 {Prohibited Concomitant Therapy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when any prohibited concomitant therapies are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10.1
Value	Prohibited Concomitant Therapy
Business rules	<p>Value Allowed: No</p> <p>Relationship: 6.10 Concomitant Therapy; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

463

Term (Variable)	{<Prohibited Concomitant Therapy>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Concomitant therapy that is banned from use in the trial.</p>
User Guidance	If applicable, describe any prohibited concomitant therapy.
Conformance	Conditional: when any prohibited concomitant therapies are defined

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.10.1 Prohibited Concomitant Therapy Concept: CNEW
Repeating and/or Reuse Rules	No

464

465 6.10.2 Permitted Concomitant Therapy

Term (Variable)	6.10.2 {Permitted Concomitant Therapy}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when any permitted concomitant therapies are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10.2
Value	Permitted Concomitant Therapy
Business rules	Value Allowed: No Relationship: 6.10 Concomitant Therapy; 6 TRIAL INTERVENTION AND CONCOMITANT THERAPY; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

466

Term (Variable)	{<Permitted Concomitant Therapy>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below Concomitant therapy that is approved for use in the trial.
User Guidance	If applicable, describe any permitted concomitant therapy.
Conformance	Conditional: when any permitted concomitant therapies are defined
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	6.10.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 6.10.2 Permitted Concomitant Therapy Concept: CNEW
Repeating and/or Reuse Rules	No

467

468 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND
 469 DISCONTINUATION OR WITHDRAWAL FROM TRIAL

Term (Variable)	7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	This section must align with the intercurrent events, and their handling strategies introduced in Section 3 Trial Objectives and Associated Estimands, and the investigational trial intervention described in Section 6 Trial Intervention and Concomitant Therapy. No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7
Value	PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

470

471 7.1 Discontinuation of Trial Intervention for Individual Participants

Term (Variable)	7.1 Discontinuation of Trial Intervention for Individual Participants
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1
Value	Discontinuation of Trial Intervention for Individual Participants
Business rules	Value Allowed: No Relationship: 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

472

473 7.1.1 Permanent Discontinuation of Trial Intervention

Term (Variable)	7.1.1 Permanent Discontinuation of Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.1
Value	Permanent Discontinuation of Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 7.1 Discontinuation of Trial Intervention for Individual Participants, 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

474

Term (Variable)	<Permanent Discontinuation of Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The requirements that must be met in order to permanently discontinue the administration of trial intervention.</p>
User Guidance	<p>Describe:</p> <ul style="list-style-type: none"> the criteria for discontinuation of a participant from any trial intervention, carefully evaluating which are appropriate for the trial population and therapy being studied. how participants who discontinue trial intervention will be followed after discontinuation. Depending on the chosen intercurrent event handling strategy, it will be important to continue to follow and ascertain outcomes in participants who discontinue treatment through the end of the trial to prevent missing data in important analyses. Refer to the Section 1.3 Schedule of Activities for assessments to be performed at the time of and following discontinuation of trial intervention. the process for collecting and recording the detailed reasons for discontinuing trial intervention if not described elsewhere.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 7.1.1 Permanent Discontinuation of Trial Intervention</p> <p>Concept: CNEW</p>

Repeating and/or Reuse Rules	No
-------------------------------------	----

475

476 7.1.2 Temporary Discontinuation of Trial Intervention

Term (Variable)	7.1.2 Temporary Discontinuation of Trial Intervention
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.2
Value	Temporary Discontinuation of Trial Intervention
Business rules	<p>Value Allowed: No</p> <p>Relationship: 7.1 Discontinuation of Trial Intervention for Individual Participants; 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

477

Term (Variable)	<Temporary Discontinuation of Trial Intervention>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The requirements that must be met in order to temporarily discontinue the administration of trial intervention.</p>
User Guidance	<p>Describe:</p> <ul style="list-style-type: none"> the criteria for temporary discontinuation or interruption of trial intervention for an individual participant what to do and which restrictions still apply if the participant has to temporarily discontinue or interrupt trial intervention whether the participant will continue in the trial which assessments will be performed for the stated duration of the trial <p>Details of any rechallenge or restart after a safety-related event should be included in Section 7.1.3 Rechallenge.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 7.1.2 Temporary Discontinuation of Trial Intervention</p> <p>Concept: CNEW</p>

Repeating and/or Reuse Rules	No
-------------------------------------	----

478

479 **7.1.3 Rechallenge**

Term (Variable)	7.1.3 Rechallenge
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.3
Value	Rechallenge
Business rules	<p>Value Allowed: No</p> <p>Relationship: 7.1 Discontinuation of Trial Intervention for Individual Participants; 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

480

Term (Variable)	<Rechallenge>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The requirements that must be met in order to reintroduce previously withdrawn or temporarily discontinued medical intervention in the same patient.</p>
User Guidance	<p>Describe the criteria for rechallenge/restarting trial intervention, how to perform rechallenge, number of rechallenges allowed during the trial, and whether all, or specify which, assessments will be performed for the stated duration of the trial.</p> <p>If rechallenge is not allowed, state this.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.1.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 7.1.3 Rechallenge</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

481

482 7.2 Participant Discontinuation or Withdrawal from the Trial

Term (Variable)	7.2 Participant Discontinuation or Withdrawal from the Trial
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.2
Value	Participant Discontinuation or Withdrawal from the Trial
Business rules	<p>Value Allowed: No</p> <p>Relationship: 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

483

Term (Variable)	<Participant Discontinuation or Withdrawal from Trial>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The rationale for why the participant either discontinued or withdrawal from the trial.</p>
User Guidance	<p>Describe the criteria for participant discontinuation or withdrawal from the trial.</p> <p>Describe the reason for withdrawal and the type of data to be collected for the final assessments with reference to the schedule of activities for the participant's end of study visit unless provided in another section.</p> <p>In many cases, the only reason for a participant being considered withdrawn from the trial should be a participant's withdrawal of consent to continue to participate in the trial. All other participants, including those who discontinue treatment, should remain in the trial and continued to be followed to prevent missing data in important analyses. Refer to Section 10 Statistical Considerations for the data that must be collected for the trial estimands.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 7.2 Participants Discontinuation or Withdrawal from the Trial</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

484

485 7.3 Management of Loss to Follow-Up

Term (Variable)	7.3 Management of Loss to Follow-Up
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.3
Value	Management of Loss to Follow-Up
Business rules	<p>Value Allowed: No</p> <p>Relationship: 7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL and Table to Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

486

Term (Variable)	<Management of Loss to Follow-Up>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The mitigation strategies to be employed for the loss or lack of continuation of a participant to follow-up, including the frequency by which follow-up occurs.</p>
User Guidance	<p>Describe how the trial will define how participants are lost to follow-up. In general, participants should be considered lost to follow-up only if they cannot be reached despite multiple attempts at contact. Also describe approaches that will be used to minimise loss to follow-up, such as multiple, diverse methods to remain in contact with participants (e.g., telephone calls, texts, and emails to the participant) and how contacts will be recorded.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	7.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 7.3 Management of Loss to Follow-up</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

487

488 8 TRIAL ASSESSMENTS AND PROCEDURES

Term (Variable)	8 TRIAL ASSESSMENTS AND PROCEDURES
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	<p>In this section:</p> <ul style="list-style-type: none"> • Describe the assessments and procedures required during each phase of the trial that are relevant to the stated endpoints and related intercurrent events (e.g., surgery or use of rescue therapy). Provide details that are not already presented in the SoA, taking care not to duplicate information. • Ensure alignment with every other section of the protocol. In particular, this section must align with: <ul style="list-style-type: none"> ○ the intercurrent events and associated strategies for handling them described in Section 3 Trial Objectives and Associated Estimands ○ trial intervention and therapies outlined in Section 6 Trial Intervention and Concomitant Therapy ○ discontinuation and withdrawal procedures in Section 7 Participant Discontinuation of Trial Intervention and Discontinuation or Withdrawal From Trial ○ the statistical analysis that is defined in Section 10 Statistical Considerations • Reference the literature for the validation of scales/instruments/questionnaires/assays. • Instructions or protocols for specialised tests and scales/instruments/questionnaires/assays may be presented in an appendix or a separate document and cross referenced. • If the trial includes qualitative interviews, describe these evaluations. • Include minimums and limits for procedures (e.g., number of imaging procedures/biopsies, radiation exposure, etc.) if appropriate to the trial. <p>No text is intended here (heading only).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8
Value	TRIAL ASSESSMENTS AND PROCEDURES
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

489

490 8.1 Trial Assessments and Procedures Considerations

Term (Variable)	8.1 Trial Assessments and Procedures Considerations
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	8.1
Value	Trial Assessments and Procedures Considerations
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

491

Term (Variable)	<Trial Assessments and Procedures Considerations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of general considerations applicable across trial assessments and procedures.
User Guidance	Describe general considerations applicable across trial assessments and procedures.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.1 Trial Assessments and Procedures Considerations Concept: CNEW
Repeating and/or Reuse Rules	No

492

493 8.2 Screening/Baseline Assessments and Procedures

Term (Variable)	8.2 Screening/Baseline Assessments and Procedures
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.2
Value	Screening/Baseline Assessments and Procedures
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading

494

Repeating and/or Reuse Rules	No
-------------------------------------	----

Term (Variable)	<Screening Assessments and Procedures>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below Trial assessments and procedures related to the screening epoch of the trial.
User Guidance	Describe any assessments and procedures that are unique to screening/baseline (e.g., collection of data on participant characteristics, assessments/procedures performed for the purpose of determining eligibility or for stratification) in this section. Describe screening and baseline assessments and procedures separately when screening and baseline are different or performed at different visits.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.2 Screening/Baseline Assessments and Procedures Concept: CNEW
Repeating and/or Reuse Rules	No

495

Term (Variable)	{<Baseline Assessments and Procedures>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below Trial assessments and procedures related to the baseline epoch of the trial.
User Guidance	Describe any assessments and procedures that are unique to screening/baseline (e.g., collection of data on participant characteristics, assessments/procedures performed for the purpose of determining eligibility or for stratification) in this section. Describe screening and baseline assessments and procedures separately when screening and baseline are different or performed at different visits.
Conformance	Conditional: when the Baseline Assessments and Procedures are different from Screening
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.2 Screening/Baseline Assessments and Procedures Concept: CNEW
Repeating and/or Reuse Rules	No

496

497 8.3 Efficacy Assessments and Procedures

Term (Variable)	8.3 Efficacy Assessments and Procedures
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.3
Value	Efficacy Assessments and Procedures
Business rules	<p>Value Allowed: No</p> <p>Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

498

Term (Variable)	<Efficacy Assessments and Procedures>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Trial assessments and procedures related to trial intervention efficacy.</p>
User Guidance	Describe efficacy assessments and procedures in this section. Cross reference Section 8.7 Immunogenicity Assessments if immunogenicity assessments are used in efficacy determination.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 8.3 Efficacy Assessments and Procedures</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

499

500 8.4 Safety Assessments and Procedures

Term (Variable)	8.4 Safety Assessments and Procedures
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4
Value	Safety Assessments and Procedures
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents. Concept: Heading
Repeating and/or Reuse Rules	No

501

Term (Variable)	<Safety Assessments and Procedures>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the assessments and procedures related to participant safety within the trial.
User Guidance	Describe safety assessments and procedures utilizing the following subsections as applicable. Add level 3 headings as needed. <ul style="list-style-type: none"> Identify any noninvestigator party responsible for evaluation of laboratory or other safety assessments (e.g., Sponsor or external Independent Data Monitoring Committee; cross refer to Section 11.4 Committees for details as applicable). Include guidelines for the medical management of relevant laboratory or other safety assessment abnormalities.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4 Safety Assessments and Procedures Concept: CNEW
Repeating and/or Reuse Rules	No

502

503 8.4.1 {Physical Examination}

Term (Variable)	8.4.1 {Physical Examination}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Physical Exams are required

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.1
Value	Physical Examination
Business rules	Value Allowed: No Relationship: 8.4 Safety Assessment and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

504

Term (Variable)	{<Physical Examination>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The procedures for a physical examination of the body and its functions to be conducted for the trial.
User Guidance	Include any specific instructions for the collection and interpretation of physical examinations.
Conformance	Conditional: when Physical Exams are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4.1 Physical Examination Concept: CNEW
Repeating and/or Reuse Rules	No

505

506 8.4.2 {Vital Signs}

Term (Variable)	8.4.2{Vital Signs}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Vital Signs are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.2
Value	Vital Signs
Business rules	Value Allowed: No Relationship: 8.4 Safety Assessments and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading

507

Repeating and/or Reuse Rules	No
Term (Variable)	{<Vital Signs>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C154628</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The procedures for measurements of the body's basic functions that provide insight into the health status of the person.</p>
User Guidance	Include any specific instructions for the collection and interpretation of vital signs.
Conformance	Conditional: when Vital Signs are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 8.4.2 Vital Signs</p> <p>Concept: C154628</p>
Repeating and/or Reuse Rules	No

508

509

8.4.3 {Electrocardiograms}

Term (Variable)	8.4.3 {Electrocardiograms}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Electrocardiograms are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.3
Value	Electrocardiograms
Business rules	<p>Value Allowed: No</p> <p>Relationship: 8.4 Safety Assessments and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

510

Term (Variable)	{<Electrocardiograms>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C168186</p> <p>For review purpose, see definition of the controlled terminology below</p>

	The procedures for the recordings produced by the variations in electrical potential caused by electrical activity of the heart muscle and detected at the body surface, as a method for studying the action of the heart muscle.
User Guidance	Include any specific instructions for the collection, interpretation, and archiving of ECGs.
Conformance	Conditional: when Electrocardiograms are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4.3 Electrocardiograms Concept: C168186
Repeating and/or Reuse Rules	No

511 **8.4.4 {Clinical Laboratory Assessments}**

Term (Variable)	8.4.4 {Clinical Laboratory Assessments}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Clinical Laboratory Assessments are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.4
Value	Clinical Laboratory Assessments
Business rules	Value Allowed: No Relationship: 8.4 Safety Assessments and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

512

Term (Variable)	{<Clinical Safety Laboratory Assessments>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below Trial-related laboratory assessments and procedures.
User Guidance	Describe any specific instructions for the collection and interpretation of clinical laboratory assessments, including: <ul style="list-style-type: none">• type of laboratory (central/local/hybrid)• acceptability of additional tests deemed necessary by the investigator or local regulations

	<ul style="list-style-type: none"> instructions for situations in which central laboratory results are not available in time for trial intervention and/or response evaluation, or in the event of a severe disruption (e.g., a pandemic or natural disaster) treatment algorithms for results out of normal range cross reference Section 12.1 Clinical Laboratory Tests for laboratory assessment panels
Conformance	Conditional: when Clinical Laboratory Assessments are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4.4 Clinical Laboratory Assessments Concept: CNEW
Repeating and/or Reuse Rules	No

513

514

8.4.5 {Pregnancy Testing}

Term (Variable)	8.4.5 {Pregnancy Testing}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Pregnancy Testing is required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.5
Value	Pregnancy Testing
Business rules	Value Allowed: No Relationship: 8.4 Safety Assessments and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

515

Term (Variable)	{<Pregnancy Testing>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C92949 For review purpose, see definition of the controlled terminology below Any examination performed to assess if a female is gravid.
User Guidance	Include any specific instructions for the collection and interpretation of pregnancy testing.
Conformance	Conditional: when Pregnancy Testing is required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	8.4.5
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4.5 Pregnancy Testing Concept: C92949
Repeating and/or Reuse Rules	No

516

517 8.4.6 {Suicidal Ideation and Behaviour Risk Monitoring}

Term (Variable)	8.4.6 {Suicidal Ideation and Behaviour Risk Monitoring}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Suicidal Ideation and Behaviour Risk Monitoring are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.6
Value	Suicidal Ideation and Behaviour Risk Monitoring
Business rules	Value Allowed: No Relationship: 8.4 Safety Assessments and Procedures; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

518

Term (Variable)	{<Suicidal Ideation and Behaviour Risk Monitoring>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of data collection procedures and analysis related to suicidal ideation and behaviour risk monitoring.
User Guidance	If the trial meets any of the criteria requiring suicidal ideation and behaviour risk monitoring by the guidance/guideline in each region, include justification for the need for suicidal ideation and behaviour risk monitoring in the study and add any specific instructions for the collection and interpretation of the assessment. In case this is an AESI in the study, justification should also be provided in Section 9.2.4 Adverse Events of Special Interest.
Conformance	Conditional: when Suicidal Ideation and Behaviour Risk Monitoring are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.4.6
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.4.6 Suicidal Ideation and Behaviour Risk Monitoring

	Concept: CNEW
Repeating and/or Reuse Rules	No

519

520 8.5 Pharmacokinetics

Term (Variable)	8.5 Pharmacokinetics
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.5
Value	Pharmacokinetics
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

521

Term (Variable)	<Pharmacokinetics>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative description containing information about the collection, use, and retention of biospecimens, and their use in pharmacokinetic assessments within the trial.</p>
User Guidance	<p>Include any specific instructions for the collection and assay of samples and interpretation of PK assessments.</p> <ul style="list-style-type: none"> • Describe the biological samples collected, the handling of samples, and the assay method. <ul style="list-style-type: none"> ○ Specific sample collection and processing instructions can be described in an appendix or a separate document and cross referenced. • Describe the retention time for the samples (ensuring alignment with the ICF). • Indicate the types of analyses for each sample. • Define the PK parameters to be calculated and the calculation methods.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.5

Value	Text
Business rules	Value Allowed: Yes Relationship: 8.5 Pharmacokinetics Concept: CNEW
Repeating and/or Reuse Rules	No

522

523

8.6 Biomarkers

Term (Variable)	8.6 Biomarkers
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Include any specific instructions for the collection of samples and interpretation of biomarkers in the subsections below as applicable. Safety biomarkers should be included in Section 8.4 Safety Assessments and Procedures and immunogenicity markers in Section 8.7 Immunogenicity Assessments. No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6
Value	Biomarkers
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

524

525

8.6.1 Genetics and Pharmacogenomics

Term (Variable)	8.6.1 Genetics and Pharmacogenomics
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.1
Value	Genetics and Pharmacogenomics
Business rules	Value Allowed: No Relationship: 8.6 Biomarkers; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Genetics and Pharmacogenomics>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative description containing information about the collection, use, and retention of biospecimens, and their use in genetic and pharmacogenomic biomarker assessments within the trial.</p>
User Guidance	<p>Include any specific instructions for the collection and assay of samples for genetic and/or pharmacogenomic analysis.</p> <ul style="list-style-type: none"> Describe the biological samples that will be collected (e.g., tissue, serum, plasma), handling of samples, and the assay method. <ul style="list-style-type: none"> Specific sample collection and processing instructions can be described in an appendix or a separate document and cross referenced. Describe the retention time for the samples (ensuring alignment with the ICF). Indicate the types of analyses that may be studied for each sample.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 8.6.1 Genetics and Pharmacogenomics</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

8.6.2 Pharmacodynamic Biomarkers

Term (Variable)	8.6.2 Pharmacodynamic Biomarkers
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.2
Value	Pharmacodynamic Biomarkers
Business rules	<p>Value Allowed: No</p> <p>Relationship: 8.6 Biomarkers, 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

529

Term (Variable)	<Pharmacodynamic Biomarkers>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative description containing information about the collection, use, and retention of biospecimens, and their use in pharmacodynamic biomarker assessments within the trial.</p>
User Guidance	<p>Include any specific instructions for the collection of samples and assessment of pharmacodynamic biomarkers.</p> <ul style="list-style-type: none"> Describe the biological samples that will be collected (e.g., tissue, serum, plasma). <ul style="list-style-type: none"> Specific sample collection and processing instructions can be described in an appendix or a separate document and cross referenced. Describe the retention time for the samples (ensuring alignment with the ICF). Indicate the types of biomarkers that will be studied for each sample. Specify whether each sample is optional or required. Required samples must be based on a protocol objective.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 8.6.2 Pharmacodynamic Biomarkers</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

530

531 8.6.3 {Other Biomarkers}

Term (Variable)	8.6.3 {Other Biomarkers}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when Other Biomarkers are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.3
Value	Other Biomarkers
Business rules	<p>Value Allowed: No</p> <p>Relationship: 8.6 Biomarkers; 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents</p>

532

	Concept: Heading
Repeating and/or Reuse Rules	No
Term (Variable)	{<Other Biomarkers>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A narrative description containing information about the collection, use, and retention of biospecimens, and their use in other biomarker assessments within the trial.</p>
User Guidance	<p>Include any specific instructions for the collection of samples and assessment of other biomarkers.</p> <ul style="list-style-type: none"> Describe the biological samples that will be collected (e.g., tissue, serum, plasma). <ul style="list-style-type: none"> Specific sample collection and processing instructions can be described in an appendix or a separate document and cross referenced. Describe the retention time for the samples (ensuring alignment with the ICF). Indicate the types of biomarkers that will be studied for each sample. Specify whether each sample is optional or required. Required samples must be based on a protocol objective.
Conformance	Conditional: when Other Biomarkers are required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.6.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 8.6.3 Other Biomarkers</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

533

534

8.7 Immunogenicity Assessments

Term (Variable)	8.7 Immunogenicity Assessments
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.7
Value	Immunogenicity Assessments

535

Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Immunogenicity Assessments>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A narrative description containing information about the collection, use, and retention of biospecimens, and their use in immunogenicity assessments within the trial.
User Guidance	Include any specific instructions for the collection of samples and interpretation of immunogenicity. If immunogenicity assessments are included within Efficacy Assessments or Safety Assessments, cross reference to that section. <ul style="list-style-type: none"> Describe the biological samples that will be collected (e.g., tissue, serum, plasma). <ul style="list-style-type: none"> Specific sample collection and processing instructions can be described in an appendix or a separate document and cross referenced. Describe the retention time for the samples (ensuring alignment with the ICF). Indicate the types of biomarkers that will be studied for each sample. Specify whether each sample is optional or required. Required samples must be based on a protocol objective.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.7
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.7 Immunogenicity Assessments Concept: CNEW
Repeating and/or Reuse Rules	No

536

537

8.8 Medical Resource Utilisation and Health Economics

Term (Variable)	8.8 Medical Resource Utilisation and Health Economics
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one

538

Relationship content from ToC representing the protocol hierarchy	8.8
Value	Medical Resource Utilisation and Health Economics
Business rules	Value Allowed: No Relationship: 8 TRIAL ASSESSMENTS AND PROCEDURES; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

539

540
541
542

Term (Variable)	<Medical Resource Utilisation and Health Economics>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A narrative description containing information about medical resource utilization and the health outcome measures, collection method and participant burden.
User Guidance	This section does not apply to COAs. Include this section only for any value evidence and outcomes assessments not included in either the efficacy or safety sections. Describe the health outcome measures, collection method (e.g., diary, physician interview), and participant burden.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	8.8
Value	Text
Business rules	Value Allowed: Yes Relationship: 8.8 Medical Resource Utilisation and Health Economics Concept: CNEW
Repeating and/or Reuse Rules	No

9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS

Term (Variable)	9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9

Value	ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

543

544 9.1 Definitions

Term (Variable)	9.1 Definitions
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1
Value	Definitions
Business rules	Value Allowed: No Relationship: 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

545

546 9.1.1 Definitions of Adverse Events

Term (Variable)	9.1.1 Definitions of Adverse Events
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.1
Value	Definitions of Adverse Events
Business rules	Value Allowed: No Relationship: 9.1 Definitions; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

547

Term (Variable)	<Definitions of Adverse Events>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A concise explanation of the meaning of adverse events within the context of the trial.</p>
User Guidance	<p>Specify the AE definitions, including:</p> <ul style="list-style-type: none"> any relevant regional AE requirements any events that meet and do not meet the AE definition any trial-specific AE clarifications if applicable, any clarifications on the AE and SAE definitions for efficacy trials (e.g., lack of efficacy or failure of pharmacological actions reporting)
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.1.1 Definitions of Adverse Events</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

548

549 9.1.2 Definitions of Serious Adverse Events

Term (Variable)	9.1.2 Definitions of Serious Adverse Events
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.2
Value	Definitions of Serious Adverse Events
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.1 Definitions; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

550

Term (Variable)	<Definitions of Serious Adverse Events>
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A concise explanation of the meaning of serious adverse events within the context of the trial.</p>
User Guidance	<p>Specify the SAE definitions, including:</p> <ul style="list-style-type: none"> any relevant regional SAE requirements any events that meet and do not meet the SAE definition any trial-specific SAE clarifications
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.1.2 Definitions of Serious Adverse Events</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

551

552 9.1.3 Definitions of Product Complaints

Term (Variable)	9.1.3 Definition of Product Complaints
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.3
Value	Definition of Product Complaints
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.1 Definitions; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

553

Term (Variable)	<Definition of Product Complaints>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p>

	A concise explanation of the meaning of product complaints within the context of the trial.
User Guidance	Specify the definition of product complaints in the context of the trial.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 9.1.3 Definition of Product Complaints Concept: CNEW
Repeating and/or Reuse Rules	No

554

555 9.1.3.1 {Definition of Medical Device Product Complaints}

Term (Variable)	9.1.3.1 {Definition of Medical Device Product Complaints}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Medical Device Product Complaints
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.1.3.1
Value	{Definition of Medical Device Product Complaints}
Business rules	Value Allowed: No Relationship: 9.3.1 Definition of Product Complaints; 9.1 Definitions; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents. Concept: Heading
Repeating and/or Reuse Rules	No

556

Term (Variable)	{<Definition of Medical Device Product Complaints>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A concise explanation of the meaning of medical device product complaints within the context of the trial.
User Guidance	N/A
Conformance	Conditional: when there is Medical Device Product Complaints
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	9.1.3.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 9.1.3.1 Definition of Medical Device Product Complaints Concept: CNEW
Repeating and/or Reuse Rules	No

557

558 9.2 Timing and Procedures for Collection and Reporting

Term (Variable)	9.2 Timing and Procedures for Collection and Reporting
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Timing and Procedures for Collection and Reporting
Business rules	Value Allowed: No Relationship: 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

559

Term (Variable)	This table describes the timing and procedures for collecting events.
Data Type	Universal Text
Data (D), Value (V) or Heading (H)	H
Definition	CNEW For review purpose, see definition of the controlled terminology below A table containing the timing and procedures for collection and reporting of adverse events, serious adverse events, medical device product complaints, and pregnancy and postpartum information.
User Guidance	Specify timing and procedures for collection and reporting of AEs, SAEs, product complaints (including medical device product complaints if applicable) and pregnancy and postpartum information in the sections below. This information may be summarized in a tabular format as shown in the example table below.
ACTIONConformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	This table describes the timing and procedures for collecting events.
Business rules	Value Allowed: No Relationship: Timing and Procedures for Collection and Reporting

560
561

	Concept: Universal Text
Repeating and/or Reuse Rules	No

562

Term (Variable)	<Event Type>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below A categorization or classification of trial-related safety events, such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events.
User Guidance	N/A
Conformance	Optional if the table is used
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Adverse Event (C41331); Serious Adverse Event (C41335); Trial Intervention Complaint (CNEW); Medical Device Product Complaint (C54026); Pregnancy Event (C25742); Lactation Event (CNEW); Post-Partum Event (CNEW); Reportable Adverse Event of Special Interest (CNEW); Not Reportable Adverse Event of Special Interest (CNEW)
Business rules	Value Allowed: Yes Relationship: Event Type Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type

563

NCI C-Code	M11 Preferred Term	Draft Definition
C41331	Adverse Event	Any untoward medical occurrence in a patient or clinical investigation participant administered a pharmaceutical product and which does not necessarily have to have a causal relationship with this treatment.

C41335	Serious Adverse Event	Any untoward medical occurrence that at any dose: results in death, is life-threatening, requires inpatient hospitalization or prolongation of existing hospitalization, results in persistent or significant disability/ incapacity, or is a congenital anomaly/ birth defect.
CNEW	Trial Intervention Complaint	Any concern about the safety and/or quality of any trial-related interventions.
C54026	Medical Device Product Complaint	Any concern about the safety, quality, and/or performance of a trial-related drug-device combination.
C25742	Pregnancy Event	Any event that occurs when the participant is pregnant.
CNEW	Lactation Event	Any event that occurs when the participant is lactating.
CNEW	Post-Partum Event	Any event that occurs when the participant is in the stages of recovery post pregnancy and birth event.
CNEW	Reportable Adverse Event of Special Interest	An adverse event of special interest (serious or non-serious) is one of scientific and medical concern specific to the sponsor's product or program, for which ongoing monitoring and rapid communication by the investigator to the sponsor could be appropriate, and which is deemed to be reportable to the appropriate regulatory authority.
CNEW	Not Reportable Adverse Event of Special Interest	An adverse event of special interest (serious or non-serious) is one of scientific and medical concern specific to the sponsor's product or program, for which ongoing monitoring and rapid communication by the investigator to the sponsor could be appropriate, and which is deemed to be not reportable to the appropriate regulatory authority.

564

Term (Variable)	Situational Scope
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Situational Scope
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

565

Term (Variable)	<Situational Scope>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the specific circumstances and context in which safety events are collected and monitored.
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one

566

Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type, Situational scope Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type

567

Term (Variable)	<Reportable Period Start>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The date on which reporting will begin for trial related events such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events.
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type; situational scope Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type and situational scope

568

Term (Variable)	Reportable Period End
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Reportable Period End
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

569

Term (Variable)	<Reportable Period End>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The date on which reporting will cease for trial related events such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events.
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type; Situational Scope; Reportable Period Start Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type, situation scope, reportable period start

570

Term (Variable)	Timing for Reporting to Sponsor or Designee
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Timing for Reporting to Sponsor or Designee
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading

571

Repeating and/or Reuse Rules	No
Term (Variable)	<Timing for Reporting to Sponsor or Designee>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the timing window between trial related events and their reporting to the sponsor or designee.
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type, situational scope Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type and situational scope

572

Term (Variable)	Method for Reporting
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional if table used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Method for Reporting
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

573

Term (Variable)	<Method for Reporting>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the technique by which trial related events, such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events, are reported to the sponsor and/or regulatory authority.

574

User Guidance	N/A
Conformance	Optional if used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type, situational scope Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each event type and situational scope

575

Term (Variable)	Back-up Method for Reporting
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Optional if table is used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Back-up Method for Reporting
Business rules	Value Allowed: No Relationship: Table Column Heading Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Back-up Method for Reporting>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of alternative techniques by which trial related events, such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events, are reported to the sponsor and/or regulatory authority.
User Guidance	N/A
Conformance	Optional if table is used
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Event Type; situational scope Concept: CNEW

Repeating and/or Reuse Rules	Yes, repeatable for each event type and situational scope
-------------------------------------	---

576

577 9.2.1 Timing

Term (Variable)	9.2.1 Timing
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.1
Value	Timing
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting, 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

578

Term (Variable)	<Event Collection and Reporting Timing>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the timing as it relates to the collection and reporting of trial related events, and the frequency of collection of those events to the sponsor or designee.</p>
User Guidance	<p>Specify timing for collection and reporting, including:</p> <ul style="list-style-type: none"> • start and end dates for collection and reporting • frequency of collection and reporting • cross reference to the Schedule of Assessments as appropriate
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.2.1 Timing</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

579

580 9.2.2 Collection Procedures

Term (Variable)	9.2.2 Collection Procedures
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Specify procedures for collection and recording of AEs, SAEs, product complaints (including medical device product complaints if applicable) and pregnancy and postpartum information in the sections below.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Collection Procedures
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

581

Term (Variable)	Identification
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Identification
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2.2 Collection Procedures; 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

582

Term (Variable)	<Identification>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p>

	A description of how trial-related events, such as adverse events, serious adverse events, product complaints, medical device product complaints, and pregnancy and postpartum events, will be identified.
User Guidance	Specify how information will be identified (e.g., spontaneous reporting, solicited questions).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Identification and 9.2.2 Collection Procedures Concept: CNEW
Repeating and/or Reuse Rules	No

583

584

585

Term (Variable)	Severity
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Severity
Business rules	Value Allowed: No Relationship: 9.2.2 Collection Procedures; 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

586

Term (Variable)	<Severity>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C25676 For review purpose, see definition of the controlled terminology below The description of the intensity (severity) of an event.
User Guidance	Specify the intensity rating categories/scale.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2

587

Value	Text
Business rules	Value Allowed: Yes Relationship: Severity; 9.2.2 Collection Procedures Concept: C25676
Repeating and/or Reuse Rules	No

588

Term (Variable)	<Causality>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C82552 For review purpose, see definition of the controlled terminology below The description of the degree of causality (attributability) between a trial intervention and an event.
User Guidance	Specify: <ul style="list-style-type: none">• The causality categories/scale• Procedures for assessing causality
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Causality; 9.2.2 Collection Procedures Concept: C82552
Repeating and/or Reuse Rules	No

589

Term (Variable)	Recording
Data Type	Text

Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Recording
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2.2 Collection Procedures; 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

590

Term (Variable)	<Recording>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description for the procedures used to document an event.</p>
User Guidance	Specify procedures for recording.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Recording; 9.2.2 Collection Procedures</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

591

Term (Variable)	Follow-up
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Follow-up
Business rules	Value Allowed: No

	<p>Relationship: 9.2.2 Collection Procedures; 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

592

Term (Variable)	<Follow-up>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the procedures for follow-up, including the assessment tools that will be used to monitor an event and the duration of follow-up.</p>
User Guidance	Specify the procedures for follow-up. Include the assessment tools that will be used to monitor the events and the duration of follow-up after appearance of the events.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Follow-up and 9.2.2 Collection Procedures</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

593

594 9.2.3 Reporting

Term (Variable)	9.2.3 Reporting
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.3
Value	Reporting
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

595

Term (Variable)	<Reporting>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the method and timelines for reporting adverse events, serious adverse events, pregnancy and postpartum events, and medical device product complaints to the sponsor.</p>
User Guidance	Specify the reporting method (e.g., an electronic data collection tool or a paper CRF.) backup reporting method if applicable and reporting timeline to the Sponsor.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.2.3 Reporting</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

596

597

9.2.3.1 Regulatory Reporting Requirements

Term (Variable)	9.2.3.1 Regulatory Reporting Requirements
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.3.1
Value	Regulatory Reporting Requirements
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents.</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

598

Term (Variable)	<Regulatory Reporting Requirements>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p>

	A description of the requirements for the sponsor/designee to report adverse events, serious adverse events, pregnancy and postpartum events, and medical device product complaints, including the criteria for reporting, to the relevant regulatory authority.
User Guidance	<p>Specify:</p> <ul style="list-style-type: none"> the investigators' responsibilities for reporting to the Sponsor (and to Ethics Committees, where required), specifying timing of reporting to allow the Sponsor to meet their responsibilities the Sponsor's legal/regulatory responsibilities to report SAEs to regulatory authorities, ethics committees, and investigators serious and unexpected adverse reaction reporting
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.3.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.2.3.1 Regulatory Reporting Requirements</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

599

600

9.2.4 Adverse Events of Special Interest

Term (Variable)	9.2.4 Adverse Events of Special Interest
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.4
Value	Adverse Events of Special Interest
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

601

Term (Variable)	<Adverse Events of Special Interest or state "Not applicable">
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW

	<p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the processes and procedures used to define, measure, confirm, and report the occurrence of adverse events that are of special interest to the specific trial, or state not applicable.</p>
User Guidance	<p>Specify any AESI:</p> <ul style="list-style-type: none"> any event (serious or nonserious) of scientific and medical concern relative to the trial intervention, for which ongoing monitoring and rapid communication by the investigator to the sponsor can be appropriate other events that merit reporting to the Sponsor, trial leadership, IRB, and regulatory agencies <p>Include the following for each AESI:</p> <ul style="list-style-type: none"> the definition the approach for ascertaining information if applicable, any approach to confirm or adjudicate the occurrence
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.4
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.2.4 Adverse Events of Special Interest</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

602

603

9.2.5 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs

604

Term (Variable)	9.2.5 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.5
Value	Disease-related Events or Outcomes Not Qualifying as AEs or SAEs
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.2 Timing and Procedures for Collection and Reporting; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

605

Term (Variable)	<Disease-related Events or Outcomes Not Qualifying as AEs or SAEs>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of events or outcomes related to the trial disease indication but not qualifying as adverse events or serious adverse events within the trial, or state not applicable.</p>
User Guidance	Specify any DREs, DROs, or both that will not be reported as AEs or SAEs (e.g., seizures in anticonvulsant trials) or state “Not applicable.”
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.2.5
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 9.2.5 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

606

607

9.3 Pregnancy and Postpartum Information

Term (Variable)	9.3 Pregnancy and Postpartum Information
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	<p>While pregnancy itself is not considered to be an AE or SAE, if negative or consequential outcome occurs in the participant or child/foetus, it will be reported as an AE or SAE. Refer to Section 9.2 Timing and Procedures for Collection and Reporting for AE and SAE related procedures as applicable. If the negative event meets the seriousness criteria, then this is considered an SAE (e.g., spontaneous abortion, foetal death, stillbirth, congenital anomalies, ectopic pregnancy, or pre-eclampsia) and reported per Section 9.2.3 Reporting.</p> <p>No text is intended here (heading only).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.3
Value	Pregnancy and Postpartum Information
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

608

609 9.3.1 {Participants Who Become Pregnant During the Trial}

Term (Variable)	9.3.1 {Participants Who Become Pregnant During the Trial}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when collecting pregnancy data for a trial participant who becomes pregnant during the trial.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.3.1
Value	Participants Who Become Pregnant During the Trial
Business rules	<p>Value Allowed: No</p> <p>Relationship: 9.3 Pregnancy and Postpartum Information; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

610

Term (Variable)	{<Participants Who Become Pregnant During the Trial>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the processes and procedures used to collect pregnancy data for a trial participant who becomes pregnant while the participant is in the trial, as well as data collection about the child.</p>
User Guidance	<p>Specify:</p> <ul style="list-style-type: none"> • the assessments to be performed • type and duration of monitoring • whether participants who become pregnant during the trial may continue with trial intervention or must be discontinued from trial intervention (refer to Section 7 Participant Discontinuation of Trial Intervention and Discontinuation or Withdrawal from Trial as applicable) • any trial modifications that need to be made for participants who become pregnant • what information will be collected about a participant who becomes pregnant during the trial (e.g., recording and reporting to the Sponsor, postpartum follow-up, trial intervention discontinuation or continuation, or trial withdrawal) <p>For postpartum follow-up, include the time period (e.g., initial child development) with the justification.</p> <p>If exposure to trial intervention during breastfeeding is applicable, specify:</p> <ul style="list-style-type: none"> • the assessments to be performed

	<ul style="list-style-type: none"> • type and duration of monitoring • what information will be collected for both the participant and child
Conformance	Conditional: when collecting pregnancy data for a trial participant who becomes pregnant during the trial.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.3.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 9.3.1 Participants Who Become Pregnant During the Trial Concept: CNEW
Repeating and/or Reuse Rules	No

611

612 9.3.2 {Participants Whose Partners Become Pregnant}

Term (Variable)	9.3.2 {Participants Whose Partners Become Pregnant During the Trial}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when collecting pregnancy data for the partner of a trial participant who becomes pregnant during the trial.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.3.2
Value	Participants Whose Partners Become Pregnant
Business rules	Value Allowed: No Relationship: 9.3 Pregnancy and Postpartum Information; 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

613

Term (Variable)	{<Participants Whose Partners Become Pregnant During the Trial>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the processes and procedures used to collect pregnancy data for a trial participant's partner, who becomes pregnant while the participant is in the trial.
User Guidance	Specify:

	<ul style="list-style-type: none"> if the investigator will attempt to collect pregnancy information about a participant's partner, who becomes pregnant during the specified period in the trial whether the participant whose partner becomes pregnant should be discontinued from trial intervention (refer to Section 7 Participant Discontinuation of Trial Intervention and Discontinuation or Withdrawal from Trial as applicable) the assessments to be performed, type and duration of monitoring, and the information to be collected
Conformance	Conditional: when collecting pregnancy data for the partner of a trial participant who becomes pregnant during the trial.
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.3.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 9.3.2 Participants Whose Partners Become Pregnant During the Trial Concept: CNEW
Repeating and/or Reuse Rules	No

614

615 9.4 Special Safety Situations

Term (Variable)	9.4 Special Safety Situations
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.4
Value	Special Safety Situations
Business rules	Value Allowed: No Relationship: 9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

616

Term (Variable)	<Special Safety Situations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D

Definition	CNEW For review purpose, see definition of the controlled terminology below A characterization or classification of those trial specific situations that are associated with the trial intervention(s) and require regulatory reporting, but that do not qualify as an adverse event or serious adverse event for the given trial.
User Guidance	Specify special safety situations associated with the trial intervention(s) that do not qualify as an AE or SAE, but require regulatory reporting. Examples include: <ul style="list-style-type: none"> • misuse or abuse • off-label use (if applicable) • medication error (prescription or dispensing error) • occupational exposure • use outside of what is foreseen in the protocol • unintended exposure of embryo, foetus, or child via maternal exposure (pregnancy or breastfeeding) or via paternal exposure (semen) • lack of therapeutic efficacy; this is not applicable for studies that measure efficacy as a study endpoint • suspected transmission of an infectious agent; this is only applicable for injected or biologic medicinal products • product complaint, including falsified or counterfeit products • suspected drug-food or drug-drug interaction
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	9.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 9.4 Special Safety Situations Concept: CNEW
Repeating and/or Reuse Rules	No

617

618

10 STATISTICAL CONSIDERATIONS

Term (Variable)	10 STATISTICAL CONSIDERATIONS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Ensure that the data analysis complies with ICH E9 Guideline and ICH E9(R1) Guideline. In general, all relevant data collected in the trial should be considered in this section. No text is intended here (Heading only)
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10

Value	STATISTICAL CONSIDERATIONS
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

619

620

10.1 General Considerations

Term (Variable)	10.1 General Considerations
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.1
Value	General Considerations
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

621

Term (Variable)	<General Considerations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C164387 For review purpose, see definition of the controlled terminology below Careful thought or deliberation related to the planned conduct of statistical analyses within the context of the trial.
User Guidance	Provide general statements related to statistical considerations, such as whether a separate statistical analysis plan exists, which summary statistics will be provided, and the timing of analyses (e.g., “The analysis will include all participant data at trial completion”).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.1 General Considerations; 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: C164387
Repeating and/or Reuse Rules	No

622

623 **10.2 Analysis Sets**

Term (Variable)	10.2 Analysis Sets
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to One
Relationship content from ToC representing the protocol hierarchy	10.2
Value	Analysis Sets
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

624

Term (Variable)	<Analysis Sets>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the set of participants whose data are to be included in the analyses.
User Guidance	Describe analysis sets to be considered at the trial level, i.e., the set of participants whose data are to be included in the analyses, aligned with estimands. Clearly specify the analysis set to be used for each analysis described in Section 10 Statistical Considerations.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.2 Analysis Sets; 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: CNEW
Repeating and/or Reuse Rules	No

625

626 **10.3 Analyses of Demographics and Other Baseline Variables**

Term (Variable)	10.3 Analyses of Demographics and Other Baseline Variables
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.3
Value	Analyses of Demographics and Other Baseline Variables
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

627

Term (Variable)	<Analyses of Demographics and Other Baseline Variables>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of analyses relevant to variables at baseline, for example demographics, related to the trial.
User Guidance	Describe the summary statistics that will be used to characterize the distribution of demographic and other relevant variables at baseline. Specify when the variables are measured (e.g., at trial inclusion, prior to randomisation, or at the time of randomisation). Relevant variables include but are not limited to: stratification variables specified in Section 6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding, covariates for the statistical models specified in Section 10.4 Analyses Associated with the Primary Objective(s), other suspected predictive or prognostic variables, and variables used for planned subgroup analyses.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.3 Analyses of Demographics and Other Baseline Variables; 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: CNEW
Repeating and/or Reuse Rules	No

628

629 10.4 Analyses Associated with Primary Objective(s)

Term (Variable)	10.4 Analyses Associated with Primary Objective(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Include additional level 3 headings for each primary objective as needed. If there is more than one primary objective, number each objective consecutively as the level 3 heading (e.g., Primary Objective 1, Primary Objective 2, etc.).

	No text is intended here (heading only).
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	10.4
Value	Analyses Associated with Primary Objective(s)
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

630 **10.4.1 Primary Objective <#>**

Term (Variable)	10.4.X Primary Objective <#>
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Collection for only one primary objective 10.4.1, 10.4.2, 10.4.3, 10.4.4, 10.4.5 For more than one primary objective repeat the collection as level 4 headings where X is = to the number of Primary objectives
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	10.4.X
Value	Primary Objective <#>: # is a unique number for each primary objective; if there is only one primary objective, # is blank. If more than one primary objective, add sequential unique number for each objective.
Business rules	Value Allowed: No Relationship: 3.1.X Primary Objective <#>; 10.4 Analyses Associated with Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective.

631

632 **10.4.1.1 Statistical Analysis Method**

Term (Variable)	10.4.X.1 Statistical Analysis Method
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.1

633

Value	Statistical Analysis Method
Business rules	Value Allowed: No Relationship: 10.4.X Primary Objective <#>; 10.4 Analyses Associated with Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

634

635

10.4.1.2 Handling of Data in Relation to Primary Estimand(s)

Term (Variable)	10.4.X.2 Handling of Data in relation to Primary Estimand(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.2

636

Value	Handling of Data in relation to Primary Estimand(s)
Business rules	Value Allowed: No X may be a number for the collection Relationship: 10.4.X Primary Objective(s) <#>; 10.4 Analyses Associated with Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

637

638

10.4.1.3 Handling of Missing Data in Relation to Primary Estimand(s)

Term (Variable)	10.4.X.3 Handling of Missing Data in Relation to Primary Estimand(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.3
Value	Handling of Missing Data in Relation to Primary Estimand(s)
Business rules	Value Allowed: No Relationship: 10.4.X Primary Objective(s) <#>; 10.4 Analyses Associated with Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents

639

	Concept: Heading
Repeating and/or Reuse Rules	No

640

641

10.4.1.4 Sensitivity Analysis

Term (Variable)	10.4.X.4 Sensitivity Analysis
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Sensitivity Analysis for a primary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.4
Value	Sensitivity Analysis
Business rules	Value Allowed: No Relationship: 10.4.X Primary Objective(s); 10.4 Analyses Associated with Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

642

Term (Variable)	{<Sensitivity Analysis>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW

	For review purpose, see definition of the controlled terminology below A description of the series of analyses conducted to explore the robustness of inferences from the main estimator to deviations from its underlying modeling assumptions and limitations in the data.
User Guidance	Describe any sensitivity analyses and how their assumptions changed from the assumptions of the main statistical analysis. Sensitivity analyses are a series of analyses conducted with the intent to explore the robustness of inferences from the main estimator to deviations from its underlying modelling assumptions and limitations in the data.
Conformance	Conditional: when there is Sensitivity Analysis for a primary objective
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	10.4.X.4
Value	Text
Business rules	Value Allowed Yes Relationship: 10.4.X.4 Sensitivity Analysis Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

643

644

10.4.1.5 Supplementary Analysis

Term (Variable)	10.4.X.5 Supplementary Analysis
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Supplementary Analysis for a primary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.5
Value	Supplementary Analysis
Business rules	Value Allowed: No Relationship: 10.4.X Primary Objective(s); 10.4 Analyses Associated with the Primary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

645

Term (Variable)	{<Supplementary Analysis>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the analyses that are conducted in addition to the main and sensitivity analysis with the intent to provide additional insights into the understanding of the treatment effect.

User Guidance	Describe any supplementary analysis, if applicable. Supplementary analyses are conducted in addition to the main and sensitivity analysis with the intent to provide additional insights into the understanding of the treatment effect.
Conformance	Conditional: when there is Supplementary Analysis for a primary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.4.X.5
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.4.X.5 Supplementary Analysis Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.4.X.1, 10.4.X.2, 10.4.X.3, 10.4.X.4, 10.4.X.5).

646

647 10.5 Analysis Associated with the Secondary Objective(s)

Term (Variable)	10.5 Analyses Associated with the Secondary Objective(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Describe the statistical analysis methods in alignment with the secondary objectives and associated estimands in Section 3.2 Secondary Objective(s) and Associated Estimands. Use the same section structure as Section 10.4 Analyses Associated with the Primary Objective(s). Include additional level 3 headings for each secondary objective as needed. If there is more than one secondary objective, number each objective consecutively as the level 3 heading (e.g., Secondary Objective 1, Secondary Objective 2, etc.). No text is intended here (heading only) unless there is no secondary objective, in which case indicate “Not applicable.”
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	10.5
Value	Analyses Associated with Secondary Objective(s)
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

648

649 10.5.1 {Secondary Objective <#>}

Term (Variable)	10.5.X Secondary Objective <#>
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Data
User Guidance	N/A

Conformance	Conditional: secondary objective 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5 For more than one secondary objective repeat the collection as level 4 headings where X is = to the number of secondary objectives
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	10.5.X
Value	Secondary Objective <#>. # is a unique number for each secondary objective; if there is only one secondary objective, # is blank. If more than one secondary objective, add sequential unique number for each objective.
Business rules	Value Allowed: No Relationship: 10.5 Analyses Associated with Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective.

650

651 10.5.1.1 Statistical Analysis Method

Term (Variable)	{10.5.X.1 Statistical Analysis Method}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Secondary Objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.1
Value	Statistical Analysis Method
Business rules	Value Allowed: No Relationship: 10.5.X Secondary Objective <#>; 10.5 Analyses Associated with Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of Level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

652

Term (Variable)	{<Statistical Method of Analysis>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the statistical model, hypothesis, and methods of analyses for each objective within the trial.

User Guidance	Describe the statistical analysis methods in alignment with the secondary objectives and associated estimands in Section 3.2 Secondary Objective(s) and Associated Estimands. Use the same section structure as Section 10.4 Analyses Associated with the Primary Objective(s). Include additional level 3 headings for each secondary objective as needed. If there is more than one secondary objective, number each objective consecutively as the level 3 heading (e.g., Secondary Objective 1, Secondary Objective 2, etc.). No text is intended here (heading only) unless there is no secondary objective, in which case indicate “Not applicable.” Clearly specify any secondary hypotheses that will be tested for confirmatory purposes.
Conformance	Conditional: when there is Secondary estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.5.X.1 Statistical Analysis Method Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

653

654

10.5.1.2 Handling of Data in Relation to Secondary Estimand(s)

Term (Variable)	{10.5.X.2 Handling of Data in Relation to Secondary Estimand(s)}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Secondary estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.2
Value	Statistical Method of Analysis
Business rules	Value Allowed: No Relationship: 10.5.X Secondary Objective <#>; 10.5 Analyses Associated with Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of Level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

655

Term (Variable)	{<Handling of Data in Relation to Secondary Estimand(s)>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW

	For review purpose, see definition of the controlled terminology below A description of how data will be handled for the statistical analysis in line with the secondary estimand.
User Guidance	N/A
Conformance	Conditional: when there is Secondary estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.5.X.2 Handling of Data in relation to Secondary Estimand(s) Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

656

657

10.5.1.3 Handling of Missing Data in Relation to Secondary Estimand(s)

Term (Variable)	{10.5.1.3 Handling of Missing Data in Relation to Secondary Estimand(s)}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Secondary estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.3
Value	Handling of Missing Data in Relation to Secondary Estimand(s)
Business rules	Value Allowed: No Relationship: 10.5.X Secondary Objective <#>; 10.5 Analysis Associated with the Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

658

Term (Variable)	{<Handling of Missing Data in Relation to Secondary Estimand(s)>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of how missing data associated with the secondary estimand will be handled, including the rationale for the approach.
User Guidance	N/A
Conformance	Conditional: when there is Secondary estimand
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.3

Value	Text
Business rules	Value Allowed: Yes Relationship: 10.5.X.3 Handling of Missing Data in Relation to Secondary Estimand(s) Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

659

660 10.5.1.4 Sensitivity Analysis

Term (Variable)	{10.5.X.4 Sensitivity Analysis}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is Sensitivity Analysis for a Secondary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.4
Value	Sensitivity Analysis
Business rules	Value Allowed: No Relationship: 10.5.X Secondary Objective <#>; 10.5 Analysis Associated with the Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

661

Term (Variable)	{<Sensitivity Analysis>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the series of analyses conducted to explore the robustness of inferences from the main estimator to deviations from its underlying modeling assumptions and limitations in the data.
User Guidance	N/A
Conformance	Conditional: when there is Secondary Objective and Sensitivity Analysis for a Secondary Objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.5.X.4 Sensitivity Analysis Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

662

663 10.5.1.5 Supplementary Analysis

Term (Variable)	{10.5.X.5 Supplementary Analysis}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional: when there is a Supplementary Analysis for a Secondary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.5
Value	Supplementary Analysis
Business rules	<p>Value Allowed: No</p> <p>Relationship: 10.5.X Secondary Objective <#>; 10.5 Analysis Associated with the Secondary Objective(s); 10 STATISTICAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	Yes, repeatable for each objective.

664

Term (Variable)	{<Supplementary Analysis>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the analyses that are conducted in addition to the main and sensitivity analysis with the intent to provide additional insights into the understanding of the treatment effect.</p>
User Guidance	N/A
Conformance	Conditional: when there is Supplementary Analysis for a Secondary objective
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.5.X.5
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 10.5.X.5 Supplementary Analysis</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, repeatable for each objective as a series of level 4 sections (10.5.X.1, 10.5.X.2, 10.5.X.3, 10.5.X.4, 10.5.X.5).

665

666 10.6 Analyses Associated with Exploratory Objective(s)

Term (Variable)	10.6 Analyses Associated with Exploratory Objective(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading

User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.6
Value	Analyses of Exploratory Endpoint(s)
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

667

Term (Variable)	<Analysis Associated with Exploratory Objectives(s)>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the statistical model, hypothesis, and methods of analyses for each exploratory objective within the trial.
User Guidance	Describe any exploratory analyses, if applicable. Additional subsections may be created to describe the analyses for each exploratory objective, as needed. If there is no exploratory objective, indicate “Not applicable”.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.6
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.6 Analysis Associated with the Exploratory Objective(s), Concept: CNEW
Repeating and/or Reuse Rules	No

668

669

10.7 Safety Analyses

Term (Variable)	10.7 Safety Analyses
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.7
Value	Safety Analysis
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading

670	<table border="1"> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Repeating and/or Reuse Rules	No																				
Repeating and/or Reuse Rules	No																						
	<table border="1"> <tr> <td>Term (Variable)</td><td><Safety Analyses></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>D</td></tr> <tr> <td>Definition</td><td> <p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the analyses of relevant safety variables, including adverse events of special interest.</p> </td></tr> <tr> <td>User Guidance</td><td>If safety is a primary and/or secondary objective, describe the corresponding safety analyses in the appropriate section above (Section 10.4 Analyses Associated with the Primary Objective(s) or Section 10.5 Analyses Associated with the Secondary Objective[s]). In this section, describe statistical methods that will be used to analyse relevant safety outcomes, including any AESI. This should typically include specification of a measure to estimate risk within treatment arms, a measure to compare risks across treatment arms, and a measure of statistical uncertainty around the comparison such as a confidence interval.</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to one</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>10.7</td></tr> <tr> <td>Value</td><td>Text</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: Yes</p> <p>Relationship: 10.7 Safety Analyses</p> <p>Concept: CNEW</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	<Safety Analyses>	Data Type	Text	Data (D), Value (V) or Heading (H)	D	Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the analyses of relevant safety variables, including adverse events of special interest.</p>	User Guidance	If safety is a primary and/or secondary objective, describe the corresponding safety analyses in the appropriate section above (Section 10.4 Analyses Associated with the Primary Objective(s) or Section 10.5 Analyses Associated with the Secondary Objective[s]). In this section, describe statistical methods that will be used to analyse relevant safety outcomes, including any AESI. This should typically include specification of a measure to estimate risk within treatment arms, a measure to compare risks across treatment arms, and a measure of statistical uncertainty around the comparison such as a confidence interval.	Conformance	Required	Cardinality	One to one	Relationship content from ToC representing the protocol hierarchy	10.7	Value	Text	Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 10.7 Safety Analyses</p> <p>Concept: CNEW</p>	Repeating and/or Reuse Rules	No
Term (Variable)	<Safety Analyses>																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	D																						
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the analyses of relevant safety variables, including adverse events of special interest.</p>																						
User Guidance	If safety is a primary and/or secondary objective, describe the corresponding safety analyses in the appropriate section above (Section 10.4 Analyses Associated with the Primary Objective(s) or Section 10.5 Analyses Associated with the Secondary Objective[s]). In this section, describe statistical methods that will be used to analyse relevant safety outcomes, including any AESI. This should typically include specification of a measure to estimate risk within treatment arms, a measure to compare risks across treatment arms, and a measure of statistical uncertainty around the comparison such as a confidence interval.																						
Conformance	Required																						
Cardinality	One to one																						
Relationship content from ToC representing the protocol hierarchy	10.7																						
Value	Text																						
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 10.7 Safety Analyses</p> <p>Concept: CNEW</p>																						
Repeating and/or Reuse Rules	No																						

671

672

10.8 Other Analyses

	<table border="1"> <tr> <td>Term (Variable)</td><td>10.8 Other Analyses</td></tr> <tr> <td>Data Type</td><td>Text</td></tr> <tr> <td>Data (D), Value (V) or Heading (H)</td><td>H</td></tr> <tr> <td>Definition</td><td>Heading</td></tr> <tr> <td>User Guidance</td><td>N/A</td></tr> <tr> <td>Conformance</td><td>Required</td></tr> <tr> <td>Cardinality</td><td>One to one</td></tr> <tr> <td>Relationship content from ToC representing the protocol hierarchy</td><td>10.8</td></tr> <tr> <td>Value</td><td>Other Analyses</td></tr> <tr> <td>Business rules</td><td> <p>Value Allowed: No</p> <p>Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p> </td></tr> <tr> <td>Repeating and/or Reuse Rules</td><td>No</td></tr> </table>	Term (Variable)	10.8 Other Analyses	Data Type	Text	Data (D), Value (V) or Heading (H)	H	Definition	Heading	User Guidance	N/A	Conformance	Required	Cardinality	One to one	Relationship content from ToC representing the protocol hierarchy	10.8	Value	Other Analyses	Business rules	<p>Value Allowed: No</p> <p>Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>	Repeating and/or Reuse Rules	No
Term (Variable)	10.8 Other Analyses																						
Data Type	Text																						
Data (D), Value (V) or Heading (H)	H																						
Definition	Heading																						
User Guidance	N/A																						
Conformance	Required																						
Cardinality	One to one																						
Relationship content from ToC representing the protocol hierarchy	10.8																						
Value	Other Analyses																						
Business rules	<p>Value Allowed: No</p> <p>Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>																						
Repeating and/or Reuse Rules	No																						

673

	<table border="1"> <tr> <td>Term (Variable)</td><td><Other Analyses></td></tr> <tr> <td>Data Type</td><td>Text</td></tr> </table>	Term (Variable)	<Other Analyses>	Data Type	Text
Term (Variable)	<Other Analyses>				
Data Type	Text				

Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the analyses that are different than the one(s) previously specified or mentioned.
User Guidance	Describe other analyses not included in Sections 10.3-10.7, such as subgroup analyses.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.8
Value	Text
Business rules	Value Allowed Yes Relationship: 10.8 Other Analyses Concept: CNEW
Repeating and/or Reuse Rules	No

674

675

10.9 Interim Analyses

Term (Variable)	10.9 Interim Analyses
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.9
Value	Interim Analyses
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

676

Term (Variable)	<Interim Analyses>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C142582 For review purpose, see definition of the controlled terminology below A description of any analysis intended to compare treatment arms with respect to efficacy or safety at any time prior to the formal completion of a trial.
User Guidance	Describe any interim analyses and criteria for stopping or adapting the trial. Ensure alignment with Section 4.3 Trial Stopping Rules.

	<p>The description should include, but is not limited to, the following. Under circumstances where interim analysis details could impede the integrity of the trial, some of the information can be added in other documents outside of the protocol.</p> <ul style="list-style-type: none"> any planned interim analysis, even if it is only to be performed at the request of an oversight body (for example, DMC) the purpose of the interim analysis, including whether the interim analysis may be used for stopping and/or for other trial adaptations such as sample size re-estimation, alteration to the proportion of participants allocated to each trial group, or changes to eligibility criteria the applied statistical method; e.g., group sequential test and spending function (e.g., O'Brien-Fleming), as applicable the parties responsible for performing and reviewing the results of the analyses (e.g., DMC, independent statistician) when the analyses will be conducted (timing and/or triggers) the decision criteria—statistical or other—that will be adopted to judge the interim results as part of a guideline for early stopping or other adaptations who will see the outcome data while the trial is ongoing whether these individuals will remain blinded to trial groups how the integrity of the trial implementation will be protected (e.g., maintaining blinding) when decisions are made after interim analyses (e.g., a decision to continue the trial or implement a specific adaptation), for example, investigator, principal investigator, DMC, or Sponsor.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.9
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.9 Interim Analyses Concept: C142582
Repeating and/or Reuse Rules	Yes, repeatable for each interim

677

678

10.10 Multiplicity Adjustments

Term (Variable)	10.10 Multiplicity Adjustments
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.10
Value	Multiplicity Adjustments
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading

679

Repeating and/or Reuse Rules	No
Term (Variable)	<Multiplicity Adjustments>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the statistical adjustments needed to limit the probability of false positive findings in trials where there are multiple simultaneous hypotheses.</p>
User Guidance	<p>Multiple testing procedures may be needed to limit the probability of false positive findings in a trial. Reasons for carrying out multiple statistical tests include - but are not restricted to - multiple endpoints, multiple treatment groups, multiple hypotheses, subgroups, multiple timepoints.</p> <p>Describe any approaches to multiplicity control for the trial. This description might go beyond the analysis of primary objectives.</p> <p>Specify the statistical approach to control the overall type I error rate as well as the (adjusted) significance levels to test specific hypotheses, as applicable. Clarify whether the tests/confidence intervals are one- or two-sided.</p> <p>State the circumstances under which a trial will be considered to have met its primary objective(s). For example, in a study with two primary efficacy endpoints, this section should state whether the study would be expected to provide statistical evidence on at least one or on both of the endpoints in order to confirm the efficacy of the treatment.</p> <p>For some statistical approaches it might be helpful to include a graphical depiction, as visualisation will be helpful for understanding, coupled with the clinical translation of the mathematical choices.</p> <p>Details regarding interim analyses should be provided in Section 10.9 Interim Analyses.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.10
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 10.10 Multiplicity Adjustments</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

680

681

10.11 Sample Size Determination

Term (Variable)	10.11 Sample Size Determination
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	10.11
Value	Sample Size Determination
Business rules	Value Allowed: No Relationship: 10 STATISTICAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

Term (Variable)	<Sample Size Determination>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C115467</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A statistical calculation to determine the number of participants required for the primary analysis, which should be large enough to provide a reliable answer to the questions addressed and should be determined by the primary objective of the trial. If the sample size is determined on some other basis, then this should be made clear and justified.</p>
User Guidance	<p>This section should detail the methods used for the determination of the sample size.</p> <p>The sample size calculation should be aligned with the primary estimand and the primary analysis, otherwise a justification is needed. Details of sample size calculation should include all relevant information to enable reproduction of the sample size, e.g.,:</p> <ul style="list-style-type: none"> • referencing any prior studies on which assumptions were based • significance level (including information on the choice of one- or two-sided level) • power • assumed treatment effect and variability • how dropout rate and intercurrent events have been incorporated into sample size calculation • precision of estimator/length of confidence interval <p>Any assumptions made should be stated and justified. Further analysis of how deviations from the assumptions will affect the sample size should be included. If complex simulations were used to calculate the sample size, consider including details in a separate simulation report as an appendix to the protocol.</p> <p>If the planned sample size is not derived statistically, then this should be explicitly stated along with a rationale for the intended sample size (e.g., exploratory nature of pilot trials; pragmatic considerations for trials in rare diseases).</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	10.11
Value	Text
Business rules	Value Allowed: Yes Relationship: 10.11 Sample Size Determination, Concept: C115467
Repeating and/or Reuse Rules	No

683

684 **11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS**

Term (Variable)	11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11
Value	TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

685

686 **11.1 Regulatory and Ethical Considerations**

Term (Variable)	11.1 Regulatory and Ethical Considerations
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.1
Value	Regulatory and Ethical Considerations
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

687

Term (Variable)	<Regulatory and Ethical Considerations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below Careful thought or deliberation related to the regulatory and ethical aspects of the trial.
User Guidance	Provide a high-level statement on the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.

	<p>This trial will be conducted in accordance with the protocol and with the following:</p> <ul style="list-style-type: none"> • Ethical principles that have their origin in the Declaration of Helsinki for medical research involving human subjects • Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and the Council for International Organisations of Medical Sciences (CIOMS) International Ethical Guidelines • ICH Good Clinical Practice (GCP) Guidelines • Applicable laws and regulations
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.1
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.1 Regulatory and Ethical Considerations</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

688

689

11.2 Trial oversight

Term (Variable)	11.2 Trial Oversight
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2
Value	Trial Oversight
Business rules	<p>Value Allowed: No</p> <p>Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

690

Term (Variable)	{<Trial Oversight>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the planned processes and procedures to govern and conduct a clinical trial in order to protect the rights, safety and welfare of the trial participants.</p>

User Guidance	Concisely summarize the trial oversight listing the investigator and sponsor responsibilities not covered in other sections of the protocol which are essential for the operations of the trial, specifying the ones related to quality assurance. if not using below optional subheadings
Conformance	Conditional: if not using the optional subheadings Level 3 (11.2.1, 11.2.2)
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.2 Trial Oversight Concept: CNEW
Repeating and/or Reuse Rules	No

691

692

11.2.1 Investigator Responsibilities

Term (Variable)	11.2.1 Investigator Responsibilities
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2.1
Value	Investigator Responsibilities
Business rules	Value Allowed: No Relationship: 11.2 Trial Oversight; 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

693

Term (Variable)	<Investigator Responsibilities>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the obligations of the investigator with respect to the trial.
User Guidance	Describe the investigator duties, including the oversight of duties delegated to a third party that may impact the trial conduct at sites, if applicable and if not addressed elsewhere.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2.1
Value	Text

Business rules	Value Allowed: Yes Relationship: 11.2.1 Investigator Responsibilities Concept: CNEW
Repeating and/or Reuse Rules	No

694

695 11.2.2 Sponsor Responsibilities

Term (Variable)	11.2.2 Sponsor Responsibilities
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2.2
Value	Sponsor Responsibilities
Business rules	Value Allowed: No Relationship: 11.2 Trial Oversight; 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

696

Term (Variable)	<Sponsor Responsibilities>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the obligations of the sponsor with respect to the trial.
User Guidance	Describe the sponsor duties, including those to be transferred to a third party that may impact the investigators sites, if applicable.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.2.2
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.2.2 Sponsor Responsibilities Concept: CNEW
Repeating and/or Reuse Rules	No

697

698 11.3 Informed Consent Process

Term (Variable)	11.3 Informed Consent Process
------------------------	-------------------------------

Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	11.3
Value	Informed Consent Process
Business rules	<p>Value Allowed: No</p> <p>Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

699

Term (Variable)	<Description of Informed Consent Process>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C184390</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The procedure by which informed consent is obtained and documented by means of a written, signed, and dated informed consent form. This process may include obtaining assent from participants with legally authorized representatives.</p>
User Guidance	Specify the key elements of the informed consent process, including any special needs and how these are addressed (e.g., assent, capacity, legally acceptable representative, adolescents who may reach age of majority during the trial, pregnant participants and pregnant partners of participants).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.3 Informed Consent Process</p> <p>Concept: C184390</p>
Repeating and/or Reuse Rules	No

700

Term (Variable)	<Description of Assent Process>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the assent process for those individuals unable to give informed consent on their own behalf, to participate in the trial.</p>
User Guidance	N/A

Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.3 Informed Consent Process Concept: CNEW
Repeating and/or Reuse Rules	No

701

Term (Variable)	<Description of Emergency Consent Process>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A type of informed consent process that may occur during an emergency situation in which the participant or their legally authorized representative is not available to give consent.
User Guidance	If enrollment in the trial may occur during an emergency in which the participant or their legally acceptable representative is not able or available to give consent, describe the consent process.
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.3 Informed Consent Process Concept: CNEW
Repeating and/or Reuse Rules	No

702

703

11.3.1 {Informed Consent for Rescreening}

Term (Variable)	11.3.1 {Informed Consent for Rescreening}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3.1
Value	Informed Consent for Rescreening
Business rules	Value Allowed: No

	Relationship: 11.3 Informed Consent Process; 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

704

Term (Variable)	{<Informed Consent for Rescreening>}
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the consent requirements for participants in the event of screen failure and rescreening.
User Guidance	If participants can be rescreened as described in Section 5.6, state whether the participant needs to complete a new consent. Screen failure and rescreening should be clearly defined in the protocol, with cross reference to those definitions.
Conformance	Conditional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.3.1 Informed Consent for Rescreening Concept: CNEW
Repeating and/or Reuse Rules	No

705

706

11.3.2 {Informed Consent for Use of Remaining Samples in Exploratory Research}

Term (Variable)	11.3.2 {Informed Consent for Use of Remaining Samples in Exploratory Research}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Conditional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3.2
Value	Informed Consent for Use of Remaining Samples in Exploratory Research
Business rules	Value Allowed: No Relationship: 11.3 Informed Consent Process; 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATION; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

707

Term (Variable)	{<Informed consent for Use of Remaining Samples in Exploratory Research>}
------------------------	---

Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the consent requirements for exploratory research using the remainder of mandatory samples. If applicable, this may include text in the original consent that address the use of remaining samples or additional text.</p>
User Guidance	<p>If participants will be asked to consent to optional exploratory research using the remainder of mandatory samples, describe the use of remaining samples for optional exploratory research.</p> <p>If any exploratory research is planned and additional written consent regarding the use of remaining samples for exploratory research will be obtained, describe the consent process.</p>
Conformance	Conditional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.3.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.3.2 Informed Consent for Use of Remaining Samples in Exploratory Research</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

708

709

11.4 Committees

Term (Variable)	11.4 Committees
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.4
Value	Committees
Business rules	<p>Value Allowed: No</p> <p>Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

710

Term (Variable)	<Committees>
Data Type	Text

Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the type and administrative structure of any committee associated with the trial.
User Guidance	Briefly describe the administrative structure of committees that will be reviewing data while the trial is ongoing, and the type of committee (e.g., Dose Escalation Committee, Data Monitoring Committee or Data Safety Monitoring Board). Note that specific details may be required depending on local law or regulation. If applicable, Committee Charters may be cross referenced. If no committees are involved, state "Not applicable."
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.4
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.4 Committees Concept: CNEW
Repeating and/or Reuse Rules	No

711

712

11.5 Insurance and indemnity

Term (Variable)	11.5 Insurance and Indemnity
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.5
Value	Insurance and Indemnity
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

713

Term (Variable)	<Insurance and Indemnity>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below

	A concise summary of the arrangements for participants insurance and indemnity as required by the applicable regulatory body.
User Guidance	Concisely summarize the arrangements for participants insurance and indemnity if not addressed in a separate agreement, if required by the applicable regulatory requirements.
Conformance	Required
Cardinality	One to One
Relationship content from ToC representing the protocol hierarchy	11.5
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.5 Insurance and Indemnity Concept: CNEW
Repeating and/or Reuse Rules	No

714

715 11.6 Risk-Based Quality Management

Term (Variable)	11.6 Risk-Based Quality Management
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.6
Value	Risk-Based Quality Management
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

716

Term (Variable)	<Risk-Based Quality Management>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of how potential risks and critical to quality factors associated with the trial will be identified and handled.
User Guidance	Describe the identified critical to quality factors, associated risks and risk mitigation strategies in the trial or refer to a separate document where this is described.
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	11.6
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.6 Risk-Based Quality Management Concept: CNEW
Repeating and/or Reuse Rules	No

717

718

11.7 Data Governance

Term (Variable)	11.7 Data Governance
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.7
Value	Data Governance
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

719

Term (Variable)	<Data Governance>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the key processes to ensure data integrity, traceability and security, in order to enable accurate collection, reporting, monitoring, transfer, retention, access and publication.
User Guidance	Describe the key processes for critical trial integrity, traceability and security including a summary of the monitoring approaches enabling accurate collection, reporting, monitoring, transfer, retention, and access if not addressed in separate agreement(s).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.7
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.7 Data Governance Concept: CNEW

Repeating and/or Reuse Rules	No
-------------------------------------	----

720

721 11.8 Data Protection

Term (Variable)	11.8 Data Protection
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.8
Value	Data Protection
Business rules	<p>Value Allowed: No</p> <p>Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

722

Term (Variable)	<Data Protection>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the measures taken to protect the privacy and confidentiality of person information of trial participants in accordance with applicable regulatory requirements on personal data protection and any measures that should be taken in case of a data security breach.</p>
User Guidance	<p>Describe the measures to protect the privacy and confidentiality of personal information of trial participants in accordance with applicable regulatory requirements on personal data protection and any measures that should be taken in case of a data security breach.</p>
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.8
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.8 Data Protection</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

723

724 11.9 Source Data

Term (Variable)	11.9 Source Data
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	11.9
Value	Source Data
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

725

Term (Variable)	<Source Data Introduction>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of trial-related source data including the importance of source data maintenance and expectations for data traceability.
User Guidance	Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for investigators (e.g., maintain source data at the site, ensure availability of current records) and trial monitors (e.g., verify CRF data relative to source, ensure that safety of participants is being protected and that conduct is in accordance with GCP). Identify what constitutes source data and its origin or provide a reference to the location of this information, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). Describe the provision for direct access to source data and documents enabling clinical trial-related monitoring, audits and regulatory inspections, if not included in separate agreement(s).
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.9
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.9 Source Data Concept: CNEW
Repeating and/or Reuse Rules	No

726

Term (Variable)	<Investigator Expectations for Source Data>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the obligations of the investigator with respect to maintaining and ensuring availability of the source data.</p>
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.9
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.9 Source Data</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

727

Term (Variable)	<Trial Monitor Expectations for Source Data>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of the obligations of the trial monitor with respect to maintaining and ensuring availability of the source data.</p>
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.9
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.9 Source Data</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

728

Term (Variable)	<Identification of Source Data>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C125442</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of how trial-related source data will be identified.</p>
User Guidance	N/A
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	11.9
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.9 Source Data Concept: C125442
Repeating and/or Reuse Rules	No

729

730

11.10 Protocol Deviations

Term (Variable)	11.10 Protocol Deviations
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.10
Value	Protocol Deviations
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

731

Term (Variable)	<Protocol Deviations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of plans for detecting, reviewing, and reporting any deviations from the protocol.
User Guidance	Describe plans for detecting, reviewing, and reporting any deviations from the protocol or include reference to a separate document.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.10
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.10 Protocol Deviations Concept: CNEW
Repeating and/or Reuse Rules	No

732

733 11.11 Early Site Closure

Term (Variable)	11.11 Early Site Closure
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	11.11
Value	Early Site Closure
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

734

Term (Variable)	<Decision Rights for Site Closure>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the legal principles of entitlement for the sponsor to close a trial site, or for the investigator to initiate the closure of a trial site.
User Guidance	List the sponsor's rights to close a site early. Likewise, list the investigator's rights to initiate early site closure.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.11
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.11 Early Site Closure Concept: CNEW
Repeating and/or Reuse Rules	No

735

Term (Variable)	<Criteria for Early Closure>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The requirements that must be met in order to close a trial site prematurely.
User Guidance	List the criteria for early closure of a site by the sponsor or investigator.
Conformance	Required
Cardinality	One to one

736

Relationship content from ToC representing the protocol hierarchy	11.11
Value	Text
Business rules	Value Allowed: Yes Relationship: 11.11 Early Site Closure Concept: CNEW
Repeating and/or Reuse Rules	No

737

738

11.12 Data Dissemination

Term (Variable)	11.12 Data Dissemination
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.12
Value	Data Dissemination
Business rules	Value Allowed: No Relationship: 11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

739

Term (Variable)	<Data Dissemination>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of whether and which public databases the clinical trial, and results if applicable, will be registered.</p>
User Guidance	Describe whether the clinical trial will be registered in public databases, including reporting of results, if applicable.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	11.12
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 11.12 Data Dissemination</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	No

740

741 12 APPENDIX: SUPPORTING DETAILS

Term (Variable)	12 APPENDIX: SUPPORTING DETAILS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	No text is intended here (heading only). Additional supporting detail appendices may be added at the end of the existing level 2 headings as needed.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12
Value	APPENDIX: SUPPORTING DETAILS
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table of Contents</p> <p>Concept: Heading</p>
Repeating and/or Reuse Rules	No

742

743 12.1 Clinical Laboratory Tests

Term (Variable)	12.1 Clinical Laboratory Tests
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A

Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.1
Value	Clinical Laboratory Tests
Business rules	Value Allowed: No Relationship: 12 APPENDIX: SUPPORTING DETAILS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

744

Term (Variable)	<Clinical Laboratory Tests>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>C25294</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>Any procedure that involves testing or manipulating a sample of blood, urine, or other body substance in a laboratory setting.</p>
User Guidance	Specify which laboratory parameters should be included in each clinical laboratory assessment panel (e.g., for haematology, chemistry, urinalysis). A tabular presentation for such information is common. If applicable, include equations and references for locally calculated laboratory results. If not applicable, retain heading and enter “Not applicable.”
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.1
Value	Text
Business rules	Value Allowed: Yes Relationship: 12.1 Clinical Laboratory Tests Concept: C25294
Repeating and/or Reuse Rules	No

745

746 12.2 Country/Region-Specific Differences

Term (Variable)	12.2 Country/Region-Specific Differences
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.2
Value	Country/Region-Specific Differences
Business rules	Value Allowed: No Relationship: 12 APPENDIX: SUPPORTING DETAILS; Table of Contents

747

	Concept: Heading
Repeating and/or Reuse Rules	No

748

Term (Variable)	<Not applicable>
Data Type	Universal Text
Data (D), Value (V) or Heading (H)	D
Definition	
User Guidance	
Conformance	Optional: if there are no Country/Region Specific Differences
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.2
Value	Not Applicable
Business rules	Value Allowed: No Relationship: 12.2 Country/Region-Specific Differences Concept: Universal Text
Repeating and/or Reuse Rules	No

Term (Variable)	[Country/Region Identifier]
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	H
Definition	C20108 or CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to identify and/or name a country or region.
User Guidance	Although global clinical trial practices are increasingly harmonised, some country/ region-specific differences in requirements do exist (e.g., document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country/region-specific differences (e.g., by country/region-specific amendments or addenda). An alternative to country/region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies. If not applicable, retain the heading and enter “Not applicable.”
Conformance	Optional: if there is Country/Region-specific differences
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.2
Value	Country Data element ISO 3166 Alpha 2, Region Data element ISO 3166 Alpha 2 or Not applicable
Business rules	Value Allowed: Yes Relationship: 12.2 Country/Region-Specific Differences Concept: C20108, CNEW, Heading, Identifier, ISO 3166 Country Codes, Alpha 2; ISO 3166 Region Codes, Alpha 2

749

Repeating and/or Reuse Rules	Yes, repeatable for each Country/Region
Term (Variable)	<Country/Region-Specific Requirements>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of any country or region-specific requirements related to the trial but not related to individual items in the protocol.</p>
User Guidance	<p>Although global clinical trial practices are increasingly harmonised, some country/ region-specific differences in requirements do exist (e.g., document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country/region-specific differences (e.g., by country/region-specific amendments or addenda).</p> <p>An alternative to country/region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.</p>
Conformance	Optional if there is Country/Region-specific differences
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.2
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: 12.2 Country /Region Identifier; Country/Region-Specific Differences</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, repeatable for each Country/Region

750

Term (Variable)	<Country/Region-specific Protocol Clarification>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A description of any country or region-specific clarifications related to a protocol item.</p>
User Guidance	<p>Although global clinical trial practices are increasingly harmonised, some country/region-specific differences in requirements do exist (e.g., document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country/region-specific differences (e.g., by country/region-specific amendments or addenda).</p> <p>An alternative to country/region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.</p> <p>If not applicable, retain the heading and enter "Not applicable."</p>
Conformance	Optional if there is Country/Region-specific differences
Cardinality	One to many

Relationship content from ToC representing the protocol hierarchy	12.2
Value	Text
Business rules	Value Allowed: Yes Relationship: Country /Region Identifier; 12.2 Country/Region-Specific Differences Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each country/region

751

12.3 Prior Protocol Amendment(s)

Term (Variable)	12.3 Prior Protocol Amendment(s)
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Prior Protocol Amendment(s)
Business rules	Value Allowed: No Relationship: 12 APPENDIX: SUPPORTING DETAILS; Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

753

Term (Variable)	Prior Protocol Amendment(s)
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below An indication as to whether the protocol has not been amended, is the first protocol amendment, or a statement that the protocol has been amended previously.
User Guidance	Choose the applicable statement below. For an original protocol that has not been amended, retain the first sentence below and delete the remainder of this entire section. {Not applicable. This protocol has not been amended.} Or {Not applicable. This is the first protocol amendment.} Or include the below as applicable. {This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.}
Conformance	Required
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	12.3
Value	{Not applicable. This protocol has not been amended.} (CNEW) Or {Not applicable. This is the first protocol amendment.} (CNEW) Or {This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.} (CNEW)
Business rules	Value Allowed: Yes Relationship: 12.3 Prior Protocol Amendment(s) Concept: CNEW
Repeating and/or Reuse Rules	No

754

NCI C-Code	M11 Preferred Term	Draft Definition
CNEW	Not applicable. This protocol has not been amended.	Not applicable. This protocol has not been amended.
CNEW	Not applicable. This is the first protocol amendment.	Not applicable. This is the first protocol amendment.
CNEW	This protocol has been amended previously. Details of prior amendments are presented in Section 12.3 Prior Protocol Amendments.	This protocol has been amended previously. Details of prior amendments are presented in Section 12.3 Prior Protocol Amendments.
CNEW	This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.	This protocol has been amended previously. The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Prior amendment(s) to this protocol are listed in the table below, beginning with the most recent.

755

Term (Variable)	Document
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the

	<p>table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p> <ul style="list-style-type: none"> • For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. • For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed. • For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”. • For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed. • Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Document
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table Column Heading; 12.3 Prior Protocol Amendment(s)</p> <p>Concept: Table Column Heading</p>
Repeating and/or Reuse Rules	No

756

Term (Variable)	Sponsor Approval Date
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	<p>Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p>

	<ul style="list-style-type: none"> For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed. For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”. For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed. Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Required
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Sponsor Approval Date
Business rules	Value Allowed: No Relationship: Table Column Heading; 12.3 Prior Protocol Amendment(s) Concept: Table Column Heading
Repeating and/or Reuse Rules	No

757

Term (Variable)	Approximate Enrollment when Sponsor Approved Amendment
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	<p>Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p> <ul style="list-style-type: none"> For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”.

	<p>the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed.</p> <ul style="list-style-type: none"> For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”. For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed. Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Optional if there is an amendment and sponsor chooses to use
Cardinality	One to many
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Approximate Enrollment when Sponsor Approved Amendment
Business rules	<p>Value Allowed: No</p> <p>Relationship: Table Column Heading; 12.3 Prior Protocol Amendment(s)</p> <p>Concept: Table Column Heading</p>
Repeating and/or Reuse Rules	No

758

Term (Variable)	<Amendment Identifier>
Data Type	Text or Universal Text “Original Protocol”
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>A sequence of characters used to uniquely identify a protocol amendment.</p>
User Guidance	<p>Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p> <ul style="list-style-type: none"> For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed.

	<ul style="list-style-type: none"> For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”. For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed. Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text or Universal Text “Original Protocol”
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading “Document”</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, reuse from the title page or other previous amendment

759

Term (Variable)	<Sponsor Approval Date>
Data Type	Date
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The date that the sponsor approved the current or prior version of the protocol.</p>
User Guidance	<p>Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p> <ul style="list-style-type: none"> For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed. For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”.

	<ul style="list-style-type: none"> For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed. Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Date
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading “Amendment Identifier “Sponsor Approval Date”</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, reuse from the title page or other previous amendment

Term (Variable)	<# or %> enrolled <globally/locally/per cohort>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The value (expressed either numerically or as a percentage) for the estimated number of participants enrolled at the time of the protocol amendment.</p>
User Guidance	<p>Previous amendments should appear in reverse chronological order with the most recent at the top (e.g., Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments.</p> <p>If including the column with enrollment numbers, follow the instructions below.</p> <ul style="list-style-type: none"> For <u>global</u> amendments to international clinical trials or amendments to a <u>single-country</u> trial, list approximate global enrollment total or percentage at the time of the amendment and select “globally”. For <u>global amendments consolidating only country/region-specific requirements</u>, list approximate local enrollment total or percentage at the time of the amendment and select “locally”. If consolidating a series of local amendments, the status of all the relevant locations can be listed. For <u>country/region</u> amendments to international clinical trials, list the approximate local enrollment total or percentage at the time of the amendment and select “locally”. For <u>studies in which enrollment status by cohort is more meaningful, such as for single-site or early-phase studies</u>, listing approximate

	<p>enrollment by cohort is an option. If multiple cohorts are ongoing at the time of the amendment, the status of all the ongoing cohorts can be listed.</p> <ul style="list-style-type: none"> Enter the approximate number or percentage of participants enrolled as a percentage of the expected total.
Conformance	Optional: when there is an amendment and sponsor chooses
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	<# or %> enrolled <globally/locally/per cohort>
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Amendment Identifier; Sponsor Approval Date</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, reuse from the title page or other previous amendment

761

Term (Variable)	<# or %>
Data Type	Number
Data (D), Value (V) or Heading (H)	D
Definition	<p>CNEW</p> <p>For review purpose, see definition of the controlled terminology below</p> <p>The numeric value (expressed as an absolute value or percentage) for the estimated number of participants enrolled at the time of the protocol amendment.</p>
User Guidance	N/A
Conformance	Optional: if Original Protocol =No
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	Amendment Details
Value	Integer for Number or one decimal point for percent
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Amendment Identifier; Sponsor Approval Date</p> <p>Concept: CNEW</p>
Repeating and/or Reuse Rules	Yes, reuse from the title page or other previous amendment

762

Term (Variable)	{The Overview of Changes from each prior protocol amendment is {provided below} or <specify alternative location>}.
Data Type	Text
Data (D), Value (V) or Heading (H)	Universal text and V, D
Definition	N/A
User Guidance	Move the Overview of Changes table from the previous amendments to this section in reverse chronological order (most recent first).
Conformance	Conditional: if not original protocol or first amendment
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	The Overview of Changes from each prior protocol amendment is

	Choose provided below or <specify alternative location>.
Business rules	Value Allowed: Yes Relationship: 12.3 Prior Protocol Amendment(s) {The Overview of Changes from each prior protocol amendment is {provided below} or <specify alternative location>} Concept: Universal text
Repeating and/or Reuse Rules	No

763

Term (Variable)	<specify alternative location>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The physical or virtual location of the overview of changes from each prior amendment.
User Guidance	N/A
Conformance	Conditional: when a specify alternative location is selected
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text Location where information can be found
Business rules	Value Allowed: Yes Relationship: Location for previous amendments Concept: CNEW
Repeating and/or Reuse Rules	Yes, reuse from the title page.

764

Term (Variable)	{The Overview of Changes in Amendment <amendment number> (<date>)}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	Move the Overview of Changes table from the previous amendments to this section in reverse chronological order (most recent first).
Conformance	Conditional: when there is an amendment
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Overview of Changes in Amendment:
Business rules	Value Allowed: No Relationship: Overview of Changes from each prior protocol amendment is {provided below} or <specify alternative location>. Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable one table per amendment

765

Term (Variable)	<amendment Identifier>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A sequence of characters used to uniquely identify a protocol amendment.
User Guidance	Move the Overview of Changes table from the previous amendments to this section in reverse chronological order (most recent first).
Conformance	Conditional: if amendment
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text
Business rules	Value Allowed: Yes Relationship: Overview of Changes from each prior protocol amendment is {provided below} or <specify alternative location>. Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable one table per amendment identifier

766

Term (Variable)	<Sponsor Approval Date>
Data Type	Date
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The date that the sponsor approved the current or prior version of the protocol.
User Guidance	Move the Overview of Changes table from the previous amendments to this section in reverse chronological order (most recent first).
Conformance	Conditional: if amendment
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Date
Business rules	Value Allowed: Yes Relationship: {The Overview of Changes from each prior protocol amendment is {provided below} or <specify alternative location>}. Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable one table per amendment

767

Term (Variable)	{Description of Change}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: if there is a previous amendment

768

Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	{Description of Change}
Business rules	Value Allowed: No Relationship: Table; 12.3 Prior Protocol Amendment(s) Concept: Table Column Heading
Repeating and/or Reuse Rules	No

769

Term (Variable)	<Description of Change>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A description of the change introduced in the current or prior version of the protocol.
User Guidance	N/A
Conformance	Conditional: if there is a previous amendment. Table optional
Cardinality	Column Heading Row Content
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text
Business rules	Value Allowed: Yes Relationship: Table Column Heading “Description of Change”; 12.3 Prior Protocol Amendment(s) Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for every description of change

Term (Variable)	{Brief Rationale for Change}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: if there is a previous amendment
Cardinality	Column Heading Table
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Brief Rationale for Change
Business rules	Value Allowed: No Relationship: Table; 12.3 Prior Protocol Amendment(s) Concept: Table Column Heading
Repeating and/or Reuse Rules	No

770

Term (Variable)	<Brief Rationale for Change>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below The brief reason for the change introduced in the current or prior version of the protocol.
User Guidance	N/A
Conformance	Conditional: if there is a previous amendment. Table optional
Cardinality	One to Column Heading Row description of change Section# and Name
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text
Business rules	Value Allowed: Yes Relationship: Table Column Heading {Brief Rationale for Change} and <Description of Change> Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for every description of change

771

Term (Variable)	{Section # and Name}
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Table Column Heading
User Guidance	N/A
Conformance	Conditional: if there is a previous amendment
Cardinality	Column Heading Table
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Section # and Name
Business rules	Value Allowed: No Relationship: Table; 12.3 Prior Protocol Amendment(s) Concept: Table Column Heading
Repeating and/or Reuse Rules	No

772

Term (Variable)	<Section # and Name of Change>
Data Type	Valid Value
Data (D), Value (V) or Heading (H)	V
Definition	CNEW For review purpose, see definition of the controlled terminology below The protocol section number and name containing the change introduced in the current or prior version of the protocol.

User Guidance	N/A
Conformance	Conditional: if there is a previous amendment. Table optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12.3
Value	Text
Business rules	<p>Value Allowed: Yes</p> <p>Relationship: Table Column Heading {Section # and Name} and <Description of Change></p>
Repeating and/or Reuse Rules	Yes, repeatable for every Description of Change

773

NCI C-code	M11 Preferred Term	Draft Definition
CNEW	1 PROTOCOL SUMMARY	Section 1 of the ICH M11 Protocol standard, PROTOCOL SUMMARY.
CNEW	1.1 Protocol Synopsis	Section 1.1 of the ICH M11 Protocol standard, Protocol Synopsis.
CNEW	1.1.1 Primary and Secondary Objectives and Estimands	Section 1.1.1 of the ICH M11 Protocol standard, Primary and Secondary Objectives and Estimands.
CNEW	1.1.2 Overall Design	Section 1.1.2 of the ICH M11 Protocol standard, Overall Design.
CNEW	1.2 Trial Schema	Section 1.2 of the ICH M11 Protocol standard, Trial Schema.
CNEW	1.3 Schedule of Activities	Section 1.3 of the ICH M11 Protocol standard, Schedule of Activities.
CNEW	2 INTRODUCTION	Section 2 of the ICH M11 Protocol standard, INTRODUCTION.
CNEW	2.1 Purpose of Trial	Section 2.1 of the ICH M11 Protocol standard, Purpose of Trial.
CNEW	2.2 Assessment of Risks and Benefits	Section 2.2 of the ICH M11 Protocol standard, Assessment of Risks and Benefits.
CNEW	2.2.1 Risk Summary and Mitigation Strategy	Section 2.2.2 of the ICH M11 Protocol standard, Risk Summary and Mitigation Strategy.
CNEW	2.2.2 Benefit Summary	Section 2.2.1 of the ICH M11 Protocol standard, Benefit Summary.
CNEW	2.2.3 Overall Benefit-Risk Assessment	Section 2.2.3 of the ICH M11 Protocol standard, Overall Benefit:Risk Assessment.
CNEW	3 TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS	Section 3 of the ICH M11 Protocol standard, TRIAL OBJECTIVES AND ASSOCIATED ESTIMANDS.
CNEW	3.1 Primary Objective(s) and Associated Estimand(s)	Section 3.1 of the ICH M11 Protocol standard, Primary Objective(s) and Associated Estimand(s).
CNEW	3.1.1 Primary Objective #	Section 3.1.1 of the ICH M11 Protocol standard, Primary Objective.
CNEW	3.2 Secondary Objective(s) and Associated Estimand(s)	Section 3.2 of the ICH M11 Protocol standard, Secondary Objective(s) and Associated Estimand(s).
CNEW	3.2.1 Secondary Objective #	Section 3.2.1 of the ICH M11 Protocol standard, Secondary Objective.
CNEW	3.3 Exploratory Objective(s)	Section 3.3 of the ICH M11 Protocol standard, Exploratory Objective(s).

CNEW	3.3.1 Exploratory Objective #	Section 3.3.1 of the ICH M11 Protocol standard, Exploratory Objective.
CNEW	4 TRIAL DESIGN	Section 4 of the ICH M11 Protocol standard, TRIAL DESIGN.
CNEW	4.1 Description of Trial Design	Section 4.1 of the ICH M11 Protocol standard, Description of Trial Design.
CNEW	4.1.1 Stakeholder Input into Design	Section 4.1.1 of the ICH M11 Protocol standard, Stakeholder Input into Design.
CNEW	4.2 Rationale for Trial Design	Section 4.2 of the ICH M11 Protocol standard, Rationale for Trial Design.
CNEW	4.2.1 Rationale for Estimand(s)	Section 4.2.1 of the ICH M11 Protocol standard, Rationale for Estimand(s).
CNEW	4.2.2 Rationale for Intervention Model	Section 4.2.2 of the ICH M11 Protocol standard, Rationale for Intervention Model.
CNEW	4.2.3 Rationale for Control Type	Section 4.2.3 of the ICH M11 Protocol standard, Rationale for Control Type.
CNEW	4.2.4 Rationale for Trial Duration	Section 4.2.4 of the ICH M11 Protocol standard, Rationale for Trial Duration.
CNEW	4.2.3 Rationale for Estimand Attributes	Section 4.2.3 of the ICH M11 Protocol standard, Rationale for Estimand Attributes.
CNEW	4.2.5 Rationale for Adaptive or Novel Trial Design	Section 4.2.5 of the ICH M11 Protocol standard, Rationale for Adaptive or Novel Trial Design.
CNEW	4.2.6 Rationale for Interim Analysis	Section 4.2.6 of the ICH M11 Protocol standard, Rationale for Interim Analysis.
CNEW	4.2.7 Rationale for Other Trial Design Aspects	Section 4.2.7 of the ICH M11 Protocol standard, Rationale for Other Trial Design Aspects.
CNEW	4.3 Trial Stopping Rules	Section 4.3 of the ICH M11 Protocol standard, Trial Stopping Rules.
CNEW	4.4 Start of Trial and End of Trial	Section 4.4 of the ICH M11 Protocol standard, Start of Trial and End of Trial.
CNEW	4.5 Access to Trial Intervention After End of Trial	Section 4.5 of the ICH M11 Protocol standard, Access to Trial Intervention After End of Trial.
CNEW	5 TRIAL POPULATION	Section 5 of the ICH M11 Protocol standard, TRIAL POPULATION.
CNEW	5.1 Description of Trial Population and Rationale	Section 5.1 of the ICH M11 Protocol standard, Description of Trial Population and Rationale.
CNEW	5.2 Inclusion Criteria	Section 5.2 of the ICH M11 Protocol standard, Inclusion Criteria.
CNEW	5.3 Exclusion Criteria	Section 5.3 of the ICH M11 Protocol standard, Exclusion Criteria.
CNEW	5.4 Contraception	Section 5.4 of the ICH M11 Protocol standard, Contraception.
CNEW	5.4.1 Definitions Related to Childbearing Potential	Section 5.4.1 of the ICH M11 Protocol standard, Definitions Related to Childbearing Potential.
CNEW	5.4.2 Contraception Requirements	Section 5.4.2 of the ICH M11 Protocol standard, Contraception Requirements.
CNEW	5.5 Lifestyle Restrictions	Section 5.5 of the ICH M11 Protocol standard, Lifestyle Restrictions.
CNEW	5.5.1 Meals and Dietary Restrictions	Section 5.5.1 of the ICH M11 Protocol standard, Meals and Dietary Restrictions.
CNEW	5.5.2 Caffeine, Alcohol, Tobacco, and Other Restrictions	Section 5.5.2 of the ICH M11 Protocol standard, Caffeine, Alcohol, Tobacco, and Other Restrictions.

CNEW	5.5.3 Physical Activity Restrictions	Section 5.5.3 of the ICH M11 Protocol standard, Physical Activity Restrictions.
CNEW	5.5.4 Other Activity Restrictions	Section 5.5.4 of the ICH M11 Protocol standard, Other Activity Restrictions.
CNEW	5.6 Screen Failure and Rescreening	Section 5.6 of the ICH M11 Protocol standard, Screen Failure and Rescreening.
CNEW	6 TRIAL INTERVENTION AND CONCOMITANT THERAPY	Section 6 of the ICH M11 Protocol standard, TRIAL INTERVENTION AND CONCOMITANT THERAPY.
CNEW	6.1 Description of Investigational Trial Intervention	Section 6.1 of the ICH M11 Protocol standard, Description of Investigational Trial Intervention.
CNEW	6.2 Rationale for Investigational Trial Intervention Dose and Regimen	Section 6.2 of the ICH M11 Protocol standard, Rationale for Investigational Trial Intervention Dose and Regimen.
CNEW	6.3 Investigational Trial Intervention Administration	Section 6.3 of the ICH M11 Protocol standard, Investigational Trial Intervention Administration.
CNEW	6.4 Investigational Trial Intervention Dose Modification	Section 6.4 of the ICH M11 Protocol standard, Investigational Trial Intervention Dose Modification.
CNEW	6.5 Management of Investigational Trial Intervention Overdose	Section 6.5 of the ICH M11 Protocol standard, Management of Investigational Trial Intervention Overdose.
CNEW	6.6 Preparation, Storage, Handling and Accountability of Investigational Trial Intervention	Section 6.6 of the ICH M11 Protocol standard, Preparation, Storage, Handling and Accountability of Investigational Trial Intervention.
CNEW	6.6.1 Preparation of Investigational Trial Intervention	Section 6.6.1 of the ICH M11 Protocol standard, Preparation of Investigational Trial Intervention.
CNEW	6.6.2 Storage and Handling of Investigational Trial Intervention	Section 6.6.2 of the ICH M11 Protocol standard, Storage and Handling of Investigational Trial Intervention.
CNEW	6.6.3 Accountability of Investigational Trial Intervention	Section 6.6.3 of the ICH M11 Protocol standard, Accountability of Investigational Trial Intervention.
CNEW	6.7 Investigational Trial Intervention Assignment, Randomisation and Blinding	Section 6.7 of the ICH M11 Protocol standard, Investigational Trial Intervention Assignment, Randomisation and Blinding.
CNEW	6.7.1 Participant Assignment to Investigational Trial Intervention	Section 6.7.1 of the ICH M11 Protocol standard, Participant Assignment to Investigational Trial Intervention.
CNEW	6.7.2 Randomisation	Section 6.7.2 of the ICH M11 Protocol standard, Randomisation.
CNEW	6.7.3 Measures to Maintain Blinding	Section 6.7.3 of the ICH M11 Protocol standard, Measures to Maintain Blinding.

CNEW	6.7.4 Emergency Unblinding at the Site	Section 6.7.4 of the ICH M11 Protocol standard, Emergency Unblinding at the Site.
CNEW	6.8 Investigational Trial Intervention Adherence	Section 6.8 of the ICH M11 Protocol standard, Investigational Trial Intervention Adherence.
CNEW	6.9 Description of Noninvestigational Trial Intervention	Section 6.9 of the ICH M11 Protocol standard, Description of Noninvestigational Trial Intervention.
CNEW	6.9.1 Background Trial Intervention	Section 6.9.1 of the ICH M11 Protocol standard, Background Trial Intervention.
CNEW	6.9.2 Rescue Therapy	Section 6.9.2 of the ICH M11 Protocol standard, Rescue Therapy.
CNEW	6.9.3 Other Noninvestigational Trial Intervention	Section 6.9.3 of the ICH M11 Protocol standard, Other Noninvestigational Trial Intervention.
CNEW	6.10 Concomitant Therapy	Section 6.10 of the ICH M10 Protocol standard, Concomitant Therapy.
CNEW	6.10.1 Prohibited Concomitant Therapy	Section 6.10.1 of the ICH M10 Protocol standard, Prohibited Concomitant Therapy.
CNEW	6.10.2 Permitted Concomitant Therapy	Section 6.10.2 of the ICH M10 Protocol standard, Permitted Concomitant Therapy.
CNEW	7 PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL	Section 7 of the ICH M11 Protocol standard, PARTICIPANT DISCONTINUATION OF TRIAL INTERVENTION AND DISCONTINUATION OR WITHDRAWAL FROM TRIAL.
CNEW	7.1 Discontinuation of Trial Intervention for Individual Participants	Section 7.1 of the ICH M11 Protocol standard, Discontinuation of Trial Intervention for Individual Participants.
CNEW	7.1.1 Permanent Discontinuation of Trial Intervention	Section 7.1.1 of the ICH M11 Protocol standard, Permanent Discontinuation of Trial Intervention.
CNEW	7.1.2 Temporary Discontinuation of Trial Intervention	Section 7.1.2 of the ICH M11 Protocol standard, Temporary Discontinuation of Trial Intervention.
CNEW	7.1.3 Rechallenge	Section 7.1.3 of the ICH M11 Protocol standard, Rechallenge.
CNEW	7.2 Participant Discontinuation or Withdrawal from the Trial	Section 7.2 of the ICH M11 Protocol standard, Participant Discontinuation or Withdrawal from the Trial.
CNEW	7.3 Lost to Follow-Up	Section 7.3 of the ICH M11 Protocol standard, Lost to Follow-Up.
CNEW	8 TRIAL ASSESSMENTS AND PROCEDURES	Section 8 of the ICH M11 Protocol standard, TRIAL ASSESSMENTS AND PROCEDURES.
CNEW	8.1 Trial Assessments and Procedures Considerations	Section 8.1 of the ICH M11 Protocol standard, Trial Assessments and Procedures Considerations.
CNEW	8.2 Screening/Baseline Assessments and Procedures	Section 8.2 of the ICH M11 Protocol standard, Screening/Baseline Assessments and Procedures.
CNEW	8.3 Efficacy Assessments and Procedures	Section 8.3 of the ICH M11 Protocol standard, Efficacy Assessments and Procedures.

CNEW	8.4 Safety Assessments and Procedures	Section 8.4 of the ICH M11 Protocol standard, Safety Assessments and Procedures.
CNEW	8.4.1 Physical Examination	Section 8.4.1 of the ICH M11 Protocol standard, Physical Examination.
CNEW	8.4.2 Vital Signs	Section 8.4.2 of the ICH M11 Protocol standard, Vital Signs.
CNEW	8.4.3 Electrocardiograms	Section 8.4.3 of the ICH M11 Protocol standard, Electrocardiograms.
CNEW	8.4.4 Clinical Laboratory Assessments	Section 8.4.4 of the ICH M11 Protocol standard, Clinical Laboratory Assessments.
CNEW	8.4.5 Pregnancy Testing	Section 8.4.5 of the ICH M11 Protocol standard, Pregnancy Testing.
CNEW	8.4.6 Suicidal Ideation and Behaviour Risk Monitoring	Section 8.4.6 of the ICH M11 Protocol standard, Suicidal Ideation and Behaviour Risk Monitoring.
CNEW	8.5 Pharmacokinetics	Section 8.5 of the ICH M11 Protocol standard, Pharmacokinetics.
CNEW	8.6 Biomarkers	Section 8.6 of the ICH M11 Protocol standard, Biomarkers.
CNEW	8.6.1 Genetics and Pharmacogenomics	Section 8.6.1 of the ICH M11 Protocol standard, Genetics and Pharmacogenomics.
CNEW	8.6.2 Pharmacodynamic Biomarkers	Section 8.6.2 of the ICH M11 Protocol standard, Pharmacodynamic Biomarkers.
CNEW	8.6.3 Other Biomarkers	Section 8.6.3 of the ICH M11 Protocol standard, Other Biomarkers.
CNEW	8.7 Immunogenicity Assessments	Section 8.7 of the ICH M11 Protocol standard, Immunogenicity Assessments.
CNEW	8.8 Medical Resource Utilisation and Health Economics	Section 8.8 of the ICH M11 Protocol standard, Medical Resource Utilisation and Health Economics.
CNEW	9 ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS	Section 9 of the ICH M11 Protocol standard, ADVERSE EVENTS, SERIOUS ADVERSE EVENTS, PRODUCT COMPLAINTS, PREGNANCY AND POSTPARTUM INFORMATION, AND SPECIAL SAFETY SITUATIONS.
CNEW	9.1 Definitions	Section 9.1 of the ICH M11 Protocol standard, Definitions.
CNEW	9.1.1 Definitions of Adverse Events	Section 9.1.1 of the ICH M11 Protocol standard, Definitions of Adverse Events.
CNEW	9.1.2 Definitions of Serious Adverse Events	Section 9.1.2 of the ICH M11 Protocol standard, Definitions of Serious Adverse Events.
CNEW	9.1.3 Definitions of Product Complaints	Section 9.1.3 of the ICH M11 Protocol standard, Definitions of Product Complaints.
CNEW	9.1.3.1 Definitions of Medical Device Product Complaints	Section 9.1.3.1 of the ICH M11 Protocol standard, Definitions of Medical Device Product Complaints.
CNEW	9.2 Timing and Procedures for	Section 9.2 of the ICH M11 Protocol standard, Timing and Procedures for Collection and Reporting.

	<u>Collection and Reporting</u>	
CNEW	9.2.1 Timing	Section 9.2.1 of the ICH M11 Protocol standard, Timing.
CNEW	9.2.2 Collection Procedures	Section 9.2.2 of the ICH M11 Protocol standard, Collection Procedures.
CNEW	9.2.3 Reporting	Section 9.2.3 of the ICH M11 Protocol standard, Reporting.
CNEW	9.2.3.1 Regulatory Reporting Requirements	Section 9.2.3.1 of the ICH M11 Protocol standard, Regulatory Reporting Requirements.
CNEW	9.2.4 Adverse Events of Special Interest	Section 9.2.4 of the ICH M11 Protocol standard, Adverse Events of Special Interest.
CNEW	9.2.5 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs	Section 9.2.5 of the ICH M11 Protocol standard, Disease-related Events or Outcomes Not Qualifying as AEs or SAEs.
CNEW	9.3 Pregnancy and Postpartum Information	Section 9.3 of the ICH M11 Protocol standard, Pregnancy and Postpartum Information.
CNEW	9.3.1 Participants Who Become Pregnant During the Trial	Section 9.3.1 of the ICH M11 Protocol standard, Participants Who Become Pregnant During the Trial.
CNEW	9.3.2 Participants Whose Partners Become Pregnant During the Trial	Section 9.3.2 of the ICH M11 Protocol standard, Participants Whose Partners Become Pregnant During the Trial.
CNEW	9.4 Special Safety Situations	Section 9.4 of the ICH M11 Protocol standard, Special Safety Situations.
CNEW	10 STATISTICAL CONSIDERATIONS	Section 10 of the ICH M11 Protocol standard, STATISTICAL CONSIDERATIONS.
CNEW	10.1 General Considerations	Section 10.1 of the ICH M11 Protocol standard, General Considerations.
CNEW	10.2 Analysis Sets	Section 10.2 of the ICH M11 Protocol standard, Analysis Sets.
CNEW	10.3 Analyses of Demographics and Other Baseline Variables	Section 10.3 of the ICH M11 Protocol standard, Analyses of Demographics and Other Baseline Variables.
CNEW	10.4 Analyses Associated with the Primary Objective(s)	Section 10.4 of the ICH M11 Protocol standard, Analyses Associated with the Primary Objective(s).
CNEW	10.4.1 Primary Objective #	Section 10.4.1 of the ICH M11 Protocol standard, Primary Objective.
CNEW	10.4.1.1 Statistical Analysis Method	Section 10.4.1.1 of the ICH M11 Protocol standard, Statistical Analysis Method.
CNEW	10.4.1.2 Handling of Data in Relation to Primary Estimand(s)	Section 10.4.1.2 of the ICH M11 Protocol standard, Handling of Data in Relation to Primary Estimand(s).
CNEW	10.4.1.3 Handling of Missing Data in Relation to Primary Estimand(s)	Section 10.4.1.3 of the ICH M11 Protocol standard, Handling of Missing Data in Relation to Primary Estimand(s)
CNEW	10.4.1.4 Sensitivity Analysis	Section 10.4.1.4 of the ICH M11 Protocol standard, Sensitivity Analysis.
CNEW	10.4.1.5 Supplementary Analysis	Section 10.4.1.5 of the ICH M11 Protocol standard, Supplementary Analysis.

CNEW	10.5 Analyses Associated with the Secondary Objective(s)	Section 10.5 of the ICH M11 Protocol standard, Analyses Associated with the Secondary Objective(s).
CNEW	10.5.1 Secondary Objective #	Section 10.5.1 of the ICH M11 Protocol standard, Secondary Objective.
CNEW	10.5.1.1 Statistical Analysis Method	Section 10.5.1.1 of the ICH M11 Protocol standard, Statistical Analysis Method.
CNEW	10.5.1.2 Handling of Data in Relation to Secondary Estimand(s)	Section 10.5.1.2 of the ICH M11 Protocol standard, Handling of Data in Relation to Secondary Estimand(s).
CNEW	10.5.1.3 Handling of Missing Data in Relation to Secondary Estimand(s)	Section 10.5.1.3 of the ICH M11 Protocol standard, Handling of Missing Data in Relation to Secondary Estimand(s).
CNEW	10.5.1.4 Sensitivity Analysis	Section 10.5.1.4 of the ICH M11 Protocol standard, Sensitivity Analysis.
CNEW	10.5.1.5 Supplementary Analysis	Section 10.5.1.5 of the ICH M11 Protocol standard, Supplementary Analysis.
CNEW	10.6 Analysis Associated with the Exploratory Objective(s)	Section 10.6 of the ICH M11 Protocol standard, Analysis Associated with the Exploratory Objective(s).
CNEW	10.7 Safety Analyses	Section 10.7 of the ICH M11 Protocol standard, Safety Analyses.
CNEW	10.8 Other Analyses	Section 10.8 of the ICH M11 Protocol standard, Other Analyses.
CNEW	10.9 Interim Analyses	Section 10.9 of the ICH M11 Protocol standard, Interim Analyses.
CNEW	10.10 Multiplicity Adjustments	Section 10.10 of the ICH M11 Protocol standard, Multiplicity Adjustments.
CNEW	10.11 Sample Size Determination	Section 10.11 of the ICH M11 Protocol standard, Sample Size Determination.
CNEW	11 TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS	Section 11 of the ICH M11 Protocol standard, TRIAL OVERSIGHT AND OTHER GENERAL CONSIDERATIONS.
CNEW	11.1 Regulatory and Ethical Considerations	Section 11.1 of the ICH M11 Protocol standard, Regulatory and Ethical Considerations.
CNEW	11.2 Trial Oversight	Section 11.2 of the ICH M11 Protocol standard, Trial Oversight.
CNEW	11.2.1 Investigator Responsibilities	Section 11.2.1 of the ICH M11 Protocol standard, Investigator Responsibilities.
CNEW	11.2.2 Sponsor Responsibilities	Section 11.2.2 of the ICH M11 Protocol standard, Sponsor Responsibilities.
CNEW	11.3 Informed Consent Process	Section 11.3 of the ICH M11 Protocol standard, Informed Consent Process.
CNEW	11.3.1 Informed Consent for Rescreening	Section 11.3.1 of the ICH M11 Protocol standard, Informed Consent for Rescreening.
CNEW	11.3.2 Informed Consent for Use of Remaining Samples in Exploratory Research	Section 11.3.2 of the ICH M11 Protocol standard, Informed Consent for Use of Remaining Samples in Exploratory Research.
CNEW	11.4 Committees	Section 11.4 of the ICH M11 Protocol standard, Committees.
CNEW	11.5 Insurance and Indemnity	Section 11.5 of the ICH M11 Protocol standard, Insurance and Indemnity.

CNEW	11.6 Risk-Based Quality Management	Section 11.6 of the ICH M11 Protocol standard, Risk-Based Quality Management.
CNEW	11.7 Data Governance	Section 11.7 of the ICH M11 Protocol standard, Data Governance.
CNEW	11.8 Data Protection	Section 11.8 of the ICH M11 Protocol standard, Data Protection.
CNEW	11.9 Source Data	Section 11.9 of the ICH M11 Protocol standard, Source Data.
CNEW	11.10 Protocol Deviations	Section 11.10 of the ICH M11 Protocol standard, Protocol Deviations.
CNEW	11.11 Early Site Closure	Section 11.11 of the ICH M11 Protocol standard, Early Site Closure.
CNEW	11.12 Data Dissemination	Section 11.12 of the ICH M11 Protocol standard, Data Dissemination.
CNEW	12 APPENDIX: SUPPORTING DETAILS	Section 12 of the ICH M11 Protocol standard, APPENDIX: SUPPORTING DETAILS.
CNEW	12.1 Clinical Laboratory Tests	Section 12.1 of the ICH M11 Protocol standard, Clinical Laboratory Tests.
CNEW	12.2 Country/Region-Specific Differences	Section 12.2 of the ICH M11 Protocol standard, Country/Region-Specific Differences.
CNEW	12.3 Prior Protocol Amendment(s)	Section 12.3 of the ICH M11 Protocol standard, Prior Protocol Amendment(s).
CNEW	13 APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS	Section 13 of the ICH M11 Protocol standard, APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS.
CNEW	14 APPENDIX: REFERENCES	Section 14 of the ICH M11 Protocol standard, APPENDIX: REFERENCES.

774

Term (Variable)	12.X Additional Appendices
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Optional
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	12 X where X is a unique number for each Additional Appendix
Value	Title of Appendix
Business rules	Value Allowed: Yes Relationship: 12 APPENDIX: SUPPORTING DETAILS and Table of content Concept: Heading
Repeating and/or Reuse Rules	Yes, repeatable for each additional Appendix

775

Term (Variable)	<Enter Appendix>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	N/A
User Guidance	N/A
Conformance	Optional
Cardinality	One to one

Relationship content from ToC representing the protocol hierarchy	12 X where X is a unique number for each Additional Appendix
Value	Text
Business rules	Value Allowed: Yes Relationship: 12.X Additional Appendices Concept: CNEW
Repeating and/or Reuse Rules	Yes, repeatable for each additional Appendix

776

13 APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS

Term (Variable)	13 APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	13
Value	APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

778

Term (Variable)	<Glossary of Terms and Abbreviations>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	CNEW For review purpose, see definition of the controlled terminology below A list of terms with their abbreviations and/or definitions.
User Guidance	Define abbreviations and other terms used in the protocol. A tabular presentation is common and may serve as the definition at first use.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	13
Value	Text
Business rules	Value Allowed: Yes Relationship: 13 APPENDIX: GLOSSARY OF TERMS AND ABBREVIATIONS Concept: CNEW
Repeating and/or Reuse Rules	No

779

780 14 APPENDIX: REFERENCES

Term (Variable)	14 APPENDIX: REFERENCES
Data Type	Text
Data (D), Value (V) or Heading (H)	H
Definition	Heading
User Guidance	N/A
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	14
Value	APPENDIX: REFERENCES
Business rules	Value Allowed: No Relationship: Table of Contents Concept: Heading
Repeating and/or Reuse Rules	No

781

Term (Variable)	<References>
Data Type	Text
Data (D), Value (V) or Heading (H)	D
Definition	C184397 For review purpose, see definition of the controlled terminology below The curated list of sources that are cited within the reference section of the document.
User Guidance	References should be listed in a common format that includes all relevant information to identify the source and date published. If not published, this should be clearly indicated.
Conformance	Required
Cardinality	One to one
Relationship content from ToC representing the protocol hierarchy	14
Value	Text
Business rules	Value Allowed: Yes Relationship: 14 APPENDIX: REFERENCES Concept: C184397
Repeating and/or Reuse Rules	No

782