


:60- Chaquira

1.



VO: Life with hidradenitis...

2.




VO: ...suppurativa.

3.




4.



VO: It's a lot about bandages. They cover the abscesses. Absorb the drainage.

5.



VO: But they can't...

6.



VO: ...hide everything.

7.



8.



VO: The pain...

9.




VO: The uncertainty.

10.




VO: It's a lot.

11.




VO: Then I started BIMZELX. I'm starting to feel like...

12.



VO: ...I'm back.


13.



TARGETS & BLOCKS


IL-17A
+
IL-17F

In studies, around 5 in 10 people saw at least a 50% reduction and more than 3 in 10 saw at least a 75% reduction in the number of inflamed nodules and abscesses, with no increase in abscesses or tunnels at 16 weeks, vs around 3 in 10 and around 2 in 10 taking placebo, respectively. 320 mg every 2 weeks for 16 weeks.



AVO: Only BIMZELX targets and blocks...


14.



TARGETS & BLOCKS


IL-17A
+
IL-17F
TO CALM INFLAMMATION

In studies, around 5 in 10 people saw at least a 50% reduction and more than 3 in 10 saw at least a 75% reduction in the number of inflamed nodules and abscesses, with no increase in abscesses or tunnels at 16 weeks, vs around 3 in 10 and around 2 in 10 taking placebo, respectively. 320 mg every 2 weeks for 16 weeks.




AVO: ...IL 17 A + F to calm inflammation

15.




CAN DELIVER
TRANSFORMATIVE
RELIEF
OF HS SYMPTOMS

In studies, around 5 in 10 people saw at least a 50% reduction and more than 3 in 10 saw at least a 75% reduction in the number of inflamed nodules and abscesses, with no increase in abscesses or tunnels at 16 weeks, vs around 3 in 10 and around 2 in 10 taking placebo, respectively. 320 mg every 2 weeks for 16 weeks.




AVO: BIMZELX can deliver transformative relief of HS symptoms...

16.




MANY SAW AT LEAST A
50%
REDUCTION
IN HS SYMPTOMS

In studies, around 5 in 10 people saw at least a 50% reduction and more than 3 in 10 saw at least a 75% reduction in the number of inflamed nodules and abscesses, with no increase in abscesses or tunnels at 16 weeks, vs around 3 in 10 and around 2 in 10 taking placebo, respectively. 320 mg every 2 weeks for 16 weeks.




AVO: ...by at least 50%...

17.



SOME EVEN SAW AT LEAST A
75%
REDUCTION

In studies, around 5 in 10 people saw at least a 50% reduction and more than 3 in 10 saw at least a 75% reduction in the number of inflamed nodules and abscesses, with no increase in abscesses or tunnels at 16 weeks, vs around 3 in 10 and around 2 in 10 taking placebo, respectively. 320 mg every 2 weeks for 16 weeks.



AVO: ...with some even seeing at least a 75% reduction.

18.



WORKS
FAST AND
LASTS

Around 5 in 10 saw results at 16 weeks and many maintained these results at about 1 year. At 2 weeks, 2 in 10 people saw 50% improvement of HS symptoms. 320 mg every 2 weeks for 16 weeks then every 4 weeks. Not focus of the study. Results may vary.



AVO: BIMZELX works fast and lasts.

19.




VO: I'm back to making a difference.

20.



AVO: Serious side effects like suicidal thoughts and behavior...

21.




AVO: ...infections and lowered ability to fight them...

22.



AVO: ...liver problems and inflammatory bowel disease have occurred.

23.



AVO: Tell your doctor if these happen or worsen...

24.




AVO: ...or fevers, chills, muscle aches, or cough occur, or you've had a vaccine or plan to.

25.



AVO: Before starting, get checked for infections...

26.



AVO: ...tuberculosis, and liver problems.

27.




28.




VO: Give yourself the chance to say...

29.



VO: "I'm back."

30.



AVO: Ask Your Dermatologist about BIMZELX