


Frame 1



Frame 2



Frame 3



MUSIC PLAYS

SUPER: Actor portrayals

NARRATOR: Your mental health is better,...

SUPER 1: Actor portrayals


SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...but having...


SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements


Frame 4



Frame 5



Frame 6



NARRATOR: ...uncontrollable...

SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...body movements called...


SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...TD, tardive...

SUPER: Tardive Dyskinesia (TD): Uncontrollable body movements

Frame 7



NARRATOR: ...dyskinesia, can feel...

SUPER: Tardive Dyskinesia (TD): Uncontrollable body movements

Frame 8



NARRATOR: ...embarrassing.

Frame 9



FOOD TRUCK HERO TO CAMERA: I asked my doctor about treating my TD with...

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

Frame 10



ALL THREE HEROES IN UNISON TO CAMERA: ...INGREZZA.

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

Frame 11



VOCAL AUDIO BRANDING: [Singing] INGREZZA

NARRATOR: #1 prescribed INGREZZA is clinically proven to...

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

LOGO: ONE PILL ONCE-DAILY INGREZZA® (valbenazine) capsules

BUG: #1 PRESCRIBED 8 YEARS AND COUNTING

Frame 12



NARRATOR: ...treat TD, quickly reducing TD movements by greater than 5 times...

SUPER 1: Reducing TD Movements >5X at 2 WEEKS vs placebo

SUPER 2: In a 6-week clinical trial, reductions based on average change from baseline to Week 2 on an uncontrollable movement severity scale for INGREZZA (40 mg and 80 mg combined) -1.7 vs placebo -0.3.

LOGO: ONCE-DAILY INGREZZA®

Frame 13



NARRATOR: ...at 2 weeks.

SUPER 1: ReduING TD Movements >5X at 2 WEEKS vs placebo

SUPER 2: In a 6-week clinical trial, reductions based on average change from baseline to Week 2 on an uncontrollable movement severity scale for INGREZZA (40 mg and 80 mg combined) –1.7 vs placebo –0.3.

LOGO: ONCE-DAILY INGREZZA®

Frame 14



NARRATOR: 98% of people were still satisfied...

SUPER 1: Long-LastING Satisfaction >98% still satisfied after 2 YEARS*

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 15



NARRATOR: ...with INGREZZA after 2 years.

SUPER 1: Long-LastING Satisfaction >98% still satisfied after 2 YEARS*

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 16



NARRATOR: And you can keep taking most...

SUPER 1: Keep TakING Most mental health meds[†]

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

Frame 17



NARRATOR: ...mental health meds.

SUPER 1: Keep TakING Most mental health meds[†]

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 18



INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

NARRATOR (MAJOR STATEMENT): INGREZZA can cause depression, suicidal thoughts, or...

SUPER: INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

LOGO: ONCE-DAILY INGREZZA®

Frame 19



**ONCE-DAILY
INGREZZA®**

INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

Frame 20



**ONCE-DAILY
INGREZZA®**

Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

NARRATOR (MAJOR STATEMENT): ...actions in patients with Huntington's disease.

SUPER: INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

LOGO: ONCE-DAILY INGREZZA®

Frame 21



**ONCE-DAILY
INGREZZA®**


Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

NARRATOR (MAJOR STATEMENT): ...or mood changes, or suicidal thoughts.

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

Frame 22



**ONCE-DAILY
INGREZZA®**

Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

Frame 23



**ONCE-DAILY
INGREZZA®**

Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): Don't take INGREZZA if allergic.

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

Frame 24



**ONCE-DAILY
INGREZZA®**

Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): ...like sudden, potentially fatal swelling and hives,...

SUPER: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

LOGO: ONCE-DAILY INGREZZA®

Frame 25



Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.


NARRATOR (MAJOR STATEMENT): ...sleepiness, the most common side effect,...

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 26



Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.


NARRATOR (MAJOR STATEMENT): ...and heart rhythm problems.

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 27



Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): Know how INGREZZA affects you before...

SUPER: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 28



Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): ...operating a car or dangerous machinery.

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 29



Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.


NARRATOR (MAJOR STATEMENT): Report fever, stiff muscles, or...

SUPER 1: HelpING

SUPER 2: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 30




Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

NARRATOR (MAJOR STATEMENT): ...problems thinking, as these might be life threatening.

SUPER: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 31



Frame 32



Frame 33



NARRATOR (MAJOR STATEMENT): Shaking, stiffness, drooling, and trouble with...

SUPER 1: Helping

SUPER 2: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

NARRATOR (MAJOR STATEMENT): ...moving or balance may occur.

SUPER: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

FOOD TRUCK HERO TO CAMERA: Taking control starts with asking your doctor about...

Frame 34



ALL THREE HEROES IN UNISON TO CAMERA: ...INGREZZA.

Frame 35



VOCAL AUDIO BRANDING: [Singing] INGREZZA

LOGO LOCKUP: ONCE-DAILY INGREZZA® (valbenazine) capsules | Also available in sprinkle formulation

CTA: You could pay as little as \$0* INGREZZA.com | 1-84-INGREZZA

FOOTNOTE: *This offer is valid only for patients with commercial (nongovernment-funded) insurance. Additional terms and conditions apply.


LOGO: Neurocrine Biosciences

SUPER: ©2025 Neurocrine Biosciences, Inc. All Rights Reserved. CP-VBZ-US-3838 06/2025


Frame 1



Frame 2



Frame 3



MUSIC PLAYS

SUPER: Actor portrayals

NARRATOR: Your mental health is better,...

SUPER 1: Actor portrayals


SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...but having...

SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

Frame 4



Frame 5



Frame 6



NARRATOR: ...uncontrollable...

SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...body movements called...


SUPER 1: Actor portrayals

SUPER 2: Tardive Dyskinesia (TD): Uncontrollable body movements

NARRATOR: ...TD, tardive...

SUPER: Tardive Dyskinesia (TD): Uncontrollable body movements


Frame 7



NARRATOR: ...dyskinesia, can feel...


SUPER: Tardive Dyskinesia (TD): Uncontrollable body movements

Frame 8



NARRATOR: ...embarrassing.

Frame 9



FOOD TRUCK HERO TO CAMERA: I asked my doctor about...

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

Frame 10



FOOD TRUCK HERO TO CAMERA: ...treating my TD with...

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

Frame 11



ALL THREE HEROES IN UNISON TO CAMERA: ...INGREZZA.

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

Frame 12



VOCAL AUDIO BRANDING: [Singing] INGREZZA

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

LOGO: ONE PILL ONCE-DAILY INGREZZA® (valbenazine) capsules

BUG: #1 PRESCRIBED 8 YEARS AND COUNTING

Frame 13



NARRATOR: #1 prescribed INGREZZA...

SUPER: INGREZZA is approved to treat adults with TD movements. Available by prescription only.

LOGO: ONE PILL ONCE-DAILY INGREZZA® (valbenazine) capsules

BUG: #1 PRESCRIBED 8 YEARS AND COUNTING

Frame 14



NARRATOR: ...is clinically proven...

SUPER 1: Reducing TD Movements >5X at 2 WEEKS vs placebo

SUPER 2: In a 6-week clinical trial, reductions based on average change from baseline to Week 2 on an uncontrollable movement severity scale for INGREZZA (40 mg and 80 mg combined) -1.7 vs placebo -0.3.

LOGO: ONCE-DAILY INGREZZA®

Frame 15



NARRATOR: ...to treat TD, quickly reducing TD movements...

SUPER 1: Reducing TD Movements >5X at 2 WEEKS vs placebo

SUPER 2: In a 6-week clinical trial, reductions based on average change from baseline to Week 2 on an uncontrollable movement severity scale for INGREZZA (40 mg and 80 mg combined) -1.7 vs placebo -0.3.

LOGO: ONCE-DAILY INGREZZA®

Frame 16



NARRATOR: ...by greater than 5 times at 2 weeks.

SUPER 1: Reducing TD Movements >5X at 2 WEEKS vs placebo

SUPER 2: In a 6-week clinical trial, reductions based on average change from baseline to Week 2 on an uncontrollable movement severity scale for INGREZZA (40 mg and 80 mg combined) -1.7 vs placebo -0.3.

LOGO: ONCE-DAILY INGREZZA®

Frame 17



NARRATOR: 98% of people were still satisfied...

SUPER 1: Long-LastING Satisfaction >98% still satisfied after 2 YEARS*

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 18



NARRATOR: ...with INGREZZA after 2 years.

SUPER 1: Long-LastING Satisfaction >98% still satisfied after 2 YEARS*

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 19



NARRATOR: And you can keep taking most...

SUPER 1: Keep TakING Most mental health meds[†]

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 20



NARRATOR: ...mental health meds.

SUPER 1: Keep TakING Most mental health meds[†]

SUPER 2: *55 of 56 patients in a rollover study of patients taking INGREZZA for 48 weeks after completing long-term KINECT 3 & KINECT 4 studies. Based on Patient Satisfaction Questionnaire given to patients at beginning and end of treatment.

[†]Don't stop or change your medicine without talking to your doctor.

LOGO: ONCE-DAILY INGREZZA®

Frame 21




NARRATOR (MAJOR STATEMENT): INGREZZA can cause depression, suicidal thoughts,...

SUPER: INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

LOGO: ONCE-DAILY INGREZZA®

Frame 22



NARRATOR (MAJOR STATEMENT): ...or actions in patients with Huntington's disease.

SUPER: INGREZZA can cause depression, suicidal thoughts, or actions in patients with Huntington's disease.

LOGO: ONCE-DAILY INGREZZA®

Frame 23




NARRATOR (MAJOR STATEMENT): Call your doctor if you become depressed,...

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

Frame 24



NARRATOR (MAJOR STATEMENT): ...have sudden behavior...

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

Frame 25



Frame 26



Frame 27



NARRATOR (MAJOR STATEMENT): ...or mood changes,...

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

NARRATOR (MAJOR STATEMENT): ...or suicidal thoughts.

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®

NARRATOR (MAJOR STATEMENT): Don't take INGREZZA if allergic.

SUPER: Call your doctor if you become depressed, have sudden behavior or mood changes, or suicidal thoughts. Don't take INGREZZA if allergic.

LOGO: ONCE-DAILY INGREZZA®


Frame 28



Frame 29



Frame 30



NARRATOR (MAJOR STATEMENT): Serious side effects may include allergic reactions...

SUPER 1: WelcomING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

NARRATOR (MAJOR STATEMENT): ...like sudden, potentially fatal swelling and hives,...

SUPER: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®


NARRATOR (MAJOR STATEMENT): ...sleepiness, the most common side effect,...

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 31



ONCE-DAILY
INGREZZA®

Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.


NARRATOR (MAJOR STATEMENT): ...and heart rhythm problems.

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 32



ONCE-DAILY
INGREZZA®


Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): Know how INGREZZA affects you...

SUPER: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 33



ONCE-DAILY
INGREZZA®

Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): ...before operating...

SUPER: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 34



ONCE-DAILY
INGREZZA®

Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

NARRATOR (MAJOR STATEMENT): ...a car or dangerous machinery.

SUPER 1: SatisfyING

SUPER 2: Serious side effects may include allergic reactions like sudden, potentially fatal swelling and hives, sleepiness, the most common side effect, and heart rhythm problems. Know how INGREZZA affects you before operating a car or dangerous machinery.

LOGO: ONCE-DAILY INGREZZA®

Frame 35



ONCE-DAILY
INGREZZA®

Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

NARRATOR (MAJOR STATEMENT): Report fever, stiff muscles, or problems...

SUPER 1: HelpING

SUPER 2: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 36



ONCE-DAILY
INGREZZA®


Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

NARRATOR (MAJOR STATEMENT): ...thinking, as these might be life threatening.

SUPER: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 37



NARRATOR (MAJOR STATEMENT): Shaking, stiffness, drooling, and trouble...

SUPER 1: Helping

SUPER 2: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 38




NARRATOR (MAJOR STATEMENT): ...with moving or...

SUPER: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 39



NARRATOR (MAJOR STATEMENT): ...balance may occur.

SUPER: Report fever, stiff muscles, or problems thinking, as these might be life threatening. Shaking, stiffness, drooling, and trouble with moving or balance may occur.

LOGO: ONCE-DAILY INGREZZA®

Frame 40



FOOD TRUCK HERO TO CAMERA: Taking control starts with asking your doctor about...

Frame 41



ALL THREE HEROES IN UNISON TO CAMERA: ...INGREZZA.

Frame 42



VOCAL AUDIO BRANDING: [Singing] INGREZZA

LOGO LOCKUP: ONCE-DAILY INGREZZA® (valbenazine) capsules | Also available in sprinkle formulation

CTA: You could pay as little as \$0* INGREZZA.com | 1-84-INGREZZA

FOOTNOTE: *This offer is valid only for patients with commercial (nongovernment-funded) insurance. Additional terms and conditions apply.

LOGO: Neurocrine Biosciences

SUPER: ©2025 Neurocrine Biosciences, Inc. All Rights Reserved. CP-VBZ-US-3838 06/2025