








#	SUPERS	VISUAL	VOICE-OVER
1	[KESIMPTA LOGO]  [LEGAL SUPER] KESIMPTA is used to treat adults with relapsing forms of multiple sclerosis (MS) including clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease.		[JAMIE-LYNN VO] I'm more than relapsing MS,...
2	[GRAPHIC SUPER] MY TIME MY WAY Jamie-Lynn Sigler TAKING KESIMPTA FOR RMS  [LEGAL SUPER] KESIMPTA is used to treat adults with relapsing forms of multiple sclerosis (MS) including clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease.		[JAMIE-LYNN TO CAMERA] ...and I want to spend my time, my way.
3	[KESIMPTA LOGO]  [LEGAL SUPER] Individual results may vary. Available by prescription only.		[JAMIE-LYNN TO CAMERA] I chose KESIMPTA because it works for me and my busy life.
4	[KESIMPTA LOGO]  [GRAPHIC SUPER] B-CELL TREATMENT gives you the POWER OF PROVEN RESULTS  [LEGAL SUPER] In 2 studies vs teriflunomide. KESIMPTA is for adults only.		[ZENOVIA VOICE-OVER] KESIMPTA is a B-cell treatment that gives you the power of proven results...
5	[GRAPHIC SUPER] Reduced RELAPSES  Zenovia TAKING KESIMPTA FOR RMS  [LEGAL SUPER] In 2 studies vs teriflunomide. KESIMPTA is for adults only.		[ZENOVIA VOICE-OVER] ...for reduced relapses...
	[KESIMPTA LOGO]		

#	SUPERS	VISUAL	VOICE-OVER
6	[GRAPHIC SUPER] Slowed DISABILITY PROGRESSION  Andy TAKING KESIMPTA FOR RMS  [LEGAL SUPER] Once monthly after 3 weekly starter doses. Typical administration time when ready to inject.	 A man named Andy is standing in a kitchen, looking at a computer screen. A red arrow points from the text 'Slowed DISABILITY PROGRESSION' to the screen. The screen shows a video of Andy taking Kesimpta. Text on the screen includes 'Andy TAKING KESIMPTA FOR RMS' and 'Once monthly after 3 weekly starter doses. Typical administration time when ready to inject.' The Kesimpta logo is in the bottom right corner.	[ANDY VOICE-OVER] ...and slowed disability progression.
7	[GRAPHIC SUPER] Treatment TIME Take it at home <u>1 MINUTE A MONTH</u>  [LEGAL SUPER] Once monthly after 3 weekly starter doses. Typical administration time when ready to inject.	 A syringe and a vial of Kesimpta are on a table. Text on the screen includes 'Treatment TIME Take it at home 1 MINUTE A MONTH' and 'Once monthly after 3 weekly starter doses. Typical administration time when ready to inject.' The Kesimpta logo is in the bottom right corner.	[ANDY VOICE-OVER] When ready, I take it at home in one minute a month.
8	[LEGAL SUPER] Don't take if you've had an allergic or life-threatening reaction to KESIMPTA or have hepatitis B. Your doctor should test for hepatitis B before treatment. If you've had it, it could return.	 A woman is helping a young girl stretch her arm. Text on the screen includes 'Don't take if you've had an allergic or life-threatening reaction to KESIMPTA or have hepatitis B. Your doctor should test for hepatitis B before treatment. If you've had it, it could return.' The Kesimpta logo is in the bottom right corner.	[AVO] Don't take if you've had an allergic or life-threatening reaction to KESIMPTA or have hepatitis B. Your doctor should test for hepatitis B before treatment. If you've had it, it could return.
9	[LEGAL SUPER] Fatal infections can happen, especially taken before or after other medicines that weaken the immune system.	 A man is holding a young boy. Text on the screen includes 'Fatal infections can happen, especially taken before or after other medicines that weaken the immune system.' The Kesimpta logo is in the bottom right corner.	[AVO] Serious side effects, including fatal infections can happen, especially taken before or after other medicines that weaken the immune system.
10	[LEGAL SUPER] PML, a rare brain infection that may be fatal or cause severe disability can occur.	 A woman is sitting at a desk, wearing headphones and smiling. Text on the screen includes 'PML, a rare brain infection that may be fatal or cause severe disability can occur.' The Kesimpta logo is in the bottom right corner.	[AVO] PML, a rare brain infection that may be fatal or cause severe disability can occur.

#	SUPERS	VISUAL	VOICE-OVER
11	[LEGAL SUPER] Tell your doctor if you had or plan to have vaccines, or you are or plan to become pregnant. It's not known if KESIMPTA will harm your unborn baby.		[AVO] Tell your doctor if you had or plan to have vaccines, or you are or plan to become pregnant. It's not known if KESIMPTA will harm your unborn baby.
	[KESIMPTA LOGO]		
12	[LEGAL SUPER] Certain antibodies may decrease and should be monitored.		[AVO] Certain antibodies may decrease and should be monitored.
	[KESIMPTA LOGO]		
13	[LEGAL SUPER] Upper respiratory infection, headache, injection reactions, including swelling, itching, pain, skin redness, fever, headache, muscle pain, chills, tiredness.		[AVO] Most common side effects are upper respiratory infection, headache,...
	[KESIMPTA LOGO]		
14	[LEGAL SUPER] Upper respiratory infection, headache, injection reactions, including swelling, itching, pain, skin redness, fever, headache, muscle pain, chills, tiredness.		[AVO] ...and injection reactions, including swelling, itching, pain, skin redness, fever, headache, muscle pain, chills, and tiredness.
	[KESIMPTA LOGO]		
15	[KESIMPTA LOGO]  [GRAPHIC SUPER] IT'S TIME TO ASK YOUR DOCTOR  [LEGAL SUPER] Get cost details at KESIMPTA.com or 1-855-KESIMPTA. For eligible commercially-insured patients. Limitations apply. Featured patients have been compensated for their time.		[JAMIE-LYNN VO] Ask your doctor about starting with KESIMPTA for RMS.
	<u>GET STARTED FOR AS</u> <u>LITTLE AS \$0</u>		
	[NOVARTIS LOGO]		