

Descriptive, Prospective

Table 1a: Use of tobacco or nicotine products [week1]

(b) (4)


(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

(b) (4)



Descriptive, Prospective

Table 1b: Use of tobacco or nicotine products [week2]

(b) (4)




(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

(b) (4)



Descriptive, Prospective

Table 1c: Use of tobacco or nicotine products [week3]

(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



Descriptive, Prospective

Table 1d: Use of tobacco or nicotine products [week4]

(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 1e: Use of tobacco or nicotine products [week5]


(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)




Table 1f: Use of tobacco or nicotine products [week6]

(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 1g: Use of tobacco or nicotine products [week7]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

Table 11: Use of tobacco or nicotine products [week9]

(b) (4)

(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)




(b) (4)

Table 1j: Use of tobacco or nicotine products [week10]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

Table 2a: Confirmation regarding use of any tobacco and/or nicotine products [week1]

(b) (4)




Table 2b: Confirmation regarding use of any tobacco and/or nicotine products [week2]

(b) (4)





Table 2c: Confirmation regarding use of any tobacco and/or nicotine products [week3]

(b) (4)



(b) (4)




Table 2e: Confirmation regarding use of any tobacco and/or nicotine products [week5]

(b) (4)




Table 2f: Confirmation regarding use of any tobacco and/or nicotine products [week6]

(b) (4)




Table 2g: Confirmation regarding use of any tobacco and/or nicotine products [week7]

(b) (4)




Table 2h: Confirmation regarding use of any tobacco and/or nicotine products [week8]

(b) (4)




Table 2I: Confirmation regarding use of any tobacco and/or nicotine products [week9]

(b) (4)





Table 2j: Confirmation regarding use of any tobacco and/or nicotine products [week10]

(b) (4)



Descriptive, Prospective

Table 3a: Numbers of TNP Used [Week1]

(b) (4)




(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

Table 3b: Numbers of TNP Used [Week2]

(b) (4)

(b) (4)

(b) (4)



(b) (4)



(b) (4)

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



Table 3d: Numbers of TNP Used [Week4]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 3e: Numbers of TNP Used [Week5]

(b) (4)




(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)




Table 3f: Numbers of TNP Used [Week6]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 3g: Numbers of TNP Used [Week7]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)

(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)





Table 3h: Numbers of TNP Used [Week8]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)




Table 3i: Numbers of TNP Used [Week9]


(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



Table 3j: Numbers of TNP Used [Week10]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



Table 4a: Nicotine strength of ZYN [week1]

(b) (4)




Table 4b: Nicotine strength of ZYN [week2]

(b) (4)




Table 4c: Nicotine strength of ZYN [week3]

(b) (4)




Table 4d: Nicotine strength of ZYN [week4]

(b) (4)




Table 4e: Nicotine strength of ZYN [week5]

(b) (4)




Table 4f: Nicotine strength of ZYN [week6]

(b) (4)




Table 4g: Nicotine strength of ZYN [week7]

(b) (4)




Table 4h: Nicotine strength of ZYN [week8]

(b) (4)




Table 4I: Nicotine strength of ZYN [week9]

(b) (4)




Table 4j: Nicotine strength of ZYN [week10]

(b) (4)





Table 5a: Number of 6mg ZYN pouches used per day [week1]

(b) (4)



(b) (4)



Table 5b: Number of 6mg ZYN pouches used per day [week2]
(b) (4)

[Redacted Table Content]

(b) (4)



Table 5c: Number of 6mg ZYN pouches used per day [week3]

(b) (4)




(b) (4)



Table 5d: Number of 6mg ZYN pouches used per day [week4]

(b) (4)



Descriptive, Prospective

Table 5e: Number of 6mg ZYN pouches used per day [week5]

(b) (4)

Descriptive, Prospective

Table 5f: Number of 6mg ZYN pouches used per day [week6]

(b) (4)

Table 5g: Number of 6mg ZYN pouches used per day [week7]

(b) (4)




Table 5h: Number of 6mg ZYN pouches used per day [week8]

(b) (4)




Table 5I: Number of 6mg ZYN pouches used per day [week9]

(b) (4)




Table 5j: Number of 6mg ZYN pouches used per day [week10]

(b) (4)





Table 6a: Number of minutes ZYN was kept in mouth [week1]

(b) (4)




(b) (4)



Table 6b: Number of minutes ZYN was kept in mouth [week2]

(b) (4)



(b) (4)





Table 6c: Number of minutes ZYN was kept in mouth [week3]

(b) (4)



(b) (4)





Table 6d: Number of minutes ZYN was kept in mouth [week4]

(b) (4)



(b) (4)



Table 6e: Number of minutes ZYN was kept in mouth [week5]

(b) (4)



(b) (4)





Table 6f: Number of minutes ZYN was kept in mouth [week6]

(b) (4)



(b) (4)



Table 6g: Number of minutes ZYN was kept in mouth [week7]

(b) (4)




(b) (4)



Table 6h: Number of minutes ZYN was kept in mouth [week8]

(b) (4)



(b) (4)





Table 6I: Number of minutes ZYN was kept in mouth [week9]

(b) (4)




(b) (4)



Table 6j: Number of minutes ZYN was kept in mouth [week10]

(b) (4)



(b) (4)





Table 7a: Flavors of ZYN [week1]


(b) (4)



(b) (4)



(b) (4)




(b) (4)




Table 7b: Flavors of ZYN [week2]


(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 7c: Flavors of ZYN [week3]

(b) (4)



(b) (4)



(b) (4)



(b) (4)

Table 7d: Flavors of ZYN [week4]

(b) (4)



(b) (4)



(b) (4)




Descriptive, Prospective

(b) (4)



Table 7e: Flavors of ZYN [week5]

(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 7f: Flavors of ZYN [week6]


(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 7g: Flavors of ZYN [week7]

(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 7h: Flavors of ZYN [week8]

(b) (4)



(b) (4)



(b) (4)



(b) (4)






Table 7I: Flavors of ZYN [week9]


(b) (4)



(b) (4)



(b) (4)



(b) (4)






Table 7j: Flavors of ZYN [week10]


(b) (4)



(b) (4)



(b) (4)



(b) (4)

Table 8a: Intention to quit cigarettes [1st fortnight]

(b) (4)




Table 8b: Intention to quit cigarettes [2nd fortnight]

(b) (4)




Table 8c: Intention to quit cigarettes [3rd fortnight]

(b) (4)




Table 8d: Intention to quit cigarettes [4th fortnight]

(b) (4)




Table 8e: Intention to quit cigarettes [5th fortnight]

(b) (4)





Table 9a: Intention to quit TNP [1st fortnight]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)





Table 9b: Intention to quit TNP [2nd fortnight]

(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)



(b) (4)






Table 9c: Intention to quit TNP [3rd fortnight]

(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)




(b) (4)




(b) (4)



(b) (4)




(b) (4)




(b) (4)



(b) (4)




(b) (4)




(b) (4)



(b) (4)



(b) (4)



(b) (4)




Table 9e: Intention to quit TNP [5th fortnight]

(b) (4)



(b) (4)



(b) (4)




(b) (4)



(b) (4)




(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

Table 10a: Using aids to stop smoking products [1st fortnight]

(b) (4)

A large black rectangular redaction box covering the entire content of Table 10a.

Table 10b: Using aids to stop smoking products [2nd fortnight]

(b) (4)


A large black rectangular redaction box covering the entire content of Table 10b.

Table 10c: Using aids to stop smoking products [3rd fortnight]

(b) (4)


A large black rectangular redaction box covering the entire content of Table 10c.

Table 10d: Using aids to stop smoking products [4th fortnight]

(b) (4)


A large black rectangular box redacting the content of Table 10d.

Table 10e: Using aids to stop smoking products [5th fortnight]

(b) (4)




A large black rectangular box redacting the content of Table 10e.

Table 11a: Reasons for ZYN use [1st fortnight]

(b) (4)



(b) (4)



(b) (4)



Descriptive, Prospective

(b) (4)




Table 11b: Reasons for ZYN use [2nd fortnight]


(b) (4)



(b) (4)



(b) (4)



(b) (4)





Table 11c: Reasons for ZYN use [3rd fortnight]

(b) (4)



(b) (4)



(b) (4)




(b) (4)



Table 11d: Reasons for ZYN use [4th fortnight]


(b) (4)



(b) (4)



(b) (4)



(b) (4)





Table 11c: Reasons for ZYN use [5th fortnight]


(b) (4)



(b) (4)



(b) (4)



(b) (4)

