

(b) (4)

POU Sensitivity Tables Prospective

Prospective Study

Table 21S. Secondary Objective 5 - TNP Patterns of Use Among ZYN Users and ZYN Non-users Based on the Average Daily Reported TNP Use for Each Week

(b) (4)



(b) (4) POU Sensitivity Tables Prospective


Table 22S. Secondary Objective 5 - TNP Patterns of Use Among ZYN Users and ZYN Non-users Using TNP Every Day Based on Weekly Use in the Prospective Observational Period.

(b) (4)



(b) (4)
(b) (4)

POU Sensitivity Tables Prospective



(b) (4) POU Sensitivity Tables Prospective

Table 23S. Secondary Objective 5 - TNP Patterns of Use Among ZYN Users and ZYN Non-users Using TNP Every Day or Some Days Based on Weekly Use in the Prospective Observational Period.

(b) (4)



(b) (4)


POU Sensitivity Tables Prospective

(b) (4)



Table 24S. Secondary Objective 5 - TNP Patterns of Use Among ZYN Users, Percent of ZYN Users Using ZYN with Other TNP.

(b) (4)



(b) (4) POU Sensitivity Tables Prospective

Table 25S. Secondary Objective 5 - TNP Patterns of Use Among ZYN Users and ZYN Non-users, Intention to Quit TNP During the Prospective Observational Period Based on the Motivation to Stop Scale (MTSS).


(b) (4)



(b) (4)

POU Sensitivity Tables Prospective

(b) (4)



(b) (4)	POU Sensitivity Tables Prospective
(b) (4)	

(b) (4)

Sensitivity Tables Prospective

Table 26S. Secondary Objective 5 – TNP patterns of Use Among ZYN Users During the Prospective Observational Period. Outcomes Include Percent of Days That ZYN is Used, Average Number of ZYN Pouches Used Per Day, and Average Number of Minutes ZYN was Kept in the Mouth.

(b) (4)



(b) (4)

POU Sensitivity Tables Prospective

Table 27S. Secondary Objective 5 – Among ZYN Users, Reasons for Using ZYN.

(b) (4)



(b) (4)

POU Sensitivity Tables Prospective

(b) (4)



(b) (4) POU Sensitivity Tables Prospective

Table 28S. Secondary Objective 6 - Among ZYN Users and ZYN Non-users, Quitting All TNP Use at the End of the Prospective Observational Period, and Completely Substituting Other TNP for ZYN®.

(b) (4)

