



1. INDUSTRY SUPPORT

Find out more about what EDANA does, its structure and how it is helping members to design their future

2. DISCOVER NONWOVENS

Learn about the world of nonwovens, from manufacturing to test methods and facts and figures about the industry

3. NEWSROOM

Latest news and announcements

4. EDUCATION & EVENTS

EDANA's world-leading events are held both in Europe and across the globe; bringing opportunities to meet the industry direct to you

5. INDUSTRY INITIATIVES

Learn more about the major areas of industry support undertaken by EDANA, for the benefit and support of our industry

TEST METHODS

Sustainability

ABL test method

Laboratory test method for adult incontinence products to best evaluate their in-use performance.

Flushability



"Harmonized Test Methods for the Nonwovens and Related Industries" Edition 2012

Please note that this publication is available on the DocShare to all EDANA Members through your EDANA contact person.

EDANA, in collaboration with INDA, has released the 2012 edition of the Harmonized Test Methods. This updated edition includes new methods in filtration, hygiene, absorption, retention and physical characteristics.

The 2012 edition is free of charge for all EDANA member companies.

Non-members are invited to visit our dedicated webpage or contact EDANA, Eva Fabbri to purchase the complete compilation of the test methods or any particular method.

Please click here to access the whole table of contents.

OTHER EDANA SITES

Medical
REACH
Join the Fight
Sustainability
Right4Hygiene

QUICKLINKS

About EDANA
Contact us
10 reasons to join EDANA
Member portal
FAQ
Glossary
Terminology translations
Trade associations and partners

NAVIGATION

Resources
News & announcements
Order reports
Facts & Figures
Nonwoven applications
Agriculture & Horticulture
Clothing, Footwear & Baggage
Household
Industrial
Medical & Healthcare
Personal care

Conferences & Symposia
Jobs in nonwovens
Training courses
Discover nonwovens
What are nonwovens?
How are nonwovens made?
Committees & Working Groups

Industry initiatives
Flushability
Sustainability
Vision 2020
Product stewardship
REACH
Superabsorbents
Test methods
Join EDANA

To the top

2012 Edition

Harmonized Test Methods

Nonwovens and Related Industries



INDA and EDANA are pleased to answer the industry needs by publishing the 2012 edition of our Harmonized Test Methods Manual for the nonwoven and related industry. This 2012 edition contains the most complete collection of up-to-date industry related test methods.

This edition features a new, intuitive numbering system. We have retained the WSP (World Strategic Partners) which indicates it has been reviewed and approved by INDA and EDANA's joint task force of members. It also indicates the partnership and cooperation between INDA and EDANA in developing this document to help you do business throughout the world. In this edition we have expanded several testing areas: Permeability, stiffness, superabsorbent materials and other useful methods including new methods in filtration, hygiene, absorption, retention and physical characteristics.

We think you will find this edition the most useful and easy to use we have ever issued. The manual is in a user friendly interactive format, by simply clicking on the test method name in the table of contents you will be directed directly to the page which starts with this method.

Both EDANA and INDA want to thank all those who work to make this third edition possible and we give a special thanks to Carl Palenske of Palenske Consulting for his tireless efforts in reformatting and guiding us.

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
1) GUIDANCE DOCUMENTS				
Glossary of Terms	WSP 001.0.R3 (12)	Original Document		1.1
How to Write a Test Method	WSP 002.0.R3 (12)	Original Document		1.59
Sample and Laboratory Conditioning	WSP 003.0.R3 (12)	ERT 60.2 (99)		1.76
Worldwide Associations	WSP 004.0.R2 (12)	ERT Useful Addresses		1.77
Sampling	WSP 005.0.R3 (12)	ERT 130.2 (99)		1.84
List of Equipment Vendors	WSP 006.0.R2 (12)	IST Useful Vendor's List		1.87
Guidance to Evaluating Nonwoven Fabrics	WSP 007.0.R2 (12)	INDA Guidance Document		1.94
Guidance to Evaluating Nonwoven Felts	WSP 008.0.R2 (12)	INDA Guidance Document		1.100
2) ABSORPTION				
Nonwoven Absorption	WSP 010.1.R3 (12)	ERT 10.4 (02)	9073 - 6:2000	2.1
Rate of Sorption of Wiping Materials	WSP 010.2.R3 (12)	IST 10.2 (01)		2.11
Demand Absorbency	WSP 010.3.R3 (12)	ERT 230.1 (02)	9073 - 12:2002	2.16
Evaluation of Oil and Fatty Liquids Absorption	WSP 010.4.R3 (12)	Original Document		2.28
3) ABRASION RESISTANCE				
Inflated Diaphragm	WSP 020.1.R3 (12)	Modified IST 20.1 (01)		3.1
Flexing and Abrasion	WSP 020.2.R3 (12)	Modified IST 20.2 (01)		3.9
Double Rotary Platform (Tabor)	WSP 020.4.R3 (12)	Modified IST 20.4 (01)		3.20
Modified Martindale	WSP 020.5.R3 (12)	Modified IST 20.5 (01)		3.29
4) BURSTING STRENGTH				
Diaphragm Burst	WSP 030.1.R3 (12)	Modified IST 30.1 (01)		4.1
Burst	WSP 030.2.R3 (12)	ERT 80.4 (02)		4.7

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
5) ELECTROSTATIC PROPERTIES				
Surface Resistivity	WSP 040.1.R3 (12)	IST 40.1 (01)		5.1
Decay	WSP 040.2.R3 (12)	IST 40.2 (01)		5.8
6) OPTICAL PROPERTIES				
Opacity (INDA)	WSP 060.1.R3 (12)	IST 60.1 (01)		6.1
Brightness (INDA)	WSP 060.2.R3 (12)	IST 60.2 (01)		6.6
Brightness (EDANA)	WSP 060.3.R3 (12)	ERT 100.1 (78)		6.11
Opacity (EDANA)	WSP 060.4.R3 (12)	ERT 110 1 (78)		6.16
7) PERMEABILITY				
Air Permeability	WSP 070.1.R3 (12)	Modified IST 70.1 (01)	9073 – 15:2007	7.1
Liquid Strike-Through	WSP 070.3.R3 (12)	ERT 150.5 (02)	9073 – 8:1995	7.7
Water Vapor Transmission Rate Mocon/INDA	WSP 070.4.R3 (12)	IST 70.4 (01)		7.15
Water Vapor Transmission Rate Mocon/EDANA, Part 1	WSP 070.5.R3 (12)	Original Method		7.27
Water Vapor Transmission Rate Lyssy/EDANA, Part 2	WSP 070.6.R3 (12)	Original Method		7.39
Repeated Liquid Strike-Through Time	WSP 070.7.R4 (12)	ERT 153.0 (02)	9073 – 13:2006	7.45
Wetback after Repeated Strike-Through	WSP 070.8.R4 (12)	ERT 154.0 (02)	9073 – 14:2006	7.57
Rate of Acquisition and Re-Wet	WSP 070.9.R1 (12)	New Method		7.68
Centrifugal Liquid Retention (Dry Weight vs. Wet Spun Weight)	WSP 070.10.R1(12)	New Method		7.75

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
8) REPELLENCY				
Surface Wetting Spray	WSP 080.1.R4 (12)	IST 80.1 (01)		8.1
Penetration by Water (Rain Test)	WSP 080.2.R3 (12)	IST 80.2 (01)		8.7
Penetration by Water (Spray Impact)	WSP 080.3.R4 (12)	Modified IST 80.2 (01)	9073 – 17:2008	8.14
Penetration by Saline Solution (Automated Mason Jar)	WSP 080.5.R4 (12)	IST 80.5 (01)		8.23
Water Resistance (Hydrostatic Pressure)	WSP 080.6.R4 (12)	IST 80.6 (01)/IST 80.4 (01)	9073 – 16:2007	8.29
Penetration by Oil (Hydrocarbon Resistance)	WSP 080.7.R4 (12)	IST 80.7 (01)		8.38
Alcohol Repellency	WSP 080.8.R4 (12)	IST 80.8 (01)		8.43
Run-Off	WSP 080.9.R4 (12)	ERT 152.2 (02)	9073 – 11:2002	8.49
Coverstock Wetback	WSP 080.10.R3 (12)	ERT 151.3 (02)		8.63
Wet Barrier Mason Jar	WSP 080.11.R4 (12)	ERT 170.1 (02)		8.73
9) STIFFNESS				
Cantilever Bending (INDA)	WSP 090.1.R4 (12)	Modified IST 90.1 (01)	9073 – 7:1995	9.1
Stiffness Using the Gurley	WSP 090.2.R4 (12)	Modified IST 90.2 (01)		9.9
Handle-O-Meter	WSP 090.3.R4 (12)	Modified IST 90.3 (01)	9073 – 9:1995	9.15
Cusick Drape	WSP 090.4.R4 (12)	ERT 90.4 (99)		9.21
Bending Length (EDANA)	WSP 090.5.R4 (12)	ERT 50.5 (99)		9.28
Drapeability	WSP 090.6.R4 (12)	New Document		9.36
10) TEAR STRENGTH				
Elmendorf	WSP 100.1.R3 (12)	Modified IST 100.1 (01)		10.1
Trapezoid Tear	WSP 100.2.R3 (12)	IST 110.2 (01)/ ERT 70.4 (99)	9073 – 4:2008	10.11
Tongue Tear	WSP 100.3.R3 (12)	Modified IST 100.3 (01)		10.23

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
11) TENSILE				
Grab Tensile	WSP 110.1.R4 (12)	Modified IST 110.1 (01)	9073 – 18:2007	11.1
Bond Strength	WSP 110.3.R4 (12)			11.11
Strip Tensile	WSP 110.4.R4 (12)	IST 110.5 (02)/ERT 20.2 (89)	9073 – 3:1989	11.16
Ball Burst	WSP 110.5.R4 (12)	Original Method	ISO/DIS 9073 – 5	11.26
12) THICKNESS				
Thickness (INDA)	WSP 120.1.R4 (12)	Modified IST 120.1 (01)		12.1
Thickness of Highloft	WSP 120.2.R4 (12)	Modified IST 120.2 (01)		12.10
Compression and Recovery, Highloft	WSP 120.3.R4 (12)	IST 120.3 (01)		12.17
Compression and Recovery, Highloft Using Weights and Plates	WSP 120.4.R4 (12)	IST 120.4 (01)		12.22
Compression and Recovery, Highloft High Temperature/High Humidity	WSP 120.5.R4 (12)	IST 120.5 (01)		12.29
Thickness (EDANA)	WSP 120.6.R4 (12)	ERT 30.5 (99)	9073 – 2:1995	12.35
13) WEIGHT				
Mass per Unit Area	WSP 130.1.R4 (12)	ERT 40.3 (90)	9073 – 1:1989	13.1
14) BINDER/APPEARANCE/DRY CLEANING				
Binder Distribution/Penetration	WSP 150.1.R4 (12)	IST 50.1 (01)		14.1
Appearance and Integrity of Highloft Batting	WSP 150.2.R4 (12)	IST 50.2 (01)		14.7

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

[illegible]

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
17) SUPERABSORBENT MATERIALS				
pH of Polyacrylate (PA) Powders	WSP 200.2.R3 (12)	ERT 400.2 (02)/IST 200.1(02)	17190 – 1:2001	17.1
Residual Monomers	WSP 210.2.R3 (12)	ERT 410.2 (02)/IST 210.2(02)	17190 – 2:2001	17.7
Particle Size Distribution	WSP 220.2.R3 (12)	ERT 420.2 (02)/IST 220.0(02)	17190 – 3:2001	17.18
Mass Loss Upon Heating	WSP 230.2.R3 (12)	ERT 430.2 (02)IST 230.0(02)	17190 – 4:2001	17.26
Free Swell Capacity in Saline, Gravimetric Determination	WSP 240.2.R3 (12)	ERT 440.2 (02)IST 240.2(02)	17190 – 5:2001	17.32
Fluid Retention Capacity in Saline, After Centrifugation	WSP 241.2.R3 (12)	ERT 441.2 (02)/IST 241.2(02)	17190 – 6:2001	17.41
Absorption Under Pressure, Gravimetric Determination	WSP 242.2.R3 (12)	ERT 442.2 (02)/IST 242.2(02)	17190 – 7:2001	17.52
Absorption Under Pressure	WSP 243.2.R1(12)	New Method		17.63
Flow-rate & Density, Gravimetric Determination	WSP 251.0.R1 (12)	New Method		17.74
Extractable	WSP 270.2.R3 (12)	ERT 470.2 (02)/IST 270.2(02)	17190 – 10:2001	17.85
18) BACTERIAL				
Filtration Efficiency	WSP 300.0.R4 (12)	ERT 180.0.(89)		18.1
Dry Bacterial Penetration	WSP 301.0.R4 (12)	ERT 190.1 (02)		18.12
Wet Bacterial Penetration	WSP 302.0.R4 (12)	ERT 200.1 (02)		18.20
19) FORMALDEHYDE				
Water Extraction Method I	WSP 310.1.R4 (12)	ERT 210.1 (99)		19.1
Stressed Extraction Method II	WSP 311.1.R4 (12)	ERT 211.1 (99)		19.11
Free Formaldehyde Determination HPLC, Method III	WSP 312.0.R4 (12)	ERT 212.0 (96)		19.13
Free Formaldehyde in Processing Method IV	WSP 313.1.R4 (12)	ERT 213.0 (99)		19.23

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

[illegible]

Harmonized Test Methods Nonwovens and Related Industries

Table of Contents

Description	Method Number	Equivalent Methods	ISO Reference	Page Number
22) FIBER GLASS MATS				
Sampling and Lot Acceptance	WSP 600.0.R2 (12)	TAPPI T-1006		22.1
Sample Location for Fiber Glass Mat Sheets	WSP 601.0.R2 (12)	TAPPI T-1007		22.5
Test Conditions for Fiber Glass Mat	WSP 602.0.R2 (12)	TAPPI T-1012		22.16
Tensile Strength and Elongation at Break	WSP 603.0.R2 (12)	TAPPI T-494		22.19
Basis Weight	WSP 604.0.R2 (12)	TAPPI T-410		22.26
Moisture Content	WSP 605.0.R2 (12)	TAPPI T-10		22.31
Loss on Ignition of Fiber Glass Mat	WSP 606.0.R2 (12)	TAPPI T-1013		22.36
Moisture Sensitivity of Fiber Glass Mat	WSP 607.0.R2 (12)	TAPPI T-1014		22.42
Uniformity of Fiber Glass Mats	WSP 608.0.R2 (12)	TAPPI T-1015		22.48
Average Fiber Diameter of Fiber Glass Mats	WSP 609.0.R2 (12)	TAPPI T-1016		22.50

