Name: Solensia inquiries
DATE: 7/14/2026

This serves as the response to your Freedom of Information Act (FOIA) request for records regarding adverse event reports received for Solensia (frunevetmab).

A search of CVM's Adverse Drug Event (ADE) database was performed on 7/14/2026.

The search parameters were:

Active ingredient(s): frunevetmab
Reports received: From 1-13-2022 through 3-31-2026 Case type: Spontaneous ADE report
Species: All
Route of administration: All

For each drug (active ingredient), we have provided the '**CVM ADE Comprehensive Clinical Detail Report Listing**, which is a cumulative listing of adverse experiences in reports submitted to CVM.

General Information about CVM's ADE Database

The primary purpose for maintaining the CVM ADE database is to provide an early warning or signaling system to CVM for adverse effects not detected during pre-market testing of FDA-approved animal drugs and for monitoring the performance of drugs not approved for use in animals.
Information from these ADE reports is received and coded in an electronic FDA/CVM ADE database. CVM scientists use the ADE database to make decisions about product safety which may include changes to the label or other regulatory action. CVM's ADE reporting system depends on detection and voluntary reporting of adverse clinical events by veterinarians and animal owners.

The Center's ADE review process is complex, and for each report takes into consideration confounding factors such as:

Dosage
Concomitant drug use
The medical and physical condition of animals at the time of treatment Environmental and management information
Product defects
Extra-label (off label) uses

The specifics of these complex factors cannot be addressed in the CVM ADE Comprehensive Clinical Detail Report Listing.

How to Use the CVM ADE Comprehensive Clinical Detail Report Listing

Clinical signs reported for an active ingredient are listed in order from most frequently reported to least frequently reported, grouped by species and route of administration.

More than one clinical sign may have been reported per ADE case report, so the Number of times reported column is not additive and does not necessarily represent the total number of reports received. Also, if a manufacturer reports multiple products in a single ADE case report, clinical signs are associated with each of the manufacturer's products.

Solensia (frunevetmab) is approved for parenteral use in **cats** only. For the time period of the ADE database search (1-13-2022 to 3-31-2026), there were a total of 7445 ADE reports received for Solensia injectable.

The following shows the number of reports broken down by all species for which reports have been received during this time period:

DRUG: SOLENSIA

Number of reports in cats:7246

Number of reports in dogs: 4
Number of reports in other species: 4
Number of reports in humans, accidental exposure: 83
Total number of Adverse Drug Events in all species: 7445

When reviewing the CVM ADE Comprehensive Clinical Detail Report Listing, the reader should be aware that:

For any given ADE report, there is no certainty that the reported drug caused the adverse event. The adverse event may have been related to an underlying disease, using other drugs at the same time, or other non-drug related causes. The clinical detail listing does not include information about underlying diseases, other drugs used at the same time, other non-drug related causes, or the final outcome of the reaction.

The accuracy of information regarding the ADE is dependent on the quality of information received from the reporting veterinarian or animal owner.

Accumulated ADE reports should not be used to calculate incidence rates or estimates of drug risk, because there is no accurate way to determine how many animals were given the drug, which is needed as the denominator in calculations of incidence and relative risk.

It is inappropriate to make use of adverse event data to compare the safety of different products. For example, if a drug is widely used to treat certain conditions, there may be more ADEs for that drug than another product that is not used as often. This would not mean that the first drug was more unsafe than the second. The number of reports simply represents the number of ADEs received for a particular drug and should not be used for any type of comparison purposes.

Underreporting occurs with most adverse event reporting systems. The frequency of reporting for a given drug product varies over time and may be greater when the drug is newly marketed, or when media publicity occurs.

Information on how the drugs were used (for indications on the product label or in an extra label manner) is not provided in the clinical detail listing.

More information about CVM's ADE Reporting System can be found on our web site at: FDA, Animal and Veterinary, Safety and Health page

CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 13-Jan-2022 -thru- 31-Mar-2026
Included 1932a cases = : True
Included Medicated Feed cases = : False

DRUG: FRUNEVETMAB

Species: Cat
Route of Administration: INTRAMUSCULAR

Sign: ADMINISTRATION ERROR NOS, Number of times reported: 1
Sign: BREATHING DIFFICULTY, Number of times reported: 1
Sign: CARDIAC ARREST, Number of times reported: 1
Sign: COLLAPSE NOS, Number of times reported: 1
Sign: DEATH, Number of times reported: 1
Sign: FACIAL PARALYSIS, Number of times reported: 1
Sign: HIND LIMB ATAXIA, Number of times reported: 1
Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 1
Sign: INJECTION SITE INFLAMMATION, Number of times reported: 1
Sign: INJECTION SITE LUMP, Number of times reported: 1
Sign: INJECTION SITE PAIN, Number of times reported: 1
Sign: THIRD EYELID EXTRUSION, Number of times reported: 1
Sign: WALKING DIFFICULTY, Number of times reported: 1

Species: Cat
Route of Administration: MISSING

Sign: WEIGHT LOSS, Number of times reported: 7
Sign: DEHYDRATION, Number of times reported: 4
Sign: DIARRHOEA, Number of times reported: 4
Sign: LETHARGY, Number of times reported: 4
Sign: KETOSIS, Number of times reported: 3
Sign: LACK OF EFFICACY - NOS, Number of times reported: 3
Sign: ABDOMINAL PAIN, Number of times reported: 2
Sign: ANOREXIA, Number of times reported: 2
Sign: DEATH BY EUTHANASIA, Number of times reported: 2
Sign: DISORIENTED STATE, Number of times reported: 2
Sign: ELEVATED ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 2
Sign: HYPOGLYCAEMIA, Number of times reported: 2
Sign: HYPOKALAEMIA, Number of times reported: 2
Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 2
Sign: PRURITUS, Number of times reported: 2
Sign: VOMITING, Number of times reported: 2
Sign: ABDOMINAL OEDEMA, Number of times reported: 1

Sign: APPLICATION SITE REACTION NOS, Number of times reported: 1
Sign: APPLICATION SITE SKIN SCALING, Number of times reported: 1
Sign: ATAXIA, Number of times reported: 1
Sign: BLOOD IN URINE, Number of times reported: 1
Sign: CHOLECYSTITIS, Number of times reported: 1
Sign: CONSTIPATION, Number of times reported: 1
Sign: CRUST, Number of times reported: 1
Sign: DEATH, Number of times reported: 1
Sign: DECREASED ACTIVITY, Number of times reported: 1
Sign: DERMATITIS, Number of times reported: 1
Sign: DILATED PUPILS, Number of times reported: 1
Sign: DISCOMFORT NOS, Number of times reported: 1
Sign: DROOLING, Number of times reported: 1
Sign: ELEVATED AMYLASE, Number of times reported: 1
Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 1
Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 1
Sign: EMESIS, Number of times reported: 1
Sign: FACIAL PRURITUS, Number of times reported: 1
Sign: FEVER, Number of times reported: 1
Sign: GROOMING DISORDER, Number of times reported: 1
Sign: HEAVY BREATHING, Number of times reported: 1
Sign: HYPERCALCAEMIC CONDITION, Number of times reported: 1
Sign: HYPERGLYCAEMIA, Number of times reported: 1
Sign: HYPERNATREMIA, Number of times reported: 1
Sign: HYPERPHOSPHATAEMIA, Number of times reported: 1
Sign: HYPOPHOSPHATAEMIA, Number of times reported: 1
Sign: INAPPROPRIATE URINATION, Number of times reported: 1
Sign: KETONURIA, Number of times reported: 1
Sign: LOOSE STOOL, Number of times reported: 1
Sign: LYMPHOSARCOMA, Number of times reported: 1
Sign: MUSCLE ATROPHY, Number of times reported: 1
Sign: NEUTROPHILIA, Number of times reported: 1
Sign: RELUCTANT TO MOVE, Number of times reported: 1
Sign: SCRATCHING, Number of times reported: 1
Sign: SKIN SCAB, Number of times reported: 1
Sign: STAGGERING, Number of times reported: 1
Sign: STRAINING TO DEFECATE, Number of times reported: 1
Sign: UNDERDOSE, Number of times reported: 1
Sign: UNKEMPT HAIR COAT, Number of times reported: 1
Sign: URINARY INCONTINENCE, Number of times reported: 1
Sign: URINARY TRACT INFECTION, Number of times reported: 1

Species: Cat
Route of Administration: ORAL

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 3
Sign: DEATH, Number of times reported: 2
Sign: DEATH BY EUTHANASIA, Number of times reported: 2
Sign: DECREASED APPETITE, Number of times reported: 2
Sign: ELEVATED BLOOD UREA NITROGEN (BUN), Number of times reported: 2
Sign: HAEMATURIA, Number of times reported: 2
Sign: MALAISE, Number of times reported: 2
Sign: NOT EATING, Number of times reported: 2
Sign: VOMITING, Number of times reported: 2
Sign: WEIGHT LOSS, Number of times reported: 2
Sign: ABNORMAL BREATHING, Number of times reported: 1
Sign: ACUTE RENAL FAILURE, Number of times reported: 1
Sign: BALANCE IMPAIRED, Number of times reported: 1
Sign: BLOOD CLOT, Number of times reported: 1
Sign: BLOOD IN URINE, Number of times reported: 1
Sign: BLOOD IN VOMIT, Number of times reported: 1
Sign: BLOOD LOSS NOS, Number of times reported: 1
Sign: COLLAPSE, Number of times reported: 1
Sign: CONFUSION, Number of times reported: 1
Sign: CONSTIPATION, Number of times reported: 1
Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 1
Sign: DIABETES, Number of times reported: 1
Sign: DIFFICULTY TO RISE, Number of times reported: 1
Sign: ELEVATED AMYLASE, Number of times reported: 1
Sign: ELEVATED BETAHYDROXYBUTYRATE (BHP), Number of times reported: 1
Sign: ELEVATED CREATININE, Number of times reported: 1
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (ALP), Number of times reported: 1
Sign: ELEVATED SYMMETRICAL DIMETHYLARGININE (SDMA), Number of times reported: 1
Sign: FEBRILE, Number of times reported: 1
Sign: GLUCOSURIA, Number of times reported: 1
Sign: HEART MURMUR, Number of times reported: 1
Sign: HYPERGLYCAEMIA, Number of times reported: 1
Sign: HYPERPHOSPHATAEMIA, Number of times reported: 1
Sign: HYPOTHERMIA, Number of times reported: 1
Sign: INAPPETENCE, Number of times reported: 1
Sign: INAPPROPRIATE ELIMINATION NOS, Number of times reported: 1
Sign: INAPPROPRIATE URINATION, Number of times reported: 1
Sign: LACK OF EFFICACY - NOS, Number of times reported: 1
Sign: LATERAL RECUMBENCY, Number of times reported: 1
Sign: LETHARGY, Number of times reported: 1
Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 1
Sign: NOT DRINKING, Number of times reported: 1
Sign: NOT HIMSELF/HERSELF, Number of times reported: 1

Sign: PAIN NOS, Number of times reported: 1
Sign: PROTEINURIA, Number of times reported: 1
Sign: PRURITUS, Number of times reported: 1
Sign: PYELONEPHRITIS, Number of times reported: 1
Sign: RELUCTANT TO MOVE, Number of times reported: 1
Sign: RENAL FAILURE, Number of times reported: 1
Sign: TIREDNESS, Number of times reported: 1
Sign: UNPALATABLE, Number of times reported: 1
Sign: UNWELL, Number of times reported: 1
Sign: URINARY TRACT INFECTION, Number of times reported: 1
Sign: VOCALISATION, Number of times reported: 1
Sign: WARM FEELING TO THE TOUCH, Number of times reported: 1
Sign: WOBBLINESS, Number of times reported: 1

Species: Cat
Route of Administration: SUBCUTANEOUS

Sign: SKIN SCAB, Number of times reported: 794
Sign: VOMITING, Number of times reported: 726
Sign: LETHARGY, Number of times reported: 691
Sign: PRURITUS, Number of times reported: 601
Sign: LACK OF EFFICACY - NOS, Number of times reported: 567
Sign: DEATH BY EUTHANASIA, Number of times reported: 413
Sign: WEIGHT LOSS, Number of times reported: 411
Sign: DIARRHOEA, Number of times reported: 382
Sign: NOT EATING, Number of times reported: 354
Sign: SKIN LESION NOS, Number of times reported: 342
Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 307
Sign: DECREASED APPETITE, Number of times reported: 304
Sign: DERMATITIS, Number of times reported: 293
Sign: ANOREXIA, Number of times reported: 277
Sign: ATAXIA, Number of times reported: 255
Sign: DEATH, Number of times reported: 237
Sign: VOCALISATION, Number of times reported: 222
Sign: ITCHING, Number of times reported: 219
Sign: SCRATCHING, Number of times reported: 219
Sign: INTENTIONAL MISUSE, Number of times reported: 213
Sign: ALOPECIA, Number of times reported: 211
Sign: FACIAL PRURITUS, Number of times reported: 192
Sign: HIDING, Number of times reported: 186
Sign: LOCALISED HAIR LOSS, Number of times reported: 184
Sign: MEDICATION ERROR NOS, Number of times reported: 184
Sign: ALOPECIA LOCAL, Number of times reported: 177
Sign: EMESIS (MULTIPLE), Number of times reported: 168
Sign: SEIZURE NOS, Number of times reported: 156

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 150
Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 144
Sign: SKIN SORE, Number of times reported: 144
Sign: ELEVATED BLOOD UREA NITROGEN (BUN), Number of times reported: 140
Sign: DEHYDRATION, Number of times reported: 139
Sign: ANAEMIA NOS, Number of times reported: 138
Sign: INAPPROPRIATE URINATION, Number of times reported: 133
Sign: ABNORMAL CYTOLOGY, Number of times reported: 132
Sign: HAIR LOSS NOS, Number of times reported: 129
Sign: CRUST, Number of times reported: 128
Sign: EXCORIATION, Number of times reported: 128
Sign: SKIN ULCER, Number of times reported: 127
Sign: ELEVATED SYMMETRICAL DIMETHYLARGININE (SDMA), Number of times reported: 123
Sign: NOT HIMSELF/HERSELF, Number of times reported: 120
Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 119
Sign: WOUND, Number of times reported: 118
Sign: INJECTION SITE PAIN, Number of times reported: 112
Sign: POLYDIPSIA, Number of times reported: 111
Sign: LIMB WEAKNESS, Number of times reported: 108
Sign: ELEVATED CREATININE, Number of times reported: 104
Sign: EXCESSIVE CHEWING, LICKING AND/OR GROOMING, Number of times reported: 103
Sign: HYPERGLYCAEMIA, Number of times reported: 103
Sign: LAMENESS, Number of times reported: 99
Sign: PAIN NOS, Number of times reported: 97
Sign: WEAKNESS, Number of times reported: 89
Sign: POLYURIA, Number of times reported: 88
Sign: URINARY TRACT INFECTION, Number of times reported: 85
Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 83
Sign: NOT DRINKING, Number of times reported: 83
Sign: OTHER ABNORMAL TEST RESULT NOS, Number of times reported: 79
Sign: WALKING DIFFICULTY, Number of times reported: 79
Sign: ELEVATED ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 77
Sign: FEVER, Number of times reported: 77
Sign: REDDENING OF THE SKIN, Number of times reported: 77
Sign: CONSTIPATION, Number of times reported: 76
Sign: LOCALISED ITCHING, Number of times reported: 75
Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 74
Sign: HIND LIMB PARESIS, Number of times reported: 74
Sign: MOIST DERMATITIS, Number of times reported: 73
Sign: HYPERPHOSPHATAEMIA, Number of times reported: 71
Sign: LIMPING, Number of times reported: 71
Sign: LEUCOCYTOSIS NOS, Number of times reported: 70
Sign: DILATED PUPILS, Number of times reported: 69

Sign: DISORIENTATION, Number of times reported: 69
Sign: INAPPETENCE, Number of times reported: 69
Sign: AGGRESSION, Number of times reported: 66
Sign: UNABLE TO WALK, Number of times reported: 66
Sign: HEART MURMUR, Number of times reported: 64
Sign: FALLING, Number of times reported: 62
Sign: GAIT ABNORMALITY, Number of times reported: 62
Sign: HYPOKALAEMIA, Number of times reported: 62
Sign: LICKING, Number of times reported: 61
Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 60
Sign: ERYTHEMA, Number of times reported: 60
Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 60
Sign: NEUTROPHILIA, Number of times reported: 60
Sign: UNDERDOSE, Number of times reported: 60
Sign: URINARY INCONTINENCE, Number of times reported: 60
Sign: BLINDNESS, Number of times reported: 59
Sign: DROOLING, Number of times reported: 59
Sign: JOINT SWELLING, Number of times reported: 59
Sign: RENAL FAILURE, Number of times reported: 59
Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 58
Sign: WOBBLINESS, Number of times reported: 56
Sign: IMMEDIATE PAIN UPON INJECTION, Number of times reported: 54
Sign: LATERAL RECUMBENCY, Number of times reported: 52
Sign: RELUCTANT TO MOVE, Number of times reported: 52
Sign: HAEMATURIA, Number of times reported: 51
Sign: ELEVATED GLOBULINS, Number of times reported: 49
Sign: GENERAL ILLNESS, Number of times reported: 49
Sign: TWITCHING, Number of times reported: 49
Sign: EAR INFECTION NOS, Number of times reported: 48
Sign: HIND LIMB ATAXIA, Number of times reported: 46
Sign: AZOTAEMIA, Number of times reported: 45
Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 44
Sign: PLANTIGRADE POSTURE, Number of times reported: 44
Sign: HYPERTENSION, Number of times reported: 42
Sign: SNEEZING, Number of times reported: 42
Sign: ANAPHYLAXIS, Number of times reported: 41
Sign: EMESIS, Number of times reported: 41
Sign: HIND LIMB PARALYSIS, Number of times reported: 41
Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 41
Sign: ABRASION, Number of times reported: 40
Sign: HYPOTHERMIA, Number of times reported: 39
Sign: LYMPHOPENIA, Number of times reported: 39
Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 38

Sign: ITCHY SKIN, Number of times reported: 38
Sign: MONOCYTOSIS, Number of times reported: 38
Sign: PROTEINURIA, Number of times reported: 38
Sign: INJECTION SITE HAIR LOSS, Number of times reported: 37
Sign: NAUSEA, Number of times reported: 37
Sign: PANTING, Number of times reported: 37
Sign: UNABLE TO JUMP, Number of times reported: 37
Sign: STARING, Number of times reported: 36
Sign: BREATHING DIFFICULTY, Number of times reported: 35
Sign: EAR PRURITUS, Number of times reported: 35
Sign: INAPPROPRIATE DEFECATION, Number of times reported: 35
Sign: INJECTION SITE ALOPECIA, Number of times reported: 35
Sign: INJECTION SITE SCAB, Number of times reported: 35
Sign: ULCERATIVE DERMATITIS, Number of times reported: 35
Sign: DECREASED URINE CONCENTRATION, Number of times reported: 34
Sign: LOCAL ERYTHEMA, Number of times reported: 34
Sign: LOCALISED PAIN NOS, Number of times reported: 34
Sign: OPEN MOUTH BREATHING, Number of times reported: 34
Sign: PALE MUCOUS MEMBRANE, Number of times reported: 34
Sign: UNABLE TO STAND, Number of times reported: 34
Sign: ABNORMAL POSTURE NOS, Number of times reported: 33
Sign: GROOMING DISORDER, Number of times reported: 33
Sign: PANCREATITIS NOS, Number of times reported: 32
Sign: RENAL DISORDER NOS, Number of times reported: 32
Sign: TACHYCARDIA, Number of times reported: 32
Sign: THROMBOCYTOPENIA, Number of times reported: 32
Sign: BLOOD IN URINE, Number of times reported: 31
Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 31
Sign: OVERDOSE, Number of times reported: 31
Sign: RESTLESSNESS, Number of times reported: 31
Sign: AGITATION, Number of times reported: 30
Sign: EOSINOPENIA, Number of times reported: 30
Sign: HYPERTHYROIDISM, Number of times reported: 30
Sign: KNUCKLING, Number of times reported: 30
Sign: NEUTROPENIA, Number of times reported: 30
Sign: ADIPSIA, Number of times reported: 29
Sign: ANXIETY, Number of times reported: 29
Sign: OTITIS NOS, Number of times reported: 29
Sign: PYODERMA, Number of times reported: 28
Sign: DECREASED HAEMATOCRIT, Number of times reported: 27
Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 27
Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 27
Sign: RASH, Number of times reported: 27

Sign: UNCOMFORTABLE, Number of times reported: 27
Sign: DIABETES, Number of times reported: 26
Sign: GLUCOSURIA, Number of times reported: 26
Sign: PACING, Number of times reported: 26
Sign: PANCREATITIS, Number of times reported: 26
Sign: SKIN INFLAMMATION NOS, Number of times reported: 26
Sign: UNSTEADY GAIT, Number of times reported: 26
Sign: BARBERING, Number of times reported: 25
Sign: COLLAPSE NOS, Number of times reported: 25
Sign: DERMAL PLAQUE, Number of times reported: 25
Sign: HEAD TREMOR, Number of times reported: 25
Sign: HYPOGLYCAEMIA, Number of times reported: 25
Sign: ARTHRITIS, Number of times reported: 24
Sign: DYSPNOEA, Number of times reported: 24
Sign: HIGH PANCREATIC-SPECIFIC LIPASE, Number of times reported: 24
Sign: HYPERCALCAEMIA, Number of times reported: 24
Sign: MALAISE, Number of times reported: 24
Sign: SKIN IRRITATION, Number of times reported: 24
Sign: ELEVATED THYROXINE (T4), Number of times reported: 23
Sign: HYPERACTIVITY, Number of times reported: 23
Sign: MUSCLE ATROPHY, Number of times reported: 23
Sign: PARTIAL ANOREXIA, Number of times reported: 23
Sign: PLEURAL EFFUSION, Number of times reported: 23
Sign: TACHYPNOEA, Number of times reported: 23
Sign: TREMOR, Number of times reported: 23
Sign: BLOOD IN VOMIT, Number of times reported: 22
Sign: BLOODY DIARRHOEA, Number of times reported: 22
Sign: ELEVATED AMYLASE, Number of times reported: 22
Sign: ENLARGED LYMPH NODE (LOCALISED), Number of times reported: 22
Sign: GENERAL HAIR LOSS, Number of times reported: 22
Sign: HYPOTENSION, Number of times reported: 22
Sign: INCREASED APPETITE, Number of times reported: 22
Sign: LOOSE STOOL, Number of times reported: 22
Sign: LYMPHOMA, Number of times reported: 22
Sign: NON-REGENERATIVE ANAEMIA, Number of times reported: 22
Sign: SKIN DISORDERS NOS, Number of times reported: 22
Sign: SWOLLEN LIMB, Number of times reported: 22
Sign: DECREASED ACTIVITY, Number of times reported: 21
Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 21
Sign: HYPERAESTHESIA, Number of times reported: 21
Sign: SELF TRAUMA, Number of times reported: 21
Sign: CONFUSION, Number of times reported: 20
Sign: IMPAIRED VISION, Number of times reported: 20

Sign: INJECTION SITE LUMP, Number of times reported: 20
Sign: INJECTION SITE SWELLING, Number of times reported: 20
Sign: LEUCOPENIA NOS, Number of times reported: 20
Sign: LOW PLATELET COUNT, Number of times reported: 20
Sign: MASS NOS, Number of times reported: 20
Sign: MUSCLE WASTING, Number of times reported: 20
Sign: NASAL DISCHARGE, Number of times reported: 20
Sign: NECROPSY PERFORMED, Number of times reported: 20
Sign: NEOPLASIA NOS, Number of times reported: 20
Sign: OCULAR DISCHARGE, Number of times reported: 20
Sign: OTITIS EXTERNA, Number of times reported: 20
Sign: ABNORMAL HISTOLOGY NOS, Number of times reported: 19
Sign: ARRHYTHMIA, Number of times reported: 19
Sign: CONGESTIVE HEART FAILURE, Number of times reported: 19
Sign: COUGH, Number of times reported: 19
Sign: DECREASED DRINKING, Number of times reported: 19
Sign: FACIAL SWELLING, Number of times reported: 19
Sign: HYPERKALAEMIA, Number of times reported: 19
Sign: SKIN HAEMORRHAGE NOS, Number of times reported: 19
Sign: SPONDYLOSIS, Number of times reported: 19
Sign: WHEEZING, Number of times reported: 19
Sign: ALOPECIA NOS, Number of times reported: 18
Sign: DIABETES MELLITUS, Number of times reported: 18
Sign: FRACTURE, Number of times reported: 18
Sign: HYPOALBUMINAEMIA, Number of times reported: 18
Sign: NOT URINATING, Number of times reported: 18
Sign: QUIET, Number of times reported: 18
Sign: SHAKING, Number of times reported: 18
Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 18
Sign: URINE ABNORMALITIES NOS, Number of times reported: 18
Sign: ABDOMINAL MASS, Number of times reported: 17
Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 17
Sign: BRADYCARDIA, Number of times reported: 17
Sign: CRYING, Number of times reported: 17
Sign: DISCOMFORT NOS, Number of times reported: 17
Sign: FAECAL INCONTINENCE, Number of times reported: 17
Sign: HIGH BLOOD PRESSURE, Number of times reported: 17
Sign: INCREASED RESPIRATORY RATE, Number of times reported: 17
Sign: INFLAMMATORY BOWEL DISORDER, Number of times reported: 17
Sign: INJECTION SITE ITCHING, Number of times reported: 17
Sign: INJECTION SITE MASS NOS, Number of times reported: 17
Sign: LISTLESS, Number of times reported: 17
Sign: NEUROLOGICAL DISORDER NOS, Number of times reported: 17

Sign: RESPIRATORY DISTRESS, Number of times reported: 17
Sign: STIFFNESS NOS, Number of times reported: 17
Sign: SWOLLEN JOINT, Number of times reported: 17
Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 16
Sign: ELEVATED ASPARTATE AMINOTRANSFERASE (AST), Number of times reported: 16
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (SAP), Number of times reported: 16
Sign: HYPERPROTEINAEMIA, Number of times reported: 16
Sign: HYPERSALIVATION, Number of times reported: 16
Sign: INJECTION SITE PRURITUS, Number of times reported: 16
Sign: MILIARY DERMATITIS, Number of times reported: 16
Sign: RENAL INSUFFICIENCY, Number of times reported: 16
Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 16
Sign: SKIN LUMP, Number of times reported: 16
Sign: STUMBLING GAIT, Number of times reported: 16
Sign: UNKEMPT HAIR COAT, Number of times reported: 16
Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 16
Sign: ABNORMAL BREATHING, Number of times reported: 15
Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 15
Sign: BALANCE IMPAIRED, Number of times reported: 15
Sign: CARDIAC ENLARGEMENT, Number of times reported: 15
Sign: CHRONIC RENAL FAILURE, Number of times reported: 15
Sign: COLLAPSE OF LEG, Number of times reported: 15
Sign: DISTRESS, Number of times reported: 15
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (ALP), Number of times reported: 15
Sign: INAPPROPRIATE ELIMINATION NOS, Number of times reported: 15
Sign: INCREASED HEART RATE, Number of times reported: 15
Sign: INJECTION SITE DERMATITIS, Number of times reported: 15
Sign: INTERVERTEBRAL DISC DISEASE, Number of times reported: 15
Sign: INTESTINAL DISORDER NOS, Number of times reported: 15
Sign: ITCHY EARS, Number of times reported: 15
Sign: LABOURED BREATHING, Number of times reported: 15
Sign: LYING DOWN, Number of times reported: 15
Sign: MUSCLE WEAKNESS NOS, Number of times reported: 15
Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 15
Sign: NYSTAGMUS, Number of times reported: 15
Sign: SKIN REACTION NOS, Number of times reported: 15
Sign: WEIGHT GAIN, Number of times reported: 15
Sign: ACUTE RENAL FAILURE, Number of times reported: 14
Sign: APPETITE LOSS, Number of times reported: 14
Sign: CYSTITIS, Number of times reported: 14
Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 14
Sign: EOSINOPHILIA, Number of times reported: 14
Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 14

Sign: INJECTION SITE REDDENING, Number of times reported: 14
Sign: JOINT PAIN, Number of times reported: 14
Sign: LYMPHOCYTOSIS, Number of times reported: 14
Sign: NASAL CONGESTION, Number of times reported: 14
Sign: ABDOMINAL PAIN, Number of times reported: 13
Sign: ANISOCORIA, Number of times reported: 13
Sign: BALANCE PROBLEM, Number of times reported: 13
Sign: CORNEAL ULCER, Number of times reported: 13
Sign: DECREASED BODY TEMPERATURE, Number of times reported: 13
Sign: ELEVATED LIPASE, Number of times reported: 13
Sign: GENERALISED ITCHING, Number of times reported: 13
Sign: GRAND MAL SEIZURE, Number of times reported: 13
Sign: HYPERNATREMIA, Number of times reported: 13
Sign: HYPOCHLORAEMIA, Number of times reported: 13
Sign: ISOSTHENURIA, Number of times reported: 13
Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 13
Sign: STIFF GAIT, Number of times reported: 13
Sign: STRAINING TO DEFECATE, Number of times reported: 13
Sign: VESTIBULAR DISORDER NOS, Number of times reported: 13
Sign: VOMITING BILE, Number of times reported: 13
Sign: BUMPING INTO WALLS, Number of times reported: 12
Sign: DEAFNESS, Number of times reported: 12
Sign: DERMAL THICKENING, Number of times reported: 12
Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 12
Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 12
Sign: EXCESSIVE THIRST, Number of times reported: 12
Sign: HEAD BOBBING, Number of times reported: 12
Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 12
Sign: HYPERTROPHIC CONCENTRIC CARDIOMYOPATHY, Number of times reported: 12
Sign: HYPOCALCAEMIA, Number of times reported: 12
Sign: INCREASED DRINKING, Number of times reported: 12
Sign: INJECTION SITE SARCOMA, Number of times reported: 12
Sign: LOCALISED RASH, Number of times reported: 12
Sign: LUXATION/SUBLUXATION, Number of times reported: 12
Sign: PROPRIOCEPTION LOSS, Number of times reported: 12
Sign: SEDATION, Number of times reported: 12
Sign: SELF MUTILATION, Number of times reported: 12
Sign: SUDDEN DEATH, Number of times reported: 12
Sign: UNABLE TO RISE, Number of times reported: 12
Sign: ACNE, Number of times reported: 11
Sign: ASCITES, Number of times reported: 11
Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 11
Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 11

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 11
Sign: GENERALISED WEAKNESS, Number of times reported: 11
Sign: HEAD PRESSING, Number of times reported: 11
Sign: HYPONATREMIA, Number of times reported: 11
Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 11
Sign: INJECTION SITE REACTION NOS, Number of times reported: 11
Sign: LIMB NON-WEIGHT BEARING, Number of times reported: 11
Sign: ORAL MASS, Number of times reported: 11
Sign: PARALYSIS, Number of times reported: 11
Sign: RECUMBENCY, Number of times reported: 11
Sign: STROKE, Number of times reported: 11
Sign: URINARY TRACT DISORDER NOS, Number of times reported: 11
Sign: ARCHED BACK, Number of times reported: 10
Sign: BITING - PRURITUS, Number of times reported: 10
Sign: CONJUNCTIVITIS, Number of times reported: 10
Sign: DIFFICULTY GOING UP/DOWN STAIRS, Number of times reported: 10
Sign: DIFFICULTY STANDING, Number of times reported: 10
Sign: DISTENSION OF ABDOMEN, Number of times reported: 10
Sign: DRINKING A LOT, Number of times reported: 10
Sign: EAR DISCHARGE, Number of times reported: 10
Sign: FEBRILE, Number of times reported: 10
Sign: FREQUENT URINATION, Number of times reported: 10
Sign: HAIR SHEDDING, Number of times reported: 10
Sign: HEAD DOWN, Number of times reported: 10
Sign: HISSING, Number of times reported: 10
Sign: INJECTION SITE ABSCESS, Number of times reported: 10
Sign: INJECTION SITE LESION, Number of times reported: 10
Sign: JOINT EFFUSION, Number of times reported: 10
Sign: LICKING AT INJECTION SITE, Number of times reported: 10
Sign: LOSS OF VISION, Number of times reported: 10
Sign: LUMBAR PAIN, Number of times reported: 10
Sign: MYDRIASIS, Number of times reported: 10
Sign: PANCREAS DISORDER, Number of times reported: 10
Sign: PARAPARESIS, Number of times reported: 10
Sign: PURULENT LESION(S), Number of times reported: 10
Sign: RETCHING, Number of times reported: 10
Sign: RETINAL DETACHMENT, Number of times reported: 10
Sign: SOFT STOOL, Number of times reported: 10
Sign: STRANGURIA, Number of times reported: 10
Sign: SWELLING NOS, Number of times reported: 10
Sign: URINARY TRACT OBSTRUCTION/BLOCKAGE, Number of times reported: 10
Sign: ELECTROLYTE DISORDER, Number of times reported: 9
Sign: ELEVATED LIVER ENZYMES NOS, Number of times reported: 9

Sign: ELEVATED TEMPERATURE, Number of times reported: 9
Sign: EYE DISORDER NOS, Number of times reported: 9
Sign: FOCAL SEIZURE, Number of times reported: 9
Sign: GAGGING, Number of times reported: 9
Sign: GENERAL PAIN, Number of times reported: 9
Sign: HIGH IONIZED CALCIUM (CA; HYPERCALCEMIA, IONIZED), Number of times reported: 9
Sign: HYPEREXTENSION, Number of times reported: 9
Sign: HYPOPROTEINAEMIA, Number of times reported: 9
Sign: ICTERUS, Number of times reported: 9
Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 9
Sign: INJECTION SITE ULCER, Number of times reported: 9
Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 9
Sign: NOT DEFECATING, Number of times reported: 9
Sign: PARALYSIS NOS, Number of times reported: 9
Sign: PINNAL ERYTHEMA, Number of times reported: 9
Sign: PULMONARY OEDEMA, Number of times reported: 9
Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 9
Sign: TENDON RUPTURE, Number of times reported: 9
Sign: THROMBOSIS, Number of times reported: 9
Sign: UNWELL, Number of times reported: 9
Sign: WIDE-BASE STANCE, Number of times reported: 9
Sign: ABDOMINAL DISCOMFORT, Number of times reported: 8
Sign: BITING -AGGRESSION, Number of times reported: 8
Sign: CHEWING - PRURITUS, Number of times reported: 8
Sign: CYANOSIS, Number of times reported: 8
Sign: DISORIENTED STATE, Number of times reported: 8
Sign: DRY SKIN, Number of times reported: 8
Sign: FACIAL RASH, Number of times reported: 8
Sign: GROWLING, Number of times reported: 8
Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 8
Sign: HEAD TWITCHING, Number of times reported: 8
Sign: HEAVY BREATHING, Number of times reported: 8
Sign: INJECTION SITE CRUST, Number of times reported: 8
Sign: IRRITABILITY, Number of times reported: 8
Sign: JAUNDICE, Number of times reported: 8
Sign: LESS SOCIAL, Number of times reported: 8
Sign: LOW BLOOD PRESSURE, Number of times reported: 8
Sign: LOW THYROXINE (T4), Number of times reported: 8
Sign: LYMPHADENOPATHY, Number of times reported: 8
Sign: MUSCLE SPASM NOS, Number of times reported: 8
Sign: NEUROPATHY NOS, Number of times reported: 8
Sign: PARESIS, Number of times reported: 8
Sign: POLYPHAGIA, Number of times reported: 8

Sign: PROPRIOCEPTION ABNORMALITY, Number of times reported: 8
Sign: PYURIA, Number of times reported: 8
Sign: RUBBING, Number of times reported: 8
Sign: SCALE, Number of times reported: 8
Sign: STIFFNESS LIMB, Number of times reported: 8
Sign: THROMBOEMBOLI, Number of times reported: 8
Sign: TIREDNESS, Number of times reported: 8
Sign: TREMBLING, Number of times reported: 8
Sign: ULCERATION NOS, Number of times reported: 8
Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 8
Sign: ALLERGIC DERMATITIS, Number of times reported: 7
Sign: BILIRUBINURIA, Number of times reported: 7
Sign: CARDIAC ARREST, Number of times reported: 7
Sign: DEPRESSION, Number of times reported: 7
Sign: DIFFICULTY TO RISE, Number of times reported: 7
Sign: DULL, Number of times reported: 7
Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 7
Sign: EPISTAXIS, Number of times reported: 7
Sign: EROSION, Number of times reported: 7
Sign: FLAKING SKIN, Number of times reported: 7
Sign: GASTROENTERITIS, Number of times reported: 7
Sign: HAIR CHANGE, Number of times reported: 7
Sign: HYPERALBUMINAEMIA, Number of times reported: 7
Sign: HYPERSENSITIVITY REACTION, Number of times reported: 7
Sign: HYPOPHOSPHATAEMIA, Number of times reported: 7
Sign: IMPAIRED VOCALISATION, Number of times reported: 7
Sign: INCREASED URINE VOLUME, Number of times reported: 7
Sign: INJECTION SITE SCRATCHING, Number of times reported: 7
Sign: LIMPNESS, Number of times reported: 7
Sign: LOCALISED SKIN REACTION, Number of times reported: 7
Sign: MUSCULOSKELETAL PAIN, Number of times reported: 7
Sign: NOT SLEEPING, Number of times reported: 7
Sign: POLLAKIURIA, Number of times reported: 7
Sign: PRURITIC RASH, Number of times reported: 7
Sign: PULMONARY DISORDER NOS, Number of times reported: 7
Sign: REGENERATIVE ANAEMIA, Number of times reported: 7
Sign: RESPIRATORY SIGNS, Number of times reported: 7
Sign: SPINAL PAIN NOS, Number of times reported: 7
Sign: SQUINTING, Number of times reported: 7
Sign: TAIL PARESIS, Number of times reported: 7
Sign: TENSE ABDOMEN, Number of times reported: 7
Sign: UNCONSCIOUS, Number of times reported: 7
Sign: URINE LEAKAGE, Number of times reported: 7

Sign: UVEITIS, Number of times reported: 7
Sign: WEAK PULSE, Number of times reported: 7
Sign: ABSCESS NOS, Number of times reported: 6
Sign: AGONAL BREATHING, Number of times reported: 6
Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 6
Sign: ASTHMA, Number of times reported: 6
Sign: AURAL HAEMATOMA, Number of times reported: 6
Sign: BLOOD IN FAECES, Number of times reported: 6
Sign: BUMPS ON SKIN, Number of times reported: 6
Sign: CARCINOMA NOS, Number of times reported: 6
Sign: CARDIAC DISORDER NOS, Number of times reported: 6
Sign: CHOLANGIOHEPATITIS, Number of times reported: 6
Sign: CLAW / HOOF / NAIL DISORDER NOS, Number of times reported: 6
Sign: CRACKLES ON AUSCULTATION, Number of times reported: 6
Sign: CYST NOS, Number of times reported: 6
Sign: DELAYED HEALING, Number of times reported: 6
Sign: DIFFICULTY EATING NOS, Number of times reported: 6
Sign: DRY MUCOUS MEMBRANE, Number of times reported: 6
Sign: DULLNESS, Number of times reported: 6
Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 6
Sign: GLAUCOMA, Number of times reported: 6
Sign: GLAZED EYE, Number of times reported: 6
Sign: HEPATOMEGALY, Number of times reported: 6
Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 6
Sign: HORNER'S SYNDROME, Number of times reported: 6
Sign: HYPERMETRIA, Number of times reported: 6
Sign: HYPERPIGMENTATION, Number of times reported: 6
Sign: INJECTION SITE ERYTHEMA, Number of times reported: 6
Sign: LIP LICKING, Number of times reported: 6
Sign: MAST CELL TUMOUR, Number of times reported: 6
Sign: MUCOUS STOOL, Number of times reported: 6
Sign: OLIGURIA, Number of times reported: 6
Sign: ORAL BLEEDING, Number of times reported: 6
Sign: OSTEOSARCOMA, Number of times reported: 6
Sign: PAPULE, Number of times reported: 6
Sign: PERIPHERAL NEUROPATHY, Number of times reported: 6
Sign: PICA NOS, Number of times reported: 6
Sign: PINNAE DISORDER, Number of times reported: 6
Sign: PUSTULES, Number of times reported: 6
Sign: REDUCED REFLEXES, Number of times reported: 6
Sign: SHALLOW BREATHING, Number of times reported: 6
Sign: SKIN ABSCESS, Number of times reported: 6
Sign: SKIN NECROSIS, Number of times reported: 6

Sign: SPLENOMEGALY, Number of times reported: 6
Sign: SUNKEN EYES, Number of times reported: 6
Sign: SWALLOWING DISORDER NOS, Number of times reported: 6
Sign: THIRD EYELID PROTRUSION, Number of times reported: 6
Sign: URINARY RETENTION, Number of times reported: 6
Sign: VASCULITIS, Number of times reported: 6
Sign: ABDOMINAL EFFUSION, Number of times reported: 5
Sign: ADRENAL GLAND DISORDER NOS, Number of times reported: 5
Sign: APPETITE DISORDER NOS, Number of times reported: 5
Sign: ARTHROPATHY NOS, Number of times reported: 5
Sign: BASOPHILIA, Number of times reported: 5
Sign: BLADDER DISTENSION, Number of times reported: 5
Sign: BLOOD CLOT, Number of times reported: 5
Sign: BLOOD LOSS NOS, Number of times reported: 5
Sign: CERVICAL VENTROFLEXION, Number of times reported: 5
Sign: CHRONIC KIDNEY DISEASE, Number of times reported: 5
Sign: COLD FEELING OF EXTREMITY, Number of times reported: 5
Sign: DEPRESSED REFLEXES, Number of times reported: 5
Sign: DERMAL MASS, Number of times reported: 5
Sign: DERMATOSIS NOS, Number of times reported: 5
Sign: ELEVATED LACTATE, Number of times reported: 5
Sign: ELEVATED PANCREATIC ENZYMES, Number of times reported: 5
Sign: EXCESSIVE APPETITE, Number of times reported: 5
Sign: FLATULENCE, Number of times reported: 5
Sign: FOAMING AT THE MOUTH, Number of times reported: 5
Sign: GENERALISED RED SPOT, Number of times reported: 5
Sign: HAEMORRHAGE NOS, Number of times reported: 5
Sign: HARSH LUNG SOUNDS, Number of times reported: 5
Sign: HEART FAILURE, Number of times reported: 5
Sign: HEPATIC LIPIDOSIS (STEATOSIS), Number of times reported: 5
Sign: HYPERKERATOSIS, Number of times reported: 5
Sign: HYPOSTHENURIA, Number of times reported: 5
Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 5
Sign: INJECTION SITE INFLAMMATION, Number of times reported: 5
Sign: KIDNEY ATROPHY, Number of times reported: 5
Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 5
Sign: LIVER DISORDER NOS, Number of times reported: 5
Sign: LIVER TUMOUR, Number of times reported: 5
Sign: LOW SERUM ALKALINE PHOSPHATASE (ALP), Number of times reported: 5
Sign: LUNG TUMOUR, Number of times reported: 5
Sign: MYELOPATHY NOS, Number of times reported: 5
Sign: OBTUNDED, Number of times reported: 5
Sign: ORAL CAVITY DISORDER NOS, Number of times reported: 5

Sign: OTHER BLOOD DISORDER NOS, Number of times reported: 5
Sign: POLYARTHROPATHY NOS, Number of times reported: 5
Sign: PR-SKIN, LESION(S), Number of times reported: 5
Sign: PULMONARY NEOPLASM, Number of times reported: 5
Sign: REDUCED RESPONSES, Number of times reported: 5
Sign: ROLLING, Number of times reported: 5
Sign: SARCOMA NOS, Number of times reported: 5
Sign: SEBORRHOEA, Number of times reported: 5
Sign: SENSATION LOSS, Number of times reported: 5
Sign: SKIN HYPERAEMIA, Number of times reported: 5
Sign: SKIN SWELLING, Number of times reported: 5
Sign: SLEEP DISTURBANCE NOS, Number of times reported: 5
Sign: SPASM, Number of times reported: 5
Sign: SWOLLEN FEET, Number of times reported: 5
Sign: SYSTEMIC DISORDER NOS, Number of times reported: 5
Sign: TAIL PARALYSIS, Number of times reported: 5
Sign: TEMPORARY BLINDNESS, Number of times reported: 5
Sign: UNCONTROLLED DIABETES, Number of times reported: 5
Sign: WARM FEELING TO THE TOUCH, Number of times reported: 5
Sign: WHITE BLOOD CELL DISORDER NOS, Number of times reported: 5
Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 4
Sign: ACIDIC URINE, Number of times reported: 4
Sign: ADENOCARCINOMA NOS, Number of times reported: 4
Sign: ANAL SAC DISORDER, Number of times reported: 4
Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 4
Sign: BLOATED, Number of times reported: 4
Sign: BLOODY STOOL, Number of times reported: 4
Sign: BRAIN DISORDER NOS, Number of times reported: 4
Sign: BRUISING, Number of times reported: 4
Sign: CACHEXIA, Number of times reported: 4
Sign: CARDIOMYOPATHY, Number of times reported: 4
Sign: CATARACT, Number of times reported: 4
Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 4
Sign: COGNITIVE DISORDER NOS, Number of times reported: 4
Sign: COLD FEELING TO THE TOUCH, Number of times reported: 4
Sign: DECREASED BLOOD UREA NITROGEN (BUN) OR CREATININE, Number of times reported: 4
Sign: DENTAL DISEASE, Number of times reported: 4
Sign: DISCOLOURED URINE, Number of times reported: 4
Sign: EPIPHORA, Number of times reported: 4
Sign: FOOTPAD DISORDER NOS, Number of times reported: 4
Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 4
Sign: GINGIVITIS, Number of times reported: 4
Sign: GRANULOMA, Number of times reported: 4

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 4
Sign: HARD STOOL, Number of times reported: 4
Sign: HEMIPARESIS (WEAKNESS L OR R SIDE), Number of times reported: 4
Sign: HIVES, Number of times reported: 4
Sign: INCREASED RED BLOOD CELL COUNT, Number of times reported: 4
Sign: INVOLUNTARY DEFECATION, Number of times reported: 4
Sign: JAW DISORDER, Number of times reported: 4
Sign: LACK OF COORDINATION, Number of times reported: 4
Sign: LACK OF EFFICACY (ECTOPARASITE) - FLEA, Number of times reported: 4
Sign: LIVER NODULES, Number of times reported: 4
Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 4
Sign: MOUTH ULCER, Number of times reported: 4
Sign: ORAL ULCERATION, Number of times reported: 4
Sign: PANCYTOPENIA, Number of times reported: 4
Sign: PAWING, Number of times reported: 4
Sign: PLATELET DISORDER NOS, Number of times reported: 4
Sign: PNEUMONIA, Number of times reported: 4
Sign: POOR COAT CONDITION, Number of times reported: 4
Sign: PRESCRIBING ERROR, Number of times reported: 4
Sign: QUADRIPARESIS, Number of times reported: 4
Sign: RESPIRATORY ARREST, Number of times reported: 4
Sign: RINGWORM, Number of times reported: 4
Sign: SHOCK, Number of times reported: 4
Sign: SICKNESS, Number of times reported: 4
Sign: SKIN TEXTURAL CHANGE, Number of times reported: 4
Sign: SLEEPINESS - NEUROLOGICAL DISORDER, Number of times reported: 4
Sign: SOMNOLENCE, Number of times reported: 4
Sign: STOMATITIS, Number of times reported: 4
Sign: STRIDOR (UPPER RESPIRATORY; FOR LOWER RESPIRATORY SEE ALSO BRONCHIAL RALE), Number of times
Sign: SUBDUED, Number of times reported: 4
Sign: SWOLLEN LIP, Number of times reported: 4
Sign: SYNCOPE, Number of times reported: 4
Sign: TARRY OR BLACK STOOL, Number of times reported: 4
Sign: TENDON INJURY, Number of times reported: 4
Sign: TREMOR OF LIMB, Number of times reported: 4
Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 3
Sign: ABNORMAL URINE ODOUR, Number of times reported: 3
Sign: ABNORMAL VISION, Number of times reported: 3
Sign: ALOPECIA GENERAL, Number of times reported: 3
Sign: APPLICATION SITE ALOPECIA, Number of times reported: 3
Sign: ATOPIC ALLERGY NOS, Number of times reported: 3
Sign: BRAIN TUMOUR, Number of times reported: 3
Sign: BRONCHOPULMONARY INFLAMMATION, Number of times reported: 3

Sign: CALCULI, Number of times reported: 3
Sign: CIRCULATORY COLLAPSE, Number of times reported: 3
Sign: COLITIS, Number of times reported: 3
Sign: COLLAPSE, Number of times reported: 3
Sign: COMA, Number of times reported: 3
Sign: CONSTRICTED PUPILS, Number of times reported: 3
Sign: CRYSTALLURIA, Number of times reported: 3
Sign: DAZED, Number of times reported: 3
Sign: DEAFNESS NOS, Number of times reported: 3
Sign: DECREASED HAEMOGLOBIN, Number of times reported: 3
Sign: DESTRUCTIVE BEHAVIOUR, Number of times reported: 3
Sign: DYSPHAGIA, Number of times reported: 3
Sign: EAR IRRITATION, Number of times reported: 3
Sign: ELEVATED PROTEIN:CREATININE RATIO, Number of times reported: 3
Sign: ENLARGED KIDNEY(S), Number of times reported: 3
Sign: ERYTHEMATOUS RASH, Number of times reported: 3
Sign: EXCESSIVE EAR WAX, Number of times reported: 3
Sign: FASCICULATION, Number of times reported: 3
Sign: FATIGUE, Number of times reported: 3
Sign: FEAR/FEARFUL, Number of times reported: 3
Sign: FIBROSARCOMA, Number of times reported: 3
Sign: FLUID IN THORAX, Number of times reported: 3
Sign: FOUND DEAD, Number of times reported: 3
Sign: FUNGAL SKIN INFECTION NOS, Number of times reported: 3
Sign: GASTRITIS, Number of times reported: 3
Sign: HAEMATOCHEZIA, Number of times reported: 3
Sign: HEAD TILT - EAR DISORDER, Number of times reported: 3
Sign: HEPATOPATHY, Number of times reported: 3
Sign: HIP DYSPLASIA, Number of times reported: 3
Sign: HYPERCHLORAEMIA, Number of times reported: 3
Sign: HYPERSENSITIVITY NOS, Number of times reported: 3
Sign: HYPERTHERMIA, Number of times reported: 3
Sign: HYPERVENTILATION, Number of times reported: 3
Sign: HYPHAEMIA, Number of times reported: 3
Sign: HYPOXIA, Number of times reported: 3
Sign: INCOORDINATION, Number of times reported: 3
Sign: INCREASED LUNG SOUNDS, Number of times reported: 3
Sign: INJECTION SITE BLEEDING, Number of times reported: 3
Sign: INJECTION SITE INFECTION, Number of times reported: 3
Sign: INJECTION SITE IRRITATION, Number of times reported: 3
Sign: INJECTION SITE THICKENING, Number of times reported: 3
Sign: INVOLUNTARY URINATION, Number of times reported: 3
Sign: IRIS DISORDER, Number of times reported: 3

Sign: JOINT PAIN NOS, Number of times reported: 3
Sign: JOINT STIFFNESS, Number of times reported: 3
Sign: LIGAMENT RUPTURE, Number of times reported: 3
Sign: LIVER FAILURE, Number of times reported: 3
Sign: LOSS OF HEARING, Number of times reported: 3
Sign: LOSS OF VOICE, Number of times reported: 3
Sign: LOW ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 3
Sign: LOW BLOOD UREA NITROGEN (BUN), Number of times reported: 3
Sign: MALODOUR, Number of times reported: 3
Sign: MELAENA, Number of times reported: 3
Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 3
Sign: MULTIPLE MYELOMA, Number of times reported: 3
Sign: MUSCLE STIFFNESS, Number of times reported: 3
Sign: MUSCLE TREMOR, Number of times reported: 3
Sign: NASAL CAVITY DISORDER NOS, Number of times reported: 3
Sign: NECROTIC WOUND, Number of times reported: 3
Sign: OEDEMA NOS, Number of times reported: 3
Sign: PALPABLE MASS NOS, Number of times reported: 3
Sign: PEELING SKIN, Number of times reported: 3
Sign: PEMPHIGUS, Number of times reported: 3
Sign: PERITONEAL FLUID, ABNORMAL NOS, Number of times reported: 3
Sign: PINNAL REDDENING, Number of times reported: 3
Sign: PR-HEART, LESION(S), Number of times reported: 3
Sign: PROLONGED BLEEDING NOS, Number of times reported: 3
Sign: REDUCED FAECAL OUTPUT, Number of times reported: 3
Sign: REDUCED GLOBULINS, Number of times reported: 3
Sign: REGURGITATION, Number of times reported: 3
Sign: RENAL INFARCTS, Number of times reported: 3
Sign: RENAL TUBULAR DISORDER, Number of times reported: 3
Sign: RHINITIS, Number of times reported: 3
Sign: SCALY CONDITION NOS, Number of times reported: 3
Sign: SCOOTING, Number of times reported: 3
Sign: SKIN DISCOLOURATION NOS, Number of times reported: 3
Sign: SKIN HYPERPLASIA, Number of times reported: 3
Sign: SKIN TUMOUR NOS, Number of times reported: 3
Sign: STAGGERING, Number of times reported: 3
Sign: SUPPURATIVE DERMATITIS, Number of times reported: 3
Sign: SWOLLEN LYMPH NODE, Number of times reported: 3
Sign: SYMPTOM NOS INVOLVING NEUROLOGICAL AND MUSCULAR SKELETAL SOCS, Number of times reported: 3
Sign: TEETH GRINDING, Number of times reported: 3
Sign: THROMBOCYTOSIS, Number of times reported: 3
Sign: TONGUE PROTRUSION, Number of times reported: 3
Sign: UNEXPLAINED DEATH, Number of times reported: 3

Sign: UNILATERAL PARESIS, Number of times reported: 3
Sign: UNUSUAL STOOL COLOUR, Number of times reported: 3
Sign: URETERIC DISORDER, Number of times reported: 3
Sign: UROLITHIASIS, Number of times reported: 3
Sign: VOICE ALTERATION, Number of times reported: 3
Sign: VOMITING FOAM, Number of times reported: 3
Sign: WELT, Number of times reported: 3
Sign: ABDOMINAL CAVITY HAEMORRHAGE, Number of times reported: 2
Sign: ABNORMAL POSTURE, Number of times reported: 2
Sign: ABNORMAL SERUM PROTEIN NOS, Number of times reported: 2
Sign: ABNORMAL TAIL POSTURE, Number of times reported: 2
Sign: ACTIVE URINE SEDIMENT, Number of times reported: 2
Sign: ACUTE PANCREATITIS, Number of times reported: 2
Sign: ADMINISTRATION ERROR NOS, Number of times reported: 2
Sign: AGGLUTINATION TEST, POSITIVE, Number of times reported: 2
Sign: ALKALOSIS, Number of times reported: 2
Sign: ALLERGIC PRURITUS, Number of times reported: 2
Sign: ANAL IRRITATION, Number of times reported: 2
Sign: APPLICATION SITE BLEEDING, Number of times reported: 2
Sign: APPLICATION SITE LESION, Number of times reported: 2
Sign: APPLICATION SITE SCAB, Number of times reported: 2
Sign: ASPIRATION PNEUMONIA, Number of times reported: 2
Sign: ATRIAL FIBRILLATION, Number of times reported: 2
Sign: ATTENTION-SEEKING BEHAVIOUR, Number of times reported: 2
Sign: BLADDER INCONTINENCE, Number of times reported: 2
Sign: BLINKING, Number of times reported: 2
Sign: CARDIAC MURMUR, Number of times reported: 2
Sign: CARDIORESPIRATORY ARREST, Number of times reported: 2
Sign: CENTRAL NERVOUS SYSTEM DEPRESSION, Number of times reported: 2
Sign: CHOKE, Number of times reported: 2
Sign: CLOUDY EYE, Number of times reported: 2
Sign: COAGULOPATHY, Number of times reported: 2
Sign: COGNITIVE IMPAIRMENT, Number of times reported: 2
Sign: CONJUNCTIVAL OEDEMA, Number of times reported: 2
Sign: CONVULSION, Number of times reported: 2
Sign: DECREASED HEART RATE, Number of times reported: 2
Sign: DECREASED PERCENTAGE OF RETICULOCYTES, Number of times reported: 2
Sign: DECREASED PULSE OXYGENATION, Number of times reported: 2
Sign: DEPRESSED OCULAR REFLEX, Number of times reported: 2
Sign: DERMAL NODULE, Number of times reported: 2
Sign: DIABETIC KETOACIDOSIS, Number of times reported: 2
Sign: DIFFICULTY IN MICTURITION, Number of times reported: 2
Sign: DIGESTIVE TRACT NEOPLASM NOS, Number of times reported: 2

Sign: DIGESTIVE TRACT STASIS, Number of times reported: 2
Sign: DILATED RENAL PELVIS, Number of times reported: 2
Sign: DISORDER OF RED BLOOD CELL NOS, Number of times reported: 2
Sign: DRY COAT, Number of times reported: 2
Sign: EAR CANAL ERYTHEMA, Number of times reported: 2
Sign: EAR PAIN, Number of times reported: 2
Sign: EAR TWITCHING, Number of times reported: 2
Sign: ELEVATED MEAN CORPUSCULAR VOLUME (MCV), Number of times reported: 2
Sign: ENLARGED LIVER, Number of times reported: 2
Sign: ENLARGED PUPILS, Number of times reported: 2
Sign: ENOPHTHALMOS, Number of times reported: 2
Sign: ENTERITIS, Number of times reported: 2
Sign: EPIDERMAL COLLARETTE, Number of times reported: 2
Sign: ERUPTION, Number of times reported: 2
Sign: EXTENSOR RIGIDITY, Number of times reported: 2
Sign: EXUDATIVE SKIN CONDITION, Number of times reported: 2
Sign: EYE HAEMORRHAGE, Number of times reported: 2
Sign: EYE INFLAMMATION NOS, Number of times reported: 2
Sign: EYE ITCHING, Number of times reported: 2
Sign: EYELID INFLAMMATION, Number of times reported: 2
Sign: FACIAL NERVE DISORDER, Number of times reported: 2
Sign: FACIAL OEDEMA, Number of times reported: 2
Sign: FLACCID MUSCLES, Number of times reported: 2
Sign: FLACCID PARALYSIS, Number of times reported: 2
Sign: FLUID IN ABDOMEN NOS, Number of times reported: 2
Sign: FOLLICULITIS, Number of times reported: 2
Sign: FOOD REFUSAL, Number of times reported: 2
Sign: FURUNCULOSIS, Number of times reported: 2
Sign: GENERALISED CONGESTION NOS, Number of times reported: 2
Sign: GENERALISED SKIN REACTION, Number of times reported: 2
Sign: GINGIVAL HYPERPLASIA, Number of times reported: 2
Sign: GREASY SKIN, Number of times reported: 2
Sign: GUM DISORDER NOS, Number of times reported: 2
Sign: HAEMATOMA NOS, Number of times reported: 2
Sign: HAEMORRHAGIC BLADDER, Number of times reported: 2
Sign: HEARING DECREASED, Number of times reported: 2
Sign: HEPATIC DISORDER NOS, Number of times reported: 2
Sign: HIGH FREE THYROXINE (FT4), Number of times reported: 2
Sign: HIGH THYROID STIMULATING HORMONE (TSH), Number of times reported: 2
Sign: HIGH TRYPSIN-LIKE IMMUNOREACTIVITY (TLI), Number of times reported: 2
Sign: HYPERTROPHIC DILATED CARDIOMYOPATHY, Number of times reported: 2
Sign: HYPOSENSITIVITY TO PAIN, Number of times reported: 2
Sign: HYPOTHYROIDISM, Number of times reported: 2

Sign: HYPOVOLAEMIC SHOCK, Number of times reported: 2
Sign: IMMUNE-MEDIATED POLYARTHRITIS, Number of times reported: 2
Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 2
Sign: INCREASED BAND NEUTROPHILIA, Number of times reported: 2
Sign: INCREASED BORBORYGMUS, Number of times reported: 2
Sign: INCREASED COAGULATION TIME, Number of times reported: 2
Sign: INCREASED SENSITIVITY TO LIGHT, Number of times reported: 2
Sign: INJECTION SITE BRUISING, Number of times reported: 2
Sign: INJECTION SITE CYST, Number of times reported: 2
Sign: INJECTION SITE SKIN SCALING, Number of times reported: 2
Sign: INJECTION SITE TENDERNESS, Number of times reported: 2
Sign: INTENTION TREMOR, Number of times reported: 2
Sign: INTESTINAL THICKENING, Number of times reported: 2
Sign: IRON DEFICIENCY ANAEMIA, Number of times reported: 2
Sign: JOINT INFLAMMATION, Number of times reported: 2
Sign: JOINT LIGAMENT DISORDER NOS, Number of times reported: 2
Sign: KETOSIS, Number of times reported: 2
Sign: LACK OF EFFICACY (BACTERIA) - NOS, Number of times reported: 2
Sign: LIMB AMPUTATION, Number of times reported: 2
Sign: LIP DISORDER NOS, Number of times reported: 2
Sign: LIPOMA, Number of times reported: 2
Sign: LOCAL SKIN SLOUGH, Number of times reported: 2
Sign: LOSS OF BOWEL CONTROL, Number of times reported: 2
Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 2
Sign: LOW CREATININE, Number of times reported: 2
Sign: LOW IONIZED CALCIUM (CA; HYPOCALCAEMIA, IONIZED), Number of times reported: 2
Sign: LOW SERUM ALKALINE PHOSPHATASE (SAP), Number of times reported: 2
Sign: LUMINAL ENTEROPATHY, Number of times reported: 2
Sign: LUNG NODULE NOS, Number of times reported: 2
Sign: LYMPHOSARCOMA, Number of times reported: 2
Sign: MAMMARY GLAND DISORDER NOS, Number of times reported: 2
Sign: MAMMARY GLAND NEOPLASM NOS, Number of times reported: 2
Sign: MELANOMA, Number of times reported: 2
Sign: MENTAL CONFUSION, Number of times reported: 2
Sign: METASTATIC NEOPLASIA, Number of times reported: 2
Sign: MIOSIS, Number of times reported: 2
Sign: MONOCYTOPENIA, Number of times reported: 2
Sign: MOPEY, Number of times reported: 2
Sign: MUCOCUTANEOUS ULCER, Number of times reported: 2
Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 2
Sign: MURMUR, Number of times reported: 2
Sign: MUSCLE CONTRACTURE, Number of times reported: 2
Sign: MUSCLE PAIN, Number of times reported: 2

Sign: MYASTHENIA GRAVIS, Number of times reported: 2
Sign: MYOSITIS, Number of times reported: 2
Sign: NECK PAIN - NEUROLOGICAL, Number of times reported: 2
Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 2
Sign: OSTEOMYELITIS, Number of times reported: 2
Sign: OTHER EAR DISORDER NOS, Number of times reported: 2
Sign: OTHER IMMUNE SYSTEM DISORDER NOS, Number of times reported: 2
Sign: OTIC HAEMATOMA, Number of times reported: 2
Sign: OTITIS MEDIA, Number of times reported: 2
Sign: PANCREATIC TUMOUR NOS, Number of times reported: 2
Sign: PARAPLEGIA, Number of times reported: 2
Sign: PIGMENTATION DISORDER, Number of times reported: 2
Sign: PINNAL OEDEMA, Number of times reported: 2
Sign: PINNAL ULCER, Number of times reported: 2
Sign: PLEURAL FLUID, ABNORMAL NOS, Number of times reported: 2
Sign: PODODERMATITIS, Number of times reported: 2
Sign: PROLONGED ACTIVATED PARTIAL THROMBIN TIME (APTT), Number of times reported: 2
Sign: PULMONARY METASTASES, Number of times reported: 2
Sign: PYELONEPHRITIS, Number of times reported: 2
Sign: PYREXIA, Number of times reported: 2
Sign: QUADRIPLEGIA, Number of times reported: 2
Sign: REDUCED LEVEL OF CONSCIOUSNESS, Number of times reported: 2
Sign: RESPIRATORY SOUND, Number of times reported: 2
Sign: RETINAL HAEMORRHAGE, Number of times reported: 2
Sign: RIGIDITY OF LIMBS, Number of times reported: 2
Sign: SALINE SLIDE AGGLUTINATION TEST, POSITIVE, Number of times reported: 2
Sign: SHIVERING, Number of times reported: 2
Sign: SINUS DISORDER NOS, Number of times reported: 2
Sign: SKIN HAEMATOMA, Number of times reported: 2
Sign: SKIN SLOUGH, Number of times reported: 2
Sign: SKIN THINNING, Number of times reported: 2
Sign: SKIN WARMTH, Number of times reported: 2
Sign: SLOW HEART RATE, Number of times reported: 2
Sign: STAR-GAZING, Number of times reported: 2
Sign: STERNOABDOMINAL RECUMBENCY, Number of times reported: 2
Sign: STRESS LEUKOGRAM, Number of times reported: 2
Sign: STUPOR, Number of times reported: 2
Sign: SWALLOWING DIFFICULT, Number of times reported: 2
Sign: SWELLING AROUND EYE, Number of times reported: 2
Sign: SWOLLEN EYELID, Number of times reported: 2
Sign: SWOLLEN GUM, Number of times reported: 2
Sign: SYNOVITIS, Number of times reported: 2
Sign: TENDINITIS, Number of times reported: 2

Sign: THORACIC CAVITY DISORDER NOS, Number of times reported: 2
Sign: THYROID GLAND DISORDER NOS, Number of times reported: 2
Sign: TONGUE DISORDER NOS, Number of times reported: 2
Sign: TONGUE ULCERATION, Number of times reported: 2
Sign: TOOTH DISORDER, Number of times reported: 2
Sign: TOOTH LOSS, Number of times reported: 2
Sign: TORN LIGAMENT, Number of times reported: 2
Sign: TRACHEAL AND LARYNGEAL DISORDER NOS, Number of times reported: 2
Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 2
Sign: UNRELATED DEATH, Number of times reported: 2
Sign: UNSETTLED, Number of times reported: 2
Sign: VITAMIN DISORDER, Number of times reported: 2
Sign: WALKING SLOWLY, Number of times reported: 2
Sign: ABNORMAL DIGITAL PULSE, Number of times reported: 1
Sign: ABNORMAL ECHOCARDIOGRAM, Number of times reported: 1
Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 1
Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1
Sign: ACIDOSIS, Number of times reported: 1
Sign: ANAPHYLACTIC SHOCK, Number of times reported: 1
Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 1
Sign: ANTERIOR UVEITIS, Number of times reported: 1
Sign: ANURIA, Number of times reported: 1
Sign: APOCRINE GLAND ADENOCARCINOMA, Number of times reported: 1
Sign: APPLICATION SITE BURN, Number of times reported: 1
Sign: APPLICATION SITE CRUST, Number of times reported: 1
Sign: APPLICATION SITE ERYTHEMA, Number of times reported: 1
Sign: APPLICATION SITE EXCORIATION, Number of times reported: 1
Sign: APPLICATION SITE SELF TRAUMA, Number of times reported: 1
Sign: BITING AT INJECTION SITE, Number of times reported: 1
Sign: BLEPHARITIS, Number of times reported: 1
Sign: BLEPHAROSPASM, Number of times reported: 1
Sign: BLOOD IN FAECES NOS, Number of times reported: 1
Sign: BLOODSHOT EYE, Number of times reported: 1
Sign: BONE MARROW DISORDER NOS, Number of times reported: 1
Sign: BOUNDING PULSE, Number of times reported: 1
Sign: CARBON DIOXIDE HIGH, BLOOD, Number of times reported: 1
Sign: CARDIAC INSUFFICIENCY, Number of times reported: 1
Sign: CARDIOPATHY, Number of times reported: 1
Sign: CARTILAGE DEGENERATION, Number of times reported: 1
Sign: CAT SCAN ABNORMAL, Number of times reported: 1
Sign: CELLULITIS, Number of times reported: 1
Sign: CENTRAL NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1
Sign: CENTRAL NERVOUS SYSTEM INFECTION NOS, Number of times reported: 1

Sign: CENTRAL VESTIBULAR DISORDER, Number of times reported: 1
Sign: CEREBELLAR ATAXIA, Number of times reported: 1
Sign: CERVICAL PAIN, Number of times reported: 1
Sign: CERVICAL SPONDYLOPATHY, Number of times reported: 1
Sign: CHATTERING OF TEETH, Number of times reported: 1
Sign: CHEMOSIS, Number of times reported: 1
Sign: CHEWING DISORDER, Number of times reported: 1
Sign: CHOLANGITIS, Number of times reported: 1
Sign: CHOLELITHIASIS, Number of times reported: 1
Sign: CHONDROSARCOMA, Number of times reported: 1
Sign: CHRONIC INTERSTITIAL NEPHRITIS, Number of times reported: 1
Sign: CIRCULATORY DISORDER NOS, Number of times reported: 1
Sign: CLUMSY, Number of times reported: 1
Sign: CONJUNCTIVAL IRRITATION, Number of times reported: 1
Sign: CORNEAL DISORDER NOS, Number of times reported: 1
Sign: COUGHING UP BLOOD, Number of times reported: 1
Sign: CRANIAL NERVE DISORDER, Number of times reported: 1
Sign: CREPITATION ON AUSCULTATION, Number of times reported: 1
Sign: CYANOTIC MUCOUS MEMBRANES, Number of times reported: 1
Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 1
Sign: DECREASED MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION (MCHC), Number of times reported: 1
Sign: DEHISCENCE, Number of times reported: 1
Sign: DELAYED FRACTURE UNION, Number of times reported: 1
Sign: DENTAL CALCULUS, Number of times reported: 1
Sign: DEPENDENT OEDEMA, Number of times reported: 1
Sign: DERMAL CYST(S), Number of times reported: 1
Sign: DERMATOPHYTOSIS, Number of times reported: 1
Sign: DISORDER OF GASTROINTESTINAL FLORA, Number of times reported: 1
Sign: DROOPY EAR, Number of times reported: 1
Sign: DRUG DOSE PRESCRIBING ERROR, Number of times reported: 1
Sign: DRY MOUTH, Number of times reported: 1
Sign: DUODENAL ULCER, Number of times reported: 1
Sign: DYSMETRIA, Number of times reported: 1
Sign: DYSURIA, Number of times reported: 1
Sign: EAR CANAL OEDEMA, Number of times reported: 1
Sign: ELEVATED FRUCTOSAMINE, Number of times reported: 1
Sign: ELEVATED HAEMATOCRIT, Number of times reported: 1
Sign: ELEVATED HAEMOGLOBIN, Number of times reported: 1
Sign: ELEVATED MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION (MCHC), Number of times reported: 1
Sign: ELEVATED PARATHYROID (PTH) CONCENTRATION, Number of times reported: 1
Sign: ENDOCRINE SYSTEM DISORDER NOS, Number of times reported: 1
Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 1
Sign: ENLARGED THYROID GLAND, Number of times reported: 1

Sign: ENTERIC PATHOGEN NOS, Number of times reported: 1
Sign: ENTROPION, Number of times reported: 1
Sign: EQUILIBRIUM DISORDER, Number of times reported: 1
Sign: ERUCTATION, Number of times reported: 1
Sign: EXCESSIVE DEFENSIVE BEHAVIOUR, Number of times reported: 1
Sign: EXCITATION, Number of times reported: 1
Sign: EXOCRINE PANCREATIC INSUFFICIENCY, Number of times reported: 1
Sign: EXOPHTHALMIA, Number of times reported: 1
Sign: EYELID ERYTHEMA, Number of times reported: 1
Sign: EYELID OEDEMA, Number of times reported: 1
Sign: EYELID SCALY, Number of times reported: 1
Sign: FAINTING, Number of times reported: 1
Sign: FEET SHIFTING, Number of times reported: 1
Sign: FISTULA, Number of times reported: 1
Sign: FIXED PUPIL, Number of times reported: 1
Sign: FLATULENCE, BLOATING AND DISTENSION, Number of times reported: 1
Sign: FLY BITING BEHAVIOUR, Number of times reported: 1
Sign: FOAM IN THE MOUTH, Number of times reported: 1
Sign: FOOD ALLERGY, Number of times reported: 1
Sign: GALL STONE, Number of times reported: 1
Sign: GASTRIC ULCER, Number of times reported: 1
Sign: GASTRO INTESTINAL STROMAL TUMOUR (GIST), Number of times reported: 1
Sign: GASTROINTESTINAL IRRITATION, Number of times reported: 1
Sign: GENERALISED RASH, Number of times reported: 1
Sign: GENERALISED SKIN SLOUGH, Number of times reported: 1
Sign: GENITAL TRACT LICKING, Number of times reported: 1
Sign: GINGIVAL DISORDER, Number of times reported: 1
Sign: GLUCOSE INTOLERANCE, Number of times reported: 1
Sign: GUT SOUNDS INCREASED, Number of times reported: 1
Sign: HAEMANGIOSARCOMA, Number of times reported: 1
Sign: HAEMATEMESIS, Number of times reported: 1
Sign: HAEMOGLOBINURIA, Number of times reported: 1
Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 1
Sign: HAEMOTHORAX, Number of times reported: 1
Sign: HAIR MODIFICATION NOS, Number of times reported: 1
Sign: HEART BASE TUMOUR NOS, Number of times reported: 1
Sign: HEART BLOCK 3RD DEGREE, Number of times reported: 1
Sign: HEPATIC BILIARY CYSTS, Number of times reported: 1
Sign: HEPATIC TUMOUR, Number of times reported: 1
Sign: HEPATITIS, Number of times reported: 1
Sign: HEPATO-BILIARY DISORDER NOS, Number of times reported: 1
Sign: HICCUP, Number of times reported: 1
Sign: HIGH SODIUM-POTASSIUM RATIO (NA:K RATIO), Number of times reported: 1

Sign: HIGH TRI-IODOTHYRONINE (T3), Number of times reported: 1
Sign: HYDRONEPHROSIS, Number of times reported: 1
Sign: HYPERAEMIC MUCOSAE, Number of times reported: 1
Sign: HYPEREXCITATION, Number of times reported: 1
Sign: HYPERPNOEA, Number of times reported: 1
Sign: HYPERREFLEXIA, Number of times reported: 1
Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 1
Sign: HYPERSENSITIVITY TO PAIN, Number of times reported: 1
Sign: HYPOMAGNESAEMIC CONDITION, Number of times reported: 1
Sign: HYPOREFLEXIA, Number of times reported: 1
Sign: IDIOPATHIC VESTIBULAR DISEASE, Number of times reported: 1
Sign: ILEUS, Number of times reported: 1
Sign: IMMEDIATE PAIN UPON APPLICATION, Number of times reported: 1
Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 1
Sign: IMMUNE-MEDIATED POLYARTHROPATHY, Number of times reported: 1
Sign: IMPAIRED HEARING, Number of times reported: 1
Sign: INCREASED INTRA-OCULAR PRESSURE, Number of times reported: 1
Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 1
Sign: INCREASED SALIVATION, Number of times reported: 1
Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 1
Sign: INCREASED SENSITIVITY TO SOUND, Number of times reported: 1
Sign: INCREASED SWEATING, Number of times reported: 1
Sign: INCREASED URINE CONCENTRATION, Number of times reported: 1
Sign: INEFFECTIVE, ANALGESIA, Number of times reported: 1
Sign: INFARCTION, Number of times reported: 1
Sign: INFECTIOUS DISEASE NOS, Number of times reported: 1
Sign: INJECTION SITE BLISTER, Number of times reported: 1
Sign: INJECTION SITE COMPLICATION NOS, Number of times reported: 1
Sign: INJECTION SITE DISCHARGE NOS, Number of times reported: 1
Sign: INJECTION SITE GRANULOMA, Number of times reported: 1
Sign: INJECTION SITE HAEMATOMA, Number of times reported: 1
Sign: INJECTION SITE HAIR CHANGE, Number of times reported: 1
Sign: INJECTION SITE MUCOPURULENT DISCHARGE, Number of times reported: 1
Sign: INJECTION SITE NEOPLASM NOS, Number of times reported: 1
Sign: INJECTION SITE NODULE, Number of times reported: 1
Sign: INJECTION SITE SEROMA, Number of times reported: 1
Sign: INJECTION SITE SEROUS DISCHARGE, Number of times reported: 1
Sign: INJECTION SITE SKIN CHANGE NOS, Number of times reported: 1
Sign: INJECTION SITE SKIN DISCOLOURATION, Number of times reported: 1
Sign: INTERDIGITAL OEDEMA, Number of times reported: 1
Sign: INTUSSUSCEPTION, Number of times reported: 1
Sign: INVOLUNTARY MOVEMENT, Number of times reported: 1
Sign: IRREGULAR BREATHING, Number of times reported: 1

Sign: ITCHY RASH, Number of times reported: 1
Sign: JAW PAIN, Number of times reported: 1
Sign: JOINT OEDEMA, Number of times reported: 1
Sign: KERATITIS, Number of times reported: 1
Sign: KERATOCONJUNCTIVITIS SICCA, Number of times reported: 1
Sign: LACK OF EFFICACY (ENDOPARASITE) - TAPEWORM, Number of times reported: 1
Sign: LACK OF EFFICACY (VIRUS) - NOS, Number of times reported: 1
Sign: LACK OF HAIR REGROWTH, Number of times reported: 1
Sign: LENS LUXATION, Number of times reported: 1
Sign: LICHENIFICATION, Number of times reported: 1
Sign: LICK GRANULOMA, Number of times reported: 1
Sign: LIP SMACKING, Number of times reported: 1
Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 1
Sign: LOSS OF SMELL, Number of times reported: 1
Sign: LOW LIVER ENZYMES, Number of times reported: 1
Sign: LOW LIVER ENZYMES NOS, Number of times reported: 1
Sign: LOW PANCREATIC ENZYMES, Number of times reported: 1
Sign: LUNG COLLAPSE, Number of times reported: 1
Sign: LUNG SOUND, Number of times reported: 1
Sign: LYMPHOEDEMA, Number of times reported: 1
Sign: MAMMARY GLAND ENLARGEMENT, Number of times reported: 1
Sign: MAST CELLS HIGH, BODY, Number of times reported: 1
Sign: MEGAOESOPHAGUS, Number of times reported: 1
Sign: MELANOSIS, Number of times reported: 1
Sign: MOTOR NEURONE DISEASE, Number of times reported: 1
Sign: MOUTH IRRITATION, Number of times reported: 1
Sign: MUCUS IN EYE, Number of times reported: 1
Sign: MUSCLE INFLAMMATION, Number of times reported: 1
Sign: MUSCULOSKELETAL NEOPLASM NOS, Number of times reported: 1
Sign: MYOCARDIAL INFARCT, Number of times reported: 1
Sign: MYOCLONIC JERK, Number of times reported: 1
Sign: NECROSIS NOS, Number of times reported: 1
Sign: NEPHRITIS, Number of times reported: 1
Sign: NEPHROPATHY, Number of times reported: 1
Sign: NERVE DAMAGE NOS, Number of times reported: 1
Sign: NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1
Sign: OCCULT GASTROINTESTINAL BLEEDING, Number of times reported: 1
Sign: OCULAR BURN, Number of times reported: 1
Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 1
Sign: OFF FOOD, Number of times reported: 1
Sign: OPTIC DISC OEDEMA, Number of times reported: 1
Sign: OSTEOPOROSIS, Number of times reported: 1
Sign: OTHER METABOLIC DISORDER, Number of times reported: 1

Sign: PADDLING, Number of times reported: 1
Sign: PAINFUL DEFECATION, Number of times reported: 1
Sign: PALPEBRAL OEDEMA, Number of times reported: 1
Sign: PANIC, Number of times reported: 1
Sign: PANLEUCOPENIA, Number of times reported: 1
Sign: PANNICULITIS, Number of times reported: 1
Sign: PAPULAR RASH, Number of times reported: 1
Sign: PARAESTHESIA GENERALISED, Number of times reported: 1
Sign: PARONYCHIA, Number of times reported: 1
Sign: PENILE DISORDER NOS, Number of times reported: 1
Sign: PERICARDIAL EFFUSION, Number of times reported: 1
Sign: PERIODONTAL DISORDER, Number of times reported: 1
Sign: PERIORBITAL OEDEMA, Number of times reported: 1
Sign: PERIVASCULAR DERMATITIS, Number of times reported: 1
Sign: PERSISTENT INFECTION, Number of times reported: 1
Sign: PETECHIAE NOS, Number of times reported: 1
Sign: PETIT MAL EPILEPSY, Number of times reported: 1
Sign: PINNAL IRRITATION, Number of times reported: 1
Sign: PITTING OEDEMA, Number of times reported: 1
Sign: POLYARTHRITIS, Number of times reported: 1
Sign: POLYCYTHAEMIA, Number of times reported: 1
Sign: POLYP, Number of times reported: 1
Sign: POST ICTAL STATE, Number of times reported: 1
Sign: PR-ADRENAL(S), LESION(S), Number of times reported: 1
Sign: PR-BONE MARROW, LESION(S), Number of times reported: 1
Sign: PREMATURE VENTRICULAR CONTRACTIONS, Number of times reported: 1
Sign: PREPUTIAL SWELLING, Number of times reported: 1
Sign: PR-KIDNEY(S), LESION(S), Number of times reported: 1
Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 1
Sign: PROLONGED ONE STAGE PROTHROMBIN TIME (OSPT), Number of times reported: 1
Sign: PR-PLEURAL EFFUSION, Number of times reported: 1
Sign: PR-THYROID, LESION(S), Number of times reported: 1
Sign: PTYALISM, Number of times reported: 1
Sign: PULMONARY CONGESTION, Number of times reported: 1
Sign: PULMONARY HYPERTENSION, Number of times reported: 1
Sign: PULMONARY THROMBOEMBOLISM, Number of times reported: 1
Sign: PUSTULAR SKIN ERUPTION, Number of times reported: 1
Sign: RECTAL BLEEDING, Number of times reported: 1
Sign: RECTAL MASS, Number of times reported: 1
Sign: RECTAL PROLAPSE, Number of times reported: 1
Sign: RED BLOOD CELL DISORDER, Number of times reported: 1
Sign: RENAL DEGENERATION, Number of times reported: 1
Sign: RENAL LYMPHOMA, Number of times reported: 1

Sign: RESPIRATORY DEPRESSION, Number of times reported: 1
Sign: RESPIRATORY FAILURE, Number of times reported: 1
Sign: RETINAL DISORDER NOS, Number of times reported: 1
Sign: REVERSE SNEEZING, Number of times reported: 1
Sign: RIGIDITY, Number of times reported: 1
Sign: SCLERAL HAEMORRHAGE, Number of times reported: 1
Sign: SEMI-CONSCIOUS, Number of times reported: 1
Sign: SEPTICAEMIA, Number of times reported: 1
Sign: SEROMA, Number of times reported: 1
Sign: SIGHT AFFECTED, Number of times reported: 1
Sign: SINUS CONGESTION, Number of times reported: 1
Sign: SINUSITIS, Number of times reported: 1
Sign: SKIN AND/OR APPENDAGE NEOPLASM NOS, Number of times reported: 1
Sign: SKIN DRYNESS, Number of times reported: 1
Sign: SKIN SARCOMA NOS, Number of times reported: 1
Sign: SLOW REFLEXES, Number of times reported: 1
Sign: SMALL LIVER, Number of times reported: 1
Sign: SNORING, Number of times reported: 1
Sign: SNORTING, Number of times reported: 1
Sign: SORE MOUTH, Number of times reported: 1
Sign: SPINDLE CELL TUMOUR, Number of times reported: 1
Sign: SPLENIC NEOPLASM NOS, Number of times reported: 1
Sign: SPONDYLITIS, Number of times reported: 1
Sign: STERTOR, Number of times reported: 1
Sign: STOMACH UPSET, Number of times reported: 1
Sign: STRABISMUS, Number of times reported: 1
Sign: SWOLLEN EAR CANAL, Number of times reported: 1
Sign: SWOLLEN FACE, Number of times reported: 1
Sign: SWOLLEN MOUTH, Number of times reported: 1
Sign: SWOLLEN MUZZLE, Number of times reported: 1
Sign: SWOLLEN TONGUE, Number of times reported: 1
Sign: SYSTEMIC FUNGAL INFECTION, Number of times reported: 1
Sign: TEAR FLOW INCREASED, Number of times reported: 1
Sign: TEMPORARY DEAFNESS, Number of times reported: 1
Sign: THICKENED EAR CANAL(S), Number of times reported: 1
Sign: THIRD EYELID PROLAPSE, Number of times reported: 1
Sign: THYROID ADENOMA, Number of times reported: 1
Sign: THYROID TUMOUR NOS, Number of times reported: 1
Sign: TIC(S), Number of times reported: 1
Sign: TRAUMA NOS, Number of times reported: 1
Sign: TYMPANIC ALTERATION, Number of times reported: 1
Sign: UNABLE TO CHEW, Number of times reported: 1
Sign: UNEQUAL PUPILS, Number of times reported: 1

Sign: UPPER RESPIRATORY SOUNDS, Number of times reported: 1
Sign: URINARY TENESMUS, Number of times reported: 1
Sign: URINATION, Number of times reported: 1
Sign: URINATION RELATED TO CONVULSION, Number of times reported: 1
Sign: VAGINAL DISCHARGE, Number of times reported: 1
Sign: VASCULAR DISORDER NOS, Number of times reported: 1
Sign: VENTRICULAR ARRHYTHMIA, Number of times reported: 1
Sign: VITAMIN DEFICIENCY, Number of times reported: 1
Sign: WEIGHT FLUCTUATION, Number of times reported: 1

Species: Cat
Route of Administration: UNKNOWN

Sign: DEATH, Number of times reported: 35
Sign: LETHARGY, Number of times reported: 32
Sign: DEATH BY EUTHANASIA, Number of times reported: 31
Sign: LACK OF EFFICACY - NOS, Number of times reported: 29
Sign: VOMITING, Number of times reported: 28
Sign: NOT EATING, Number of times reported: 27
Sign: WEIGHT LOSS, Number of times reported: 24
Sign: DIARRHOEA, Number of times reported: 23
Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 18
Sign: SKIN SCAB, Number of times reported: 16
Sign: NOT DRINKING, Number of times reported: 14
Sign: DECREASED APPETITE, Number of times reported: 13
Sign: SCRATCHING, Number of times reported: 13
Sign: SEIZURE NOS, Number of times reported: 13
Sign: ANOREXIA, Number of times reported: 12
Sign: GENERAL ILLNESS, Number of times reported: 12
Sign: HIDING, Number of times reported: 12
Sign: LAMENESS, Number of times reported: 12
Sign: HAIR LOSS NOS, Number of times reported: 11
Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 10
Sign: NOT HIMSELF/HERSELF, Number of times reported: 10
Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 10
Sign: VOCALISATION, Number of times reported: 10
Sign: ATAXIA, Number of times reported: 9
Sign: BLINDNESS, Number of times reported: 9
Sign: KETOSIS, Number of times reported: 9
Sign: UNABLE TO WALK, Number of times reported: 9
Sign: LYING DOWN, Number of times reported: 8
Sign: PACING, Number of times reported: 8
Sign: PRURITUS, Number of times reported: 8
Sign: DISORIENTATION, Number of times reported: 7
Sign: ELEVATED BLOOD UREA NITROGEN (BUN), Number of times reported: 7

Sign: ITCHING, Number of times reported: 7
Sign: LIMB WEAKNESS, Number of times reported: 7
Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 6
Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 6
Sign: EMESIS (MULTIPLE), Number of times reported: 6
Sign: HEART MURMUR, Number of times reported: 6
Sign: HIND LIMB ATAXIA, Number of times reported: 6
Sign: INAPPROPRIATE URINATION, Number of times reported: 6
Sign: MEDICATION ERROR NOS, Number of times reported: 6
Sign: NAUSEA, Number of times reported: 6
Sign: UNABLE TO JUMP, Number of times reported: 6
Sign: UNABLE TO STAND, Number of times reported: 6
Sign: ALOPECIA, Number of times reported: 5
Sign: DEHYDRATION, Number of times reported: 5
Sign: DERMATITIS, Number of times reported: 5
Sign: DILATED PUPILS, Number of times reported: 5
Sign: ELEVATED ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 5
Sign: ELEVATED SYMMETRICAL DIMETHYLARGININE (SDMA), Number of times reported: 5
Sign: EXCESSIVE CHEWING, LICKING AND/OR GROOMING, Number of times reported: 5
Sign: HIND LIMB PARALYSIS, Number of times reported: 5
Sign: RELUCTANT TO MOVE, Number of times reported: 5
Sign: RENAL DISORDER NOS, Number of times reported: 5
Sign: SKIN LESION NOS, Number of times reported: 5
Sign: WALKING DIFFICULTY, Number of times reported: 5
Sign: ANAEMIA NOS, Number of times reported: 4
Sign: APPETITE LOSS, Number of times reported: 4
Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 4
Sign: DECREASED DRINKING, Number of times reported: 4
Sign: ELEVATED CREATININE, Number of times reported: 4
Sign: FACIAL PRURITUS, Number of times reported: 4
Sign: FALLING, Number of times reported: 4
Sign: FEVER, Number of times reported: 4
Sign: GAGGING, Number of times reported: 4
Sign: GAIT ABNORMALITY, Number of times reported: 4
Sign: INCREASED APPETITE, Number of times reported: 4
Sign: NEUTROPHILIA, Number of times reported: 4
Sign: OTHER ABNORMAL TEST RESULT NOS, Number of times reported: 4
Sign: STARING, Number of times reported: 4
Sign: WOBBLINESS, Number of times reported: 4
Sign: ABNORMAL POSTURE NOS, Number of times reported: 3
Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 3
Sign: APPLICATION SITE PAIN, Number of times reported: 3
Sign: ARTHRITIS, Number of times reported: 3

Sign: BLOOD IN URINE, Number of times reported: 3
Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 3
Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 3
Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 3
Sign: DROOLING, Number of times reported: 3
Sign: ELEVATED AMYLASE, Number of times reported: 3
Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 3
Sign: EYE DISORDER NOS, Number of times reported: 3
Sign: HAEMATURIA, Number of times reported: 3
Sign: HIND LIMB PARESIS, Number of times reported: 3
Sign: HYPERCALCAEMIA, Number of times reported: 3
Sign: HYPERTHYROIDISM, Number of times reported: 3
Sign: INAPPROPRIATE DEFECATION, Number of times reported: 3
Sign: INJECTION SITE PAIN, Number of times reported: 3
Sign: LABOURED BREATHING, Number of times reported: 3
Sign: LACK OF EFFICACY (ECTOPARASITE) - FLEA, Number of times reported: 3
Sign: LIMPING, Number of times reported: 3
Sign: LOCALISED PAIN NOS, Number of times reported: 3
Sign: LOSS OF VISION, Number of times reported: 3
Sign: LYMPHOMA, Number of times reported: 3
Sign: LYMPHOPENIA, Number of times reported: 3
Sign: MALAISE, Number of times reported: 3
Sign: NEUROLOGICAL DISORDER NOS, Number of times reported: 3
Sign: POLYURIA, Number of times reported: 3
Sign: RASH, Number of times reported: 3
Sign: REDDENING OF THE SKIN, Number of times reported: 3
Sign: RESTLESSNESS, Number of times reported: 3
Sign: SHAKING, Number of times reported: 3
Sign: SNEEZING, Number of times reported: 3
Sign: STUMBLING GAIT, Number of times reported: 3
Sign: URINARY TRACT INFECTION, Number of times reported: 3
Sign: WEAKNESS, Number of times reported: 3
Sign: WOUND, Number of times reported: 3
Sign: ABNORMAL BREATHING, Number of times reported: 2
Sign: ABNORMAL CYTOLOGY, Number of times reported: 2
Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 2
Sign: AGGRESSION, Number of times reported: 2
Sign: AGITATION, Number of times reported: 2
Sign: ALOPECIA LOCAL, Number of times reported: 2
Sign: ANXIETY, Number of times reported: 2
Sign: APPLICATION SITE SCRATCHING, Number of times reported: 2
Sign: BALANCE IMPAIRED, Number of times reported: 2
Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 2

Sign: BUMPING INTO WALLS, Number of times reported: 2
Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 2
Sign: COGNITIVE DISORDER NOS, Number of times reported: 2
Sign: COLLAPSE NOS, Number of times reported: 2
Sign: CONFUSION, Number of times reported: 2
Sign: CONSTIPATION, Number of times reported: 2
Sign: CRUST, Number of times reported: 2
Sign: DEAFNESS, Number of times reported: 2
Sign: DECREASED HAEMATOCRIT, Number of times reported: 2
Sign: DIFFICULTY STANDING, Number of times reported: 2
Sign: DYSURIA, Number of times reported: 2
Sign: ELEVATED ASPARTATE AMINOTRANSFERASE (AST), Number of times reported: 2
Sign: ELEVATED GLOBULINS, Number of times reported: 2
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (ALP), Number of times reported: 2
Sign: ELEVATED THYROXINE (T4), Number of times reported: 2
Sign: FRACTURE, Number of times reported: 2
Sign: FREQUENT URINATION, Number of times reported: 2
Sign: GROOMING DISORDER, Number of times reported: 2
Sign: HAEMORRHAGE NOS, Number of times reported: 2
Sign: HEAD TREMOR, Number of times reported: 2
Sign: HEARING DECREASED, Number of times reported: 2
Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 2
Sign: HYPERALBUMINAEMIA, Number of times reported: 2
Sign: HYPERGLYCAEMIA, Number of times reported: 2
Sign: HYPERTENSION, Number of times reported: 2
Sign: HYPOKALAEMIA, Number of times reported: 2
Sign: KETONURIA, Number of times reported: 2
Sign: LACK OF EFFICACY (BACTERIA) - NOS, Number of times reported: 2
Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 2
Sign: LATERAL RECUMBENCY, Number of times reported: 2
Sign: LESS SOCIAL, Number of times reported: 2
Sign: LOCALISED HAIR LOSS, Number of times reported: 2
Sign: LOCALISED ITCHING, Number of times reported: 2
Sign: MONOCYTOSIS, Number of times reported: 2
Sign: MUSCLE WEAKNESS NOS, Number of times reported: 2
Sign: NEOPLASIA NOS, Number of times reported: 2
Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 2
Sign: NOT SLEEPING, Number of times reported: 2
Sign: NOT URINATING, Number of times reported: 2
Sign: OVERDOSE, Number of times reported: 2
Sign: PAIN NOS, Number of times reported: 2
Sign: PANCREATITIS, Number of times reported: 2
Sign: PANCREATITIS NOS, Number of times reported: 2

Sign: PARALYSIS NOS, Number of times reported: 2
Sign: PERICARDIAL EFFUSION, Number of times reported: 2
Sign: PLEURAL EFFUSION, Number of times reported: 2
Sign: POLYDIPSIA, Number of times reported: 2
Sign: RENAL FAILURE, Number of times reported: 2
Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 2
Sign: SICKNESS, Number of times reported: 2
Sign: SKIN DISORDERS NOS, Number of times reported: 2
Sign: SKIN SORE, Number of times reported: 2
Sign: STRAINING TO DEFECATE, Number of times reported: 2
Sign: SWOLLEN JOINT, Number of times reported: 2
Sign: TONGUE DISORDER NOS, Number of times reported: 2
Sign: TWITCHING, Number of times reported: 2
Sign: UNCOMFORTABLE, Number of times reported: 2
Sign: UNDERDOSE, Number of times reported: 2
Sign: UNKEMPT HAIR COAT, Number of times reported: 2
Sign: UNWELL, Number of times reported: 2
Sign: WEIGHT GAIN, Number of times reported: 2
Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 1
Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 1
Sign: ADMINISTRATION ERROR NOS, Number of times reported: 1
Sign: ALLERGY NOS, Number of times reported: 1
Sign: ANISOCORIA, Number of times reported: 1
Sign: APPLICATION SITE BLISTER, Number of times reported: 1
Sign: APPLICATION SITE BURN, Number of times reported: 1
Sign: APPLICATION SITE HAEMORRHAGE, Number of times reported: 1
Sign: APPLICATION SITE INFLAMMATION, Number of times reported: 1
Sign: APPLICATION SITE IRRITATION, Number of times reported: 1
Sign: APPLICATION SITE RESIDUE, Number of times reported: 1
Sign: APPLICATION SITE SELF TRAUMA, Number of times reported: 1
Sign: ARCHED BACK, Number of times reported: 1
Sign: ARTHROPATHY NOS, Number of times reported: 1
Sign: ASCITES, Number of times reported: 1
Sign: ATELECTASIS, Number of times reported: 1
Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 1
Sign: BALANCE PROBLEM, Number of times reported: 1
Sign: BARBERING, Number of times reported: 1
Sign: BITING -AGGRESSION, Number of times reported: 1
Sign: BLOOD CLOT, Number of times reported: 1
Sign: BLOOD IN FAECES NOS, Number of times reported: 1
Sign: BLOOD IN VOMIT, Number of times reported: 1
Sign: BREATHING DIFFICULTY, Number of times reported: 1
Sign: BULGING EYE, Number of times reported: 1

Sign: CARDIAC DISORDER NOS, Number of times reported: 1
Sign: CARDIAC FAILURE, Number of times reported: 1
Sign: CARDIOMYOPATHY, Number of times reported: 1
Sign: CELLULITIS, Number of times reported: 1
Sign: CHRONIC PANCREATITIS, Number of times reported: 1
Sign: COGNITIVE IMPAIRMENT, Number of times reported: 1
Sign: COLD FEELING TO THE TOUCH, Number of times reported: 1
Sign: COLLAPSE, Number of times reported: 1
Sign: CONJUNCTIVITIS, Number of times reported: 1
Sign: CRYING, Number of times reported: 1
Sign: CYSTITIS, Number of times reported: 1
Sign: DECREASED ACTIVITY, Number of times reported: 1
Sign: DECREASED BODY TEMPERATURE, Number of times reported: 1
Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1
Sign: DECREASED URINE CONCENTRATION, Number of times reported: 1
Sign: DENTAL DISEASE, Number of times reported: 1
Sign: DEPRESSED REFLEXES, Number of times reported: 1
Sign: DIABETES, Number of times reported: 1
Sign: DIABETIC KETOACIDOSIS, Number of times reported: 1
Sign: DIFFICULTY TO RISE, Number of times reported: 1
Sign: DISORDER OF GASTROINTESTINAL FLORA, Number of times reported: 1
Sign: DISTRESS, Number of times reported: 1
Sign: DRINKING A LOT, Number of times reported: 1
Sign: DROWSINESS - SYSTEMIC DISORDER, Number of times reported: 1
Sign: DRUNKEN GAIT, Number of times reported: 1
Sign: EAR TWITCHING, Number of times reported: 1
Sign: ELEVATED LIPASE, Number of times reported: 1
Sign: ELEVATED LIVER ENZYMES, Number of times reported: 1
Sign: ELEVATED LIVER ENZYMES NOS, Number of times reported: 1
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (SAP), Number of times reported: 1
Sign: ELEVATED TEMPERATURE, Number of times reported: 1
Sign: EOSINOPENIA, Number of times reported: 1
Sign: EPISTAXIS, Number of times reported: 1
Sign: ERUPTION, Number of times reported: 1
Sign: EXCESSIVE THIRST, Number of times reported: 1
Sign: EXCORIATION, Number of times reported: 1
Sign: EYE INFLAMMATION NOS, Number of times reported: 1
Sign: EYE ITCHING, Number of times reported: 1
Sign: FAECAL INCONTINENCE, Number of times reported: 1
Sign: FATIGUE, Number of times reported: 1
Sign: FLAKING SKIN, Number of times reported: 1
Sign: FOAMING AT THE MOUTH, Number of times reported: 1
Sign: GENERAL HAIR LOSS, Number of times reported: 1

Sign: GENERALISED WEAKNESS, Number of times reported: 1
Sign: GROWLING, Number of times reported: 1
Sign: HEAD BOBBING, Number of times reported: 1
Sign: HEAD DOWN, Number of times reported: 1
Sign: HEAD PRESSING, Number of times reported: 1
Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 1
Sign: HEAD TWITCHING, Number of times reported: 1
Sign: HEART FAILURE, Number of times reported: 1
Sign: HEAVY BREATHING, Number of times reported: 1
Sign: HIATUS HERNIA, Number of times reported: 1
Sign: HIGH BLOOD PRESSURE, Number of times reported: 1
Sign: HIGH PANCREATIC-SPECIFIC LIPASE, Number of times reported: 1
Sign: HYPERACTIVITY, Number of times reported: 1
Sign: HYPERAEMIC MUCOUS MEMBRANE, Number of times reported: 1
Sign: HYPERCHLORAEMIA, Number of times reported: 1
Sign: HYPERPHOSPHATAEMIA, Number of times reported: 1
Sign: HYPERSENSITIVITY REACTION, Number of times reported: 1
Sign: HYPOCHLORAEMIA, Number of times reported: 1
Sign: HYPOGLYCAEMIA, Number of times reported: 1
Sign: HYPOTHERMIA, Number of times reported: 1
Sign: ILEUS, Number of times reported: 1
Sign: IMMEDIATE PAIN UPON INJECTION, Number of times reported: 1
Sign: IMPAIRED SWALLOWING, Number of times reported: 1
Sign: IMPAIRED VISION, Number of times reported: 1
Sign: IMPAIRED VOCALISATION, Number of times reported: 1
Sign: INAPPETENCE, Number of times reported: 1
Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 1
Sign: INCREASED DRINKING, Number of times reported: 1
Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 1
Sign: INEFFECTIVE, OTHER DRUG(S), Number of times reported: 1
Sign: INFECTIOUS DISEASE NOS, Number of times reported: 1
Sign: INJECTION SITE HAIR LOSS, Number of times reported: 1
Sign: INJECTION SITE INFLAMMATION, Number of times reported: 1
Sign: INJECTION SITE LESION, Number of times reported: 1
Sign: INJECTION SITE LUMP, Number of times reported: 1
Sign: INJECTION SITE REACTION NOS, Number of times reported: 1
Sign: INJECTION SITE SCAB, Number of times reported: 1
Sign: INJECTION SITE SWELLING, Number of times reported: 1
Sign: INTESTINAL DISORDER NOS, Number of times reported: 1
Sign: IRRITABILITY, Number of times reported: 1
Sign: KNUCKLING, Number of times reported: 1
Sign: LACK OF AWARENESS, Number of times reported: 1
Sign: LACK OF COORDINATION, Number of times reported: 1

Sign: LACK OF EFFICACY (ECTOPARASITE) - NOS, Number of times reported: 1
Sign: LACK OF EFFICACY (FUNGI) - NOS, Number of times reported: 1
Sign: LENS DISORDER NOS, Number of times reported: 1
Sign: LEUCOCYTOSIS NOS, Number of times reported: 1
Sign: LICKING, Number of times reported: 1
Sign: LIMPNESS, Number of times reported: 1
Sign: LISTLESS, Number of times reported: 1
Sign: LIVER NODULES, Number of times reported: 1
Sign: LOCALISED SKIN REACTION, Number of times reported: 1
Sign: LOOSE STOOL, Number of times reported: 1
Sign: LOSS OF HEARING, Number of times reported: 1
Sign: LOSS OF SMELL, Number of times reported: 1
Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 1
Sign: LOW PARATHYROID (PTH) CONCENTRATION, Number of times reported: 1
Sign: LOW PLATELET COUNT, Number of times reported: 1
Sign: LUMBAR PAIN, Number of times reported: 1
Sign: LUNG NODULE NOS, Number of times reported: 1
Sign: LUNG TUMOUR, Number of times reported: 1
Sign: LYMPHADENOPATHY, Number of times reported: 1
Sign: LYMPHOCYTOSIS, Number of times reported: 1
Sign: MASS NOS, Number of times reported: 1
Sign: MELAENA, Number of times reported: 1
Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 1
Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 1
Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 1
Sign: MUSCLE ATROPHY, Number of times reported: 1
Sign: MUSCLE SPASM NOS, Number of times reported: 1
Sign: MUSCLE WASTING, Number of times reported: 1
Sign: MYDRIASIS, Number of times reported: 1
Sign: NASAL DISCHARGE, Number of times reported: 1
Sign: NECROPSY PERFORMED, Number of times reported: 1
Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 1
Sign: NEUTROPENIA, Number of times reported: 1
Sign: NOT DEFECATING, Number of times reported: 1
Sign: NYSTAGMUS, Number of times reported: 1
Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 1
Sign: OPTIC NERVE DISORDER, Number of times reported: 1
Sign: ORAL BLEEDING, Number of times reported: 1
Sign: PANTING, Number of times reported: 1
Sign: PARAPARESIS, Number of times reported: 1
Sign: PARTIAL ANOREXIA, Number of times reported: 1
Sign: PARTIAL BLINDNESS, Number of times reported: 1
Sign: PICA NOS, Number of times reported: 1

Sign: PINNAL REDDENING, Number of times reported: 1
Sign: PITTING OEDEMA, Number of times reported: 1
Sign: PLANTIGRADE POSTURE, Number of times reported: 1
Sign: PNEUMONIA, Number of times reported: 1
Sign: PRESCRIBING ERROR, Number of times reported: 1
Sign: PROPRIOCEPTION ABNORMALITY, Number of times reported: 1
Sign: PROPRIOCEPTION LOSS, Number of times reported: 1
Sign: PULMONARY OEDEMA, Number of times reported: 1
Sign: PYURIA, Number of times reported: 1
Sign: RED EYE, Number of times reported: 1
Sign: REGURGITATION, Number of times reported: 1
Sign: SENSATION LOSS, Number of times reported: 1
Sign: SEPTIC ARTHRITIS, Number of times reported: 1
Sign: SKIN ABSCESS, Number of times reported: 1
Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 1
Sign: SKIN HAEMORRHAGE NOS, Number of times reported: 1
Sign: SKIN INFLAMMATION NOS, Number of times reported: 1
Sign: SKIN LUMP, Number of times reported: 1
Sign: SKIN ULCER, Number of times reported: 1
Sign: SLEEP DISTURBANCE NOS, Number of times reported: 1
Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 1
Sign: SPASM, Number of times reported: 1
Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 1
Sign: SPLEEN HYPERTROPHY, Number of times reported: 1
Sign: SQUINTING, Number of times reported: 1
Sign: SUNKEN EYES, Number of times reported: 1
Sign: SWALLOWING DIFFICULT, Number of times reported: 1
Sign: SWOLLEN GUM, Number of times reported: 1
Sign: SWOLLEN LIMB, Number of times reported: 1
Sign: SYSTEMIC DISORDER NOS, Number of times reported: 1
Sign: TEETH GRINDING, Number of times reported: 1
Sign: TENDON RUPTURE, Number of times reported: 1
Sign: TIREDNESS, Number of times reported: 1
Sign: TRACHEAL OBSTRUCTION, Number of times reported: 1
Sign: TREMOR, Number of times reported: 1
Sign: TREMOR OF LIMB, Number of times reported: 1
Sign: UNABLE TO RISE, Number of times reported: 1
Sign: UNCONSCIOUS, Number of times reported: 1
Sign: UNEXPLAINED DEATH, Number of times reported: 1
Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 1
Sign: URINARY INCONTINENCE, Number of times reported: 1
Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1
Sign: URINE ABNORMALITIES NOS, Number of times reported: 1

Sign: UVEITIS, Number of times reported: 1

Sign: VASCULITIS, Number of times reported: 1

Sign: VENTRICULAR ARRHYTHMIA, Number of times reported: 1

Sign: WHEEZING, Number of times reported: 1

Species: Cougar
Route of Administration: SUBCUTANEOUS

Sign: ARTHRITIS, Number of times reported: 1

Sign: AZOTAEMIA, Number of times reported: 1

Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 1

Sign: FRACTURE, Number of times reported: 1

Sign: INTENTIONAL MISUSE, Number of times reported: 1

Sign: LAMENESS, Number of times reported: 1

Sign: LIMB WEAKNESS, Number of times reported: 1

Sign: MUSCLE ATROPHY, Number of times reported: 1

Species: Dog
Route of Administration: SUBCUTANEOUS

Sign: PRESCRIBING ERROR, Number of times reported: 2

Sign: EMESIS, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: MEDICATION ERROR NOS, Number of times reported: 1

Sign: SHAKING, Number of times reported: 1

Sign: URINARY INCONTINENCE, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Species: Dog
Route of Administration: UNKNOWN

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: GENERAL ILLNESS, Number of times reported: 1

Sign: SKIN SORE, Number of times reported: 1

Species: Human
Route of Administration: INTRAMUSCULAR

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1

Sign: INJECTION SITE BLEEDING, Number of times reported: 1

Sign: LACERATION, Number of times reported: 1

Species: Human
Route of Administration: OPHTHALMIC

Sign: EYE IRRITATION, Number of times reported: 2

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1

Sign: INTENTIONAL MISUSE, Number of times reported: 1

Sign: NEEDLESTICK INJURY, Number of times reported: 1

Species: Human
Route of Administration: TRANSDERMAL

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1
Sign: CONTAINERS, LEAKING, Number of times reported: 1
Sign: DIARRHOEA, Number of times reported: 1
Sign: DIZZINESS, Number of times reported: 1
Sign: PRODUCT DEFECT NOS, Number of times reported: 1
Sign: SKIN IRRITATION, Number of times reported: 1
Sign: SORE LIP, Number of times reported: 1
Sign: SWOLLEN LIP, Number of times reported: 1
Sign: WHEEZING, Number of times reported: 1

Species: Human
Route of Administration: UNKNOWN

Sign: NEEDLESTICK INJURY, Number of times reported: 43
Sign: ACCIDENTAL EXPOSURE, Number of times reported: 42
Sign: PUNCTURE WOUND, Number of times reported: 27
Sign: INJECTION SITE PAIN, Number of times reported: 9
Sign: INJECTION SITE BLEEDING, Number of times reported: 6
Sign: INJECTION SITE BRUISING, Number of times reported: 3
Sign: INJECTION SITE ERYTHEMA, Number of times reported: 2
Sign: INJECTION SITE OEDEMA, Number of times reported: 2
Sign: INJECTION SITE SWELLING, Number of times reported: 2
Sign: INJECTION SITE TINGLING, Number of times reported: 2
Sign: MEDICATION ERROR NOS, Number of times reported: 2
Sign: ABDOMINAL PAIN, Number of times reported: 1
Sign: ABRASION, Number of times reported: 1
Sign: BLOOD LOSS NOS, Number of times reported: 1
Sign: BRUISING, Number of times reported: 1
Sign: BURNING SENSATION (SKIN), Number of times reported: 1
Sign: CARDIAC DISORDER NOS, Number of times reported: 1
Sign: DIARRHOEA, Number of times reported: 1
Sign: DIZZINESS, Number of times reported: 1
Sign: DYSPNOEA, Number of times reported: 1
Sign: HIVES, Number of times reported: 1
Sign: INJECTION SITE PRURITUS, Number of times reported: 1
Sign: INJECTION SITE REDDENING, Number of times reported: 1
Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 1
Sign: LOCALISED PAIN NOS, Number of times reported: 1
Sign: NUMBNESS, Number of times reported: 1
Sign: PAIN NOS, Number of times reported: 1
Sign: TACHYCARDIA, Number of times reported: 1
Sign: TINGLING SENSATION, Number of times reported: 1

Sign: WARM FEELING TO THE TOUCH, Number of times reported: 1

Species: Lynx
Route of Administration: SUBCUTANEOUS

Sign: LACK OF EFFICACY - NOS, Number of times reported: 1

Sign: TOOTH DISORDER, Number of times reported: 1

Species: Tiger
Route of Administration: SUBCUTANEOUS

Sign: LACK OF EFFICACY - NOS, Number of times reported: 1