

**Oxytetracycline Calf Ration for Treatment of Bacterial Enteritis
Type C Medicated Feed**

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For treatment of bacterial enteritis caused by Escherichia coli susceptible to oxytetracycline in calves for use in calf milk replacers or starter feeds.

ACTIVE DRUG INGREDIENT

Oxytetracycline hydrochloride 2000 g/ton*

GUARANTEED ANALYSIS

Crude Protein, (Min)	XX.XX %
NPN, (Max) ¹	X.XX%
Crude Fat, (Min)	X.XX%
Crude Fiber, (Max)	X.XX%
Calcium, (Min) ¹	X.XX%
Calcium, (Max) ¹	X.XX%
Phosphorus, (Min) ¹	X.XX%
Salt, (Min) ¹	X.XX%
Salt, (Max) ¹	X.XX%
Sodium, (Min) ²	X.XX%
Sodium, (Max) ²	X.XX%
Potassium, (Min) ¹	X.XX%
Vitamin A, (Min) ³	___ IU/Lb

¹If added

²Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee

³Other than precursors of Vitamin A, if added

INGREDIENTS

Ingredients as defined by AAFCO

DIRECTIONS FOR USE

Feed continuously for 7-14 days as the sole ration in milk replacers or starter feeds.

RESIDUE WARNING: 5-day withdrawal period at 10 mg/lb dosage.

*This drug concentration will provide 10 mg/lb body weight/day when fed at a rate of 1.0 lb/100 lbs body weight/day.

Net Weight _____ lb (_____ kg)

Manufactured by
Blue Bird Feed Company
Blue Bird, MD 00000