

**Oxytetracycline Swine Ration for Treatment of Bacterial Enteritis and Bacterial Pneumonia
Type C Medicated Feed**

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For treatment of bacterial enteritis caused by Escherichia coli and Salmonella choleraeuis and bacterial pneumonia caused by Pasteurella multocida susceptible to oxytetracycline.

ACTIVE DRUG INGREDIENT

Oxytetracycline (from oxytetracycline dihydrate base) equivalent to _____ grams* oxytetracycline hydrochloride/ton varying with body weight and feed consumption to provide approximately 10 mg/lb body weight/day.

GUARANTEED ANALYSIS

Crude Protein, (Min).	XX.XX %
Lysine, (Min).	X.XX%
Crude Fat, (Min).	X.XX%
Crude Fiber, (Max).	X.XX%
Calcium, (Min).	X.XX%
Calcium, (Max).	X.XX%
Phosphorus, (Min).	X.XX%
Salt, (Min) ¹	X.XX%
Salt, (Max) ¹	X.XX%
Sodium, (Min) ²	X.XX%
Sodium, (Max) ²	X.XX%
Selenium, (Min).	ppm
Zinc, (Min).	ppm

¹If added

²Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee

INGREDIENTS

Ingredients as defined by AAFCO

DIRECTIONS FOR USE

Feed continuously for 7-14 days as the sole ration.

RESIDUE WARNING: Zero-day withdrawal period.

*The medicated feed label must state a single drug concentration.

Net Weight _____ lb (_____ kg)

Manufactured by
Blue Bird Feed Company
Blue Bird, MD 00000