

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|---------------------|----------------------|-------|---------|-----------------------|---------------|
| 93NOD9WBCS | 2-ethylhexyl-4-phenylbenzophenone-2-carboxylic acid | sunscreen | | II | IISE | | 58 FR 28281 |
| 362O9ITL9D | acetaminophen | internal analgesic | | I | I | | |
| 362O9ITL9D | acetaminophen | menstrual/diuretic | analgesic | I | | | |
| 362O9ITL9D | acetaminophen | nighttime sleep aid | | II | IISE | | 54 FR 6826 |
| 362O9ITL9D | acetaminophen | overindulgence in a | hangover reliever | | I | | |
| SP86R356CC | acetanilide | internal analgesic | | II | IIS | | |
| Q40Q9N063P | acetic acid | otic | | | | 310.545(a)(15)(i) | |
| Q40Q9N063P | acetic acid | wart remover | | III | IIISE | | [55 FR 33254] |
| Q40Q9N063P | acetic acid, glacial | corn/callus remover | | II | IIISE | | [55 FR 33254] |
| Q40Q9N063P | acetic acid, glacial | wart remover | | III | IIISE | | [55 FR 33254] |
| 1364PS73AF | acetone | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| | acidulated phosphate fluoride | anticaries | | | I | 355.10(a)(3)(i) | |
| | acidulated phosphate fluoride | anticaries | | | I | 355.10(a)(3)(ii) | |
| | agar | laxative | bulk laxative | | III | 310.545(a)(12)(i) | |
| 18B8O9DQA2 | alcloxa | acne | | II | II | 310.545(a)(1) | |
| 18B8O9DQA2 | alcloxa | anorectal | keratolytic | I(e) | I(e) | 346.20(a) | |
| 18B8O9DQA2 | alcloxa | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 3K9958V90M | alcohol | digestive aid | | | | 310.545(a)(8)(ii) | |
| 3K9958V90M | alcohol | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| 3K9958V90M | alcohol | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 3K9958V90M | alcohol | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 3K9958V90M | alcohol | mercury | | | I | | |
| 3K9958V90M | alcohol | oral health care | | III | IIISE | | |
| 3K9958V90M | alcohol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 3K9958V90M | alcohol | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 3K9958V90M | alcohol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 3K9958V90M | alcohol | skin protectant | | II | IISE | | |
| 3K9958V90M | alcohol | weight control | | | II | 310.545(a)(20) | |
| 3K9958V90M | alcohol, ethoxylated alkyl | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| 3K9958V90M | alcohol, ethoxylated alkyl | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 8T66I31YNK | aldioxa | skin protectant | diaper rash | | IIISE | | |
| SQI2NBY9KR | alfalfa | weight control | | | II | 310.545(a)(20) | |
| SQI2NBY9KR | alfalfa leaves | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 8C3Z4148WZ | alginic acid | weight control | | | III | 310.545(a)(20) | |
| | alkyl dimethyl amine oxide and alkyl dimethyl glycine | gingivitis/plaque | | | IIISE | | |
| | alkyl isoquinolinium bromide | acne | | II | II | 310.545(a)(1) | |
| | alkyl isoquinolinium bromide | dandruff | | III | III | 310.545(a)(7) | |
| 344S277G0Z | allantoin | dandruff | | III | III | 310.545(a)(7) | |
| 344S277G0Z | allantoin | external analgesic | | | IISE | | |
| 344S277G0Z | allantoin | skin protectant | | I | I | 347.10(a) | |
| 344S277G0Z | allantoin (5-ureidohydantoin) | corn/callus remover | | II | IISE | | [55 FR 33261] |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-----------------|--|---------------------------|-------------------------|-------|---------|-----------------------|-------------|
| 344S277G0Z | allantoin (with aminobenzoic acid) | sunscreen | | II | IIIE | | 58 FR 28281 |
| 344S277G0Z | allantoin (wound healing claims only) | skin protectant | | | III | 310.545(a)(18)(i)(A) | |
| BN34FX42G3 | allyl isothiocyanate | cough/cold | nasal decongestant | | | 310.545(a)(6)(ii)(A) | |
| BN34FX42G3 | allyl isothiocyanate | external analgesic | counterirritant | I | I | pending | |
| BN34FX42G3 | allyl isothiocyanate | external analgesic | fever blister/cold sore | | II | 310.545(a)(10)(v) | |
| 9104833TPA | almadrate sulfate | digestive aid | antacid | III | I | | |
| V5VD430YW9, ZY4 | aloe ingredients (aloe, aloe extract, aloe flower extract) | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| 09TD8L5SQV | aloe vera [see aloe] | gingivitis/plaque | | | IIIE | | |
| V5VD430YW9 | aloes | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| W41H6S09F4 | aloin | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| | alpha cellulose | laxative | bulk laxative | | III | | |
| DPU64XYB1D | alum, ammonium | oral health care | astringent | I | I | | |
| DPU64XYB1D | alum, ammonium | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 1L24V9R23S | alum, potassium | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 1L24V9R23S | alum, potassium | antiperspirant | | IIISE | IIISE | 310.545(a)(4)(i) | |
| 1L24V9R23S | alum, potassium | oral health care | | | I | | |
| 1L24V9R23S | alum, potassium | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| LMI26O6933 | alumina powder, hydrated | antidiarrheal | | III | III | | |
| 80EHD8I43D | aluminum acetate | external analgesic | | | I | 347.12(a) | |
| 80EHD8I43D | aluminum acetate | skin protectant | astringent | I | I | 347.12(a) | |
| 80EHD8I43D | aluminum acetate | skin protectant | diaper rash | | IIISE | | |
| | aluminum bromohydrate | antiperspirant | | IISE | IISE | 310.545(a)(4)(i) | |
| | aluminum carbonate gel (basic) | antacid | | | I | 331.11(a)(1) | |
| | aluminum chlorhydroxy complex | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| LIF1N9568Y | aluminum chloride (alcoholic solutions) | antiperspirant | | IIS | IIS | 310.545(a)(4)(i) | |
| LIF1N9568Y | aluminum chloride (aqueous solution) (aerosol only) | antiperspirant | | | | 310.545(a)(4)(i) | |
| LIF1N9568Y | aluminum chloride (nonaerosol aqueous solution) | antiperspirant | | I | I | 350.10(a) | |
| LIF1N9568Y | aluminum chloride hexahydrate | external analgesic | | | IIIE | | |
| HPN8MZW13M | aluminum chlorohydrate | antiperspirant | | I | I | 350.10(b) | |
| | aluminum chlorohydrax | acne | | II | II | 310.545(a)(1) | |
| | aluminum chlorohydrax polyethylene glycol | antiperspirant | | I | I | 350.10(c) | |
| | aluminum chlorohydrax propylene glycol | antiperspirant | | I | I | 350.10(d) | |
| | aluminum dichlorohydrate | antiperspirant | | I | I | 350.10(e) | |
| | aluminum dichlorohydrax polyethylene glycol | antiperspirant | | I | I | 350.10(f) | |
| | aluminum dichlorohydrax propylene glycol | antiperspirant | | I | I | 350.10(g) | |
| 5QB0T2IUN0 | aluminum hydroxide | acne | | II | II | 310.545(a)(1) | |
| 5QB0T2IUN0 | aluminum hydroxide | antacid | | | I | 331.11(a)(2) | |
| 5QB0T2IUN0 | aluminum hydroxide | antidiarrheal | | | | 310.545(a)(3)(i) | |
| 5QB0T2IUN0 | aluminum hydroxide | digestive aid | antacid | III | I | 310.545(a)(8)(ii) | |
| 5QB0T2IUN0 | aluminum hydroxide | overindulgence in alcohol | hangover reliever | | I | | |
| 5QB0T2IUN0 | aluminum hydroxide | skin protectant | diaper rash | | | 310.545(a)(18)(iii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------|-----------------------------|--------|---------|----------------------|--------------|
| 5QB0T2IUN0 | aluminum hydroxide | skin protectant | diaper rash | | | 310.545(a)(18)(iii) | |
| 5QB0T2IUN0 | aluminum hydroxide | topical analgesic | diaper rash | | | 310.545(a)(10)(iv) | |
| 5QB0T2IUN0 | aluminum hydroxide gel | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(1) | |
| 5QB0T2IUN0 | aluminum hydroxide gel | overindulgence in a | hangover reliever | | I | | |
| 5QB0T2IUN0 | aluminum hydroxide gel | skin protectant | | I | I | 347.10(b) | |
| 5QB0T2IUN0 | aluminum hydroxide-hexitol, stabilized polymer | antacid | | | I | 331.11(a)(2) | |
| 5QB0T2IUN0 | aluminum hydroxide-magnesium carbonate, co-dried gel | antacid | | | I | 331.11(a)(2) | |
| 5QB0T2IUN0 | aluminum hydroxide-magnesium trisilicate, co-dried gel | antacid | | | I | 331.11(a)(2) | |
| 5QB0T2IUN0 | aluminum hydroxide-sucrose powder hydrated | antacid | | | I | 331.11(a)(2) | |
| F92V3S5210 | aluminum phosphate | antacid | | | I | 331.11(i)(1) | |
| F92V3S5210 | aluminum phosphate gel (in combination only) | antacid | | | I | 331.11(a)(4) | |
| UCN889409V | aluminum sesquichlorohydrate | antiperspirant | | I | I | 350.10(h) | |
| | aluminum sesquichlorohydrate poylethylene glycol | antiperspirant | | I | I | 350.10(i) | |
| | aluminum sesquichlorohydrate propylene glycol | antiperspirant | | I | I | 350.10(j) | |
| 34S289N54E | aluminum sulfate | antifungal | | | | 310.545(a)(22)(ii) | |
| 34S289N54E | aluminum sulfate | antiperspirant | | IIISE | IIISE | 310.545(a)(4)(i) | |
| | aluminum sulfate buffered w/ sodium aluminum lactate | antiperspirant | w/ sales less than \$25,000 | I | IIIS | 310.545(a)(4)(ii) | |
| I7T908772F | aluminum sulfate, anhydrous | skin protectant | astringent | I | I | 347.12(b) | |
| | aluminum sulfate, buffered (aerosol only) | antiperspirant | | I | IIIS | 310.545(a)(4)(i) | |
| 481Y8HDW2B | aluminum zirconium octachlorohydrate | antiperspirant | | I | IIS | 350.10(k) | |
| P9D3YP29MY | aluminum zirconium octachlorohydrex gly | antiperspirant | | I | IIS | 350.10(l) | |
| 15K31617MU | aluminum zirconium pentachlorohydrate | antiperspirant | | I | IIS | 350.10(m) | |
| 94703016SM | aluminum zirconium pentachlorohydrex gly | antiperspirant | | I | IIS | 350.10(n) | |
| 8O386558JE | aluminum zirconium tetrachlorohydrate | antiperspirant | | I | IIS | 350.10(o) | |
| 8O386558JE | aluminum zirconium tetrachlorohydrex gly | antiperspirant | | I | IIS | 350.10(p) | |
| T27D6T99LH | aluminum zirconium trichlorohydrate | antiperspirant | | I | IIS | 350.10(q) | |
| T27D6T99LH | aluminum zirconium trichlorohydrex gly | antiperspirant | | I | IIS | 350.10(r) | |
| 376KTP06K8 | amiloxate (isoamyl p-methoxycinnamate) | sunscreen | | NA | | | |
| OR5RM3Q5QL | aminacrine hydrochloride | boil treatment | | | IISE | 310.531(a) | |
| TE7660XO1C | aminoacetic acid | antiemetic | | | II | | |
| TL2TJE8QTX | aminobenzoic acid | internal analgesic | | II | II | 310.545(a)(23)(i) | |
| TL2TJE8QTX | aminobenzoic acid (PABA) | sunscreen | | I | I | 352.10(a) | |
| 27Y3KJK423 | aminophylline | cough/cold | bronchodilator | I | II | 310.545(a)(6)(iv) | |
| 5138Q19F1X | ammonia solution, strong | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 5138Q19F1X | ammonia solution, strong (ammonia water, strong) | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| JD546Z56F0 | ammoniated mercury | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| R0JB3224WS | ammonium bromide | nighttime sleep aid | bromide | II | IISE | | [54 FR 6826] |
| R0JB3224WS | ammonium chloride | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| R0JB3224WS | ammonium chloride | menstrual/diuretic | diuretic | I | I | | |
| R0JB3224WS | ammonium chloride | nighttime sleep aid | | | II | | |
| R0JB3224WS | ammonium chloride | oral health care | expectorant | III | | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------|--------------------------|-------|---------|-----------------------|---------------|
| R0JB3224WS | ammonium chloride | stimulant | | | IIE | | [39 FR 6104] |
| 5138Q19F1X | ammonium hydroxide | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| YOJ58O116E | amylase | digestive aid | | | | 310.545(a)(8)(ii) | |
| | amyltriclesols, secondary | antifungal | | III | III | 310.545(a)(22)(ii) | |
| | amyltriclesols, secondary | oral health care | | | IIISE | | |
| | anion and cation exchange resins buffered | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 6Y89129C8H | anise oil | weight control | | | II | 310.545(a)(20) | |
| 21C2F5E8RE | anise seed | digestive aid | | | | 310.545(a)(8)(ii) | |
| DL6OZ476V3 | antimony potassium tartrate | cough/cold | expectorant | | II | 310.545(a)(6)(iii) | |
| T3CHA1B51H | antipyrine | internal analgesic | | III | III | 310.545(a)(23)(i) | |
| T3CHA1B51H | antipyrine | ophthalmic | anesthetic | II | II | 310.545(a)(21)(i) | |
| T3CHA1B51H | antipyrine | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| 7C0697DR9I | any atropine ingredient | internal analgesic | | | | 310.545(a)(23)(ii) | |
| 7C0697DR9I | any atropine ingredient | menstrual/diuretic | | | | 310.545(a)(24)(ii) | |
| GN83C131XS | any ephedrine ingredient | internal analgesic | | | | 310.545(a)(23)(ii) | |
| GN83C131XS | any ephedrine ingredient | menstrual/diuretic | | | | 310.545(a)(24)(ii) | |
| 94ZLA3W45F | arginine | weight control | | | II | 310.545(a)(20) | |
| | aromatic powder | digestive aid | | | | 310.545(a)(8)(ii) | |
| | aromatics | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| W9FZA51AS1 | asafetida | digestive aid | | | | 310.545(a)(8)(ii) | |
| Y62M9GTW4A | asclepias tuberosa | menstrual/diuretic | botanical/vegetable herb | II | II | 310.545(a)(24)(i) | |
| PQ6CK8PD0R | ascorbic acid | corn/callus remover | | II | IIISE | | [55 FR 33261] |
| PQ6CK8PD0R | ascorbic acid | wart remover | | III | IIIE | | [55 FR 33254] |
| PQ6CK8PD0R | ascorbic acid | weight control | | | II | 310.545(a)(20) | |
| Z1EJP3037Z | asparagus | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| Q6Z8UK5R3G | aspergillus oryza enzymes (except lactase enzyme derived from aspe | digestive aid | | | | 310.545(a)(8)(ii) | |
| R16CO5Y76E | aspirin | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| R16CO5Y76E | aspirin | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| R16CO5Y76E | aspirin | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| R16CO5Y76E | aspirin | internal analgesic | cardiovascular | I | I | 343.12(a) | |
| R16CO5Y76E | aspirin | internal analgesic | rheumatologic | I | I | 343.13(a) | |
| R16CO5Y76E | aspirin | menstrual/diuretic | analgesic | | I | | |
| R16CO5Y76E | aspirin | nighttime sleep aid | | II | IIE | | [54 FR 6826] |
| R16CO5Y76E | aspirin | oral health care | anesthetic/analgesic | I | IIIE | | |
| R16CO5Y76E | aspirin | overindulgence in a | hangover reliever | | I | | |
| R16CO5Y76E | aspirin (buffered) | internal analgesic | cardiovascular | I | I | 343.12(b) | |
| R16CO5Y76E | aspirin (buffered) | internal analgesic | rheumatologic | I | I | 343.13(b) | |
| R16CO5Y76E | aspirin, aluminum | internal analgesic | | III | III | 310.545(a)(23)(i) | |
| R16CO5Y76E | aspirin, calcium | internal analgesic | | | I | | |
| R16CO5Y76E | aspirin, calcium | internal analgesic | | | I | | |
| R16CO5Y76E | aspirin, calcium | menstrual/diuretic | | | I | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|----------------------|--|---------|---------|-----------------------|---------------|
| WQZ3G9PF0H | atropa belladonna | cough/cold | anticholinergic | | II | 310.53 | |
| 7C0697DR9I | atropine | anorectal | anticholinergic | II(e,i) | II(e,i) | 310.545(a)(26)(i) | |
| 03J5ZE7KA5 | atropine sulfate | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| 03J5ZE7KA5 | atropine sulfate | cough/cold | anticholinergic | | III | 310.53 | |
| U6V729APAM | attapulgate, activated | antidiarrheal | w/ sales less than \$25,000 | III | I | 310.545(3)(ii) | |
| G63QQF2NOX | avobenzone | sunscreen | | | | 352.10(a) | |
| | bacillus acidophilus | digestive aid | | | | 310.545(a)(8)(ii) | |
| 58H6RWO52I | bacitracin | first aid antibiotic | ointment | | I | 333.110(a) | |
| 89Y4M234ES | bacitracin zinc | first aid antibiotic | ointment | | I | 333.110(b) | |
| | barosma | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 5P5C03819W | basic fuchsin | antifungal | | III | III | 310.545(a)(22)(ii) | |
| | beachwood creosote | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 8WB9PV3YW5 | bean | digestive aid | | | | 310.545(a)(8)(ii) | |
| 3M5V3D1X36 | bearberry | weight control | | | II | 310.545(a)(20) | |
| 3M5V3D1X36 | bearberry (extract of uva ursi) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 3M5V3D1X36 | bearberry fluidextract (extract of bearberry) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 2ZA36H0S2V | beeswax | skin protectant | insect bites/stings w/ sales less than \$25,000 | | | 310.545(a)(18)(v)(B) | |
| 2ZA36H0S2V | beeswax | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | | | 310.545(a)(18)(vi)(B) | |
| 2ZA36H0S2V | beeswax | skin protectant | w/ sales less than \$25,000 | | | 310.545(a)(18)(i)(B) | |
| WQZ3G9PF0H | belladonna alkaloids | corn/callus remover | | II | IISE | | [55 FR 33261] |
| WQZ3G9PF0H | belladonna alkaloids | cough/cold | anticholinergic | | IIIE | 310.53 | |
| WQZ3G9PF0H | belladonna alkaloids | cough/cold | bronchodilator | II | II | 310.545(a)(6)(iv) | |
| WQZ3G9PF0H | belladonna alkaloids | digestive aid | | | | 310.545(a)(8)(ii) | |
| WQZ3G9PF0H | belladonna extract | anorectal | anticholinergic | II(e,i) | II(e,i) | 310.545(a)(26)(i) | |
| 6GZW20TIOI | belladonna leaves, powdered exrtact | digestive aid | | | | 310.545(a)(8)(ii) | |
| PWZ1720CBH | bemotrizinol | sunscreen | | NA | | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | I | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | I | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IIISE | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IIISE | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IIISE | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IIISE | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IIISE | | |
| F5UM2KM3W7 | benzalkonium chloride | antimicrobial | | | IISE | | |
| F5UM2KM3W7 | benzalkonium chloride | dandruff | | III | III | 310.545(a)(7) | |
| F5UM2KM3W7 | benzalkonium chloride | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| F5UM2KM3W7 | benzalkonium chloride | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| F5UM2KM3W7 | benzalkonium chloride | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| PH41D05744 | benzethonium chloride | antifungal | | | | 310.545(a)(22)(ii) | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | I | | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | IIIE | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-------------|--|---------------------------|---------------------------|-------------|-------------|-----------------------|---------------|
| PH41D05744 | benzethonium chloride | antimicrobial | | | IIISE | | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | IIISE | | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | IIISE | | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | IIISE | | |
| PH41D05744 | benzethonium chloride | antimicrobial | | | IISE | | |
| PH41D05744 | benzethonium chloride | dandruff | | III | III | 310.545(a)(7) | |
| PH41D05744 | benzethonium chloride | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| PH41D05744 | benzethonium chloride | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| PH41D05744 | benzethonium chloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| U3RSY48JW10 | benzocaine | external analgesic | | | IIIE | IISE (0.5-1.25%) | |
| U3RSY48JW11 | benzocaine | oral health care | anesthetic/analgesic | I | I | | |
| U3RSY48JW12 | benzocaine | otic | | | IISE | | [51 FR 28660] |
| U3RSY48JW13 | benzocaine | pediculicide | | II | II | 310.545(a)(25)(i) | |
| U3RSY48JW14 | benzocaine | relief of oral discomfort | | | I | | |
| U3RSY48JW15 | benzocaine | relief of oral discomfort | | | IIIE | | |
| U3RSY48JW16 | benzocaine | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| U3RSY48JW17 | benzocaine | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| U3RSY48JW18 | benzocaine | wart remover | | II | IISE | | [55 FR 33254] |
| U3RSY48JW19 | benzocaine | weight control | | | IISE | | |
| U3RSY48JW5 | benzocaine | acne | | II | II | 310.545(a)(1) | |
| U3RSY48JW5 | benzocaine | external analgesic | male genital desensitizer | I | I | 348.10(a)(1) | |
| U3RSY48JW6 | benzocaine | anorectal | local anesthetic | I(e),III(i) | I(e),III(i) | 346.10(a) | |
| U3RSY48JW7 | benzocaine | dandruff | | II | IIIE | | [56 FR 63567] |
| U3RSY48JW9 | benzocaine (0.5 - 1.25%) | external analgesic | poison ivy/oak/sumac | I | I | 310.545(a)(10)(vii) | |
| 8SKN0B0MIM | benzoic acid | acne | | II | II | 310.545(a)(1) | |
| 8SKN0B0MIM | benzoic acid | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 8SKN0B0MIM | benzoic acid | oral health care | | | IIIE | | |
| 8SKN0B0MIM | benzoic acid | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| L7J6A1NE81 | benzoin preparations (compound tincture of benzoin, tincture of benzoin) | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| L7J6A1NE81 | benzoin tincture, compound | relief of oral discomfort | | | I | | |
| 5P4DHS6ENR | benzonatate | cough/cold | antitussive | | I | | |
| GRE0P19C3Z | benzoxiquine | antifungal | | III | III | 310.545(a)(22)(ii) | |
| W9WZN9A0GM | benzoyl peroxide | acne | | I | I-> IIIS | 333.310(a) | 75 FR 9767 |
| LKG8494WBH | benzyl alcohol | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(b) | |
| LKG8494WBH | benzyl alcohol | external analgesic | analgesic & anesthetic | I | I | Pending | |
| LKG8494WBH | benzyl alcohol | external analgesic | male genital desensitizer | | | 310.545(a)(10)(iii) | |
| LKG8494WBH | benzyl alcohol | oral health care | anesthetic/analgesic | I | I | | |
| LKG8494WBH | benzyl alcohol | pediculicide | | II | II | 310.545(a)(25)(i) | |
| LKG8494WBH | benzyl alcohol | relief of oral discomfort | | | I | | |
| LKG8494WBH | benzyl alcohol | relief of oral discomfort | | | IIISE | | |
| LKG8494WBH | benzyl alcohol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-------------|-------------------------------------|-----------------------------|---|----------|----------|-----------------------|-------------|
| N863NB338G | benzyl benzonate | pediculicide | | II | II | 310.545(a)(25)(i) | |
| JK8U8K4D6K | betaine hydrochloride | digestive aid | | | | 310.545(a)(8)(ii) | |
| | bicarbonate | antacid | | | | 331.11(b) | |
| | bile salts/acids | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| 6SO6U10H04 | biotin | weight control | | | II | 310.545(a)(20) | |
| 10X0709Y6I | bisacodyl | laxative | | | I | | |
| JB5Y63JDHJ | bismuth aluminate | antacid | | | I | 331.11(c)(1) | |
| M41L2IN55T | bismuth carbonate | antacid | | | I | 331.11(c)(2) | |
| A6I4E79QF1 | bismuth oxide | anorectal | protectant | III(e,i) | III(e,i) | 310.545(a)(26)(viii) | |
| | bismuth sodium tartrate | digestive aid | | II | II | 310.545(a)(8)(i) | |
| | bismuth sodium tartrate | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| M41L2IN55T | bismuth subcarbonate | anorectal | protectant | III(e,i) | III(e,i) | 310.545(a)(26)(viii) | |
| M41L2IN55T | bismuth subcarbonate | antacid | | | I | 331.11(c)(3) | |
| M41L2IN55T | bismuth subcarbonate | digestive aid | | | | 310.545(a)(8)(ii) | |
| YIW503MI7V | bismuth subgallate | anorectal | protectant | III(e,i) | III(e,i) | 310.545(a)(26)(viii) | |
| YIW503MI7V | bismuth subgallate | antacid | | | I | 331.11(c)(4) | |
| YIW503MI7V | bismuth subgallate | deodorants for internal use | | III | I | 357.810(a) | |
| YIW503MI7V | bismuth subgallate | digestive aid | | | | 310.545(a)(8)(ii) | |
| H19J064BA5 | bismuth subnitrate | skin protectant | | II | IIS | | |
| YIW503MI7V | bismuth subnitrate | anorectal | protectant | II(e,i) | II(e,i) | 310.545(a)(26)(viii) | |
| YIW503MI7V | bismuth subnitrate | antacid | | | I | 331.11(c)(5) | |
| YIW503MI7V | bismuth subnitrate | antidiarrheal | w/ sales less than \$25,000 | III | III | 310.545(a)(3)(ii) | |
| YIW503MI7V | bismuth subnitrate | skin protectant | fever blister/cold sore | | II | 310.545(a)(18)(iv) | |
| YIW503MI7V | bismuth subnitrate | skin protectant | insect bites/stings w/ sales less than \$2 | II | II | 310.545(a)(18)(v)(B) | |
| YIW503MI7V | bismuth subnitrate | skin protectant | poison ivy/oak/sumac | II | II | 310.545(a)(18)(vi)(A) | |
| YIW503MI7V | bismuth subnitrate | skin protectant | poison ivy/oak/sumac w/ sales less than \$2 | II | II | 310.545(a)(18)(vi)(B) | |
| YIW503MI7V | bismuth subnitrate | skin protectant | w/ sales less than \$25,000 | II | II | 310.545(a)(18)(i)(B) | |
| 62TEY51RR1 | bismuth subsalicylate | antidiarrheal | | III | IIIE | 335.10(a) | |
| 62TEY51RR2 | bismuth subsalicylate | antiemetic | | | III | | |
| 62TEY51RR3 | bismuth subsalicylate | antimicrobial | | | IISE | | |
| 62TEY51RR4 | bismuth subsalicylate | oral health care | | | IISE | | |
| 62TEY51RR5 | bismuth subsalicylate | overindulgence in a | overindulgence | | I | | |
| 8NT850TOYS | bisoctrizole | sunscreen | | NA | | | |
| AMT77LS62O | bithionol | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| AMT77LS62O | bithionol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 86R5J6D01D | black radish powder | digestive aid | | | | 310.545(a)(8)(ii) | |
| 6L5ZL09795 | blessed thistle (cnicus benedictus) | digestive aid | | | | 310.545(a)(8)(ii) | |
| 6L5ZL09795 | blessed thistle (cnicus benedictus) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| | bone marrow, red | weight control | | | II | 310.545(a)(20) | |
| R57ZHV85D10 | boric acid | skin protectant | fever blister/cold sore | | II | 310.545(a)(18)(iv) | |
| R57ZHV85D11 | boric acid | skin protectant | insect bites/stings w/ sales less than \$2 | II | II | 310.545(a)(18)(v)(B) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-------------|---|---------------------------|---|---------|---------|-----------------------|-------------|
| R57ZHV85D12 | boric acid | skin protectant | poison ivy/oak/sumac | II | II | 310.545(a)(18)(vi)(A) | |
| R57ZHV85D13 | boric acid | skin protectant | poison ivy/oak/sumac w/ sales less than | II | II | 310.545(a)(18)(vi)(B) | |
| R57ZHV85D14 | boric acid | skin protectant | w/ sales less than \$25,000 | II | II | 310.545(a)(18)(i)(B) | |
| R57ZHV85D4 | boric acid | acne | | II | II | 310.545(a)(1) | |
| R57ZHV85D5 | boric acid | anorectal | antiseptic | II(e,i) | II(e,i) | 310.545(a)(26)(ii) | |
| R57ZHV85D6 | boric acid | antifungal | | III | | 310.545(a)(22)(ii) | |
| R57ZHV85D7 | boric acid | dandruff | | II | II | 310.545(a)(7) | |
| R57ZHV85D8 | boric acid | ophthalmic | anti-infective | III | II | 310.545(a)(21)(ii) | |
| R57ZHV85D9 | boric acid | skin protectant | astringent | II | II | 310.545(a)(18)(ii) | |
| LU86E5P72A | bornelone (5-(3,3-dimethyl-2-norbornyliden)3-pentene-2-one) | sunscreen | | III | IIIE | | 58 FR 28281 |
| | bornyl acetate (topical) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| | boroglycerin | anorectal | antiseptic | II(e,i) | II(e,i) | 310.545(a)(26)(ii) | |
| | boroglycerin | oral health care | | | IISE | | |
| | bran | laxative | | | I | | |
| IXA7C9ZN03 | brompheniramine maleate | cough/cold | antihistamine | I | I | 341.12(a) | |
| KOS935A04V | buchu | weight control | | | II | 310.545(a)(20) | |
| KOS935A04V | buchu powdered extract (extract of buchu) | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| KOS935A04V | buchu, potassium extract | weight control | | | II | 310.545(a)(20) | |
| 2C5Q57D7Z4 | buckthorn | digestive aid | | | | 310.545(a)(8)(ii) | |
| PAU39W3CVB | butacaine sulfate | relief of oral discomfort | | | I | | |
| PAU39W3CVB | butacaine sulfate | relief of oral discomfort | | | IIISE | | |
| | butamben picrate | external analgesic | | I | I | | |
| 3G6A5W338E | caffeine | cough/cold | miscellaneous | | IIIE | | |
| 3G6A5W338E | caffeine | internal analgesic | | III | IIIE | | |
| 3G6A5W338E | caffeine | menstrual/diuretic | analgesic | III | | | |
| 3G6A5W338E | caffeine | menstrual/diuretic | diuretic | I | I | | |
| 3G6A5W338E | caffeine | nighttime sleep aid | stimulant | | I | | |
| 3G6A5W338E | caffeine | overindulgence in a | hangover reliever | | I | | |
| 3G6A5W338E | caffeine | stimulant | | | I | 340.10 | |
| 3G6A5W338E | caffeine | weight control | | | II | 310.545(a)(20) | |
| U26EO4675Q | caffeine citrate | weight control | | | II | 310.545(a)(20) | |
| | calamine | anorectal | astringent | I(e,i) | I(e,i) | 346.18(a) | |
| | calamine | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| | calamine | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | calamine | skin protectant | | I | I | 347.10(c) | |
| | calamine (in combination only) | anorectal | protectant | I(e,i) | I(e,i) | 346.14(b)(1) | |
| | calcium | weight control | | | II | 310.545(a)(20) | |
| SY7Q814VUP | calcium (mono or dibasic salt) | antacid | | | | 331.11(i)(2) | |
| Y882YXF34X | calcium acetate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| H0G9379FGK | calcium carbonate | antacid | | | I | 331.11(d) | |
| H0G9379FGK | calcium carbonate | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--------------------------------|---------------------------|-------------------------------------|----------|---------|-----------------------|------------------|
| H0G9379FGK | calcium carbonate | weight control | | | II | 310.545(a)(20) | |
| H0G9379FGK | calcium carbonate precipitated | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| | calcium caseinate | weight control | | | II | 310.545(a)(20) | |
| SQE6VB453K | calcium gluconate | digestive aid | | | | 310.545(a)(8)(ii) | |
| PF5DZW74VN | calcium hydroxide | antidiarrheal | w/ sales less than \$25,000 | III | III | 310.545(a)(3)(ii) | |
| 2URQ2N32W3 | calcium lactate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 2URQ2N32W3 | calcium lactate | weight control | | | II | 310.545(a)(20) | |
| 568ET80C3D | calcium pantothenate | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| 568ET80C3D | calcium pantothenate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 568ET80C3D | calcium pantothenate | wart remover | | III | IIIE | | [55 FR 33254] |
| 568ET80C3D | calcium pantothenate | weight control | | | II | 310.545(a)(20) | |
| H0G9379FGK | calcium phosphate | antacid | | | I | 331.11(d) | |
| | calcium polycarbophil | antidiarrheal | w/ sales less than \$25,000 | NC | I | 310.545(a)(3)(ii) | |
| | calcium polycarbophil | laxative | bulk laxative | | I | | |
| | calcium polysulfide | acne | | II | II | 310.545(a)(1) | |
| | calcium salicylate | internal analgesic | | | | 310.545(a)(23)(i) | |
| | calcium sucrose phosphate | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| 210100728E | calcium thiosulfate | acne | | II | II | 310.545(a)(1) | |
| 77YW1RTU8V | calcium undecylenate | antifungal | | I | I | 333.210(f) | |
| 77YW1RTU8V | calcium undecylenate | antimicrobial | | | IIISE | | |
| 77YW1RTU8V | calcium undecylenate | dandruff | | | | 310.545(a)(7) | |
| J2D46N657D | calomel | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| J2D46N657D | calomel (mercurous chloride) | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| 5TJD82A1ET | camphor | acne | | II | II | 310.545(a)(1) | |
| 5TJD82A1ET | camphor | anorectal | analgesic, anesthetic, antipruritic | | I(e) | 346.16(a) | |
| 5TJD82A1ET | camphor | anorectal | counterirritant | II(e,i) | II(e,i) | 310.545(a)(26)(iv) | |
| 5TJD82A1ET | camphor | antifungal | | II | II | 310.545(a)(22)(ii) | |
| 5TJD82A1ET | camphor | cough/cold | antitussive | III | IIIE | 341.14(b)(1) | steam inhalation |
| 5TJD82A1ET | camphor | cough/cold | antitussive | III | I | 341.14(b)(1) | topical |
| 5TJD82A1ET | camphor | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | topical/inhalant |
| 5TJD82A1ET | camphor | cough/cold | nasal decongestant | III | IIIE | | [59 FR 43408] |
| 5TJD82A1ET | camphor | external analgesic | | I | I | | |
| 5TJD82A1ET | camphor | external analgesic | | I | IISE | | |
| 5TJD82A1ET | camphor | oral health care | anesthetic/analgesic | II | IISE | | |
| 5TJD82A1ET | camphor | oral health care | non-antimicrobial | | | 310.545(a)(14) | |
| 5TJD82A1ET | camphor | relief of oral discomfort | | | IISE | | |
| 5TJD82A1ET | camphor | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 5TJD82A1ET | camphor | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 5TJD82A1ET | camphor | sunscreen | | inactive | | | 43 FR 38208 |
| 5TJD82A1ET | camphor | wart remover | | II | IISE | | [55 FR 33254] |
| 5TJD82A1ET | camphor (exceeding 3 percent) | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|---------------------------|---------------------------|-------|---------|-----------------------|---------------|
| 5TJD82A1ET | camphor (lozenge) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 5TJD82A1ET | camphor gum | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| | camphorated metacresol | antifungal | | III | III | 310.545(a)(22)(iv) | |
| | camphorated metacresol | external analgesic | analgesic & anesthetic | IIISE | I | Pending | |
| | camphorated metacresol | external analgesic | male genital desensitizer | | | 310.545(a)(10)(iii) | |
| | candididin | antifungal | | II | II | 310.545(a)(22)(ii) | |
| S07O44R1ZM | capsaicin | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| S07O44R1ZM | capsicum | digestive aid | | | | 310.545(a)(8)(ii) | |
| S07O44R1ZM | capsicum | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| S07O44R1ZM | capsicum | relief of oral discomfort | | | IIIE | | |
| S07O44R1ZM | capsicum | relief of oral discomfort | | | IISE | | |
| S07O44R1ZM | capsicum oleoresin | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| S07O44R1ZM | capsicum oleoresin | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| S07O44R1ZM | capsicum, fluid extract of carbon | digestive aid | | | | 310.545(a)(8)(ii) | |
| | captan | dandruff | | III | III | 310.545(a)(7) | |
| 09TQU5PG95 | caramiphen edisylate | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| 31PZ2VAU81 | carbamide peroxide | oral health care | | | III | | |
| 31PZ2VAU81 | carbamide peroxide | oral health care | | | IIIE | | |
| 31PZ2VAU81 | carbamide peroxide (in anhydrous glycerin) | oral health care | wound cleansing | I | I | | |
| 31PZ2VAU81 | carbamide peroxide 6.5% (in anhydrous glycerin) | otic | | | I | 344.10 | |
| N667F17JP1 | carbaspirin calcium | internal analgesic | | I | I | | |
| N667F17JP1 | carbaspirin calcium | menstrual/diuretic | analgesic | I | | | |
| 4SH0MFJ5HJ | carbetapentane citrate | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| 2P3VWU3H10 | carbon | digestive aid | | | | | |
| 142M471B3J | carbon dioxide, released | laxative | | | I | | |
| K679OBS311 | carboxymethylcellulose sodium | antidiarrheal | | | | 310.545(a)(3)(i) | |
| K679OBS311 | carboxymethylcellulose sodium | laxative | | | I | | |
| K679OBS311 | carboxymethylcellulose sodium | ophthalmic | demulcents | I | I | 349.12(a)(1) | |
| K679OBS311 | carboxymethylcellulose sodium | weight control | | | III | 310.545(a)(20) | |
| 5C69YCD2YJ | carrageenan | weight control | | | III | 310.545(a)(20) | |
| 5C69YCD2YJ | carrageenan (degraded) | laxative | bulk laxative | | II | 310.545(a)(12)(i) | |
| 5C69YCD2YJ | carrageenan (native) | laxative | bulk laxative | | III | 310.545(a)(12)(i) | |
| | casanthranol | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| | cascara fluidextract aromatic | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| | cascara fluidextract, aromatic (extract of cascara) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 4VBP01X99F | cascara sagrada bark | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| | cascara sagrada extract | digestive aid | | | | 310.545(a)(8)(ii) | |
| | cascara sagrada extract | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| | cascara sagrada fluidextract | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(C) | |
| D5340Y2I9G | castor oil | laxative | stimulant laxative | | I | | |
| D5340Y2I9G | castor oil | wart remover | | II | IISE | | [55 FR 33254] |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|-----------------------------|--|--------|---------|-----------------------|---------------|
| 483O0360NZ | catechu, tinctures | digestive aid | | | | 310.545(a)(8)(ii) | |
| 7Y51EV0DZW | catnip | digestive aid | | | | 310.545(a)(8)(ii) | |
| BJ169U4NLG | cedar leaf oil (topical) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| | cellulase | digestive aid | | II/III | III | 310.545(a)(8)(i) | |
| SMD1X3XO9M | cellulose, microporous | skin protectant | diaper rash | | IIISE | | |
| 85474O1N9D | cetalkonium chloride | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 85474O1N9D | cetalkonium chloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 936JST6JCN | cetyl alcohol | skin protectant | insect bites/stings w/ sales less than \$25,000 | | | 310.545(a)(18)(v)(B) | |
| 936JST6JCN | cetyl alcohol | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | | | 310.545(a)(18)(vi)(B) | |
| 936JST6JCN | cetyl alcohol | skin protectant | w/ sales less than \$25,000 | | | 310.545(a)(18)(i)(B) | |
| D9OM4SK49P | cetylpyridinium chloride | oral health care | | | IIISE | | |
| O2T154T6OG | chamomile flowers | digestive aid | | | | 310.545(a)(8)(ii) | |
| 2P3VWU3H10 | charcoal (activated) | antidiarrheal | w/ sales less than \$25,000 | III | III | 310.545(a)(3)(ii) | |
| 2P3VWU3H10 | charcoal, activated | acute toxic ingestion | | | I | | |
| 2P3VWU3H10 | Charcoal, activated | antacid | | | IIIE | | |
| 2P3VWU3H10 | charcoal, activated | deodorants for internal use | | III | III | | [55 FR 19864] |
| 2P3VWU3H10 | charcoal, activated | overindulgence in a | hangover minimizer | | IIIE | | [48 FR 32873] |
| 2P3VWU3H10 | charcoal, activated | poison treatment | | | I | | |
| 2P3VWU3H10 | charcoal, wood/activated | digestive aid | | III | III | 310.545(a)(8)(iii) | |
| 69QQ58998Y | chlophedianol hydrochloride | cough/cold | antitussive | | I | 341.14(a)(1) | oral |
| 418M5916WG | chloral hydrate | external analgesic | analgesic & anesthetic | II | II | 310.545(a)(10)(i) | |
| 418M5916WG | chloral hydrate | external analgesic | counter irritant | I | I | 310.545(a)(10)(ii) | |
| 418M5916WG | chloral hydrate | external analgesic | fever blister/cold sore | II | II | 310.545(a)(10)(v) | |
| 418M5916WG | chloral hydrate | external analgesic | poison ivy/oak/sumac | II | II | 310.545(a)(10)(vii) | |
| 418M5916WG | chloral hydrate | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| NPB7A7874U | chlorcyclizine hydrochloride | cough/cold | antihistamine | | I | 341.12(b) | |
| BPF36H1G6S | chlorhydroxyquinoline (cloxyquin) | acne | | II | II | 310.545(a)(1) | |
| HM4YQM8WRC | chlorobutanol | corn/callus remover | | II | IISE | | [55 FR 33261] |
| HM4YQM8WRC | chlorobutanol | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| HM4YQM8WRC | chlorobutanol | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| HM4YQM8WRC | chlorobutanol | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| 7V31YC746X | chloroform | cough/cold | expectorant | | II | 310.545(a)(6)(iii) | |
| 7V31YC746X | chloroform | digestive aid | | | | 310.545(a)(8)(ii) | |
| CIW5S16655 | chlorophenothane (dichlorodiphenyl trichloroethane) | pediculicide | | | | 310.545(a)(25)(i) | |
| | chlorophyllin | relief of oral discomfort | | | IIISE | | |
| | chlorophyllin copper complex | deodorants for internal use | | III | I | 357.810(b) | |
| | chlorophyllin copper complex | oral health care | | | IIIE | | |
| LJ25TI0CVT | chlorothymol | antifungal | | III | III | 310.545(a)(22)(ii) | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIIE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIIE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|--------------------------|----------|----------|-----------------------|-------------|
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxlyneol | antimicrobial | | | IIISE | | |
| LJ25TI0CVT | chloroxylenol | acne | | II | II | 310.545(a)(1) | |
| LJ25TI0CVT | chloroxylenol | antifungal | | III | III | 310.545(a)(22)(iv) | |
| LJ25TI0CVT | chloroxylenol | dandruff | | III | III | 310.545(a)(7) | |
| V1Q0O9OJ9Z | chlorpheniramine maleate | cough/cold | antihistamine | I | I | 341.12(c) | |
| V1Q0O9OJ9Z | chlorpheniramine maleate | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| V1Q0O9OJ9Z | chlorpheniramine maleate | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | chlorprophenpyridamine maleate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| O1GX33ON8R | chlortetracycline hydrochloride | first aid antibiotic | ointment | | I | 333.110(c) | |
| 1C6V77QF41 | cholecalciferol | skin protectant | diaper rash | | IIISE | | |
| 1C6V77QF41 | cholecalciferol | weight control | | | II | 310.545(a)(20) | |
| 1C6V77QF41 | cholecalciferol (vitamin D) | anorectal | wound healing | III(e,i) | III(e,i) | 310.545(a)(26)(x) | |
| N91BDP6H0X | choline | weight control | | | II | 310.545(a)(20) | |
| N91BDP6H0X | choline salicylate | internal analgesic | | I | I | | |
| N91BDP6H0X | choline salicylate | menstrual/diuretic | analgesic | I | | | |
| XR12Z4HLEA | chondrus | weight control | | | III | 310.545(a)(20) | |
| K73E24S6X9 | cimicifuga racemosa | menstrual/diuretic | botanical/vegetable herb | II | II | 310.545(a)(24)(i) | |
| T4B6SPQ0UF | cinnamedrine hydrochloride | menstrual/diuretic | muscle relaxant | III | IIIE | | |
| E5GY4I6YCZ | cinnamon oil | digestive aid | | | | 310.545(a)(8)(ii) | |
| 5S29HWU6QB | cinnamon tincture | digestive aid | | | | 310.545(a)(8)(ii) | |
| 5437O7N5BH | cinoxate | sunscreen | | I | I | 352.10(c) | |
| | citrate (containing active ingredients: citrate ion, as citric acid or salt) | antacid | | | I | 331.11(e) | |
| 2968PHW8QP | citric acid | relief of oral discomfort | | | IIIE | | |
| 2968PHW8QP | citric acid | weight control | | | II | 310.545(a)(20) | |
| 47EQO8LE7H | citrus pectin | digestive aid | | | | 310.545(a)(8)(ii) | |
| 7BHQ856EJ5 | clioquinol | antifungal | | I | I | 333.210(a) | |
| 7BHQ856EJ5 | clioquinol (Iodochlorhydroxyquin) | antifungal | | I | I | 333.210(a) | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIIS | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| I5ZZY3DC5G | cloflucarban | antimicrobial | | | IIISE | | |
| G07GZ97H65 | clotrimazole | antifungal | | | I | 333.210(g) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|--------------------|-------------------------|----------|----------|-----------------------|---------------|
| G07GZ97H65 | clotrimazole | n/a | | | I | | [67 FR 5942] |
| 578389D6D0 | clove oil | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| BPF36H1G6S | cloxyquin (chlorhydroxyquinoline) | acne | | | | 310.545(a)(1) | |
| 6L5ZL09795 | cnicus benedictus | menstrual/diuretic | | II | II | | |
| 6L5ZL09795 | cnicus benedictus | weight control | | | II | 310.545(a)(20) | |
| R533ES02EC | coal tar | acne | | II | II | 310.545(a)(1) | |
| R533ESO2EC | coal tar | antifungal | | II | II | 310.545(a)(22)(ii) | |
| R533ESO2EC | coal tar | dandruff | psoriasis | ISIII | I | 358.710(c)(1) | |
| R533ESO2EC | coal tar | dandruff | seborrheic dermatitis | ISIII | I | 358.710(b)(1) | |
| R533ESO2EC | coal tar | dandruff | | ISIII | I | 358.710(a)(1) | |
| 5120YT1CRR | cocoa butter | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(2) | |
| 512OYT1CRR | cocoa butter | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| 512OYT1CRR | cocoa butter | skin protectant | diaper rash | | iii | 310.545(a)(18)(iii) | |
| 512OYT1CRR | cocoa butter | skin protectant | fever blister/cold sore | | I | | |
| 512OYT1CRR | cocoa butter | skin protectant | | I | I | 347.10(d) | |
| | coconut oil soap, aqueous | pediculicide | | II | II | 310.545(a)(25)(i) | |
| BBL281NWFG | cod liver oil | anorectal | wound healing | III(e,i) | III(e,i) | 310.545(a)(26)(x) | |
| BBL281NWFG | cod liver oil | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| BBL281NWFG | cod liver oil | skin protectant | diaper rash | | | | |
| BBL281NWFG | cod liver oil (in combination only) | anorectal | protectant | I(e,i) | I(e,i) | 346.14(b)(2) | |
| Q830PW7520 | codeine | cough/cold | antitussive | I | I | 341.14(a)(2)(i) | oral |
| Q830PW7520 | codeine | internal analgesic | | II | II | 310.545(a)(23)(i) | |
| Q830PW7520 | codeine | menstrual/diuretic | analgesic | II | | 310.545(a)(24)(i) | |
| GSL05Y1MN6 | codeine phosphate | cough/cold | antitussive | I | I | 341.14(a)(2)(ii) | oral |
| GSL05Y1MN6 | codeine phosphate | internal analgesic | | | | 310.545(a)(23)(i) | |
| 11QV9BS0CB | codeine sulfate | cough/cold | antitussive | I | I | 341.14(a)(2)(iii) | oral |
| 11QV9BS0CB | codeine sulfate | internal analgesic | | | | 310.545(a)(23)(i) | |
| J9BTD5377V | collinsonia (extract stone root) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| IOS9HV04K7 | collinsonia extract | anorectal | other | II(e,i) | II(e,i) | 310.545(a)(26)(vii) | |
| 8PI54V663Y | colloidal oatmeal | dandruff | | II | II | 310.545(a)(7) | |
| 8PI54V663Y | colloidal oatmeal | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 8PI54V663Y | colloidal oatmeal | skin protectant | diaper rash | | III | | |
| 8PI54V663Y | colloidal oatmeal | skin protectant | | | I | 347.10(f) | |
| 23H32AOH17 | colocynth | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| 789U1901C5 | copper | weight control | | | II | 310.545(a)(20) | |
| 789U1901C5 | copper gluconate | weight control | | | II | 310.545(a)(20) | |
| 789U1901C5 | copper oleate | pediculicide | | II | II | 310.545(a)(25)(i) | |
| 789U1901C5 | copper undecylenate | antifungal | | I | I | 333.210(f) | |
| 8470G57WFM | corn oil | weight control | | | II | 310.545(a)(20) | |
| | corn oil, aqueous emulsion | cholecystokinetic | | | I | 357.210(a) | |
| 7D3VB244UX | corn silk | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--------------------------------------|---------------------------|-------------------------|-------|---------|-----------------------|---------------|
| | corn silk, potassium extract | weight control | | | II | 310.545(a)(20) | |
| O8232NY3SJ | corn starch | skin protectant | | | I | 347.10(q) | |
| 9G5L16BK6N | corn syrup | weight control | | | II | 310.545(a)(20) | |
| 8K1MK5E1FY | couch grass | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| | creosote | relief of oral discomfort | | | IIIE | | |
| | creosote | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | creosote, beechwood | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| | creosote, beechwood | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | creosote, beechwood | relief of oral discomfort | | | IIISE | | |
| | creosote, beechwood (oral) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| | creosote, beechwood (topical) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| 1MXY2UM8NV | cresol | oral health care | anesthetic/analgesic | II | IISE | | |
| 1MXY2UM8NV | cresol | oral health care | non-antimicrobial | | | 310.545(a)(14) | |
| 1MXY2UM8NV | cresol | relief of oral discomfort | | | IIISE | | |
| 1MXY2UM8NV | cresol | relief of oral discomfort | | | IIISE | | |
| 1MXY2UM8NV | cresol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 1MXY2UM8NV | cresol, saponated | dandruff | | II | II | 310.545(a)(7) | |
| LRX7AJ16DT | cupric sulfate | external analgesic | | | | | |
| LRX7AJ16DT | cupric sulfate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| LRX7AJ16DT | cupric sulfate | weight control | | | II | 310.545(a)(20) | |
| P6YC3EG204 | cyanocobalamin (vitamin B12) | weight control | | | II | 310.545(a)(20) | |
| W0O1NHP4WE | cyclizine hydrochloride | antiemetic | | | I | 336.10(a) | |
| 7323N7T136 | cyclomethycaine sulfate | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| 7323N7T136 | cyclomethycaine sulfate | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| 7323N7T136 | cyclomethycaine sulfate | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| ZT934N0X4W | cysteine hydrochloride | skin protectant | diaper rash | | | 310.545(a)(18)(iii) | |
| 48TCX9A1VT | cystine | weight control | | | II | 310.545(a)(20) | |
| Z4XE6IBF3V | danthron | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(B) | |
| | datura stramonium | cough/cold | anticholinergic | | II | 310.53 | |
| NH5000009I | dehydrocholic acid | digestive aid | | II | II | 310.545(a)(8)(i) | |
| XYS8INN1I6 | dequalinium chloride | oral health care | | | IIISE | | |
| BPA9UT29BS | dexbromopheniramine maleate | cough/cold | antihistamine | | I | 341.12(d) | |
| B10YD955QW | dexchlorpheniramine maleate | cough/cold | antihistamine | | I | 341.12(e) | |
| 1O6C93RI7Z | dexpanthenol | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 1O6C93RI7Z | dexpanthenol | external analgesic | | | IIIE | | |
| 1O6C93RI7Z | dexpanthenol | skin protectant | diaper rash | | IIISE | | |
| 7SA290YK68 | dextran 70 | ophthalmic | demulcents | I | I | 349.12(b) | |
| 7355X3ROTS | dextromethorphan | cough/cold | antitussive | I | I | 341.14(a)(3) | oral |
| 9D2RTI9KYH | dextromethorphan hydrobromide | cough/cold | antitussive | I | I | 341.14(a)(4) | oral |
| IY9XDZ35W2 | dextrose | weight control | | | II | 310.545(a)(20) | |
| | diastase | digestive aid | | | | 310.545(a)(8)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|---------------------|-------------------------|----------|-------------|-----------------------|---------------|
| | diastase malt | digestive aid | | | | 310.545(a)(8)(ii) | |
| Z3D4AJ1R48 | dibenzothiophene | acne | | II | II | 310.545(a)(1) | |
| L6JW2TJG99 | dibucaine | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(c) | |
| L6JW2TJG99 | dibucaine | external analgesic | | I | I | | |
| L6JW2TJG99 | dibucaine | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| Z97702A5DG | dibucaine hydrochloride | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(d) | |
| Z97702A5DG | dibucaine hydrochloride | external analgesic | | I | I | | |
| Z97702A5DG | dibucaine hydrochloride | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| O7TSZ97GEP | dicalcium phosphate dihydrate | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| O7TSZ97GEP | dicalcium phosphate dihydrate [see calcium phosphate, dibasic] | gingivitis/plaque | | | IIIE | | |
| | dichlorodiphenyl trichloroethane (DDT) | pediculicide | | II | II | | |
| T1J0JOU64O | dichlorophen | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 2UTZ0QC864 | diethylhexyl butamido triazone | sunscreen | | NA | | | |
| PGQ9BY2MDE | digalloyl trioleate | sunscreen | | I | I | 310.545(a)(29) | |
| D0250MG0W6 | dihydroxyaluminum aminoacetate | antacid | | | I | 331.11(a)(3) | |
| D0250MG0W6 | dihydroxyaluminum aminoacetic acid | antacid | | | | 331.11(a)(3) | |
| 84H8Z9550J | dihydroxyaluminum sodium carbonate | antacid | | | I | 331.11(a)(5) | |
| 84H8Z9550J | dihydroxyaluminum sodium carbonate | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |
| JB937PER5C | dimenhydrinate | antiemetic | | | I | 336.10(b) | |
| 92RU3N3Y1O | dimethicone | skin protectant | diaper rash | | I | | |
| 92RU3N3Y1O | dimethicone | skin protectant | fever blister/cold sore | | I | | |
| 92RU3N3Y1O | dimethicone | skin protectant | | I | I | 347.10(g) | |
| SMP2689462 | dimethisoquin hydrochloride | external analgesic | | I | I | | |
| F05Q2T2JA0 | dioctyl sodium sulfosuccinate | pediculicide | | II | II | | |
| | diolamine methoxycinnamate (diethanolamine methoxycinnamate) | sunscreen | | I | I | 310.545(a)(29) | |
| B762XZ551X | dioxybenzone | sunscreen | | I | I | 352.10(e) | |
| 2456GO94TR | diperodon | anorectal | anesthetic | | | 310.545(a)(26)(vi) | |
| 5YZ5R8I73Y | diperodon hydrochloride | corn/callus remover | | II | IISE | | [55 FR 33261] |
| 5YZ5R8I73Y | diperodon hydrochloride | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 5YZ5R8I73Y | diperodon hydrochloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 8GTS82S83M | diphenhydramine citrate | cough/cold | antihistamine | | | 341.12(f) | |
| 8GTS82S83M | diphenhydramine citrate | cough/cold | antitussive | | | 341.14(a)(5) | oral |
| 8GTS82S83M | diphenhydramine citrate | nighttime sleep aid | | | | 338.10(b) | |
| TC2D6JAD40 | diphenhydramine hydrochloride | antiemetic | | | IIIE | 336.10(c) | |
| TC2D6JAD41 | diphenhydramine hydrochloride | cough/cold | antihistamine | I | I | 341.12(g) | |
| TC2D6JAD42 | diphenhydramine hydrochloride | cough/cold | antitussive | III | IIIE | 341.14(a)(6) | oral |
| TC2D6JAD43 | diphenhydramine hydrochloride | external analgesic | | I | I | | |
| TC2D6JAD44 | diphenhydramine hydrochloride | nighttime sleep aid | antihistamine | III | IIISE | 338.10(a) | |
| TC2D6JAD45 | diphenhydramine hydrochloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | dipropylene glycol salicylate | sunscreen | | III | IIISE | | 58 FR 28281 |
| | disodium hydrogen phosphate | anticaries | | II | NC | 310.545(a)(2)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|---------------------------|----------|-------------|-----------------------|---------------|
| 6K7YS503HC | docusate calcium sulfosuccinate | laxative | stool softener | | | | |
| CIK9F54ZHR | docusate potassium sulfosuccinate | laxative | stool softener | | | | |
| F05Q2T2JA0 | docusate sodium | pediculicide | | | | 310.545(a)(25)(i) | |
| F05Q2T2JA0 | docusate sodium | weight control | | | II | 310.545(a)(20) | |
| F05Q2T2JA0 | docusate sodium sulfosuccinate | laxative | stool softener | | | | |
| | dodecaethylene glycol monolaurate (polyethylene glycol 600 monolaurate) | vaginal contraceptive | | | IIIE | 310.545(a)(28)(i) | |
| 8K1MK5E1FY | dog grass | digestive aid | | | | 310.545(a)(8)(ii) | |
| 8K1MK5E1FY | dog grass extract | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| R4CY19YS7C | domiphen bromide | oral health care | | | IIISE | | |
| V9BI9B5YI2 | doxylamine succinate | cough/cold | antihistamine | | I | 341.12(h) | |
| V9BI9B5YI2 | doxylamine succinate | nighttime sleep aid | antihistamine | III | IISE | | [5 FR 6828] |
| 5X93W9OFZL | drometrizole trisiloxane | sunscreen | | NA | | | |
| | duodenal substance | digestive aid | | II | II | 310.545(a)(8)(i) | |
| ZEC193879Q | dyclonine hydrochloride | anorectal | local anesthetic | | I | 346.10(e) | |
| ZEC193879Q | dyclonine hydrochloride | external analgesic | | I | I | | |
| ZEC193879Q | dyclonine hydrochloride | oral health care | anesthetic/analgesic | I | I | | |
| M94R1PM439 | ecamsule | sunscreen | | NA | | | |
| 7FLD91C86K | edetate disodium | relief of oral discomfort | | | IISE | | |
| | elaterin resin | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| E55SMD6DA8 | elecampane | digestive aid | | | | 310.545(a)(8)(ii) | |
| 91QY4PXU8Q | elm bark | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| 91QY4PXU8Q | elm bark | oral health care | demulcents | I | I | | |
| 9YQ9DI1W42 | ensulizole (phenylbenzimidazole sulfonic acid) | sunscreen | | I | I | 352.10(n) | |
| 8I3XWY40L9 | enzacamene (4-methylbenzylidene camphor) | sunscreen | | | | | |
| GN83C131XS | ephedrine | cough/cold | bronchodilator | I | I | 341.16(a) | |
| GN83C131XS | ephedrine (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(2) | |
| GN83C131XS | ephedrine (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(2) | |
| GN83C131XS | ephedrine (oral) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| NLJ6390P1Z | ephedrine hydrochloride | cough/cold | bronchodilator | I | I | 341.16(b) | |
| NLJ6390P1Z | ephedrine hydrochloride | external analgesic | male genital desensitizer | | | 310.545(a)(10)(iii) | |
| NLJ6390P1Z | ephedrine hydrochloride | ophthalmic | vasoconstrictor | I | I | 349.18(a) | |
| NLJ6390P1Z | ephedrine hydrochloride (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(3) | |
| NLJ6390P1Z | ephedrine hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(3) | |
| NLJ6390P1Z | ephedrine hydrochloride (oral) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| U6X61U5ZEG | ephedrine sulfate | anorectal | vasoconstrictor | I | I | 346.12(a) | |
| U6X61U5ZEG | ephedrine sulfate | cough/cold | bronchodilator | I | I | 341.16(c) | |
| U6X61U5ZEG | ephedrine sulfate (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(4) | |
| U6X61U5ZEG | ephedrine sulfate (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(4) | |
| U6X61U5ZEG | ephedrine sulfate (oral) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(B) | |
| YKH834O4BH | epinephrine | anorectal | vasoconstrictor | III(e,i) | I(e),III(i) | 346.12(b) | |
| YKH834O4BH | epinephrine | cough/cold | bronchodilator | I | I | 341.16(d) | inhalation |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|---------------------------|-------------------------|------------|------------|-----------------------|---------------|
| YKH834O4BH | epinephrine | cough/cold | bronchodilator | I | I | 341.16(d) | rubber bulb |
| 30Q7KI53AK | epinephrine bitartrate | cough/cold | bronchodilator | I | I | 341.16(e) | inhalation |
| 30Q7KI53AK | epinephrine bitartrate | cough/cold | bronchodilator | I | I | 341.16(e) | rubber bulb |
| WBB047OO38 | epinephrine hydrochloride | anorectal | vasoconstrictor | I(e),II(i) | I(e),II(i) | 346.12(c) | |
| WBB047OO38 | epinephrine hydrochloride | cough/cold | bronchodilator | I | I | | |
| | epinephrine undecylenate | anorectal | vasoconstrictor | I | I | 310.545(a)(26)(ix) | |
| VS041H42XC | ergocalciferol | weight control | | | II | 310.545(a)(20) | |
| X3S33EX3KW | ergot fluid extract | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| X3S33EX3KW | ergot fluidextract | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| 514B9KOL10 | Escherichia coli vaccine | anorectal | other | | | 310.545(a)(26)(vii) | |
| 2DI9HA706A | estrone | acne | | II | II | 310.545(a)(1) | |
| 0F5N573A2Y | ether | digestive aid | | | | 310.545(a)(8)(ii) | |
| M9JGK7U88V | ethohexadiol | dandruff | | III | III | 310.545(a)(7) | |
| 54M9O25201 | ethyl 4-[bis(hydroxypropyl)] aminobenzoate (roxadimate) | sunscreen | | I | I | 310.545(a)(29) | 64 FR 27670 |
| E1ZT886LR5 | ethyl nitrate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| MF5450P3T | ethylmorphine hydrochloride | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| RV6J6604TK | eucalyptol | cough/cold | antitussive | | IIIE | | [52 FR 30055] |
| RV6J6604TK | eucalyptol | cough/cold | antitussive | | IIIE | | [52 FR 30055] |
| RV6J6604TK | eucalyptol | dandruff | | III | III | 310.545(a)(7) | |
| RV6J6604TK | eucalyptol | oral health care | anesthetic/analgesic | III | III | 310.545(a)(14) | |
| RV6J6604TK | eucalyptol (lozenge) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| RV6J6604TK | eucalyptol (mouthwash) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 2R04ONI662 | eucalyptol/eucalyptus oil | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 2R04ONI663 | eucalyptus oil | cough/cold | antitussive | III | IIIE | | [52 FR 30055] |
| 2R04ONI664 | eucalyptus oil | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| 2R04ONI665 | eucalyptus oil | cough/cold | antitussive | III | IIIE | | [52 FR 30055] |
| 2R04ONI666 | eucalyptus oil | cough/cold | nasal decongestant | III | IIIE | | [59 FR 43408] |
| 2R04ONI667 | eucalyptus oil | external analgesic | counter irritant | I | I | 310.545(a)(10)(ii) | |
| 2R04ONI668 | eucalyptus oil | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| 2R04ONI669 | eucalyptus oil | external analgesic | poison ivy/oak/sumac | I | I | 310.545(a)(10)(vii) | |
| 2R04ONI670 | eucalyptus oil | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 2R04ONI671 | eucalyptus oil | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 2R04ONI672 | eucalyptus oil (lozenge) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 2R04ONI673 | eucalyptus oil (mouthwash) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 3T8H1794QW | eugenol | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| 3T8H1794QW | eugenol | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| 3T8H1794QW | eugenol | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| 3T8H1794QW | eugenol | relief of oral discomfort | | | IIISE | | |
| 3T8H1794QW | eugenol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| L13YF113GN | euphorbia pilulifera | cough/cold | bronchodilator | III | III | 310.545(a)(6)(iv) | |
| | fennel acid | digestive aid | | | | 310.545(a)(8)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|-------------------------|-------|---------|-----------------------|---------------|
| | ferric acid | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| UVP74NG1C5 | ferric ammonium citrate | weight control | | | II | 310.545(a)(20) | |
| U38V3ZVV3V | ferric chloride | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| U38V3ZVV3V | ferric chloride | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| U38V3ZVV3V | ferric chloride | oral health care | | | IISE | | |
| U38V3ZVV3V | ferric chloride | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| QK8899250F | ferric pyrophosphate | weight control | | | II | 310.545(a)(20) | |
| 3QJ8WS6V8H | ferric subsulfate (Monsel's solution) | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| R5L488RY0Q | ferrous fumarate | weight control | | | II | 310.545(a)(20) | |
| U1B11I423Z | ferrous gluconate | weight control | | | II | 310.545(a)(20) | |
| 39R4TAN1VT | ferrous sulfate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 39R4TAN1VT | ferrous sulfate (iron) | weight control | | | II | 310.545(a)(20) | |
| 4110YT348C | flax seed | weight control | | | II | 310.545(a)(20) | |
| 80OFG3WPYD | fluorosalan | antimicrobial | | | IIS | | |
| 935E97BOY8 | folic acid | weight control | | | II | 310.545(a)(20) | |
| 1HG84L3525 | formaldehyde solution | relief of oral discomfort | | | IIIE | | |
| 0YIW783RG1 | formic acid | pediculicide | | | | 310.545(a)(25)(i) | |
| S2D77IH61R | frangula | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| 6YSS42VSEV | fructose | overindulgence in a | inebriation minimizer | | IIIE | | [48 FR 32873] |
| 6YSS42VSEV | fructose | weight control | | | II | 310.545(a)(20) | |
| BIA2SO6F5B | galega | digestive aid | | | | 310.545(a)(8)(ii) | |
| 7556HJ7587 | gamboge | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| V1V998DC17 | garlic, dehydrated | digestive aid | | II | II | 310.545(a)(8)(i) | |
| 2G86QN327L | gelatin | ophthalmic | demulcents | I | I | 349.12(c) | |
| 2G86QN327L | gelatin | oral health care | demulcents | I | I | | |
| J4Z741D6O5 | gentian violet | oral health care | | | IIE | | |
| J4Z741D6O5 | gentian violet | anthelmintic | | I | II | | |
| S72O3284MS | gentiana lutea (gentian) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| C5529G5JPQ | ginger | digestive aid | | | | 310.545(a)(8)(ii) | |
| ZQH6VH092Z | ginseng | nighttime sleep aid | | | II | | |
| ZQH6VH092Z | ginseng | stimulant | | | IIE | | [39 FR 6104] |
| 3KX376GY7L | glutamic acid hydrochloride | digestive aid | stomach acidifier | II | II | 310.545(a)(8)(i) | |
| PDC6A3C0OX | glycerin | anorectal | protectant | I(e) | I(e) | 346.14(a)(3) | |
| PDC6A3C0OX | glycerin | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| PDC6A3C0OX | glycerin | laxative | hyperosmotic | | I | | |
| PDC6A3C0OX | glycerin | ophthalmic | demulcents | I | I | 349.12(d)(1) | |
| PDC6A3C0OX | glycerin | oral health care | | | I | | |
| PDC6A3C0OX | glycerin | otic | | | IIIE | | [51 FR 28660] |
| PDC6A3C0OX | glycerin | skin protectant | diaper rash | I | IIISE | 310.545(a)(18)(iii) | |
| PDC6A3C0OX | glycerin | skin protectant | fever blister/cold sore | | I | | |
| PDC6A3C0OX | glycerin | skin protectant | insect bites/stings | | IISE | 310.545(a)(18)(vi) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|----------------------|--|-------|---------|-----------------------|---------------|
| PDC6A3C0OX | glycerin | skin protectant | | I | I | 347.10(h) | |
| PDC6A3C0OX | glycerine and anhydrous glycerine | otic | | | | 310.545(a)(15)(ii) | |
| PDC6A3C0OX | glycerine and anhydrous glycerine | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| PDC6A3C0OX | glycerine and anhydrous glycerine | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| A886B5N5IM | glyceryl aminobenzoate (lisadimate, glyceryl PABA) | sunscreen | | I | I | 310.545(a)(29) | 64 FR 27670 |
| 230OU9XXE4 | glyceryl stearate | skin protectant | insect bites/stings w/ sales less than \$25,000 | | | 310.545(a)(18)(v)(B) | |
| 230OU9XXE4 | glyceryl stearate | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | | | 310.545(a)(18)(vi)(B) | |
| 230OU9XXE4 | glyceryl stearate | skin protectant | w/ sales less than \$25,000 | | | 310.545(a)(18)(i)(B) | |
| TE7660XO1C | glycine | antidiarrheal | | II | II | 310.545(a)(3)(i) | |
| TE7660XO1C | glycine | digestive aid | | | | 310.545(a)(8)(ii) | |
| TE7660XO1C | glycine (aminoacetic acid) | antacid | | | I | 331.11(f) | |
| | glycol salicylate | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| | glycol salicylate | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| 61ZBX54883 | glycyrrhiza (licorice) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 5IE62321P4 | gramicidin | first aid antibiotic | | | III | | |
| 495W7451VQ | guaifenesin | cough/cold | expectorant | | IIIE | 341.18 | |
| E89I1637KE | guar gum | laxative | bulk laxative | | III | 310.545(a)(12)(i) | |
| E89I1637KE | guar gum | weight control | | | III | 310.545(a)(20) | |
| AIU7053OWL | haloprogin | antifungal | | I | I | 333.210(b) | |
| 8334LX7S21 | hard fat | anorectal | protectant | | | 346.14(a)(4) | |
| 8334LX7S21 | hard fat | skin protectant | | | | 347.10(i) | |
| | hectorite | digestive aid | | | | 310.545(a)(8)(ii) | |
| | hectorite | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | hectorite | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | hemicellulase | digestive aid | | III | III | 310.545(a)(8)(i) | |
| IWW5FV6NK2 | hexachlorophene | antimicrobial | | | | | [37 FR 20163] |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | I | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | I | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | antimicrobial | | | IIIE | | |
| R9QTB5E82N | hexylresorcinol | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| R9QTB5E82N | hexylresorcinol | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| R9QTB5E82N | hexylresorcinol | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| R9QTB5E82N | hexylresorcinol | oral health care | anesthetic/analgesic | I | I | | |
| 3POA0Q644U | histamine dihydrochloride | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| 4QD397987E | histidine | weight control | | | II | 310.545(a)(20) | |
| 68JRS2HC1C | homatropine methylbromide | antidiarrheal | | III | III | 310.545(a)(3)(i) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|--------------------|----------------------|---------|---------|-----------------------|---------------|
| 68JRS2HC1C | homatropine methylbromide | digestive aid | | II/III | III | 310.545(a)(8)(i) | |
| 68JRS2HC1C | homatropine methylbromide | menstrual/diuretic | muscle relaxant | II | II | 310.545(a)(24)(i) | |
| V06SV4M95S | homosalate | sunscreen | | I | I | 352.10(f) | |
| Y9H1V576FH | honey | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 7A72MUN24Z | horehound | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| 7A72MUN24Z | horehound | cough/cold | expectorant | | | 310.545(a)(6)(iii) | |
| 7A72MUN24Z | horehound | oral health care | expectorant | III | | | |
| SC52PT1846 | horsetail | digestive aid | | | | 310.545(a)(8)(ii) | |
| 9P2U39H18W | huckleberry | digestive aid | | | | 310.545(a)(8)(ii) | |
| 658O6T0WXZ | hydrastis | anorectal | antiseptic | II(e,i) | II(e,i) | 310.545(a)(26)(ii) | |
| 658O6T0WXZ | hydrastis | anorectal | counterirritant | II(e,i) | II(e,i) | 310.545(a)(26)(iv) | |
| S1EFO94F35 | hydrastis canadensis | weight control | | | II | 310.545(a)(20) | |
| ZW3Z11D0JV | hydrastis canadensis (golden seal) | digestive aid | | | | 310.545(a)(8)(ii) | |
| ZW3Z11D0JV | hydrastis canadensis (golden seal) | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| 1E8C2W13Z0 | hydrastis fluid extract | digestive aid | | | | 310.545(a)(8)(ii) | |
| | hydrate magnesium aluminate activated sulfate | antacid | | | | 331.11(g)(1) | |
| QTT17582CB | hydrochloric acid | digestive aid | | | | 310.545(a)(8)(ii) | |
| NO70W886KK | hydrocodone bitartrate | cough/cold | antitussive | II | IIS | | [52 FR 30054] |
| WI4X0X7BPJ | hydrocortisone | external analgesic | | I | I | | |
| WI4X0X7BPJ | hydrocortisone (0.25-5%) | external analgesic | | I | I | | |
| WI4X0X7BPJ | hydrocortisone (0.5-1%) | external analgesic | | | IIISE | | |
| WI4X0X7BPJ | hydrocortisone (combination) | anorectal | | | | 310.545(a)(26)(xi) | |
| 3X7931PO74 | hydrocortisone acetate | external analgesic | | I | I | | |
| 3X7931PO75 | hydrocortisone acetate | external analgesic | | I | I | | |
| 3X7931PO76 | hydrocortisone acetate (0.25-5.0%) | external analgesic | | I | I | | |
| 3X7931PO77 | hydrocortisone acetate (0.25%-0.5%) | external analgesic | | I | I | | |
| | hydrocortisone preparations | dandruff | | III | IS | | |
| RGL5YE86CZ | hydrogen fluoride | anticaries | | NC | III | 310.545(a)(2)(i) | |
| BBX060AN9V | hydrogen peroxide | antimicrobial | | | I | | |
| BBX060AN9V | hydrogen peroxide | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| BBX060AN9V | hydrogen peroxide | oral health care | wound cleansing | I | I | | |
| BBX060AN9V | hydrogen peroxide | oral health care | | | III | | |
| BBX060AN9V | hydrogen peroxide | oral health care | | | IIIE | | |
| BBX060AN9V | hydrogen peroxide | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| BBX060AN9V | hydrogen peroxide and povidone iodine | gingivitis/plaque | | | IIISE | | |
| BBX060AN9V | hydrogen peroxide and sodium bicarbonate | gingivitis/plaque | | | IIISE | | |
| BBX060AN9V | hydrogen peroxide, sodium citrate, sodium lauryl sulfate, and zinc ch | gingivitis/plaque | | | IIISE | | |
| XV74C1N1AE | hydroquinone | skin bleach | | | I | | |
| | hydroxyethylcellulose | ophthalmic | demulcents | I | I | 349.12(a)(2) | |
| 273FM27VK1 | hydroxypropyl methycellulose | ophthalmic | demulcents | I | I | | |
| F2R8V82B84 | hyocyanine sulfate | antidiarrheal | | III | III | 310.545(a)(3)(i) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-------------|--|---------------------|----------------------|-------|---------|-----------------------|---------------|
| F2R8V82B84 | hyoscyamine sulfate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 3NXW29V3WO | hypromellose | ophthalmic | demulcents | | I | 349.12(a)(3) | |
| WK2XY110QM | ibuprofen | internal analgesic | | | I | | [67 FR 54139] |
| WK2XY110QM | ibuprofen | internal analgesic | | | I | | [67 FR 54139] |
| | ichthammol | corn/callus remover | | II | II SE | | [55 FR 33261] |
| SY15A62UPX | impatiens biflora tincture | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| SY15A62UPX | impatiens biflora tincture | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 969IQC5YJU | infusion of rose petals | ophthalmic | astringent | III | III | 310.545(a)(21)(iii) | |
| 4L6452S749 | inositol | weight control | | | II | 310.545(a)(20) | |
| | iodides (calcium iodide anhydrous, hydroidic acid syrup, iodized lim | cough/cold | expectorant | | II | 310.545(a)(6)(iii) | |
| 9679TC07X4 | iodine | corn/callus remover | | II | II SE | | [55 FR 33261] |
| 9679TC07X5 | iodine | digestive aid | | | | 310.545(a)(8)(ii) | |
| 9679TC07X6 | iodine | oral health care | | | II SE | | |
| 9679TC07X7 | iodine | wart remover | | II | II SE | | [55 FR 33254] |
| 9679TC07X8 | iodine | weight control | | | II | 310.545(a)(20) | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| | iodine complex/phosphate ester of alkylaryloxy polyethylene | antimicrobial | | | II SE | | |
| 9679TC07X10 | iodine tincture | antimicrobial | | | II SE | | |
| 9679TC07X11 | iodine tincture | antimicrobial | | | II SE | | |
| 9679TC07X4 | iodine tincture | antimicrobial | | | I | | |
| 9679TC07X5 | iodine tincture | antimicrobial | | | I | | |
| 9679TC07X6 | iodine tincture | antimicrobial | | | II IS | | |
| 9679TC07X7 | iodine tincture | antimicrobial | | | II IS | | |
| 9679TC07X8 | iodine tincture | antimicrobial | | | II SE | | |
| 9679TC07X9 | iodine tincture | antimicrobial | | | II S | | |
| 9679TC07X4 | iodine topical solution | antimicrobial | | | I | | |
| V30V6H1QX4 | iodoantipyrine (idopyrine) | internal analgesic | | II | II | 310.545(a)(23)(i) | |
| 62I3C8233L | ipecac | cough/cold | expectorant | | | 310.545(a)(6)(iii) | |
| 62I3C8233L | ipecac fluidextract | cough/cold | expectorant | | II | 310.545(a)(6)(iii) | |
| 62I3C8233L | ipecac fluidextract | poison treatment | | | II | 310.545(a)(16) | |
| 62I3C8233L | ipecac syrup | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 62I3C8233L | ipecac syrup | emetic | | | I | 337.10 | |
| 62I3C8233L | ipecac syrup | poison treatment | | | I | | |
| 62I3C8233L | ipecac tincture | poison treatment | | | II | 310.545(a)(16) | |
| | ipomea | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| | iron ox bile | digestive aid | | | | 310.545(a)(8)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|------------------------------|--------------------|--|----------|---------|-----------------------|---------------|
| 1K09F3G675 | iron oxide | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 1K09F3G675 | iron oxide | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | isobornyl thiocycanoacetate | pediculicide | | II | II | 310.545(a)(25)(i) | |
| 04Y7590D77 | isoleucine | weight control | | | II | 310.545(a)(20) | |
| ND2M416302 | isopropyl alcohol | alcohols (topical) | | I | I | | |
| ND2M416303 | isopropyl alcohol | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| ND2M416304 | isopropyl alcohol | mercury | | | I | | |
| ND2M416305 | isopropyl alcohol | otic | | | | 344.12 | |
| ND2M416306 | isopropyl alcohol | otic | | | | 310.545(a)(15)(ii) | |
| ND2M416307 | isopropyl alcohol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| ND2M416308 | isopropyl alcohol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 8CRQ2TH63M | isopropyl palmitate | skin protectant | insect bites/stings w/ sales less than \$25,000 | | | 310.545(a)(18)(v)(B) | |
| 8CRQ2TH63M | isopropyl palmitate | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | | | 310.545(a)(18)(vi)(B) | |
| 8CRQ2TH63M | isopropyl palmitate | skin protectant | w/ sales less than \$25,000 | | | 310.545(a)(18)(i)(B) | |
| 4UDO46YBK2 | jalap | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| XK4IUX8MNB | johnswort | digestive aid | | | | 310.545(a)(8)(ii) | |
| YNW2QPG8YK | juniper oil (oil of juniper) | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| | juniper tar | anorectal | analgesic, anesthetic, antipruritic | III(e,i) | I(e) | 346.16(b) | |
| | juniper tar | dandruff | | III | III | 310.545(a)(7) | |
| | juniper tar | digestive aid | | | | 310.545(a)(8)(ii) | |
| | juniper tar | external analgesic | | I | I | | |
| | juniper, potassium extract | weight control | | | II | 310.545(a)(20) | |
| 24H4NWX5C0 | kaolin | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(5) | |
| 24H4NWX5C0 | kaolin | antidiarrheal | | III | IIIE | 335.10(b) | |
| 24H4NWX5CO | kaolin | skin protectant | diaper rash | | I | | |
| 24H4NWX5CO | kaolin | skin protectant | | I | I | 347.10(j) | |
| 24H4NWX5CO | kaolin, colloidal | digestive aid | | | | 310.545(a)(8)(ii) | |
| | karaya gum | laxative | | | I | | |
| | karaya gum | weight control | | | III | 310.545(a)(20) | |
| | kelp | weight control | | | III | 310.545(a)(20) | |
| 64Y2IV7284 | knotgrass | digestive aid | | | | 310.545(a)(8)(ii) | |
| 33X04XA5AT | lactic acid | digestive aid | | | | 310.545(a)(8)(ii) | |
| 33X04XA5AT | lactic acid | wart remover | | III | IIIE | | [55 FR 33254] |
| | Lactobacillus acidophilus | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| | Lactobacillus bulgaricus | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| J2B2A4N98G | lactose | digestive aid | | | | 310.545(a)(8)(ii) | |
| J2B2A4N98G | lactose | weight control | | | II | 310.545(a)(20) | |
| 7EV65EAW6H | lanolin | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(6) | |
| 7EV65EAW6H | lanolin | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 7EV65EAW6H | lanolin | skin protectant | diaper rash | | I | | |
| 7EV65EAW6H | lanolin | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|-------------------------------------|-----------------------|---|----------|-------------|-----------------------|-------------|
| 7EV65EAW6H | lanolin | skin protectant | poison ivy/oak/sumac | | IISE | 310.545(a)(18)(vi) | |
| 7EV65EAW6H | lanolin | skin protectant | | | | 347.10(k) | |
| | lanolin (in combination) | ophthalmic | emollient | I | I | 349.14(a)(2) | |
| | lanolin alcohols | anorectal | protectant | I(e,i) | III(e,i) | 310.545(a)(26)(viii) | |
| | lanolin nonionic derivatives | ophthalmic | | I | I | 349.14 | |
| | lanolin, anhydrous (in combination) | ophthalmic | emollient | I | I | 349.14(a)(1) | |
| | lappa extract | anorectal | other | II(e,i) | II(e,i) | 310.545(a)(26)(vii) | |
| | laureth 10S | vaginal contraceptive | | | IIIE | 310.545(a)(28)(i) | |
| 09TM5K0O34 | lauryl isoquinolinium bromide | dandruff | | III | III | 310.545(a)(2) | |
| 9YT4B71U8P | lavender compound, tincture of | digestive aid | | | | 310.545(a)(8)(ii) | |
| TLH4A6LV1W | lawsone (w/ dihydroxyacetone) | sunscreen | | I | I | 310.545(a)(29) | |
| RX077P88RY | lead acetate | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| RX077P88RY | lead acetate | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | lecithin | weight control | | | II | 310.545(a)(20) | |
| | leptandra extract | anorectal | other | II(e,i) | II(e,i) | 310.545(a)(26)(vii) | |
| GMW67QNF9C | leucine | weight control | | | II | 310.545(a)(20) | |
| Y24T9BT2Q2 | levmetamfetamine | cough/cold | nasal decongestant | | I | 341.20(b)(1) | inhalant |
| Y24T9BT2Q2 | levmetamfetamine | cough/cold | nasal decongestant | | I | 341.20(b)(1) | topical |
| 98PI200987 | lidocaine | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(f) | |
| 98PI200988 | lidocaine | external analgesic | male genital desensitizer | | I | 348.10(a)(2) | |
| 98PI200989 | lidocaine | external analgesic | | I | I | | |
| 98PI200990 | lidocaine | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| 98PI200991 | lidocaine | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| V13007Z41A | lidocaine hydrochloride | external analgesic | | I | I | | |
| V13007Z41A | lidocaine hydrochloride | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| CFN6G1F6YK | linden | digestive aid | | | | 310.545(a)(8)(ii) | |
| | lipase | digestive aid | | | | 310.545(a)(8)(ii) | |
| 3NY3SM6B8U | live yeast cell derivative | anorectal | other | | | 310.545(a)(26)(vii) | |
| 3NY3SM6B8U | live yeast cell derivative | anorectal | wound healing | III(e,i) | III(e,i) | 310.545(a)(26)(x) | |
| 3NY3SM6B8U | live yeast cell derivative | skin protectant | insect bites/stings w/ sales less than \$2 | III | III | 310.545(a)(18)(v)(B) | |
| 3NY3SM6B8U | live yeast cell derivative | skin protectant | poison ivy/oak/sumac w/ sales less than \$2 | III | III | 310.545(a)(18)(vi)(B) | |
| 3NY3SM6B8U | live yeast cell derivative | skin protectant | w/ sales less than \$25,000 | III | III | 310.545(a)(18)(i)(B) | |
| | liver concentrate | weight control | | | II | 310.545(a)(20) | |
| K3Z4F929H6 | lysine | weight control | | | II | 310.545(a)(20) | |
| | lysine aspirin | internal analgesic | | | | 310.545(a)(23)(i) | |
| JNJ23Q2COM | lysine hydrochloride | digestive aid | | | | 310.545(a)(8)(ii) | |
| JNJ23Q2COM | lysine hydrochloride | weight control | | | II | 310.545(a)(20) | |
| | magaldrate | antacid | | | I | 331.11(g)(2) | |
| I38ZP9992A | magnesium | weight control | | | II | 310.545(a)(20) | |
| 6M2P64V0NC | magnesium aluminosilicate | antacid | | | I | 331.11(g)(3) | |
| 6M2P64V0NC | magnesium aluminosilicate | antacid | | | I | 331.11(l)(1) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|-----------------------------|---------------------------|-------------------------------------|---------|---------|--------------------|------------------|
| 6M2P64V0NC | magnesium aluminum silicate | acne | | | | 310.545(a)(1) | |
| 0E53J927NA | magnesium carbonate | antacid | | | I | 331.11(g)(4) | |
| 0E53J927NA | magnesium carbonate | overindulgence in a | hangover reliever | | I | | |
| RHO26O1T9V | magnesium citrate (oral) | laxative | saline laxative | | I | | |
| IFN18A4Y6B | magnesium glycinate | antacid | | | I | 331.11(g)(5) | |
| NBZ3QY004S | magnesium hydroxide | antacid | | | I | 331.11(g)(6) | |
| NBZ3QY004S | magnesium hydroxide | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |
| NBZ3QY004S | magnesium hydroxide | laxative | saline laxative | | I | | |
| 3A3U0GI71G | magnesium oxide | antacid | | | I | 331.11(g)(7) | |
| 3A3U0GI71G | magnesium oxide | weight control | | | II | 310.545(a)(20) | |
| 41728CY7UX | magnesium salicylate | internal analgesic | | I | I | | |
| 41728CY7UX | magnesium salicylate | menstrual/diuretic | analgesic | I | | | |
| DE08037SAB | magnesium sulfate | acne | | II | II | 310.545(a)(1) | |
| DE08037SAB | magnesium sulfate | laxative | saline laxative | | I | | |
| DE08037SAB | magnesium sulfate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| C2E1CI501T | magnesium trisilicate | antacid | | | I | 331.11(g)(8) | |
| C2E1CI501T | magnesium trisilicate | antacid | | | I | 331.11(l)(2) | |
| C2E1CI501T | magnesium trisilicate | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |
| C2E1CI501T | magnesium trisilicate | overindulgence in a | hangover reliever | | I | | |
| | malt | weight control | | | II | 310.545(a)(20) | |
| R3NBG8914U | malt soup extract | laxative | | | I | | |
| 7CVR7L4A2D | maltodextrin | weight control | | | II | 310.545(a)(20) | |
| 4Z2OA6A13N | manganese citrate | weight control | | | II | 310.545(a)(20) | |
| 3OWL53L36A | mannitol | digestive aid | | | | 310.545(a)(8)(ii) | |
| 3OWL53L36A | mannitol | weight control | | | II | 310.545(a)(20) | |
| GGO4Y809LO | m-cresol | antifungal | | | | 310.545(a)(22)(iv) | |
| HDP7W44CIO | meclizine hydrochloride | antiemetic | | | I | 336.10(d) | |
| | menfegol | vaginal contraceptive | | | I | | |
| L7T10EIP3A | menthol | antifungal | | II | II | 310.545(a)(22)(ii) | |
| L7T10EIP3A | menthol | dandruff | | III | III | 310.545(a)(7) | |
| L7T10EIP3A | menthol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| LT10EIP3A | menthol | anorectal | analgesic, anesthetic, antipruritic | | I(e) | 346.16(c) | |
| LT10EIP3A | menthol | anorectal | counterirritant | II(e,i) | II(e,i) | 310.545(a)(26)(iv) | |
| LT10EIP3A | menthol | cough/cold | antitussive | | IIIE | 341.14(b)(2) | steam inhalation |
| LT10EIP3A | menthol | cough/cold | antitussive | III | IIIE | 341.14(b)(2) | lozenge |
| LT10EIP3A | menthol | cough/cold | antitussive | III | I | 341.14(b)(2) | lozenge |
| LT10EIP3A | menthol | cough/cold | antitussive | III | I | 341.14(b)(2) | topical |
| LT10EIP3A | menthol | cough/cold | nasal decongestant | III | IIIE | | [59 FR 43408] |
| LT10EIP3A | menthol | external analgesic | | I | I | | |
| LT10EIP3A | menthol | oral health care | anesthetic/analgesic | I | I | | |
| LT10EIP3A | menthol | relief of oral discomfort | | | IIS | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|-----------------------|-------------------------|-------|---------|-----------------------|---------------|
| LT10EIP3A | menthol | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| LT10EIP3A | menthol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| LT10EIP3A | menthol | wart remover | | II | IISE | | [55 FR 33254] |
| LT10EIP3A | menthol (0.1 to 1.0%) | external analgesic | | I | I | | |
| LT10EIP3A | menthol (mouthwash) | cough/cold | antihistamine | III | III | 310.545(a)(6)(ii)(A) | |
| L7T10EIP3A | menthol exceeding 1% | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| | menthol/peppermint oil | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| J9QGD60OUZ | meradimate (menthyl anthranilate) | sunscreen | | I | I | 352.10(h) | |
| | meralein sodium | oral health care | | | IISE | | |
| M0T18YH28D | merbromin | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| M0T18YH28D | merbromin | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| M0T18YH28D | merbromin (mercurochrome) | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercufenol chloride (orthochloromercuriphenol, orthohydroxyphenyl) | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| 53GH7MZT1R | mercuric chloride | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 53GH7MZT1R | mercuric chloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 53GH7MZT1R | mercuric chloride (bichloride of mercury, mercury chloride) | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| IY191986AO | mercuric oxide, yellow | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercuric salicylate | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercuric sulfide, red | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| FXS1BY2PGL | mercury | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercury oleate | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercury oleate | dandruff | | II | II | 310.545(a)(7) | |
| | mercury sulfide | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | mercury, ammoniated | skin bleach | | | | 310.545(a)(17) | |
| | mercury-containing ingredient | antimicrobial | diaper rash | | | 310.545(a)(27)(ii) | |
| | mercury-containing ingredients | vaginal contraceptive | | | | 310.545(a)(28)(i) | |
| GJ20H50YF0 | metaproterenol sulfate | cough/cold | antihistamine | I | I | 310.545(a)(6)(iv) | |
| KJ5I25TXYL | methapyrilene fumarate | cough/cold | antihistamine | I | II | 310.545(a)(6)(i) | |
| KJ5I25TXYL | methapyrilene fumarate | internal analgesic | | III | II | 310.545(a)(23)(i) | |
| KJ5I25TXYL | methapyrilene fumarate | nighttime sleep aid | antihistamine | II | IIS | | [54 FR 6826] |
| 00S42N58OM | methapyrilene hydrochloride | cough/cold | antihistamine | I | II | 310.545(a)(6)(i) | |
| 00S42N58OM | methapyrilene hydrochloride | external analgesic | analgesic & anesthetic | I | II | 310.545(a)(10)(i) | |
| 00S42N58OM | methapyrilene hydrochloride | external analgesic | fever blister/cold sore | I | II | 310.545(a)(10)(v) | |
| 00S42N58OM | methapyrilene hydrochloride | external analgesic | poison ivy/oak/sumac | I | II | 310.545(a)(10)(vii) | |
| 00S42N58OM | methapyrilene hydrochloride | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 00S42N58OM | methapyrilene hydrochloride | nighttime sleep aid | antihistamine | II | IIS | | [54 FR 6826] |
| J50OIX95QV | methenamine | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| AE28F7PNPL | methionine | weight control | | | II | 310.545(a)(20) | |
| 52V8BVV7FX | methoxyphenamine hydrochloride | cough/cold | bronchodilator | I | II | 310.545(a)(6)(iv) | |
| | methoxypolyoxyethyleneglycol 550 laurate | vaginal contraceptive | | | IIIE | 310.545(a)(28)(i) | |
| 7B1AVU9DJN | methyl nicotinate | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|-------------------------|---------|---------|---------------------|---------------|
| LAV5U5022Y | methyl salicylate | corn/callus remover | | II | IISE | | [55 FR 33261] |
| LAV5U5022Y | methyl salicylate | dandruff | | III | III | 310.545(a)(7) | |
| LAV5U5022Y | methyl salicylate | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| LAV5U5022Y | methyl salicylate | oral health care | anesthetic/analgesic | III | III | 310.545(a)(14) | |
| LAV5U5022Y | methyl salicylate | relief of oral discomfort | | | IISE | | |
| LAV5U5022Y | methyl salicylate | relief of oral discomfort | | | IISE | | |
| LAV5U5022Y | methyl salicylate | skin protectant | astringent | | | 310.545(a)(18)(ii) | |
| | methylbenzethonium chloride | antimicrobial | | | I | | |
| | methylbenzethonium chloride | antimicrobial | | | I | | |
| | methylbenzethonium chloride | antimicrobial | | | IIIE | | |
| | methylbenzethonium chloride | antimicrobial | | | IIISE | | |
| | methylbenzethonium chloride | antimicrobial | | | IIISE | | |
| | methylbenzethonium chloride | antimicrobial | | | IIISE | | |
| | methylbenzethonium chloride | antimicrobial | | | IIISE | | |
| | methylbenzethonium chloride | antimicrobial | | | IISE | | |
| | methylbenzethonium chloride | corn/callus remover | | II | IISE | | [55 FR 33261] |
| | methylbenzethonium chloride | dandruff | | III | III | 310.545(a)(7) | |
| 4GFU244C4J | methylcellulose | laxative | | | I | | |
| 4GFU244C4J | methylcellulose | ophthalmic | demulcents | I | I | 349.12(a)(4) | |
| 4GFU244C4J | methylcellulose | weight control | | | III | 310.545(a)(20) | |
| T42P99266K | methylene blue | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| A2I8C7HI9T | methylparaben | antifungal | | III | III | 310.545(a)(22)(ii) | |
| VW4H1CYW1K | miconazole nitrate | antifungal | | I | I | 333.210(c) | |
| | mild silver protein | ophthalmic | anti-infective | III | II | 310.545(a)(21)(ii) | |
| 917J3173FT | milk solids, dried | antacid | | | I | 331.11(h) | |
| N6K5787QVP | minaeral oil | skin protectant | diaper rash | | I | | |
| T5L8T28FGP | mineral oil | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(7) | |
| T5L8T28FGP | mineral oil | laxative | lubricant | | I | | |
| T5L8T28FGP | mineral oil | ophthalmic | emollient | I | I | 349.14(b)(2) | |
| T5L8T28FGP | mineral oil | skin protectant | | | I | 347.10(l) | |
| T5L8T28FGP | mineral oil, light | ophthalmic | emollient | I | I | 349.14(b)(1) | |
| | mono- and di-glycerides | weight control | | | II | 310.545(a)(20) | |
| 9936O846LI | mullein | anorectal | other | II(e,i) | II(e,i) | 310.545(a)(26)(vii) | |
| N4G8379626 | mustard oil (alltlishthiocyanate) (tpoical/inhalant) | cough/cold | nasal decongestant | II | II | | |
| | mycozyme | digestive aid | | | | 310.545(a)(8)(ii) | |
| JC71GJ1F3L | myrrh | relief of oral discomfort | | | IIISE | | |
| JC71GJ1F3L | myrrh tincture | oral health care | astringent | II | II | 310.545(a)(14) | |
| JC71GJ1F3L | myrrh, fluid extract of | digestive aid | | | | 310.545(a)(8)(ii) | |
| MZ1131787D | naphazoline hydrochloride | cough/cold | nasal decongestant | | I | 341.20(b)(6) | |
| MZ1131787D | naphazoline hydrochloride | cough/cold | nasal decongestant | | I | 341.20(b)(6) | |
| MZ1131787D | naphazoline hydrochloride | ophthalmic | vasoconstrictor | I | I | 349.18(b) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------------|--|-----------------------|----------------------|-------|---------|-----------------------|---------------|
| MZ1131787D | naphazoline hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(6) | |
| MZ1131787D | naphazoline hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(6) | |
| | natural estrogenic hormone | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| I16QD7X297 | neomycin ointment (combination only) | first aid antibiotic | | | I | 333.120 | |
| 057Y626693 | neomycin sulfate | first aid antibiotic | ointment | | I | 333.110(d) | |
| 057Y626693 | neomycin sulfate cream | first aid antibiotic | | | I | 333.110(e) | |
| 0GG6WIU2KW | nettle | digestive aid | | | | 310.545(a)(8)(ii) | |
| 25X51I8RD4 | niacinamide | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 25X51I8RD4 | niacinamide | nighttime sleep aid | | | II | | |
| 25X51I8RD4 | niacinamide | weight control | | | II | 310.545(a)(20) | |
| | nickel-pectin | digestive aid | | | | 310.545(a)(8)(ii) | |
| RU6242GP15 | nitromersol | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| RU6242GP15 | nitromersol | oral health care | | | IISE | | |
| nonylphenoxypoly | nonoxynol 9 | vaginal contraceptive | | | I | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IIISE | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IIISE | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IIISE | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IIISE | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IIISE | | |
| | nonylphenoxypoly (ethyleneoxy) ethanol iodine | antimicrobial | | | IISE | | |
| | noscaphine | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| | noscaphine hydrochloride | cough/cold | antitussive | III | IIIE | | [52 FR 30054] |
| AEE24M3MQ9 | nutmeg oil (oil of nutmeg) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 269XH13919 | nux vomica extract | digestive aid | | | | 310.545(a)(8)(ii) | |
| BDF1O1C72E | nystatin | antifungal | | I | III | 310.545(a)(22)(iv) | |
| | obtundia surgical dressing | external analgesic | | | IISE | | |
| | obtundia surgical dressing | skin protectant | insect bites/stings | | IISE | | |
| 4Y5P7MUD51 | octinoxate (octyl methoxycinnamate; ethylhexyl methoxycinnamate) | sunscreen | | I | I | 352.10(j) | |
| 4X49Y0596W | octisalate (octyl salicylate; ethylhexyl salicylate) | sunscreen | | I | I | 352.10(k) | |
| 5A68WGF6WM | octocrylene | sunscreen | | I | I | 352.10(i) | |
| 7JPC6Y25QS | octoxynol 9 | vaginal contraceptive | | | I | 310.545(a)(28)(ii) | |
| | octyl triazone (ethylhexyl triazone) | sunscreen | | NA | | | |
| | oil of erigeron | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| | Opium powder | antidiarrheal | | I | III | 310.545(a)(3)(i) | |
| | Opium tincture | antidiarrheal | | I | III | 310.545(a)(3)(i) | |
| | organic vegetables | weight control | | | II | 310.545(a)(20) | |
| E4GA8884NN | orthophosphoric acid | digestive aid | | | | 310.545(a)(8)(ii) | |
| | ox bile | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| | ox bile extract | digestive aid | | II | II | 310.545(a)(8)(i) | |
| 95OOS7VE0Y | oxybenzone (benzophenone-3) | sunscreen | | I | I | 352.10(l) | |
| K89MJ0S5VY | oxymetazoline hydrochloride (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(7) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|----------------------|-----------------------------------|--------|---------|-----------------------|---------------|
| K89MJ0S5VY | oxymetazoline hydrochloride (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(7) | |
| K89MJ0S5VY | oxymetazoline hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(7) | |
| 5UTX5635HP | oxyquinoline | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 5UTX5635HP | oxyquinoline | antimicrobial | | | IIISE | | |
| 5UTX5635HP | oxyquinoline | oral health care | | | IIISE | | |
| 61VUG75Y3P | oxyquinoline sulfate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 61VUG75Y3P | oxyquinoline sulfate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 4U7K4N52ZM | oxytetracycline hydrochloride (combination only) | first aid antibiotic | ointment | | I | 333.120 | |
| 77FU10423X | padimate a (5 percent or higher) | sunscreen | | | IISE | | |
| 77FU10423X | padimate a (up to 5 percent) | sunscreen | | I | IIISE | | |
| Z11006CMUZ | padimate o | sunscreen | | I | I | 352.10(m) | |
| UA8U0KJM72 | pamabrom | menstrual/diuretic | antihistamine | I | I | | |
| FQ3DRG0N5K | pancreatin | digestive aid | exocrine pancreatic insufficiency | II/III | I | 310.545(a)(8)(i) | |
| FQ3DRG0N5K | pancreatin | weight control | | | II | 310.545(a)(20) | |
| FQ3DRG0N5K | pancrelipase | digestive aid | exocrine pancreatic insufficiency | II/III | I | 310.545(a)(8)(i) | |
| WV9CM0O67Z | panthenol | corn/callus remover | | II | IISE | | [55 FR 33261] |
| WV9CM0O67Z | panthenol | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| WV9CM0O67Z | panthenol | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| WV9CM0O67Z | panthenol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 19F5HK2737 | pantothenic acid | weight control | | | II | 310.545(a)(20) | |
| A236A06Y32 | papain | digestive aid | | II | II | 310.545(a)(8)(i) | |
| A236A06Y32 | papain | weight control | | | II | 310.545(a)(20) | |
| KU94FIY6JB | papaya enzymes | weight control | | | II | 310.545(a)(20) | |
| KU94FIY6JB | papaya, natural | digestive aid | | | | 310.545(a)(8)(ii) | |
| 3JJ4O33LAY | para-chloromercuriphenol | antimicrobial | diaper rash | | | 310.545(a)(27)(ii) | |
| 3JJ4O33LAY | para-chloromercuriphenol | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| I9O0E3H2ZE | paraffin | ophthalmic | emollient | I | I | 349.14(b)(3) | |
| | paregoric | antidiarrheal | | I | III | 310.545(a)(3)(i) | |
| 414P5USJ7F | parethoxycaine hydrochloride | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 68E52E5J67 | parethoxycaine hydrochloride | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 58FMD0Q0EV | parsley | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| SY49TH8VUA | passion flower extract | nighttime sleep aid | | II | | | |
| 89NA02M4RX | pectin | antidiarrheal | w/ sales less than \$25,000 | III | III | 310.545(a)(3)(ii) | |
| 89NA02M4RX | pectin | digestive aid | | | | 310.545(a)(8)(ii) | |
| 89NA02M4RX | pectin | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| 89NA02M4RX | pectin | oral health care | demulcents | I | I | | |
| V95R5KMY2B | peppermint | digestive aid | | | | 310.545(a)(8)(ii) | |
| V95R5KMY2B | peppermint oil | cough/cold | antitussive | | IIIE | | [52 FR 30054] |
| V95R5KMY2B | peppermint oil | cough/cold | nasal decongestant | | IIIE | | [59 FR 43408] |
| V95R5KMY2B | peppermint oil | cough/cold | nasal decongestant | | IIIE | | [59 FR 43408] |
| V95R5KMY2B | peppermint oil | cough/cold | nasal decongestant | | IIIE | | [59 FR 43408] |

[illegible]

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|----------------------|-------|---------|-----------------------|---------------|
| 339NCG44TV | phenol | antimicrobial | | | IIISE | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | antimicrobial | | | IIS | | |
| 339NCG44TV | phenol | dandruff | | III | III | 310.545(a)(7) | |
| 339NCG44TV | phenol | external analgesic | | I | I | | |
| 339NCG44TV | phenol | oral health care | anesthetic/analgesic | I | I | | |
| 339NCG44TV | phenol | relief of oral discomfort | | | I | | |
| 339NCG44TV | phenol | relief of oral discomfort | | | IIISE | | |
| 339NCG44TV | phenol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 339NCG44TV | phenol | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 339NCG44TV | phenol | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 4NC0T56V35 | phenolate sodium | acne | | II | II | 310.545(a)(1) | |
| 4NC0T56V35 | phenolate sodium | antifungal | | II | III | 310.545(a)(22)(ii) | |
| 4NC0T56V35 | phenolate sodium | dandruff | | III | III | 310.545(a)(7) | |
| 4NC0T56V35 | phenolate sodium | external analgesic | | I | I | | |
| 4NC0T56V35 | phenolate sodium | oral health care | anesthetic/analgesic | I | I | | |
| 4NC0T56V35 | phenolate sodium | relief of oral discomfort | | | I | | |
| 4NC0T56V35 | phenolate sodium | relief of oral discomfort | | | IIISE | | |
| 6QK969R2IF | phenolphthalein | laxative | stimulant laxative | | I | 310.545(a)(12)(iv)(B) | |
| YRC253429Q | phenoxyacetic acid | corn/callus remover | | III | IIIE | | [55 FR 33261] |
| 28A37T47QO | phenyl salicylate | corn/callus remover | | II | II | | |
| 28A37T47QO | phenyl salicylate | acne | | II | II | 310.545(a)(1) | |
| 28A37T47QO | phenyl salicylate | antiemetic | | | II | | |
| 28A37T47QO | phenyl salicylate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 28A37T47QO | phenyl salicylate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 28A37T47QO | phenyl salicylate (salo) | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| 47E5O17Y3R | phenylalanine | weight control | | | II | 310.545(a)(20) | |
| 27O3Q5ML57 | phenylephrine bitartrate (effervescent) | cough/cold | nasal decongestant | | | 341.20(a)(4) | |
| 04JA59TNSJ | phenylephrine hydrochloride | anorectal | vasoconstrictor | | I | 346.12(d) | |
| 04JA59TNSJ | phenylephrine hydrochloride | cough/cold | nasal decongestant | | I | 341.20(a)(1) | oral |
| 04JA59TNSJ | phenylephrine hydrochloride | ophthalmic | vasoconstrictor | III | III | 310.545(a)(21)(v) | |
| 04JA59TNSJ | phenylephrine hydrochloride | oral health care | | III | | | |
| 04JA59TNSJ | phenylephrine hydrochloride (0.08 to 0.2%) | ophthalmic | vasoconstrictor | I | I | 349.18(c) | |
| 04JA59TNSJ | phenylephrine hydrochloride (aqueous) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| 04JA59TNSJ | phenylephrine hydrochloride (aqueous) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| 04JA59TNSJ | phenylephrine hydrochloride (aqueous) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|-----------------------|--------------------------|-------|---------|-----------------------|---------------|
| 04JA59TNSJ | phenylephrine hydrochloride (aqueous) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| 04JA59TNSJ | phenylephrine hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| 04JA59TNSJ | phenylephrine hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| 04JA59TNSJ | phenylephrine hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(8) | |
| OSX88361UX | phenylmercuric acetate | vaginal contraceptive | | | IIS | 310.545(a)(28)(i) | |
| CG8692ZN14 | phenylmercuric nitrate | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| CG8692ZN14 | phenylmercuric nitrate | vaginal contraceptive | | | IIS | 310.545(a)(28)(i) | |
| B48FTC099P | phenylpropanolamine bitartrate | cough/cold | nasal decongestant | I | | | |
| 8D5I63UE1Q | phenylpropanolamine hydrochloride | oral health care | | III | | | |
| 8D5I63UE1Q | phenylpropanolamine hydrochloride | weight control | | | I/IIS | | |
| 8D5I63UE1Q | phenylpropanolamine hydrochloride (oral) | cough/cold | nasal decongestant | I | | | |
| 8D5I63UE1Q | phenylpropanolamine hydrochloride (topical) | cough/cold | nasal decongestant | III | | | |
| | phenylpropanolamine maleate | cough/cold | nasal decongestant | I | | | |
| 8UE48MJH8M | phenyltoloxamine citrate | internal analgesic | | | IIIE | | |
| 8UE48MJH8M | phenyltoloxamine citrate | menstrual/diuretic | antihistamine | NA | III | | |
| 8UE48MJH8M | phenyltoloxamine dihydrogen citrate | cough/cold | antihistamine | | | 310.545(a)(6)(i) | |
| 8UE48MJH8M | phenyltoloxamine dihydrogen citrate | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 8UE48MJH8M | phenyltoloxamine dihydrogen citrate | internal analgesic | | III | III | | |
| 8UE48MJH8M | phenyltoloxamine dihydrogen citrate | nighttime sleep aid | antihistamine | III | IISE | | [54 FR 6826] |
| 8UE48MJH8M | phenyltoloxamine dihydrogen citrate | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | phenyltoloxamine hydrochloride | cough/cold | antihistamine | | | 310.545(a)(6)(i) | |
| | phosphorated carbohydrate | antiemetic | | | III | | |
| E4GA8884NN | phosphoric acid | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| 27YLU75U4W | phosphorus | weight control | | | II | 310.545(a)(20) | |
| 11E6VI8VEG | phytolacca | weight control | | | II | 310.545(a)(20) | |
| ZLT174DL7U | picrotoxin | pediculicide | | II | II | 310.545(a)(25)(i) | |
| | pine tar | dandruff | | III | III | 310.545(a)(7) | |
| | pine tar preparations (extract white pine compound, pine tar, syrup of pine) | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| | pineapple enzymes | weight control | | | II | 310.545(a)(20) | |
| 63KP7FXF2I | piperazine citrate | anthelmintic | | II | IIS | | [51 FR 27758] |
| Q2RH0XR1MB | piperocaine hydrochloride | ophthalmic | anesthetic | II | II | 310.545(a)(21)(i) | |
| LWK91TU9AH | piperonyl butoxide (combination) | pediculicide | | | | 310.545(a)(25)(ii) | |
| | pipsissewa | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| 58JV0P12FY | piscidia erythrina | menstrual/diuretic | botanical/vegetable herb | II | II | 310.545(a)(24)(i) | |
| | plantago ovata husks | laxative | bulk laxative | | I | | |
| 9C60Y73166 | plantago seed | laxative | bulk laxative | | I | | |
| 9C60Y73166 | plantago seed | weight control | | | III | 310.545(a)(20) | |
| 9C60Y73166 | plantago seed husks [see psyllium seed husks] | laxative | | | IISE | | |
| 9C60Y73166 | plantago seed, blond [see plantago seed] | laxative | | | IISE | | |
| | podophyllum resin (podophyllin) | laxative | stimulant laxative | | II | 310.545(a)(12)(iv)(A) | |
| | poloxamer | laxative | stool softener | | III | 310.545(a)(12)(iii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|-----------------------------|-------|---------|--------------------|--------------|
| LQA7B6G8JG | poloxamer 188 | antimicrobial | | | I | | |
| TUF2IVW3M2 | poloxamer 407 | relief of oral discomfort | | | IIIE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | poloxamer-iodine complex | antimicrobial | | | IIISE | | |
| | polycarbophil | antidiarrheal | w/ sales less than \$25,000 | I | I | 310.545(a)(3)(ii) | |
| | polycarbophil | laxative | | | I | | |
| | polydimethylsiloxane and poloxamer | gingivitis/plaque | | | IIIE | | |
| 5655G9Y8AQ | polyethylene glycol 300 | ophthalmic | demulcents | I | I | 349.12(d)(2) | |
| B697894SGQ | polyethylene glycol 400 | ophthalmic | demulcents | I | I | 349.12(d)(3) | |
| 30IQX730WE | polyethylene glycol 6000 | ophthalmic | demulcents | NA | III | 310.545(a)(21)(iv) | |
| 19371312D4 | polymyxin b sulfate (combination only) | first aid antibiotic | ointment | | I | 333.120 | |
| | polyols, liquid | ophthalmic | demulcents | | | 349.12(d) | |
| | polyoxethylene laurate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 6OZP39ZG8H | polysorbate 80 | ophthalmic | demulcents | I | I | 349.12(d)(4) | |
| 532B59J990 | polyvinyl alcohol | ophthalmic | demulcents | I | I | 349.12(e) | |
| M911911U02 | potassium acetate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| HM5Z15LEBN | potassium bicarbonate | antacid | | | | 331.11(j)(1) | |
| HM5Z15LEBN | potassium bicarbonate | digestive aid | | | | 310.545(a)(8)(ii) | |
| OSD78555ZM | potassium bromide | nighttime sleep aid | bromide | II | IISE | | [54 FR 6826] |
| BQN1B9B9HA | potassium carbonate | antacid | | | | 331.11(j)(1) | |
| BQN1B9B9HA | potassium carbonate | antidiarrheal | w/ sales less than \$25,000 | II | II | 310.545(a)(3)(ii) | |
| BQN1B9B9HA | potassium carbonate | digestive aid | | | | 310.545(a)(8)(ii) | |
| H35KS68EE7 | potassium chlorate | oral health care | | | IISE | | |
| EE90ONI6FF | potassium citrate | weight control | | | II | 310.545(a)(20) | |
| GTP1P30292 | potassium ferrocyanide | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| TTK33Z47F1 | potassium guaiacolsulfonate | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 1C4QK22F9J | potassium iodide | oral health care | expectorant | II | | | |
| RU45X2JN0Z | potassium nitrate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| K91YT16P5M | potassium salicylate | internal analgesic | | | III | | |
| FZ989GH94E | povidone | ophthalmic | demulcents | I | I | 349.12(f) | |
| 85H0HZU99M | povidone-iodine | acne | | III | III | 310.545(a)(1) | |
| 85H0HZU99M | povidone-iodine | antifungal | | III | I | 333.210(d) | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | I | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|--------------------|-------------------------|--------------|--------------|-----------------------|-------------|
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | antimicrobial | | | IIISE | | |
| 85H0HZU99M | povidone-iodine | dandruff | | III | III | 310.545(a)(7) | |
| 85H0HZU99M | povidone-iodine | oral health care | | | IIISE | | |
| | povidone-vinylacetate copolymers | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | povidone-vinylacetate copolymers | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| 88AYB867L5 | pramoxine hydrochloride | anorectal | local anesthetic | I(e),III(i) | I(e),III(i) | 346.10(g) | |
| 88AYB867L5 | pramoxine hydrochloride | external analgesic | | I | I | | |
| 88AYB867L5 | pramoxine hydrochloride | skin protectant | diaper rash | | | | |
| 88AYB867L5 | pramoxine hydrochloride (combination) | anorectal | | | | 310.545(a)(26)(xi) | |
| 70FD1KFU70 | precipitated sulfur | anorectal | keratolytic | III(e),II(i) | III(e),II(i) | 310.545(a)(26)(v) | |
| | prolase | digestive aid | | | | 310.545(a)(8)(ii) | |
| JHU490RVYR | propionic acid | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 6DC9Q167V3 | propylene glycol | ophthalmic | demulcents | I | I | 349.12(d)(5) | |
| 6DC9Q167V3 | propylene glycol | pediculicide | | II | II | 310.545(a)(25)(i) | |
| LQU92IU8LL | propylhexedrine | cough/cold | nasal decongestant | I | I | 341.20(b)(9) | inhalant |
| Z8IX2SC1OH | propylparaben | antifungal | | III | III | 310.545(a)(22)(ii) | |
| | protease | digestive aid | | | | 310.545(a)(8)(ii) | |
| | protein hydrolysate | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| S8O01I9YLZ | prune concentrate dehydrate | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| S8O01I9YLZ | prune powder | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| 6V9V2RYJ8N | pseudoephedrine hydrochloride | cough/cold | bronchodilator | II | II | 310.545(a)(6)(iv) | |
| 6V9V2RYJ8N | pseudoephedrine hydrochloride | cough/cold | nasal decongestant | I | I | 341.20(a)(2) | oral |
| Y9DL7QPE6B | pseudoephedrine sulfate | cough/cold | bronchodilator | II | II | 310.545(a)(6)(iv) | |
| Y9DL7QPE6B | pseudoephedrine sulfate | cough/cold | nasal decongestant | | I | 341.20(a)(3) | oral |
| Y9DL7QPE6B | pseudoephedrine sulfate (oral) | cough/cold | nasal decongestant | I | I | | |
| 9C60Y73166 | psyllium (hemicellulose) [see plantago seed] | laxative | | | IIISE | | |
| | psyllium hydrophilic mucilloid | laxative | | | I | | |
| 9C60Y73166 | psyllium seed | laxative | | | I | | |
| | psyllium seed (blond) | laxative | | | I | | |
| | psyllium seed husks | laxative | | | I | | |
| | psyllium (hemicellulose) | laxative | bulk laxative | | I | | |
| 0462U14DU1 | p-t-butyl-m-cresol | skin protectant | astringent | | | 310.545(a)(18)(ii) | |
| 81BK194Z5M | pyrantel pamoate | anthelmintic | | I | I | 357.11 | |
| ZUM06L90GV | pyrethrum extract (combination) | pediculicide | aresol | | I | 310.545(a)(25)(ii) | |
| ZUM06L90GV | pyrethrum extract (combination) | pediculicide | non-aresol | I | I | 358.61 | |
| 68Y4CF58BV | pyridoxine hydrochloride | menstrual/diuretic | vitamine | III | IIIE | | |
| 68Y4CF58BV | pyridoxine hydrochloride | skin protectant | fever blister/cold sore | | | 310.545(a)(18)(iv) | |
| 68Y4CF58BV | pyridoxine hydrochloride (vitamin B6) | weight control | | | II | 310.545(a)(20) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|----------------------------------|--------------|--------------|-----------------------|--------------|
| R35D29L3ZA | pyrilamine maleate | acne | | II | II | 310.545(a)(1) | |
| R35D29L3ZA | pyrilamine maleate | cough/cold | antihistamine | I | I | 341.12(k) | |
| R35D29L3ZA | pyrilamine maleate | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| R35D29L3ZA | pyrilamine maleate | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| R35D29L3ZA | pyrilamine maleate | internal analgesic | | III | III | 310.545(a)(23)(i) | |
| R35D29L3ZA | pyrilamine maleate | menstrual/diuretic | antihistamine | I | IIISE | | |
| R35D29L3ZA | pyrilamine maleate | nighttime sleep aid | antihistamine | III | IIISE | | [54 FR 6826] |
| R35D29L3ZA | pyrilamine maleate | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| R35D29L3ZA | pyrilamine maleate | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| R35D29L3ZA | pyrilamine maleate | skin protectant | insect bites/stings | | IISE | 310.545(a)(18)(v)(A) | |
| R35D29L3ZA | pyrilamine maleate | skin protectant | poison ivy/oak/sumac | | | | |
| R953O2RHZ5 | pyrithione zinc | dandruff | dandruff (wash-off) | I | I | 358.710(a)(2) | |
| R953O2RHZ6 | pyrithione zinc | dandruff | dandruff (leave-on) | I | I | 358.710(a)(3) | |
| R953O2RHZ7 | pyrithione zinc | dandruff | seborrheic dermatitis (wash-off) | I | I | 358.710(b)(2) | |
| R953O2RHZ8 | pyrithione zinc | dandruff | seborrheic dermatitis (leave-on) | I | I | 358.710(b)(3) | |
| A7V27PHC7A | quinine | antimalarial | | | | 310.547 | |
| A7V27PHC7A | quinine | internal analgesic | | II | II | 310.545(a)(23)(i) | |
| 73JWT2K6T3 | racemethionine | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| 43SK4LAO7D | racephedrine hydrochloride | cough/cold | bronchodilator | | I | 341.16(f) | |
| 43SK4LAO7D | racephedrine hydrochloride (oral/topical) | cough/cold | nasal decongestant | I | I | 310.545(a)(6)(ii)(B) | |
| 43SK4LAO7D | racepinephrine hydrochloride | cough/cold | bronchodilator | I | I | 341.16(g) | inhalation |
| 43SK4LAO7D | racepinephrine hydrochloride | cough/cold | bronchodilator | I | I | 341.16(g) | rubber bulb |
| | red petrolatum | sunscreen | | I | I | 310.545(a)(29) | |
| | reosote | relief of oral discomfort | | | IIISE | | |
| YUL4LO94HK | resorcinol | anorectal | antiseptic | III(e),II(i) | III(e),II(i) | 310.545(a)(26)(ii) | |
| YUL4LO94HK | resorcinol | anorectal | keratolytic | I(e),II(i) | I(e),II(i) | 346.20(b) | |
| YUL4LO94HK | resorcinol | antifungal | | II | II | 310.545(a)(22)(ii) | |
| YUL4LO94HK | resorcinol | antimicrobial | | | IISE | | |
| YUL4LO94HK | resorcinol | dandruff | | II | II | 310.545(a)(7) | 56 FR 63567 |
| YUL4LO94HK | resorcinol | external analgesic | | I | I | | |
| YUL4LO94HK | resorcinol | skin protectant | diaper rash | | | | |
| YUL4LO94HK | resorcinol (as single ingredient only) | acne | | III | II | 310.545(a)(1) | |
| YUL4LO94HK | resorcinol (when combined with sulfur) | acne | | | | 333.310(b) | |
| YUL4LO94HK | resorcinol monoacetate (as single ingredient only) | acne | | III | II | 310.545(a)(1) | |
| YUL4LO94HK | resorcinol monoacetate (when combined with sulfur) | acne | | | | 333.310(c) | |
| G280W4MW6E | rhubarb fluid extract | digestive aid | | | | 310.545(a)(8)(ii) | |
| G280W4MW6E | rhubarb fluidextract | antidiarrheal | w/ sales less than \$25,000 | II | II | 310.545(a)(3)(ii) | |
| | rhubarb, Chinese | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| TLM2976OFR | riboflavin | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| TLM2976OFR | riboflavin | weight control | | | II | 310.545(a)(20) | |
| | rice polishings | weight control | | | II | 310.545(a)(20) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|------------------------------------|---------------------|------------------------------------|----------|----------|-----------------------|--------------|
| 6NAF1689IO | sabadilla, alkaloids | pediculicide | | II | II | 310.545(a)(25)(i) | |
| FST467XS7D | saccharin | weight control | | | II | 310.545(a)(20) | |
| U27K0H1H2O | sage oil | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| FA1N0842KB | salicyl alcohol | oral health care | | I | I | | |
| EM8BM710ZC | salicylamide | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| EM8BM710ZC | salicylamide | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| EM8BM710ZC | salicylamide | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| EM8BM710ZC | salicylamide | internal analgesic | | III | IIISE | | |
| EM8BM710ZC | salicylamide | menstrual/diuretic | | | IIISE | | |
| EM8BM710ZC | salicylamide | nighttime sleep aid | | II | IIE | | [54 FR 6826] |
| O414PZ4LPZ | salicylic acid | acne | | III | I | 333.310(d) | |
| O414PZ4LPZ | salicylic acid | antifungal | | III | III | 310.545(a)(22)(ii) | |
| O414PZ4LPZ | salicylic acid | corn/callus remover | collodoin-like vehicle | I | I | 358.510(b) | |
| O414PZ4LPZ | salicylic acid | corn/callus remover | plaster vehicle | I | I | 358.510(a) | |
| O414PZ4LPZ | salicylic acid | dandruff | dandruff | I | I | 358.710(a)(4) | |
| O414PZ4LPZ | salicylic acid | dandruff | psoriasis | I | I | 358.710(c)(2) | |
| O414PZ4LPZ | salicylic acid | dandruff | seborrheic dermatitis | I | I | 358.710(b)(4) | |
| O414PZ4LPZ | salicylic acid | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| O414PZ4LPZ | salicylic acid | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| O414PZ4LPZ | salicylic acid | wart remover | collodoin-like vehicle | I | I | 358.110(b) | |
| O414PZ4LPZ | salicylic acid | wart remover | karaya gum, glycol plaster vehicle | I | I | 358.110(c) | |
| O414PZ4LPZ | salicylic acid | wart remover | plaster vehicle | | IISE | 358.110(a) | |
| O414PZ4LPZ | salicylic acid (over 2 up to 5%) | acne | | III | III | 310.545(a)(1) | |
| V9MO595C9I | salsalate | internal analgesic | | III | III | 310.545(a)(23)(i) | |
| N9288CD508 | sanguinaria extract | gingivitis/plaque | | | IIIE | | |
| J7WWH9M8QS | saw palmetto | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| | scopolamine aminoxide hydrobromide | nighttime sleep aid | scopolamine compound | II | IIS | | [54 FR 6826] |
| 451IFR0GXB | scopolamine hydrobromide | antidiarrheal | | II | II | 310.545(a)(3)(i) | |
| 451IFR0GXB | scopolamine hydrobromide | nighttime sleep aid | scopolamine compound | II | IIS | | [54 FR 6826] |
| | sea minerals | weight control | | | II | 310.545(a)(20) | |
| Z69D9E381Q | selenium sulfide | dandruff | dandruff | I | I | 358.710(a)(5) | |
| Z69D9E381Q | selenium sulfide | dandruff | seborrheic dermatitis | I | I | 358.710(b)(5) | |
| Z69D9E381Q | selenium sulfide, micronized | dandruff | dandruff | I | I | 358.710(a)(6) | |
| 5WS1632J8W | senecio aureus | menstrual/diuretic | botanical/vegetable herb | II | II | 310.545(a)(24)(i) | |
| AK7JF626KX | senna | digestive aid | | | | 310.545(a)(8)(ii) | |
| AK7JF626KX | senna fluidextract | laxative | | | I/IIIS | | |
| S8SJ19N2NX | senna pod concentrate | laxative | | | I/IIIS | | |
| | senna syrup | laxative | | | I/IIIS | | |
| | sennosides a and b | laxative | | | I | | |
| 7Y1255HVXR | sesame seed | weight control | | | II | 310.545(a)(20) | |
| 4B24275HEU | shark liver oil | anorectal | wound healing | III(e,i) | III(e,i) | 310.545(a)(26)(x) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---------------------------------------|---------------------|--|--------|---------|-----------------------|---------------|
| 4B24275HEU | shark liver oil | antimicrobial | | | n/a | | |
| 4B24275HEU | shark liver oil | skin protectant | insect bites/stings w/ sales less than \$2 | I | I | 310.545(a)(18)(v)(B) | |
| 4B24275HEU | shark liver oil | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | I | I | 310.545(a)(18)(vi)(B) | |
| 4B24275HEU | shark liver oil | skin protectant | w/ sales less than \$25,000 | I | I | 310.545(a)(18)(i)(B) | |
| 4B24275HEU | shark liver oil (combination only) | anorectal | protectant | I(e,i) | I(e,i) | 346.14(b)(3) | |
| 95IT3W8JZE | silver nitrate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| TYU5GP6XGE | simethicone | antiflatulent | | | I | 332.10 | |
| TYU5GP6XGE | simethicone | digestive aid | antiflatulent | III | I | | [58 FR 54454] |
| TYU5GP6XGE | simethicone | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| TYU5GP6XGE | simethicone | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | sodium | weight control | | | II | 310.545(a)(20) | |
| 25K35WQ32Q | sodium 3, 4-dimethylphenyl-glyoxylate | sunscreen | | II | IISE | | [64 FR 27682] |
| | sodium acetylsalicylate (in solution) | overindulgence in a | hangover reliever | | I | | |
| | sodium aluminum chlorohydroxy lactate | antiperspirant | | IIISE | IIISE | 310.545(a)(4)(i) | |
| OJ245FE5EU | sodium benzoate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 8MDF5V39QO | sodium bicarbonate | antacid | | | I | 331.11(k)(1) | |
| 8MDF5V39QO | sodium bicarbonate | anticaries | | II | II | | |
| 8MDF5V39QO | sodium bicarbonate | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |
| 8MDF5V39QO | sodium bicarbonate | external analgesic | | | n/a | | |
| 8MDF5V39QO | sodium bicarbonate | gingivitis/plaque | | | IIIE | | |
| 8MDF5V39QO | sodium bicarbonate | oral health care | wound cleansing | I | I | | |
| 8MDF5V39QO | sodium bicarbonate | skin protectant | | I | NA | 347.10(o) | |
| 8MDF5V39QO | sodium bicarbonate | weight control | | | III | 310.545(a)(20) | |
| 91MBZ8H3QO | sodium borate | acne | | II | II | 310.545(a)(1) | |
| 91MBZ8H3QO | sodium borate | antifungal | | III | | 310.545(a)(22)(ii) | |
| 91MBZ8H3QO | sodium borate | dandruff | | II | II | 310.545(a)(7) | |
| 91MBZ8H3QO | sodium borate | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| 91MBZ8H3QO | sodium borate | oral health care | | | IISE | | |
| 91MBZ8H3QO | sodium borate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 91MBZ8H3QO | sodium borate | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 91MBZ8H3QO | sodium borate monohydrate | oral health care | | | IISE | | |
| LC1V549NOM | sodium bromide | daytime sedative | | | IISE | 310.519(a) | |
| LC1V549NOM | sodium bromide | nighttime sleep aid | bromide | II | IISE | | [54 FR 6826] |
| 9XTM81VK2B | sodium caprylate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| 9XTM81VK2B | sodium caprylate | oral health care | | | IIIE | | |
| 45P3261C7T | sodium carbonate | antacid | | | I | 331.11(k)(1) | |
| 45P3261C7T | sodium carbonate | anticaries | | | | 310.545(a)(2)(i) | |
| | sodium carboxymethylcellulose | antidiarrheal | | III | III | | |
| | sodium carboxymethylcellulose | laxative | bulk laxative | | I | | |
| 7473P66J9E | sodium caseinate | weight control | | | II | 310.545(a)(20) | |
| 451W471Q8X | sodium chloride | digestive aid | | | | 310.545(a)(8)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|--------------------------------|----------------------------------|---------|---------|-----------------------|-------------|
| 451W47IQ8X | sodium chloride | ophthalmic | hypertonic agent | I | I | 349.16 | |
| 451W47IQ8X | sodium chloride (salt) | weight control | | | II | 310.545(a)(20) | |
| 1Q73Q2JULR | sodium citrate | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 1Q73Q2JULR | sodium citrate | digestive aid | antacid | III | I | 310.545(a)(8)(i) | |
| 1Q73Q2JULR | sodium citrate | relief of oral discomfort | | | IIIE | | |
| 1Q73Q2JULR | sodium citrate in solution | overindulgence in a | hangover reliever/overindulgence | | I | | |
| 26WJH3CS0B | sodium diacetate | skin protectant | astringent | | | 310.545(a)(18)(ii) | |
| | sodium dichromate | oral health care | | | IISE | | |
| 3980JIH2SW | sodium dihydrogen phosphate | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| | sodium dihydrogen phosphate monohydrate | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| 8ZYQ1474W7 | sodium fluoride | relief of oral discomfort | | | IIIE | | |
| 8ZYQ1474W7 | sodium fluoride | relief of oral discomfort | | | IISE | | |
| 8ZYQ1474W7 | sodium fluoride (aqueous) | anticaries | | I/NC | I | 355.10(a)(3)(iii)-(v) | |
| 8ZYQ1474W7 | sodium fluoride (aqueous) (acidulated phosphate fluoride with .01% f | anticaries | | NC | I | | |
| 8ZYQ1474W7 | sodium fluoride (aqueous) (acidulated phosphate fluoride with .02% f | anticaries | | I | I | | |
| 8ZYQ1474W7 | sodium fluoride gel or paste | anticaries | dentifrices | I | I | 355.10(a)(1) | |
| 8ZYQ1474W7 | sodium fluoride powder | anticaries | dentifrices | I | I | 355.10(a)(2) | |
| C810JCZ56Q | sodium monofluorophosphate | anticaries | | | | 310.545(a)(2)(i) | |
| C810JCZ56Q | sodium monofluorophosphate (rinse) | anticaries | | II | II | | |
| C810JCZ56Q | sodium monofluorophosphate | relief of oral discomfort | | | IIIE | | |
| C810JCZ56Q | sodium monofluorophosphate (gel or paste) | anticaries | dentifrices | I | I | 355.10(b)(1) | |
| C810JCZ56Q | sodium monofluorophosphate (gel or paste) | anticaries | dentifrices | | I | 355.10(b)(2) | |
| 8M4L3H2ZVZ | sodium nitrate | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 399SL044HN | sodium oleate | laxative | stimulant laxative | | III | 310.545(a)(12)(iv)(A) | |
| 75UI7QUZ5J | sodium para-aminobenzoate | internal analgesic | | II | II | 310.545(a)(23)(i) | |
| Y52BK1W96C | sodium perborate | oral health care | | | IIISE | | |
| Y9UKD0XE6F | sodium perborate monohydrate | oral health care | wound cleansing | II | I | | |
| SE337SVY37 | sodium phosphate | anticaries | | II | NC | 310.545(a)(2)(i) | |
| SE337SVY37 | sodium phosphate | anticaries | | II | NC | 310.545(a)(2)(ii) | |
| SE337SVY37 | sodium phosphate, dibasic | laxative | saline laxative | | I | | |
| SE337SVY37 | sodium phosphate, monobasic | laxative | saline laxative | | I | | |
| QH257BPV3J | sodium potassium tartrate | antacid | | | I | 331.11(j)(2) | |
| QH257BPV3J | sodium potassium tartrate | antacid | | | I | 331.11(k)(2) | |
| DK6Y9P42IN | sodium propionate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| DK6Y9P42IN | sodium propionate | antimicrobial | | | IIISE | | |
| WIQ1H85SYP | sodium salicylate | dandruff | | III | III | 310.545(a)(7) | |
| WIQ1H85SYP | sodium salicylate | digestive aid | | | | 310.545(a)(8)(ii) | |
| WIQ1H85SYP | sodium salicylate | internal analgesic | | I | I | | |
| WIQ1H85SYP | sodium salicylate | menstrual/diuretic | analgesic | I | | | |
| WIQ1H85SYP | sodium salicylate | overindulgence in alcohol/food | | | I | | |
| WIQ1H85SYP | sodium salicylic acid phenolate | anorectal | antiseptic | II(e,i) | II(e,i) | 310.545(a)(26)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------------|--|--------------|--------------|-----------------------|-------------|
| C02T02993U | sodium sulfide (aqueous) | ingrown toenail | gel vehicle | | I | 538.31 | |
| HX1032V43M | sodium thiosulfate | acne | | II | II | 310.545(a)(1) | |
| 451IFR0GXB | soopolamine hydrobromide | antiemetic | | | III | | |
| 506T60A25R | sorbitol | digestive aid | | II | II | 310.545(a)(8)(i) | |
| 506T60A25R | sorbitol | laxative | hyperosmotic | | I | | |
| 506T60A25R | sorbitol | oral health care | demulcents | | III | 310.545(a)(14) | |
| | soy meal | weight control | | | II | 310.545(a)(20) | |
| 241ATL177A | soybean oil, hydrogenated (powder) | cholecystokinetic | | | | 357.210(b) | |
| R44IWB3RN5 | soybean protein | weight control | | | II | 310.545(a)(20) | |
| 3629601H5D | squill preparations (squill, squill extract) | cough/cold | expectorant | | II | 310.545(a)(6)(iii) | |
| 3FTR44B32Q | stannous fluoride | anticaries | dentifrices | I | I | 355.10(c)(1)(i) | |
| 3FTR44B32Q | stannous fluoride | anticaries | dentifrices | I | I | 355.10(c)(1)(ii) | |
| 3FTR44B32Q | stannous fluoride | relief of oral discomfort | | | IIIE | | |
| 3FTR44B32Q | stannous fluoride (gel) | anticaries | | I | I | 355.10(c)(2) | |
| 3FTR44B32Q | stannous fluoride (rinse) | anticaries | | I | I | 355.10(c)(3) | |
| | stannous pyrophosphate and zinc citrate | gingivitis/plaque | | | IIIE | | |
| 2KR89I4H1Y | stearyl alcohol | skin protectant | insect bites/stings w/ sales less than \$25,000 | | | 310.545(a)(18)(v)(B) | |
| 2KR89I4H1Y | stearyl alcohol | skin protectant | poison ivy/oak/sumac w/ sales less than \$25,000 | | | 310.545(a)(18)(vi)(B) | |
| 2KR89I4H1Y | stearyl alcohol | skin protectant | w/ sales less than \$25,000 | | | 310.545(a)(18)(i)(B) | |
| ZLM4P8929R | stem bromelain | digestive aid | | | | 310.545(a)(8)(ii) | |
| 4J2TY8Y81V | strawberry | digestive aid | | | | 310.545(a)(8)(ii) | |
| 5R78837D4A | strontium chloride | relief of oral discomfort | | | IIIE | | |
| 5R78837D4A | strontium chloride | relief of oral discomfort | | | IIIE | | |
| H9Y79VD43J | strychnine | digestive aid | | | | 310.545(a)(8)(ii) | |
| 70FD1KFU70 | sublimed sulfur | anorectal | keratolytic | III(e),II(i) | III(e),II(i) | 310.545(a)(26)(v) | |
| C151H8M554 | sucrose | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| C151H8M554 | sucrose | weight control | | | II | 310.545(a)(20) | |
| | sugars | oral health care | demulcents | | III | 310.545(a)(14) | |
| 4NRT660KJQ | sulfacetamide sodium | ophthalmic | anti-infective | II | II | | |
| | sulferated oils of turpentine | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 70FD1KFU70 | sulfur | acne | | I | I | 333.310(e) | |
| 70FD1KFU70 | sulfur | antifungal | | III | | 310.545(a)(22)(ii) | |
| 70FD1KFU70 | sulfur | dandruff | dandruff | I | I | 358.710(a)(7) | |
| 70FD1KFU70 | sulfur | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 70FD1KFU70 | sulfur | skin protectant | diaper rash | | II | 310.545(a)(18)(iii) | |
| 70FD1KFU70 | sulfur | skin protectant | fever blister/cold sore | II | II | 310.545(a)(18)(iv) | |
| 70FD1KFU70 | sulfur | skin protectant | | II | II | 310.545(a)(18)(i)(A) | |
| 70FD1KFU70 | sulfur (when combined w/ resorcinol, resocinol monoacetate) | acne | | I | I | 333.310(f) | |
| 70FD1KFU70 | sulfur, sublimed | pediculicide | | II | II | 310.545(a)(25)(i) | |
| 1W6L629B4K | sulisobenzone | sunscreen | | I | I | 352.10(o) | |
| 7SEV7J4R1U | talc | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-------------|---|----------------------|--------------------------|----------|-------------|-----------------------|---------------|
| 7SEV7J4R1U | talc | skin protectant | astringent | II | IISE | 310.545(a)(18)(ii) | |
| 7SEV7J4R1U | talc | skin protectant | diaper rash | | I | | |
| 28F9E0DJY10 | tannic acid | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| 28F9E0DJY11 | tannic acid | skin protectant | diaper rash | | II | 310.545(a)(18)(iii) | |
| 28F9E0DJY12 | tannic acid | skin protectant | fever blister/cold sore | II | II | 310.545(a)(18)(iv) | |
| 28F9E0DJY13 | tannic acid | skin protectant | poison ivy/oak/sumac | II | II | 310.545(a)(18)(vi)(A) | |
| 28F9E0DJY14 | tannic acid | skin protectant | diaper rash | II | II | 310.545(a)(18)(iii) | |
| 28F9E0DJY14 | tannic acid | skin protectant | wound healing | II | II | 310.545(a)(18)(i)(A) | |
| 28F9E0DJY6 | tannic acid | anorectal | astringent | II(e,i) | II(e,i) | 310.545(a)(26)(iii) | |
| 28F9E0DJY7 | tannic acid | antifungal | | II | | 310.545(a)(22)(ii) | |
| 28F9E0DJY8 | tannic acid | digestive aid | | | | 310.545(a)(8)(ii) | |
| 28F9E0DJY9 | tannic acid | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| 28F9E0DJY15 | tannic acid glycerite | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| | taraxacum officinale | menstrual/diuretic | botanical/vegetable herb | II | II | 310.545(a)(24)(i) | |
| W4888I19H | tartaric acid | laxative | saline laxative | | | 310.545(a)(12)(ii) | |
| | tartrate (acid or salt) | antacid | | | I | 331.11(m) | |
| | terpin hydrate prearations (terpin hydrate, terpin hydrate elixer) | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 0619F35CGV | tetracaine | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(h) | |
| 0619F35CGV | tetracaine | external analgesic | analgesic & anesthetic | I | I | pending | |
| 0619F35CGV | tetracaine | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| 5NF5D4OPCI | tetracaine hydrochloride | acne | | II | II | 310.545(a)(1) | |
| 5NF5D4OPCI | tetracaine hydrochloride | anorectal | local anesthetic | III(e,i) | I(e),III(i) | 346.10(i) | |
| 5NF5D4OPCI | tetracaine hydrochloride | external analgesic | | I | I | | |
| 5NF5D4OPCI | tetracaine hydrochloride | oral health care | anesthetic/analgesic | II | II | 310.545(a)(14) | |
| 5NF5D4OPCI | tetracycline hydrochloride | first aid antibiotic | ointment | | I | 333.110(f) | |
| 0YZT43HS7D | tetrahydrozoline hydrochloride | ophthalmic | vasoconstrictor | I | I | 349.18(d) | |
| M572600E5P | thaimine hydrochloride (vitamin B1) | weight control | | | II | 310.545(a)(20) | |
| 8K0I04919X | thaimine mononitrate (vitamine B1 mononitrate) | weight control | | | II | 310.545(a)(20) | |
| 7ZQC1892H9 | thenyldiamine hydrochloride | cough/cold | antihistamine | III | III | 310.545(a)(6)(i) | |
| 7ZQC1892H9 | thenyldiamine hydrochloride | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 7ZQC1892H9 | thenyldiamine hydrochloride | cough/cold | nasal decongestant | III | IIIE | | [59 FR 43408] |
| | theobromine sodium salicylate | menstrual/diuretic | antihistamine | III | III | 310.545(a)(24)(i) | |
| C137DTR5RG | theophylline | menstrual/diuretic | antihistamine | III | III | 310.545(a)(24)(i) | |
| C137DTR5RG | theophylline (in combination) | cough/cold | bronchodilator | | | 310.545(a)(6)(iv)(B) | |
| | theophylline calcium salicylate | cough/cold | bronchodilator | I | II | 310.545(a)(6)(iv) | |
| | theophylline sodium glycinate | cough/cold | bronchodilator | I | II | 310.545(a)(6)(iv) | |
| 0I55128JYK | theophylline, anhydrous | cough/cold | bronchodilator | I | II | 310.545(a)(6)(iv) | |
| M572600E5P | thiamine hydrochloride | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| M572600E5P | thiamine hydrochloride | nighttime sleep aid | | II | II | | |
| 2225PI3MOV | thimerosal | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | thiocyanoacetate | pediculicide | | II | II | 310.545(a)(25)(i) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|---------------------------|-------------------------|--------|---------|-----------------------|-------------|
| 6K9YKD48Y4 | thonzylamine hydrochloride | cough/cold | antihistamine | I | I | 341.12(l) | |
| 2ZD004190S | threonine | weight control | | | II | 310.545(a)(20) | |
| 3J50XA376E | thymol | acne | | II | III | 310.545(a)(1) | |
| 3J50XA376E | thymol | antifungal | | II | | 310.545(a)(22)(ii) | |
| 3J50XA376E | thymol | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 3J50XA376E | thymol | dandruff | | III | III | 310.545(a)(7) | |
| 3J50XA376E | thymol | external analgesic | analgesic & anesthetic | III | III | 310.545(a)(10)(i) | |
| 3J50XA376E | thymol | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| 3J50XA376E | thymol | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| 3J50XA376E | thymol | oral health care | anesthetic/analgesic | III | III | 310.545(a)(14) | |
| 3J50XA376E | thymol | relief of oral discomfort | | | IIIE | | |
| 3J50XA376E | thymol | relief of oral discomfort | | | IIIE | | |
| 3J50XA376E | thymol | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 3J50XA376E | thymol (lozenge) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 3J50XA376E | thymol (mouthwash) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| 3J50XA376E | thymol iodide | oral health care | | | IIISE | | |
| 3J50XA376E | thymol iodide | relief of oral discomfort | | | IIIE | | |
| 3J50XA376E | thymol iodide | relief of oral discomfort | | | IIIE | | |
| 15FIX9V2JP | titanium dioxide | sunscreen | | I | I | 352.10(p) | |
| 5236RK32KG | tolindate | antifungal | | II | II | 310.545(a)(22)(ii) | |
| 06KB629TKV | tolnaftate | antifungal | | I | I | 333.210(e) | |
| TD2LE91MBE | tolu balsam | oral health care | | III | | | |
| TD2LE91MBE | tolu preparations (tolu, tolu balsalm, tolu balsalm tincture) | cough/cold | expectorant | | III | 310.545(a)(6)(iii) | |
| 08232NY3SJ | topical starch | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(9) | |
| O8232NY3SJ | topical starch | external analgesic | | | IISE | | |
| O8232NY3SJ | topical starch | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| O8232NY3SJ | topical starch | skin protectant | diaper rash | | I | | |
| O8232NY3SJ | topical starch | skin protectant | fever blister/cold sore | | | 310.545(a)(18)(iv) | |
| O8232NY3SJ | topical starch | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| O8232NY3SJ | topical starch | skin protectant | | | I | 347.10(q) | |
| O8232NY3SJ | topical starch | skin protectant | | | IIISE | 310.545(a)(18)(iv) | |
| XHX3C3X673 | triacetin | antifungal | | III | III | 310.545(a)(22)(ii) | |
| K4C08XP666 | tricalcium phosphate | antacid | | | | 331.11(i)(3) | |
| K4C08XP666 | tricalcium phosphate | weight control | | | II | 310.545(a)(20) | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IIIE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IIISE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IIISE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IIISE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IISE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IISE | | |
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IISE | | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|---|--------------------|-------------------------|---------|---------|-----------------------|-------------|
| BGG1Y1ED0Y | triclocarban | antimicrobial | | | IISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIIE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| 4NM5039Y5X | triclosan | antimicrobial | | | IIISE | | |
| | trillium | digestive aid | | | | 310.545(a)(8)(ii) | |
| FWV8GJ56ZN | tripelennamine hydrochloride | external analgesic | fever blister/cold sore | | I | 310.545(a)(10)(v) | |
| FWV8GJ56ZN | tripelennamine hydrochloride | external analgesic | | | I | | |
| | triple dye | antimicrobial | | | IIISE | | |
| | triple dye | antimicrobial | | | IIISE | | |
| | triple dye | antimicrobial | | | IIISE | | |
| | triple dye | antimicrobial | | | IISE | | |
| | triple dye | antimicrobial | | | IISE | | |
| | triple dye | antimicrobial | | | IISE | | |
| | triple dye | antimicrobial | | | IISE | | |
| | triple dye | antimicrobial | | | IISE | | |
| YAN7R5L890 | triprolidine hydrochloride | cough/cold | antihistamine | | I | 341.12(m) | |
| 8K1MK5E1FY | triticum | menstrual/diuretic | | II | II | 310.545(a)(24)(i) | |
| 9O3K93S3TK | trolamine | external analgesic | | | IISE | | |
| 9O3K93S3TK | trolamine | skin protectant | fever blister/cold sore | | | 310.545(a)(18)(iv) | |
| 9O3K93S3TK | trolamine | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| 9O3K93S3TK | trolamine | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| H8O4040BHD | trolamine salicylate | sunscreen | | I | I | 352.10(q) | |
| H8O4040BHD | trolamine salicylate (triethanolamine salicylate) | external analgesic | fever blister/cold sore | III | III | 310.545(a)(10)(v) | |
| H8O4040BHD | trolamine salicylate (triethanolamine salicylate) | external analgesic | insect bite/sting | III | III | 310.545(a)(10)(vi) | |
| H8O4040BHD | trolamine salicylate (triethanolamine salicylate) | external analgesic | poison ivy/oak/sumac | III | III | 310.545(a)(10)(vii) | |
| 8DUH1N11BX | tryptophan | weight control | | | II | 310.545(a)(20) | |
| XJ6RUH0O4G | turpentine oil | external analgesic | fever blister/cold sore | I | I | 310.545(a)(10)(v) | |
| XJ6RUH0O4G | turpentine oil | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| XJ6RUH0O4G | turpentine oil | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| XJ6RUH0O4G | turpentine oil | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| XJ6RUH0O4G | turpentine oil | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| XJ6RUH0O4G | turpentine oil (oral) | cough/cold | antitussive | III | IISE | | |
| XJ6RUH0046 | turpentine oil (rectified) | anorectal | counterirritant | II(e,i) | II(e,i) | 310.545(a)(26)(iv) | |
| XJ6RUH0O4G | turpentine oil (spirits of turpentine) | cough/cold | expectorant | | | 310.545(a)(6)(iii) | |
| XJ6RUH0O4G | turpentine oil (spirits of turpentine) (oral) | cough/cold | nasal decongestant | II | II | 310.545(a)(6)(ii)(A) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------|----------------------|----------|----------|----------------------|---------------|
| XJ6RUH0O4G | turpentine oil (spirits of turpentine) (topical) | cough/cold | nasal decongestant | III | III | 310.545(a)(6)(ii)(A) | |
| XJ6RUH0O4G | turpentine oil (topical/inhalant) | cough/cold | antitussive | III | IIIE | | [52 FR 30055] |
| AD8LJ73GQF | turpentine, venice (venice turpentine) | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 42HK56048U | tyrosine | weight control | | | II | 310.545(a)(20) | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIIE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIISE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIISE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIISE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIISE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIISE | | |
| | undecoylium chlorideiodine complex | antimicrobial | | | IIIE | | |
| K3D86KJ24N | undecylenic acid | antifungal | | I | I | 333.210(f) | |
| K3D86KJ24N | undecylenic acid | dandruff | | III | III | 310.545(a)(7) | |
| 8W8T17847W | urea | menstrual/diuretic | | | | 310.545(a)(24)(i) | |
| 3M5V3D1X36 | uva ursi, extract of | menstrual/diuretic | | II | II | | |
| | uva ursi, potassium extract | weight control | | | II | 310.545(a)(20) | |
| HG18B9YRS7 | valine | weight control | | | II | 310.545(a)(20) | |
| 9ZP99WL196 | vegetable (green) | weight control | | | II | 310.545(a)(20) | |
| 81G40H8B0T | vitamin A | anorectal | wound healing | III(e,i) | III(e,i) | 310.545(a)(26)(x) | |
| 81G40H8B0T | vitamin A | corn/callus remover | | II | IIIE | | [55 FR 33261] |
| 81G40H8B0T | vitamin A | skin protectant | diaper rash | | IIISE | | |
| 81G40H8B0T | vitamin A | weight control | | | II | 310.545(a)(20) | |
| | vitamin A acetate | weight control | | | II | 310.545(a)(20) | |
| | vitamin A palmitate | weight control | | | II | 310.545(a)(20) | |
| H4N855PNZ1 | vitamin E | acne | | II | II | 310.545(a)(1) | |
| H4N855PNZ1 | vitamin E | nighttime sleep aid | | | II | | |
| H4N855PNZ1 | vitamin E | stimulant | | | IIIE | | [39 FR 6104] |
| H4N855PNZ1 | vitamin E | weight control | | | II | 310.545(a)(20) | |
| | vitromersol | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | water and additives | ophthalmic | | | I | | |
| 059QF0KO0R | water, purified | ophthalmic | | | | 349.20 | |
| 7G1J5DA97F | wax, white | ophthalmic | emollient | I | I | 349.14(b)(7) | |
| 2ZA36H0S2V | wax, yellow | ophthalmic | emollient | NA | I | 349.14(b)(8) | |
| YR3G369F5A | wheat germ | weight control | | | II | 310.545(a)(20) | |
| | white ointment | ophthalmic | emollient | I | I | 349.14(b)(5) | |
| 4T6H12BN9U | white petrolatum | anorectal | protectant | I(e,i) | I(e,i) | 346.14(a)(10) | |
| 101I4J0U34 | witch hazel | skin protectant | astringent | I | I | 347.12(c) | |
| 1014J0U34 | witch hazel (harmelis water) | anorectal | astringent | I(e) | I(e) | 346.18(b) | |
| N8C4A9A49H | woodruff | digestive aid | | | | 310.545(a)(8)(ii) | |
| TTV12P4NEE | xanthan gum | weight control | | | III | 310.545(a)(20) | |
| X5S84033NZ | xylometazoline hydrochloride (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(10) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|------------|--|---------------------|-------------------------|--------|---------|----------------------|---------------|
| X5S84033NZ | xylometazoline hydrochloride (aqueous) | cough/cold | nasal decongestant | | I | 341.20(b)(10) | |
| X5S84033NZ | xylometazoline hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(10) | |
| X5S84033NZ | xylometazoline hydrochloride (jelly) | cough/cold | nasal decongestant | I | I | 341.20(b)(10) | |
| 3NY3SM6B8U | yeast | weight control | | | II | 310.545(a)(20) | |
| 3NY3SM6B8U | yeast cell derivative, live | skin protectant | diaper rash | | IIIE | | |
| 3NY3SM6B8U | yeast cell derivative, live | skin protectant | wound healing agent | | IIISE | 310.545(a)(18)(i)(B) | |
| IY191986AO | yellow mercuric oxide | ophthalmic | anti-infective | III | II | 310.545(a)(21)(ii) | |
| FM5526K07A | zinc acetate | external analgesic | | | IISE | | |
| FM5526K07A | zinc acetate | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| FM5526K07A | zinc acetate | skin protectant | wound healing agent | I | I | 310.545(a)(18)(i)(A) | |
| FM5526K07A | zinc acetate | skin protectant | | I | I | 347.10(s) | |
| QL5435GI2S | zinc caprylate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| EQR32Y7H0M | zinc carbonate | skin protectant | diaper rash | | III | 310.545(a)(18)(iii) | |
| EQR32Y7H0M | zinc carbonate | skin protectant | | I | I | 347.10(t) | |
| 86Q357L16B | zinc chloride | corn/callus remover | | III | IIIE | | [55 FR 33261] |
| 86Q357L16B | zinc chloride | oral health care | | I | I | | |
| 86Q357L16B | zinc chloride | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| K72I3DEX9B | zinc citrate | gingivitis/plaque | | | IIIE | | |
| SOI2LOH54Z | zinc oxide | acne | | II | II | 310.545(a)(1) | |
| SOI2LOH54Z | zinc oxide | anorectal | astringent | I(e,i) | I(e,i) | 346.18(c) | |
| SOI2LOH54Z | zinc oxide | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| SOI2LOH54Z | zinc oxide | external analgesic | | | IISE | | |
| SOI2LOH54Z | zinc oxide | n/a | | | I | 352.10(r) | |
| SOI2LOH54Z | zinc oxide | skin protectant | astringent | II | II | 310.545(a)(18)(ii) | |
| SOI2LOH54Z | zinc oxide | skin protectant | | I | I | 347.10(u) | |
| SOI2LOH54Z | zinc oxide | sunscreen | | | III | 352.10(r) | |
| SOI2LOH54Z | zinc oxide (combination only) | anorectal | protectant | I(e,i) | I(e,i) | 346.14(b)(4) | |
| 4O71YT5YB5 | zinc phenol sulfonate | sunscreen | | | | | [64 FR 27682] |
| 4O71YT5YB5 | zinc phenolsulfonate | antidiarrheal | | III | III | 310.545(a)(3)(i) | |
| 4O71YT5YB5 | zinc phenolsulfonate | antiemetic | | | II | | |
| 4O71YT5YB5 | zinc phenolsulfonate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| | zinc propionate | antifungal | | III | III | 310.545(a)(22)(ii) | |
| H92E6QA4FV | zinc stearate | acne | | II | II | 310.545(a)(1) | |
| H92E6QA4FV | zinc stearate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 89DS0H96TB | zinc sulfate | external analgesic | fever blister/cold sore | | | 310.545(a)(10)(v) | |
| 89DS0H96TB | zinc sulfate | ophthalmic | astringent | I | I | 349.10 | |
| 89DS0H96TB | zinc sulfate | poison treatment | | | II | 310.545(a)(16) | |
| 89DS0H96TB | zinc sulfate | skin protectant | astringent | II | | 310.545(a)(18)(ii) | |
| 89DS0H96TB | zinc sulfate | skin protectant | fever blister/cold sore | | | 310.545(a)(18)(iv) | |
| 89DS0H96TB | zinc sulfide | acne | | II | II | 310.545(a)(1) | |
| 388VZ25DUR | zinc undecylenate | antifungal | | I | I | 333.210(f) | |

| UNII Code | Active Ingredient | Monograph | Sub-category | Panel | Pending | Final | FR Citation |
|-----------|-------------------|--------------------|----------------------|-------|---------|-----------------------|-------------|
| | zirconium oxide | external analgesic | insect bite/sting | | | 310.545(a)(10)(vi) | |
| | zirconium oxide | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | zirconium oxide | skin protectant | insect bites/stings | | | 310.545(a)(18)(v)(A) | |
| | zirconium oxide | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |
| | zyloxin | antimicrobial | first aid antiseptic | | | 310.545(a)(27)(i) | |
| | zyloxin | external analgesic | poison ivy/oak/sumac | | | 310.545(a)(10)(vii) | |
| | zyloxin | skin protectant | poison ivy/oak/sumac | | | 310.545(a)(18)(vi)(A) | |