

Blue Bird Bambermycins
(bambermycins Type C medicated feed)

Cattle Hand-Fed Supplemental

For increased rate of weight gain in pasture cattle (slaughter, stocker and feeder cattle, and dairy and beef replacement heifers).

ACTIVE DRUG INGREDIENT

Bambermycins 2.0 to 80.0 g/ton*

GUARANTEED ANALYSIS

Crude Protein, not less than	_____	%
Non-Protein Nitrogen (NPN) ¹ , not more than	_____	%
Crude Fat, not less than	_____	%
Crude Fiber, not more than	_____	%
Calcium, not less than	_____	%
Calcium, not more than	_____	%
Phosphorus, not less than	_____	%
Salt ² , not less than	_____	%
Salt ² , not more than	_____	%
Sodium ³ , not less than	_____	%
Sodium ³ , not more than	_____	%
Potassium, not less than	_____	%
Vitamin A ^{2,4} , not less than.....	_____	I.U./lb

¹ When added.

² If added.

³ Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

⁴ Other than precursors of Vitamin A.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

FEEDING DIRECTIONS

Feed continuously on a hand-fed basis at a rate of 10 to 40 mg bambermycins per head per day. The drug must be contained in 1 to 10 lbs. of supplemental Type C medicated feed containing 2 to 80 g bambermycins per ton. Daily intakes of bambermycins in excess of 20 mg/head/day have not been shown to be more effective than 20 mg/head/day.

Lot No.

MANUFACTURED BY

BLUE BIRD FEED MILL
Any town, USA 12345

Net Weight on Bulk Invoice

* Final printed label on formulated Type C medicated feed must bear a single concentration of each drug.