

U.S Food and Drug Administration – Total Diet Study Market Baskets 2004-1 through 2005-4

The data that follow are summaries of pesticide analytical results by food or by residue from the Food and Drug Administration's Total Diet Study Program. The information covers Total Diet Study Market Baskets 2004-1 through 2005-4 (8 Market Baskets). The Market Baskets were collected between October 2003 and August 2005.

Notes:

Food #: FDA assigned Total Diet Study Food number.

Number of Analyses: Number of times the food was analyzed for this report (i.e., the number of Market Baskets analyzed containing the food item).

Number Equal /> LQ: Number of results for the residue that were greater than or equal to the method's limit of quantitation.

Number of Traces: Number of results for the residue that were equal to or greater than the method's limit of detection, but less than the method's limit of quantitation.

Statistics were calculated using a value of 0 for results below the method's limit of detection, and at the measured value for findings recorded as trace.

Some values may have been rounded.

BF: Baby Food

RTF: Ready to Feed

The data presented in this report were compiled by FDA's Kansas City District Laboratory located in Lenexa, KS, with special thanks to Pesticide Expert Chris Sack.

Inquiries regarding the data may be referred to:
FDA/Center for Food Safety and Applied Nutrition
Office of Food Safety
5100 Paint Branch Parkway
College Park, MD 20740
Attention: Ronald R. Roy
[email: ronald.roy@fda.hhs.gov](mailto:ronald.roy@fda.hhs.gov)
phone: 240-402-2061

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
001	Milk, whole	DDE, p,p'-	8	0	6	0.00028	0.0001	0.0010
001	Milk, whole	DDT, p,p'-	8	0	1	0.00003	0.0002	0.0002
001	Milk, whole	Dieldrin	8	0	2	0.00003	0.0001	0.0001
001	Milk, whole	TDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
002	Milk, 2%	DDE, p,p'-	8	0	4	0.00024	0.0002	0.0009
002	Milk, 2%	Dieldrin	8	0	2	0.00004	0.0001	0.0002
003	Milk, chocolate, lowfat	DDE, p,p'-	8	0	2	0.00010	0.0004	0.0004
004	Milk, skim	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
004	Milk, skim	Dieldrin	8	0	2	0.00004	0.0001	0.0002
007	Milk shake, chocolate	DDE, p,p'-	8	0	4	0.00018	0.0001	0.0006
007	Milk shake, chocolate	Dieldrin	8	0	1	0.00001	0.0001	0.0001
010	Cheese, American	DDE, p,p'-	8	7	1	0.00488	0.0010	0.0100
010	Cheese, American	Dieldrin	8	0	4	0.00025	0.0002	0.0010
010	Cheese, American	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
010	Cheese, American	Heptachlor epoxide	8	0	1	0.00005	0.0004	0.0004
010	Cheese, American	Hexachlorobenzene	8	0	1	0.00003	0.0002	0.0002
010	Cheese, American	Permethrin, cis	8	0	1	0.00004	0.0003	0.0003
010	Cheese, American	Permethrin, trans	8	0	1	0.00003	0.0002	0.0002
012	Cheese, cheddar	Chlordane, trans	8	0	1	0.00003	0.0002	0.0002
012	Cheese, cheddar	DDE, p,p'-	8	2	5	0.00180	0.0003	0.0060
012	Cheese, cheddar	Dieldrin	8	0	5	0.00025	0.0002	0.0006
012	Cheese, cheddar	Heptachlor epoxide	8	0	1	0.00005	0.0004	0.0004
012	Cheese, cheddar	Permethrin, cis	8	0	2	0.00013	0.0004	0.0006
012	Cheese, cheddar	Permethrin, trans	8	0	2	0.00013	0.0004	0.0006
013	Beef, ground	BHC, alpha	8	0	1	0.00006	0.0005	0.0005
013	Beef, ground	DDE, p,p'-	8	2	6	0.00171	0.0003	0.0090
013	Beef, ground	DDT, p,p'-	8	0	1	0.00004	0.0003	0.0003
013	Beef, ground	Dieldrin	8	0	4	0.00011	0.0001	0.0005
013	Beef, ground	Endosulfan sulfate	8	0	1	0.00003	0.0002	0.0002
013	Beef, ground	Heptachlor epoxide	8	0	3	0.00004	0.0001	0.0001
013	Beef, ground	Hexachlorobenzene	8	1	1	0.00014	0.0001	0.0010
013	Beef, ground	TDE, p,p'-	8	0	1	0.00003	0.0002	0.0002
014	Beef roast, chuck	Chlorpropham	8	1	1	0.00085	0.0008	0.0060
014	Beef roast, chuck	DDE, p,p'-	8	0	5	0.00018	0.0001	0.0004
014	Beef roast, chuck	Dieldrin	8	0	4	0.00009	0.0001	0.0003
014	Beef roast, chuck	Heptachlor epoxide	8	0	1	0.00001	0.0001	0.0001
018	Pork chop	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
018	Pork chop	Dieldrin	8	0	2	0.00003	0.0001	0.0001
018	Pork chop	Heptachlor epoxide	8	0	1	0.00001	0.0001	0.0001
019	Pork sausage	2-chloroethyl linoleate	8	4	2	0.05500	0.0040	0.1990
019	Pork sausage	2-chloroethyl myristate	8	0	2	0.00050	0.0010	0.0030
019	Pork sausage	2-chloroethyl palmitate	8	3	3	0.01025	0.0020	0.0390
019	Pork sausage	2-chloroethyl stearate	8	0	1	0.00062	0.0050	0.0050
019	Pork sausage	DDE, p,p'-	8	0	6	0.00020	0.0001	0.0004
019	Pork sausage	Dieldrin	8	0	1	0.00001	0.0001	0.0001
019	Pork sausage	Ethion	8	0	1	0.00013	0.0010	0.0010
020	Pork bacon	DDE, p,p'-	8	0	4	0.00011	0.0002	0.0003
020	Pork bacon	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
020	Pork bacon	Lindane	8	0	1	0.00001	0.0001	0.0001
021	Pork roast, loin	DDE, p,p'-	8	0	1	0.00005	0.0004	0.0004
022	Lamb chop	DDE, p,p'-	8	2	6	0.00151	0.0002	0.0060
022	Lamb chop	Hexachlorobenzene	8	0	2	0.00003	0.0001	0.0001
022	Lamb chop	Octachlor epoxide	8	0	1	0.00001	0.0001	0.0001
022	Lamb chop	PCBs	8	0	1	0.00050	0.0040	0.0040
026	Turkey breast	DDE, p,p'-	8	0	2	0.00003	0.0001	0.0001
026	Turkey breast	Dieldrin	8	0	1	0.00001	0.0001	0.0001
026	Turkey breast	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00637	0.0510	0.0510

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
027	Liver	DDE, p,p'-	8	0	3	0.00009	0.0001	0.0004
028	Frankfurter	2-chloroethyl linoleate	8	1	0	0.00350	0.0280	0.0280
028	Frankfurter	2-chloroethyl palmitate	8	0	1	0.00112	0.0090	0.0090
028	Frankfurter	DDE, p,p'-	8	0	7	0.00056	0.0003	0.0010
028	Frankfurter	Dieldrin	8	0	3	0.00010	0.0001	0.0004
028	Frankfurter	Ethion	8	0	1	0.00025	0.0020	0.0020
029	Bologna	DDE, p,p'-	8	0	4	0.00015	0.0002	0.0005
029	Bologna	Dieldrin	8	0	2	0.00006	0.0002	0.0003
029	Bologna	Hexachlorobenzene	8	0	1	0.00004	0.0003	0.0003
030	Salami, luncheon	2-chloroethyl linoleate	8	1	4	0.00500	0.0020	0.0200
030	Salami, luncheon	2-chloroethyl myristate	8	1	1	0.00163	0.0020	0.0110
030	Salami, luncheon	2-chloroethyl palmitate	8	0	3	0.00088	0.0020	0.0030
030	Salami, luncheon	DDE, p,p'-	8	0	8	0.00020	0.0001	0.0004
030	Salami, luncheon	Dieldrin	8	0	5	0.00009	0.0001	0.0003
034	Fish, sticks/patty	Chlorpyrifos methyl	8	2	5	0.00140	0.0001	0.0040
034	Fish, sticks/patty	DDE, p,p'-	8	0	1	0.00005	0.0004	0.0004
034	Fish, sticks/patty	Malathion	8	0	6	0.00086	0.0003	0.0020
035	Eggs, scrambled	DDE, p,p'-	8	0	3	0.00020	0.0002	0.0010
037	Eggs, boiled	DDE, p,p'-	8	0	2	0.00012	0.0001	0.0009
039	Pork and beans	2-chloroethyl linoleate	8	1	1	0.00275	0.0040	0.0180
039	Pork and beans	2-chloroethyl palmitate	8	0	1	0.00025	0.0020	0.0020
039	Pork and beans	Endosulfan II	8	0	1	0.00001	0.0001	0.0001
039	Pork and beans	Endosulfan sulfate	8	0	1	0.00001	0.0001	0.0001
042	Lima beans, immature	Acephate	8	0	1	0.00013	0.0010	0.0010
042	Lima beans, immature	Benomyl	8	1	2	0.01425	0.0100	0.0770
042	Lima beans, immature	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
042	Lima beans, immature	Dicofol, p,p'-	8	0	2	0.00025	0.0010	0.0010
042	Lima beans, immature	Dieldrin	8	0	1	0.00004	0.0003	0.0003
042	Lima beans, immature	Lindane	8	0	1	0.00003	0.0002	0.0002
042	Lima beans, immature	Methamidophos	8	0	1	0.00025	0.0020	0.0020
042	Lima beans, immature	Phenylphenol, o-	8	1	0	0.00600	0.0480	0.0480
042	Lima beans, immature	Vinclozolin	8	1	0	0.00088	0.0070	0.0070
046	Peas	Dimethoate	8	2	1	0.00093	0.0004	0.0040
046	Peas	Endosulfan II	8	0	1	0.00004	0.0003	0.0003
046	Peas	Endosulfan sulfate	8	0	1	0.00013	0.0010	0.0010
047	Peanut butter, smooth	Chlorpyrifos	8	0	5	0.00039	0.0004	0.0010
047	Peanut butter, smooth	DDE, p,p'-	8	0	7	0.00095	0.0005	0.0020
047	Peanut butter, smooth	Dieldrin	8	0	8	0.00034	0.0001	0.0009
047	Peanut butter, smooth	Endosulfan II	8	0	1	0.00003	0.0002	0.0002
047	Peanut butter, smooth	Endosulfan sulfate	8	0	6	0.00041	0.0002	0.0009
047	Peanut butter, smooth	Heptachlor epoxide	8	0	1	0.00001	0.0001	0.0001
047	Peanut butter, smooth	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
047	Peanut butter, smooth	Pentachloroaniline	8	1	7	0.00091	0.0004	0.0020
047	Peanut butter, smooth	Pentachlorobenzene	8	1	7	0.00049	0.0002	0.0010
047	Peanut butter, smooth	Pentachlorophenyl methyl ether	8	0	6	0.00025	0.0002	0.0005
047	Peanut butter, smooth	Pentachlorophenyl methyl sulfide	8	0	1	0.00001	0.0001	0.0001
047	Peanut butter, smooth	Quintozone	8	1	2	0.00035	0.0003	0.0020
047	Peanut butter, smooth	Toxaphene	8	3	4	0.02025	0.0120	0.0400
048	Peanuts, dry roasted, salted	Chlorpyrifos	8	0	4	0.00035	0.0004	0.0010
048	Peanuts, dry roasted, salted	DDE, p,p'-	8	0	5	0.00046	0.0004	0.0010
048	Peanuts, dry roasted, salted	Dieldrin	8	0	5	0.00029	0.0003	0.0008
048	Peanuts, dry roasted, salted	Endosulfan II	8	0	1	0.00003	0.0002	0.0002
048	Peanuts, dry roasted, salted	Endosulfan sulfate	8	0	4	0.00036	0.0003	0.0010
048	Peanuts, dry roasted, salted	Heptachlor epoxide	8	0	1	0.00005	0.0004	0.0004

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
048	Peanuts, dry roasted, salted	Pentachloroaniline	8	2	5	0.00140	0.0003	0.0070
048	Peanuts, dry roasted, salted	Pentachlorobenzene	8	0	7	0.00046	0.0003	0.0008
048	Peanuts, dry roasted, salted	Pentachlorophenyl methyl ether	8	0	6	0.00029	0.0001	0.0006
048	Peanuts, dry roasted, salted	Pentachlorophenyl methyl sulfide	8	0	2	0.00009	0.0003	0.0004
048	Peanuts, dry roasted, salted	Quintozone	8	0	3	0.00008	0.0001	0.0003
048	Peanuts, dry roasted, salted	Toxaphene	8	3	3	0.01888	0.0060	0.0400
050	Rice, white, enriched	2,4-D	8	0	1	0.00025	0.0020	0.0020
050	Rice, white, enriched	Chlorpyrifos	8	0	1	0.00001	0.0001	0.0001
050	Rice, white, enriched	Quinclorac	8	0	8	0.00170	0.0006	0.0040
050	Rice, white, enriched	Triclopyr	8	0	1	0.00003	0.0002	0.0002
051	Oatmeal, plain	Biphenyl	8	1	0	0.00038	0.0030	0.0030
051	Oatmeal, plain	Clopyralid	8	0	8	0.00143	0.0002	0.0030
051	Oatmeal, plain	Dicamba	8	0	8	0.00134	0.0005	0.0020
052	Cream of wheat	Biphenyl	8	0	1	0.00013	0.0010	0.0010
052	Cream of wheat	Clopyralid	8	0	2	0.00019	0.0005	0.0010
052	Cream of wheat	Dicamba	8	0	1	0.00005	0.0004	0.0004
053	Corn/hominy grits, enriched	Biphenyl	8	0	1	0.00013	0.0010	0.0010
054	Corn, fresh/frozen	Biphenyl	8	1	0	0.00050	0.0040	0.0040
054	Corn, fresh/frozen	Chlorpyrifos	8	0	1	0.00025	0.0020	0.0020
058	Bread, white	2,4-D	8	0	6	0.00060	0.0006	0.0010
058	Bread, white	Biphenyl	8	1	0	0.00025	0.0020	0.0020
058	Bread, white	Chlorpropham	8	0	4	0.00100	0.0010	0.0040
058	Bread, white	Chlorpyrifos methyl	8	4	4	0.00563	0.0020	0.0250
058	Bread, white	Clopyralid	8	0	4	0.00025	0.0002	0.0008
058	Bread, white	Diazinon	8	0	1	0.00011	0.0009	0.0009
058	Bread, white	Dicamba	8	0	5	0.00040	0.0004	0.0008
058	Bread, white	Diphenyl 2-ethylhexyl phosphate	8	6	0	0.12275	0.0420	0.2830
058	Bread, white	Malathion	8	8	0	0.02475	0.0080	0.0830
058	Bread, white	Pentachlorobenzene	8	0	1	0.00004	0.0003	0.0003
058	Bread, white	Permethrin, cis	8	0	1	0.00005	0.0004	0.0004
058	Bread, white	Permethrin, trans	8	0	1	0.00005	0.0004	0.0004
058	Bread, white	Pirimiphos methyl	8	2	1	0.00112	0.0010	0.0050
058	Bread, white	Quinclorac	8	0	1	0.00011	0.0009	0.0009
058	Bread, white	Triphenyl PO4	8	1	0	0.00112	0.0090	0.0090
060	Cornbread	Chlorpropham	8	0	2	0.00038	0.0010	0.0020
060	Cornbread	Chlorpyrifos methyl	8	1	4	0.00175	0.0010	0.0080
060	Cornbread	DDE, p,p'-	8	0	3	0.00013	0.0001	0.0006
060	Cornbread	Malathion	8	2	3	0.00150	0.0010	0.0040
060	Cornbread	Pirimiphos methyl	8	0	1	0.00025	0.0020	0.0020
060	Cornbread	Triphenyl PO4	8	1	0	0.00763	0.0610	0.0610
061	Biscuits, refrigerated-type	Chlorpyrifos methyl	8	0	5	0.00065	0.0007	0.0020
061	Biscuits, refrigerated-type	Malathion	8	0	3	0.00023	0.0001	0.0010
061	Biscuits, refrigerated-type	Pirimiphos methyl	8	1	0	0.00038	0.0030	0.0030
062	Bread, whole wheat	2,4-D	8	1	7	0.00169	0.0002	0.0040
062	Bread, whole wheat	Chlorpropham	8	1	0	0.01213	0.0970	0.0970
062	Bread, whole wheat	Chlorpyrifos	8	0	1	0.00008	0.0006	0.0006
062	Bread, whole wheat	Chlorpyrifos methyl	8	7	1	0.02350	0.0010	0.1270
062	Bread, whole wheat	Clopyralid	8	1	4	0.00185	0.0008	0.0100
062	Bread, whole wheat	Dicamba	8	0	7	0.00054	0.0002	0.0010
062	Bread, whole wheat	Dieldrin	8	0	1	0.00001	0.0001	0.0001
062	Bread, whole wheat	Diphenyl 2-ethylhexyl phosphate	8	4	0	0.10400	0.1040	0.3820
062	Bread, whole wheat	Endosulfan sulfate	8	0	1	0.00003	0.0002	0.0002
062	Bread, whole wheat	Malathion	8	8	0	0.04675	0.0140	0.1040
062	Bread, whole wheat	Pirimiphos methyl	8	4	2	0.00613	0.0010	0.0270

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
062	Bread, whole wheat	Quinclorac	8	0	1	0.00004	0.0003	0.0003
063	Tortilla, flour	Chlorpyrifos	8	0	1	0.00011	0.0009	0.0009
063	Tortilla, flour	Chlorpyrifos methyl	8	2	5	0.00176	0.0003	0.0060
063	Tortilla, flour	Diphenyl 2-ethylhexyl phosphate	8	6	0	0.06225	0.0170	0.1320
063	Tortilla, flour	Malathion	8	6	2	0.00604	0.0003	0.0130
064	Bread, rye	2-chloroethyl linoleate	8	2	0	0.00600	0.0160	0.0320
064	Bread, rye	2-chloroethyl palmitate	8	0	2	0.00100	0.0020	0.0060
064	Bread, rye	Chlorpropham	8	1	0	0.00237	0.0190	0.0190
064	Bread, rye	Chlorpyrifos	8	0	1	0.00025	0.0020	0.0020
064	Bread, rye	Chlorpyrifos methyl	8	4	3	0.00538	0.0020	0.0230
064	Bread, rye	Diphenyl 2-ethylhexyl phosphate	8	3	0	0.08900	0.1470	0.3260
064	Bread, rye	Malathion	8	8	0	0.01813	0.0030	0.0520
064	Bread, rye	Pirimiphos methyl	8	5	1	0.00572	0.0008	0.0180
065	Muffin, blueberry	Chlorpyrifos methyl	8	2	4	0.00200	0.0020	0.0040
065	Muffin, blueberry	Malathion	8	4	4	0.00725	0.0020	0.0220
065	Muffin, blueberry	Pirimiphos methyl	8	0	1	0.00013	0.0010	0.0010
066	Crackers, saltine	Chlorpyrifos	8	0	1	0.00005	0.0004	0.0004
066	Crackers, saltine	Chlorpyrifos methyl	8	4	4	0.00659	0.0007	0.0330
066	Crackers, saltine	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
066	Crackers, saltine	Malathion	8	6	2	0.00675	0.0020	0.0180
066	Crackers, saltine	Methoxychlor, p,p'	8	0	3	0.00018	0.0003	0.0006
067	Corn/tortilla chips	Chlorpropham	8	0	1	0.00013	0.0010	0.0010
067	Corn/tortilla chips	Malathion	8	0	1	0.00011	0.0009	0.0009
067	Corn/tortilla chips	Pirimiphos methyl	8	1	0	0.00412	0.0330	0.0330
069	Noodles, egg	Chlorpyrifos methyl	8	6	2	0.00388	0.0020	0.0070
069	Noodles, egg	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00213	0.0170	0.0170
069	Noodles, egg	Malathion	8	4	4	0.00375	0.0020	0.0100
071	Corn flakes cereal	Tributyl PO4	8	3	0	0.01038	0.0120	0.0560
072	Fruit-flavored sweetened cereal	2,4-D	8	0	1	0.00001	0.0001	0.0001
072	Fruit-flavored sweetened cereal	Chlorpyrifos	8	0	2	0.00035	0.0008	0.0020
072	Fruit-flavored sweetened cereal	Chlorpyrifos methyl	8	0	1	0.00003	0.0002	0.0002
072	Fruit-flavored sweetened cereal	Clopyralid	8	0	4	0.00043	0.0002	0.0020
072	Fruit-flavored sweetened cereal	Dicamba	8	0	4	0.00045	0.0002	0.0020
072	Fruit-flavored sweetened cereal	Ethion	8	0	1	0.00003	0.0002	0.0002
072	Fruit-flavored sweetened cereal	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
072	Fruit-flavored sweetened cereal	Malathion	8	1	4	0.00124	0.0009	0.0040
072	Fruit-flavored sweetened cereal	Methidathion	8	0	1	0.00011	0.0009	0.0009
072	Fruit-flavored sweetened cereal	Pirimiphos methyl	8	0	1	0.00025	0.0020	0.0020
072	Fruit-flavored sweetened cereal	Quinclorac	8	0	1	0.00013	0.0010	0.0010
072	Fruit-flavored sweetened cereal	Triclopyr	8	0	1	0.00025	0.0020	0.0020
073	Shredded wheat cereal	2,4-D	8	0	2	0.00012	0.0003	0.0007
073	Shredded wheat cereal	Chlorpyrifos methyl	8	1	0	0.00038	0.0030	0.0030
073	Shredded wheat cereal	Dicamba	8	0	3	0.00015	0.0003	0.0006
073	Shredded wheat cereal	Malathion	8	1	5	0.00105	0.0004	0.0030
073	Shredded wheat cereal	Tributyl PO4	8	1	0	0.00438	0.0350	0.0350

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
074	Raisin bran cereal	2,4-D	8	0	6	0.00035	0.0001	0.0010
074	Raisin bran cereal	Chlorpyrifos methyl	8	0	4	0.00028	0.0002	0.0010
074	Raisin bran cereal	Clopyralid	8	0	1	0.00038	0.0030	0.0030
074	Raisin bran cereal	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
074	Raisin bran cereal	Dicamba	8	0	4	0.00025	0.0002	0.0009
074	Raisin bran cereal	Dicofol, p,p'-	8	0	1	0.00005	0.0004	0.0004
074	Raisin bran cereal	Malathion	8	0	2	0.00021	0.0007	0.0010
074	Raisin bran cereal	Tributyl PO4	8	1	0	0.00438	0.0350	0.0350
075	Crisped rice cereal	2,4-D	8	0	1	0.00006	0.0005	0.0005
075	Crisped rice cereal	Quinclorac	8	0	7	0.00225	0.0010	0.0050
075	Crisped rice cereal	Triclopyr	8	0	2	0.00014	0.0003	0.0008
076	Granola w/ raisins	Chlorpyrifos	8	0	1	0.00003	0.0002	0.0002
076	Granola w/ raisins	Chlorpyrifos methyl	8	2	0	0.00150	0.0030	0.0090
076	Granola w/ raisins	Lindane	8	0	1	0.00009	0.0007	0.0007
076	Granola w/ raisins	Malathion	8	4	1	0.00250	0.0010	0.0080
077	Oat ring cereal	2,4-D	8	0	1	0.00010	0.0008	0.0008
077	Oat ring cereal	Clopyralid	8	4	4	0.00613	0.0010	0.0170
077	Oat ring cereal	Dicamba	8	4	4	0.00588	0.0010	0.0160
078	Apple (red)	4-Cyclohexene-1,2-dicarboxamide, cis-	8	1	0	0.04563	0.3650	0.3650
078	Apple (red)	Azinphos-methyl	8	5	0	0.03925	0.0230	0.1960
078	Apple (red)	Benomyl	8	1	1	0.01275	0.0230	0.0790
078	Apple (red)	Captan	8	2	2	0.01334	0.0007	0.1010
078	Apple (red)	Carbaryl	8	2	1	0.00625	0.0030	0.0330
078	Apple (red)	Chlorpropham	8	0	1	0.00025	0.0020	0.0020
078	Apple (red)	Dimethoate	8	1	0	0.00038	0.0030	0.0030
078	Apple (red)	Diphenylamine	8	7	0	0.37100	0.0050	1.0590
078	Apple (red)	Endosulfan I	8	0	3	0.00006	0.0001	0.0002
078	Apple (red)	Endosulfan II	8	0	3	0.00018	0.0002	0.0007
078	Apple (red)	Endosulfan sulfate	8	0	3	0.00018	0.0001	0.0007
078	Apple (red)	Fenpropathrin	8	1	0	0.00800	0.0640	0.0640
078	Apple (red)	Methomyl	8	0	1	0.00038	0.0030	0.0030
078	Apple (red)	Phosmet	8	2	1	0.00563	0.0080	0.0210
078	Apple (red)	Thiabendazole	8	8	0	0.23675	0.0510	0.5760
079	Orange (navel/Valencia)	Chlorpyrifos	8	0	6	0.00089	0.0001	0.0020
079	Orange (navel/Valencia)	Malathion	8	0	1	0.00010	0.0008	0.0008
079	Orange (navel/Valencia)	Methidathion	8	1	1	0.00225	0.0020	0.0160
079	Orange (navel/Valencia)	Phenylphenol, o-	8	2	0	0.00563	0.0130	0.0320
079	Orange (navel/Valencia)	Thiabendazole	8	8	0	0.08000	0.0140	0.1710
080	Banana	Thiabendazole	8	7	1	0.01013	0.0010	0.0170
081	Watermelon	3-hydroxycarbofuran	8	0	1	0.00125	0.0100	0.0100
081	Watermelon	Acephate	8	1	0	0.03000	0.2400	0.2400
081	Watermelon	Carbofuran	8	1	0	0.00300	0.0240	0.0240
081	Watermelon	Dimethoate	8	1	0	0.00200	0.0160	0.0160
081	Watermelon	Endosulfan sulfate	8	0	1	0.00005	0.0004	0.0004
081	Watermelon	Methamidophos	8	1	0	0.00163	0.0130	0.0130
081	Watermelon	Pentachloroaniline	8	0	1	0.00006	0.0005	0.0005
083	Peach, raw/frozen	Azinphos-methyl	8	1	0	0.01037	0.0830	0.0830
083	Peach, raw/frozen	Carbaryl	8	4	2	0.05450	0.0020	0.2170
083	Peach, raw/frozen	Chlorpyrifos	8	0	4	0.00070	0.0006	0.0020
083	Peach, raw/frozen	Dicloran	8	0	2	0.00020	0.0006	0.0010
083	Peach, raw/frozen	Dicofol, p,p'-	8	0	1	0.00013	0.0010	0.0010
083	Peach, raw/frozen	Endosulfan II	8	0	1	0.00013	0.0010	0.0010
083	Peach, raw/frozen	Endosulfan sulfate	8	0	1	0.00009	0.0007	0.0007
083	Peach, raw/frozen	Fludioxonil	8	4	0	0.34138	0.1090	1.6900
083	Peach, raw/frozen	Iprodione	8	2	0	0.08300	0.0640	0.6000
083	Peach, raw/frozen	Iprodione metabolite	8	1	0	0.00463	0.0370	0.0370

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
083	Peach, raw/frozen	Malathion	8	0	1	0.00025	0.0020	0.0020
083	Peach, raw/frozen	Methomyl	8	0	2	0.00113	0.0030	0.0060
083	Peach, raw/frozen	Phosmet	8	3	1	0.05738	0.0110	0.2980
083	Peach, raw/frozen	Propargite	8	2	0	0.15038	0.3240	0.8790
083	Peach, raw/frozen	Thiabendazole	8	2	4	0.00175	0.0010	0.0060
084	Applesauce, bottled	4-Cyclohexene-1,2-dicarboxamide, cis-	8	1	0	0.00675	0.0540	0.0540
084	Applesauce, bottled	Benomyl	8	1	5	0.01850	0.0130	0.0360
084	Applesauce, bottled	Carbaryl	8	1	1	0.00388	0.0030	0.0280
084	Applesauce, bottled	Dimethoate	8	1	0	0.00050	0.0040	0.0040
084	Applesauce, bottled	Diphenylamine	8	3	0	0.00225	0.0030	0.0100
084	Applesauce, bottled	Endosulfan II	8	0	3	0.00005	0.0001	0.0002
084	Applesauce, bottled	Endosulfan sulfate	8	0	5	0.00015	0.0001	0.0005
084	Applesauce, bottled	Thiabendazole	8	4	1	0.04025	0.0010	0.2540
085	Pear, raw	Azinphos-methyl	8	4	2	0.05075	0.0060	0.1760
085	Pear, raw	Benomyl	8	0	1	0.00313	0.0250	0.0250
085	Pear, raw	Carbaryl	8	1	0	0.01063	0.0850	0.0850
085	Pear, raw	Chlorpropham	8	0	1	0.00004	0.0003	0.0003
085	Pear, raw	Diphenylamine	8	1	0	0.00125	0.0100	0.0100
085	Pear, raw	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
085	Pear, raw	Endosulfan II	8	0	5	0.00018	0.0001	0.0004
085	Pear, raw	Endosulfan sulfate	8	1	6	0.00071	0.0003	0.0020
085	Pear, raw	Fenpropathrin	8	1	0	0.00262	0.0210	0.0210
085	Pear, raw	Iprodione	8	1	0	0.00088	0.0070	0.0070
085	Pear, raw	Lambda-cyhalothrin	8	0	1	0.00050	0.0040	0.0040
085	Pear, raw	Metidathion	8	1	0	0.00050	0.0040	0.0040
085	Pear, raw	Phenylphenol, o-	8	5	0	0.01587	0.0070	0.0510
085	Pear, raw	Phosmet	8	0	1	0.00100	0.0080	0.0080
085	Pear, raw	Thiabendazole	8	8	0	0.44138	0.1090	0.9570
086	Strawberries, raw/frozen	4-Cyclohexene-1,2-dicarboxamide, cis-	8	7	0	0.95337	0.3780	2.8060
086	Strawberries, raw/frozen	Azoxystrobin	8	1	0	0.01137	0.0910	0.0910
086	Strawberries, raw/frozen	Azoxystrobin, E-	8	1	0	0.01425	0.1140	0.1140
086	Strawberries, raw/frozen	Benomyl	8	1	1	0.00913	0.0100	0.0630
086	Strawberries, raw/frozen	Bifenthrin	8	0	1	0.00025	0.0020	0.0020
086	Strawberries, raw/frozen	Captan	8	8	0	0.06887	0.0030	0.2030
086	Strawberries, raw/frozen	Carbaryl	8	0	1	0.00100	0.0080	0.0080
086	Strawberries, raw/frozen	Chlorpyrifos	8	0	1	0.00011	0.0009	0.0009
086	Strawberries, raw/frozen	Cyprodinil	8	5	0	0.03875	0.0110	0.1340
086	Strawberries, raw/frozen	Diazinon	8	0	1	0.00003	0.0002	0.0002
086	Strawberries, raw/frozen	Endosulfan I	8	2	0	0.00225	0.0070	0.0110
086	Strawberries, raw/frozen	Endosulfan II	8	2	0	0.00550	0.0100	0.0340
086	Strawberries, raw/frozen	Endosulfan sulfate	8	2	1	0.00293	0.0004	0.0160
086	Strawberries, raw/frozen	Fenhexamid	8	3	1	0.01605	0.0004	0.0830
086	Strawberries, raw/frozen	Fenpropathrin	8	3	0	0.02075	0.0170	0.1290
086	Strawberries, raw/frozen	Iprodione	8	1	0	0.00150	0.0120	0.0120
086	Strawberries, raw/frozen	Malathion	8	4	1	0.00475	0.0020	0.0170
086	Strawberries, raw/frozen	Methomyl	8	3	0	0.02625	0.0210	0.1630
086	Strawberries, raw/frozen	Vinclozolin	8	2	0	0.00975	0.0140	0.0640
087	Fruit cocktail, canned	Carbaryl	8	3	3	0.00738	0.0020	0.0170
087	Fruit cocktail, canned	Cyprodinil	8	5	0	0.01138	0.0090	0.0430
087	Fruit cocktail, canned	Dicofol, o,p'-	8	0	2	0.00050	0.0010	0.0030
087	Fruit cocktail, canned	Dicofol, p,p'-	8	1	1	0.00175	0.0040	0.0100
087	Fruit cocktail, canned	Permethrin, cis	8	0	1	0.00005	0.0004	0.0004
087	Fruit cocktail, canned	Permethrin, trans	8	0	1	0.00005	0.0004	0.0004
087	Fruit cocktail, canned	Phenylphenol, o-	8	1	0	0.00150	0.0120	0.0120

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
088	Grapes (red/green)	4-Cyclohexene-1,2-dicarboxamide, cis-	8	4	0	0.12825	0.0750	0.5820
088	Grapes (red/green)	Benomyl	8	3	1	0.04138	0.0210	0.1240
088	Grapes (red/green)	Captan	8	4	1	0.06912	0.0020	0.4470
088	Grapes (red/green)	Chlorpyrifos	8	2	2	0.00970	0.0006	0.0600
088	Grapes (red/green)	Cyprodinil	8	3	0	0.19750	0.0330	0.8550
088	Grapes (red/green)	DDE, p,p'	8	0	2	0.00004	0.0001	0.0002
088	Grapes (red/green)	Dicofol, p,p'	8	0	1	0.00013	0.0010	0.0010
088	Grapes (red/green)	Dieldrin	8	0	1	0.00003	0.0002	0.0002
088	Grapes (red/green)	Dimethoate	8	2	1	0.00133	0.0006	0.0070
088	Grapes (red/green)	Fenhexamid	8	2	0	0.00550	0.0120	0.0320
088	Grapes (red/green)	Fenpropathrin	8	1	0	0.01963	0.1570	0.1570
088	Grapes (red/green)	Fludioxonil	8	1	0	0.00888	0.0710	0.0710
088	Grapes (red/green)	Iprodione	8	2	2	0.01795	0.0006	0.1260
088	Grapes (red/green)	Iprodione metabolite	8	0	1	0.00013	0.0010	0.0010
088	Grapes (red/green)	Metalaxyl	8	1	0	0.01637	0.1310	0.1310
088	Grapes (red/green)	Methomyl	8	0	1	0.00075	0.0060	0.0060
088	Grapes (red/green)	Omethoate	8	0	3	0.00188	0.0020	0.0070
088	Grapes (red/green)	Quinoxifen	8	1	0	0.00400	0.0320	0.0320
088	Grapes (red/green)	Trifloxystrobin	8	1	0	0.00600	0.0480	0.0480
089	Cantaloupe	Carbaryl	8	0	2	0.00063	0.0020	0.0030
089	Cantaloupe	Chlorpyrifos	8	0	1	0.00001	0.0001	0.0001
089	Cantaloupe	Diazinon	8	0	1	0.00006	0.0005	0.0005
089	Cantaloupe	Dieldrin	8	0	3	0.00009	0.0002	0.0003
089	Cantaloupe	Endosulfan I	8	0	1	0.00004	0.0003	0.0003
089	Cantaloupe	Endosulfan II	8	0	3	0.00015	0.0001	0.0010
089	Cantaloupe	Endosulfan sulfate	8	4	2	0.00654	0.0001	0.0230
089	Cantaloupe	Permethrin, cis	8	0	1	0.00003	0.0002	0.0002
089	Cantaloupe	Thiabendazole	8	0	1	0.00025	0.0020	0.0020
089	Cantaloupe	Toxaphene	8	2	4	0.01387	0.0030	0.0380
092	Grapefruit, raw	Chlorpyrifos	8	0	1	0.00010	0.0008	0.0008
092	Grapefruit, raw	Ethion	8	0	2	0.00024	0.0009	0.0010
092	Grapefruit, raw	Imazalil	8	1	0	0.01200	0.0960	0.0960
092	Grapefruit, raw	Phenylphenol, o-	8	1	0	0.00175	0.0140	0.0140
092	Grapefruit, raw	Thiabendazole	8	7	1	0.07350	0.0010	0.2520
093	Pineapple, canned	Dieldrin	8	0	1	0.00001	0.0001	0.0001
093	Pineapple, canned	Phenylphenol, o-	8	5	0	0.01163	0.0050	0.0480
093	Pineapple, canned	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
095	Raisins	Chlordane, cis	8	0	1	0.00003	0.0002	0.0002
095	Raisins	Chlordane, trans	8	0	1	0.00001	0.0001	0.0001
095	Raisins	DDE, p,p'	8	0	7	0.00035	0.0002	0.0006
095	Raisins	Dicofol, o,p'	8	0	5	0.00070	0.0003	0.0030
095	Raisins	Dicofol, p,p'	8	1	5	0.00245	0.0006	0.0060
095	Raisins	Diphenylamine	8	4	0	0.00375	0.0060	0.0110
095	Raisins	Endosulfan I	8	0	2	0.00003	0.0001	0.0001
095	Raisins	Endosulfan II	8	0	2	0.00004	0.0001	0.0002
095	Raisins	Fenarimol	8	0	5	0.00096	0.0008	0.0040
095	Raisins	Fenpropathrin	8	2	0	0.01000	0.0250	0.0550
095	Raisins	Malathion	8	1	0	0.00100	0.0080	0.0080
095	Raisins	Nonachlor, trans	8	0	1	0.00001	0.0001	0.0001
095	Raisins	Propargite	8	4	0	0.22562	0.0730	0.9220
095	Raisins	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
097	Avocado	Triphenyl PO4	8	1	0	0.00137	0.0110	0.0110
098	Orange juice, frozen conc	Carbaryl	8	0	5	0.00100	0.0010	0.0020
098	Orange juice, frozen conc	Ethion	8	0	2	0.00018	0.0005	0.0009
098	Orange juice, frozen conc	Methidathion	8	1	0	0.00088	0.0070	0.0070
098	Orange juice, frozen conc	Thiabendazole	8	0	3	0.00050	0.0010	0.0020

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
099	Apple juice, bottled	Azinphos-methyl	8	0	2	0.00100	0.0030	0.0050
099	Apple juice, bottled	Benomyl	8	0	1	0.00213	0.0170	0.0170
099	Apple juice, bottled	Carbaryl	8	1	3	0.00438	0.0030	0.0140
099	Apple juice, bottled	Dimethoate	8	0	1	0.00013	0.0010	0.0010
099	Apple juice, bottled	Methamidophos	8	0	1	0.00010	0.0008	0.0008
099	Apple juice, bottled	Thiabendazole	8	4	1	0.01588	0.0010	0.0880
100	Grapefruit juice, frozen conc	Ethion	8	3	3	0.00115	0.0006	0.0030
100	Grapefruit juice, frozen conc	Ethion OA	8	0	1	0.00006	0.0005	0.0005
100	Grapefruit juice, frozen conc	Thiabendazole	8	4	2	0.00213	0.0020	0.0040
105	Lemonade, frozen conc	Biphenyl	8	1	0	0.00050	0.0040	0.0040
105	Lemonade, frozen conc	Chlorpyrifos	8	0	3	0.00021	0.0003	0.0008
105	Lemonade, frozen conc	Dicloran	8	0	1	0.00009	0.0007	0.0007
105	Lemonade, frozen conc	Thiabendazole	8	1	1	0.00050	0.0010	0.0030
107	Spinach, fresh/frozen	Acephate	8	1	0	0.00125	0.0100	0.0100
107	Spinach, fresh/frozen	Bifenthrin	8	1	0	0.02650	0.2120	0.2120
107	Spinach, fresh/frozen	Chlordane, cis	8	0	1	0.00006	0.0005	0.0005
107	Spinach, fresh/frozen	Chlordane, trans	8	0	1	0.00003	0.0002	0.0002
107	Spinach, fresh/frozen	Chlorpyrifos	8	1	1	0.00100	0.0020	0.0060
107	Spinach, fresh/frozen	Cypermethrin	8	3	0	0.18475	0.0230	1.1100
107	Spinach, fresh/frozen	DCPA	8	0	3	0.00020	0.0002	0.0009
107	Spinach, fresh/frozen	DDE, p,p'-	8	5	2	0.00328	0.0004	0.0080
107	Spinach, fresh/frozen	DDT, o,p'-	8	0	3	0.00009	0.0001	0.0003
107	Spinach, fresh/frozen	DDT, p,p'-	8	0	4	0.00030	0.0004	0.0010
107	Spinach, fresh/frozen	Dicloran	8	0	1	0.00003	0.0002	0.0002
107	Spinach, fresh/frozen	Dieldrin	8	1	4	0.00040	0.0001	0.0020
107	Spinach, fresh/frozen	Dimethoate	8	1	1	0.00274	0.0009	0.0210
107	Spinach, fresh/frozen	Endosulfan I	8	1	2	0.00465	0.0001	0.0370
107	Spinach, fresh/frozen	Endosulfan II	8	1	2	0.01080	0.0002	0.0860
107	Spinach, fresh/frozen	Endosulfan sulfate	8	3	1	0.03654	0.0003	0.2850
107	Spinach, fresh/frozen	Methamidophos	8	1	0	0.00088	0.0070	0.0070
107	Spinach, fresh/frozen	Methomyl	8	1	1	0.00312	0.0050	0.0200
107	Spinach, fresh/frozen	Nonachlor, trans	8	0	1	0.00003	0.0002	0.0002
107	Spinach, fresh/frozen	Omethoate	8	3	1	0.00563	0.0010	0.0160
107	Spinach, fresh/frozen	Pentachloroaniline	8	0	2	0.00005	0.0001	0.0003
107	Spinach, fresh/frozen	Permethrin, cis	8	7	1	1.04825	0.0030	4.1300
107	Spinach, fresh/frozen	Permethrin, trans	8	7	1	1.14738	0.0020	4.2700
107	Spinach, fresh/frozen	TDE, p,p'-	8	0	2	0.00004	0.0001	0.0002
107	Spinach, fresh/frozen	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
108	Collards, fresh/frozen	3-hydroxycarbofuran	8	0	1	0.00075	0.0060	0.0060
108	Collards, fresh/frozen	Biphenyl	8	1	0	0.00038	0.0030	0.0030
108	Collards, fresh/frozen	Carbofuran	8	0	1	0.00025	0.0020	0.0020
108	Collards, fresh/frozen	Chlordane, cis	8	0	1	0.00001	0.0001	0.0001
108	Collards, fresh/frozen	Chlordane, trans	8	0	1	0.00001	0.0001	0.0001
108	Collards, fresh/frozen	Chlorpyrifos	8	0	2	0.00019	0.0005	0.0010
108	Collards, fresh/frozen	Cypermethrin	8	4	1	0.10525	0.0120	0.5090
108	Collards, fresh/frozen	DCPA	8	2	1	0.00116	0.0003	0.0060
108	Collards, fresh/frozen	DDE, p,p'-	8	4	2	0.00299	0.0003	0.0140
108	Collards, fresh/frozen	DDT, o,p'-	8	0	1	0.00006	0.0005	0.0005
108	Collards, fresh/frozen	DDT, p,p'-	8	0	4	0.00015	0.0001	0.0004
108	Collards, fresh/frozen	DEF	8	1	1	0.00050	0.0010	0.0030
108	Collards, fresh/frozen	Diazinon	8	1	0	0.00038	0.0030	0.0030
108	Collards, fresh/frozen	Dieldrin	8	1	3	0.00040	0.0002	0.0020
108	Collards, fresh/frozen	Dimethoate	8	0	1	0.00006	0.0005	0.0005
108	Collards, fresh/frozen	Endosulfan I	8	1	1	0.00043	0.0004	0.0030

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
108	Collards, fresh/frozen	Endosulfan II	8	0	3	0.00018	0.0001	0.0009
108	Collards, fresh/frozen	Endosulfan sulfate	8	2	2	0.00091	0.0001	0.0050
108	Collards, fresh/frozen	Esfenvalerate	8	0	1	0.00038	0.0030	0.0030
108	Collards, fresh/frozen	Ethylenethiourea	8	2	0	0.00375	0.0100	0.0200
108	Collards, fresh/frozen	Lambda-cyhalothrin	8	1	0	0.00950	0.0760	0.0760
108	Collards, fresh/frozen	Nonachlor, trans	8	0	1	0.00001	0.0001	0.0001
108	Collards, fresh/frozen	Omethoate	8	0	1	0.00088	0.0070	0.0070
108	Collards, fresh/frozen	Permethrin, cis	8	3	1	0.05063	0.0030	0.2660
108	Collards, fresh/frozen	Permethrin, trans	8	3	1	0.05025	0.0030	0.2980
108	Collards, fresh/frozen	TDE, o,p'-	8	0	1	0.00004	0.0003	0.0003
108	Collards, fresh/frozen	TDE, p,p'-	8	0	2	0.00006	0.0001	0.0004
108	Collards, fresh/frozen	Toxaphene	8	0	1	0.00013	0.0010	0.0010
109	Lettuce, iceberg	Acephate	8	2	2	0.00700	0.0020	0.0430
109	Lettuce, iceberg	Cypermethrin	8	0	2	0.00138	0.0030	0.0080
109	Lettuce, iceberg	DCPA	8	1	0	0.00025	0.0020	0.0020
109	Lettuce, iceberg	Diazinon	8	0	1	0.00013	0.0010	0.0010
109	Lettuce, iceberg	Dimethoate	8	2	2	0.00213	0.0010	0.0080
109	Lettuce, iceberg	Endosulfan I	8	2	2	0.00084	0.0003	0.0040
109	Lettuce, iceberg	Endosulfan II	8	1	3	0.00046	0.0002	0.0020
109	Lettuce, iceberg	Endosulfan sulfate	8	2	3	0.00136	0.0002	0.0050
109	Lettuce, iceberg	Methamidophos	8	0	3	0.00060	0.0008	0.0030
109	Lettuce, iceberg	Methomyl	8	1	1	0.00213	0.0030	0.0140
109	Lettuce, iceberg	Omethoate	8	1	1	0.00162	0.0040	0.0090
109	Lettuce, iceberg	Permethrin, cis	8	0	4	0.00150	0.0020	0.0040
109	Lettuce, iceberg	Permethrin, trans	8	0	4	0.00113	0.0010	0.0040
109	Lettuce, iceberg	Vinclozolin	8	0	2	0.00018	0.0004	0.0010
110	Cabbage, fresh	Dimethoate	8	1	0	0.00038	0.0030	0.0030
110	Cabbage, fresh	Endosulfan II	8	0	1	0.00001	0.0001	0.0001
110	Cabbage, fresh	Endosulfan sulfate	8	2	0	0.00075	0.0020	0.0040
110	Cabbage, fresh	Omethoate	8	0	1	0.00062	0.0050	0.0050
110	Cabbage, fresh	Permethrin, cis	8	0	2	0.00023	0.0008	0.0010
110	Cabbage, fresh	Permethrin, trans	8	0	2	0.00025	0.0010	0.0010
113	Broccoli, fresh/frozen	Chlorpyrifos	8	1	2	0.00066	0.0003	0.0030
113	Broccoli, fresh/frozen	DCPA	8	2	0	0.00100	0.0020	0.0060
113	Broccoli, fresh/frozen	DDE, p,p'-	8	0	5	0.00013	0.0001	0.0003
113	Broccoli, fresh/frozen	Dimethoate	8	1	2	0.00113	0.0020	0.0050
113	Broccoli, fresh/frozen	Endosulfan I	8	0	1	0.00003	0.0002	0.0002
113	Broccoli, fresh/frozen	Endosulfan II	8	0	1	0.00003	0.0002	0.0002
113	Broccoli, fresh/frozen	Omethoate	8	0	1	0.00038	0.0030	0.0030
113	Broccoli, fresh/frozen	Permethrin, cis	8	0	2	0.00025	0.0010	0.0010
113	Broccoli, fresh/frozen	Permethrin, trans	8	0	2	0.00034	0.0007	0.0020
113	Broccoli, fresh/frozen	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
114	Celery	2,4-Dichloro-6-nitrobenzeneamine	8	2	4	0.00263	0.0010	0.0080
114	Celery	Acephate	8	4	1	0.02938	0.0050	0.1860
114	Celery	Chlorothalonil	8	1	0	0.00725	0.0580	0.0580
114	Celery	Chlorpropham	8	0	1	0.00013	0.0010	0.0010
114	Celery	Chlorpyrifos	8	0	1	0.00009	0.0007	0.0007
114	Celery	Cypermethrin	8	0	2	0.00087	0.0020	0.0050
114	Celery	DDE, p,p'-	8	1	6	0.00054	0.0002	0.0020
114	Celery	DDT, p,p'-	8	0	2	0.00010	0.0001	0.0007
114	Celery	Dicloran	8	7	0	0.09413	0.0190	0.2230
114	Celery	Dimethoate	8	1	0	0.00175	0.0140	0.0140
114	Celery	Malathion	8	1	0	0.00038	0.0030	0.0030
114	Celery	Methamidophos	8	1	2	0.00186	0.0009	0.0130
114	Celery	Methomyl	8	0	1	0.00025	0.0020	0.0020
114	Celery	Omethoate	8	1	2	0.00362	0.0020	0.0200

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
250	English muffin, plain	Biphenyl	8	1	0	0.00062	0.0050	0.0050
250	English muffin, plain	Chlorpyrifos methyl	8	3	4	0.00388	0.0010	0.0120
250	English muffin, plain	Malathion	8	7	1	0.01275	0.0020	0.0510
250	English muffin, plain	Phenylphenol, o-	8	8	0	0.38112	0.0530	0.7400
250	English muffin, plain	Pirimiphos methyl	8	1	1	0.00083	0.0006	0.0060
251	Graham, crackers	Chlorpyrifos methyl	8	7	1	0.01150	0.0020	0.0270
251	Graham, crackers	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
251	Graham, crackers	Malathion	8	7	1	0.01013	0.0020	0.0180
251	Graham, crackers	Triphenyl PO4	8	1	0	0.00812	0.0650	0.0650
252	Crackers, butter-type	Chlorpyrifos methyl	8	3	4	0.00323	0.0008	0.0090
252	Crackers, butter-type	Malathion	8	5	1	0.00500	0.0020	0.0180
252	Crackers, butter-type	Methoxychlor, p,p'-	8	0	2	0.00008	0.0002	0.0004
254	Peach, canned	Carbaryl	8	3	1	0.01125	0.0110	0.0310
254	Peach, canned	Cyprodinil	8	1	0	0.00313	0.0250	0.0250
254	Peach, canned	Permethrin, cis	8	0	1	0.00003	0.0002	0.0002
254	Peach, canned	Permethrin, trans	8	0	1	0.00004	0.0003	0.0003
255	Pear, canned	Thiabendazole	8	0	2	0.00038	0.0010	0.0020
256	Pineapple juice, frozen conc	Endosulfan sulfate	8	0	2	0.00008	0.0002	0.0004
256	Pineapple juice, frozen conc	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
256	Pineapple juice, frozen conc	Triadimefon	8	0	1	0.00010	0.0008	0.0008
257	Grape juice, frozen conc	Carbaryl	8	0	4	0.00175	0.0020	0.0050
258	French-fries	Chlorpropham	8	6	0	0.46500	0.0510	2.1700
258	French-fries	DDE, p,p'-	8	0	1	0.00011	0.0009	0.0009
258	French-fries	Dieldrin	8	0	2	0.00006	0.0001	0.0004
258	French-fries	Endosulfan sulfate	8	2	5	0.00161	0.0003	0.0070
258	French-fries	Isopropyl (3-chloro-4-methoxyphenyl) carbamate	8	2	3	0.00836	0.0009	0.0460
258	French-fries	Malathion	8	1	0	0.00038	0.0030	0.0030
258	French-fries	Pentachloroaniline	8	1	1	0.00023	0.0008	0.0010
258	French-fries	Pentachlorobenzene	8	0	2	0.00014	0.0005	0.0006
258	French-fries	Pentachlorophenyl methyl sulfide	8	0	1	0.00004	0.0003	0.0003
258	French-fries	Triphenyl PO4	8	1	0	0.00725	0.0580	0.0580
259	Carrot, fresh	DDE, p,p'-	8	0	3	0.00009	0.0001	0.0005
259	Carrot, fresh	Iprodione	8	0	1	0.00010	0.0008	0.0008
259	Carrot, fresh	Iprodione metabolite	8	0	1	0.00050	0.0040	0.0040
259	Carrot, fresh	Linuron	8	0	1	0.00112	0.0090	0.0090
259	Carrot, fresh	Pentachloroaniline	8	0	1	0.00001	0.0001	0.0001
259	Carrot, fresh	Pentachlorobenzene	8	0	1	0.00001	0.0001	0.0001
259	Carrot, fresh	Permethrin, cis	8	0	1	0.00005	0.0004	0.0004
259	Carrot, fresh	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
259	Carrot, fresh	Quintozone	8	0	1	0.00003	0.0002	0.0002
259	Carrot, fresh	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
261	Tomato juice, bottled	Acephate	8	1	0	0.00075	0.0060	0.0060
261	Tomato juice, bottled	Dimethoate	8	0	1	0.00008	0.0006	0.0006
261	Tomato juice, bottled	Endosulfan II	8	0	3	0.00005	0.0001	0.0002
261	Tomato juice, bottled	Endosulfan sulfate	8	0	1	0.00001	0.0001	0.0001
261	Tomato juice, bottled	Methamidophos	8	0	3	0.00093	0.0004	0.0040
263	Brussels sprouts, fresh/frozen	Chlordane, cis	8	0	1	0.00001	0.0001	0.0001
263	Brussels sprouts, fresh/frozen	Chlorpyrifos	8	6	1	0.01150	0.0020	0.0540
263	Brussels sprouts, fresh/frozen	DDE, p,p'-	8	0	3	0.00010	0.0001	0.0005

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
263	Brussels sprouts, fresh/frozen	Dieldrin	8	0	2	0.00005	0.0002	0.0002
263	Brussels sprouts, fresh/frozen	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
263	Brussels sprouts, fresh/frozen	Endosulfan II	8	0	1	0.00004	0.0003	0.0003
263	Brussels sprouts, fresh/frozen	Endosulfan sulfate	8	1	1	0.00028	0.0002	0.0020
263	Brussels sprouts, fresh/frozen	Pentachloroaniline	8	0	1	0.00009	0.0007	0.0007
263	Brussels sprouts, fresh/frozen	Permethrin, cis	8	1	1	0.00175	0.0010	0.0130
263	Brussels sprouts, fresh/frozen	Permethrin, trans	8	1	1	0.00250	0.0010	0.0190
264	Mushrooms, raw	Benomyl	8	5	0	0.14475	0.0320	0.8050
264	Mushrooms, raw	Diazinon	8	2	0	0.00063	0.0020	0.0030
264	Mushrooms, raw	Permethrin, cis	8	0	1	0.00013	0.0010	0.0010
264	Mushrooms, raw	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
264	Mushrooms, raw	Phenylphenol, o-	8	1	0	0.00375	0.0300	0.0300
264	Mushrooms, raw	Thiabendazole	8	7	0	0.07337	0.0040	0.2170
265	Eggplant, fresh	Acephate	8	0	1	0.00050	0.0040	0.0040
265	Eggplant, fresh	Endosulfan sulfate	8	0	2	0.00020	0.0006	0.0010
265	Eggplant, fresh	Ethylenethiourea	8	1	0	0.00163	0.0130	0.0130
265	Eggplant, fresh	Methamidophos	8	2	0	0.00275	0.0070	0.0150
265	Eggplant, fresh	Permethrin, cis	8	0	1	0.00001	0.0001	0.0001
265	Eggplant, fresh	Permethrin, trans	8	0	1	0.00003	0.0002	0.0002
266	Turnip, fresh/frozen	BHC, beta	8	0	1	0.00003	0.0002	0.0002
266	Turnip, fresh/frozen	Chlorpyrifos	8	6	0	0.02237	0.0080	0.0980
266	Turnip, fresh/frozen	Cypermethrin	8	0	1	0.00025	0.0020	0.0020
266	Turnip, fresh/frozen	DCEP	8	1	0	0.00125	0.0100	0.0100
266	Turnip, fresh/frozen	DDE, p,p'-	8	1	2	0.00036	0.0004	0.0020
266	Turnip, fresh/frozen	DDT, o,p'-	8	0	1	0.00001	0.0001	0.0001
266	Turnip, fresh/frozen	DDT, p,p'-	8	0	1	0.00003	0.0002	0.0002
266	Turnip, fresh/frozen	Dieldrin	8	0	3	0.00019	0.0002	0.0010
266	Turnip, fresh/frozen	Dimethoate	8	1	0	0.00062	0.0050	0.0050
266	Turnip, fresh/frozen	Endosulfan II	8	0	3	0.00019	0.0003	0.0009
266	Turnip, fresh/frozen	Endosulfan sulfate	8	0	5	0.00026	0.0001	0.0009
266	Turnip, fresh/frozen	Omethoate	8	0	1	0.00050	0.0040	0.0040
266	Turnip, fresh/frozen	Permethrin, cis	8	1	3	0.00136	0.0003	0.0070
266	Turnip, fresh/frozen	Permethrin, trans	8	1	3	0.00159	0.0002	0.0090
266	Turnip, fresh/frozen	TDE, o,p'-	8	0	1	0.00003	0.0002	0.0002
266	Turnip, fresh/frozen	TDE, p,p'-	8	0	1	0.00004	0.0003	0.0003
267	Okra, fresh/frozen	Endosulfan I	8	1	0	0.00062	0.0050	0.0050
267	Okra, fresh/frozen	Endosulfan II	8	1	0	0.00463	0.0370	0.0370
267	Okra, fresh/frozen	Endosulfan sulfate	8	1	0	0.00725	0.0580	0.0580
267	Okra, fresh/frozen	Malathion	8	1	0	0.00038	0.0030	0.0030
267	Okra, fresh/frozen	Methomyl	8	0	1	0.00025	0.0020	0.0020
268	Mixed vegetables, frozen	Acephate	8	2	3	0.02012	0.0020	0.0870
268	Mixed vegetables, frozen	Bifenthrin	8	0	2	0.00019	0.0005	0.0010
268	Mixed vegetables, frozen	Cypermethrin	8	0	1	0.00006	0.0005	0.0005
268	Mixed vegetables, frozen	Dimethoate	8	0	1	0.00005	0.0004	0.0004
268	Mixed vegetables, frozen	Methamidophos	8	2	3	0.00550	0.0010	0.0290
268	Mixed vegetables, frozen	Pentachloroaniline	8	1	1	0.00015	0.0002	0.0010
268	Mixed vegetables, frozen	Pentachlorobenzene	8	0	1	0.00004	0.0003	0.0003
268	Mixed vegetables, frozen	Quintozene	8	1	0	0.00062	0.0050	0.0050
268	Mixed vegetables, frozen	Vinclozolin	8	0	4	0.00098	0.0008	0.0030
269	Beef stroganoff w/ noodles	Chlorpyrifos methyl	8	0	6	0.00075	0.0002	0.0020

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
269	Beef stroganoff w/ noodles	DDE, p,p'-	8	1	2	0.00034	0.0002	0.0020
269	Beef stroganoff w/ noodles	Diazinon	8	0	1	0.00006	0.0005	0.0005
269	Beef stroganoff w/ noodles	Dieldrin	8	0	3	0.00005	0.0001	0.0002
269	Beef stroganoff w/ noodles	Malathion	8	2	3	0.00131	0.0005	0.0030
272	Tuna noodle casserole	Chlorpropham	8	1	1	0.00212	0.0020	0.0150
272	Tuna noodle casserole	Chlorpyrifos	8	0	1	0.00025	0.0020	0.0020
272	Tuna noodle casserole	Chlorpyrifos methyl	8	0	5	0.00079	0.0003	0.0020
272	Tuna noodle casserole	DDE, p,p'-	8	0	7	0.00055	0.0002	0.0010
272	Tuna noodle casserole	Dicloran	8	6	1	0.00571	0.0007	0.0100
272	Tuna noodle casserole	Dieldrin	8	0	2	0.00008	0.0001	0.0005
272	Tuna noodle casserole	Endosulfan I	8	0	3	0.00014	0.0001	0.0008
272	Tuna noodle casserole	Endosulfan II	8	1	4	0.00053	0.0001	0.0030
272	Tuna noodle casserole	Endosulfan sulfate	8	1	3	0.00039	0.0002	0.0020
272	Tuna noodle casserole	Malathion	8	0	4	0.00058	0.0006	0.0020
272	Tuna noodle casserole	Permethrin, cis	8	0	5	0.00041	0.0004	0.0010
272	Tuna noodle casserole	Permethrin, trans	8	0	5	0.00040	0.0003	0.0010
275	Qtr-lb cheeseburger	Chlorpropham	8	0	1	0.00013	0.0010	0.0010
275	Qtr-lb cheeseburger	Chlorpyrifos methyl	8	1	4	0.00106	0.0005	0.0030
275	Qtr-lb cheeseburger	DDE, p,p'-	8	4	3	0.00153	0.0004	0.0030
275	Qtr-lb cheeseburger	Dieldrin	8	0	8	0.00033	0.0001	0.0010
275	Qtr-lb cheeseburger	Endosulfan I	8	0	2	0.00005	0.0002	0.0002
275	Qtr-lb cheeseburger	Endosulfan II	8	0	2	0.00005	0.0002	0.0002
275	Qtr-lb cheeseburger	Endosulfan sulfate	8	1	1	0.00028	0.0002	0.0020
275	Qtr-lb cheeseburger	Malathion	8	2	5	0.00263	0.0010	0.0070
275	Qtr-lb cheeseburger	Pirimiphos methyl	8	0	1	0.00013	0.0010	0.0010
276	Fish sandwich	Chlorpyrifos methyl	8	2	4	0.00168	0.0007	0.0050
276	Fish sandwich	DDE, p,p'-	8	0	6	0.00025	0.0002	0.0007
276	Fish sandwich	Dieldrin	8	0	6	0.00025	0.0001	0.0008
276	Fish sandwich	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
276	Fish sandwich	Malathion	8	5	2	0.00321	0.0007	0.0080
278	Egg, cheese, and ham on English muffin	Chlorpyrifos methyl	8	0	5	0.00084	0.0007	0.0020
278	Egg, cheese, and ham on English muffin	DDE, p,p'-	8	0	6	0.00059	0.0004	0.0010
278	Egg, cheese, and ham on English muffin	Dieldrin	8	0	1	0.00005	0.0004	0.0004
278	Egg, cheese, and ham on English muffin	Malathion	8	4	3	0.00220	0.0006	0.0050
278	Egg, cheese, and ham on English muffin	Pirimiphos methyl	8	0	4	0.00050	0.0010	0.0010
279	Taco/tostada w/ beef and cheese	2-chloroethyl caprate	8	0	1	0.00004	0.0003	0.0003
279	Taco/tostada w/ beef and cheese	2-chloroethyl laurate	8	0	2	0.00045	0.0006	0.0030
279	Taco/tostada w/ beef and cheese	2-chloroethyl linoleate	8	8	0	0.14437	0.0180	0.3500
279	Taco/tostada w/ beef and cheese	2-chloroethyl myristate	8	1	4	0.00225	0.0010	0.0080
279	Taco/tostada w/ beef and cheese	2-chloroethyl palmitate	8	5	3	0.01663	0.0020	0.0410
279	Taco/tostada w/ beef and cheese	2-chloroethyl stearate	8	0	2	0.00113	0.0020	0.0070
279	Taco/tostada w/ beef and cheese	Chlorpyrifos methyl	8	0	1	0.00008	0.0006	0.0006
279	Taco/tostada w/ beef and cheese	DDE, p,p'-	8	2	5	0.00096	0.0003	0.0020

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
279	Taco/tostada w/ beef and cheese	Dieldrin	8	0	5	0.00020	0.0001	0.0010
279	Taco/tostada w/ beef and cheese	Endosulfan I	8	0	5	0.00026	0.0003	0.0007
279	Taco/tostada w/ beef and cheese	Endosulfan II	8	0	4	0.00026	0.0003	0.0009
279	Taco/tostada w/ beef and cheese	Endosulfan sulfate	8	2	3	0.00073	0.0003	0.0020
279	Taco/tostada w/ beef and cheese	Ethion	8	0	1	0.00006	0.0005	0.0005
279	Taco/tostada w/ beef and cheese	Malathion	8	1	1	0.00175	0.0020	0.0120
281	Pizza, cheese and pepperoni	2-chloroethyl linoleate	8	3	3	0.01100	0.0030	0.0270
281	Pizza, cheese and pepperoni	2-chloroethyl palmitate	8	0	4	0.00069	0.0005	0.0030
281	Pizza, cheese and pepperoni	Chlorpyrifos	8	0	2	0.00014	0.0002	0.0009
281	Pizza, cheese and pepperoni	Chlorpyrifos methyl	8	3	2	0.00462	0.0010	0.0180
281	Pizza, cheese and pepperoni	DDE, p,p'	8	1	6	0.00076	0.0002	0.0020
281	Pizza, cheese and pepperoni	Dieldrin	8	0	1	0.00004	0.0003	0.0003
281	Pizza, cheese and pepperoni	Endosulfan I	8	1	3	0.00024	0.0002	0.0010
281	Pizza, cheese and pepperoni	Endosulfan II	8	1	4	0.00050	0.0001	0.0020
281	Pizza, cheese and pepperoni	Endosulfan sulfate	8	0	4	0.00028	0.0002	0.0009
281	Pizza, cheese and pepperoni	Ethion	8	1	3	0.00054	0.0003	0.0020
281	Pizza, cheese and pepperoni	Malathion	8	4	4	0.00450	0.0010	0.0160
281	Pizza, cheese and pepperoni	Permethrin, cis	8	0	1	0.00001	0.0001	0.0001
281	Pizza, cheese and pepperoni	Permethrin, trans	8	0	1	0.00001	0.0001	0.0001
283	Soup, bean w/ bacon/pork	Chlorpyrifos	8	0	1	0.00006	0.0005	0.0005
285	Clam chowder, New England	Chlorpropham	8	6	1	0.02200	0.0030	0.0820
285	Clam chowder, New England	DDE, p,p'	8	0	5	0.00023	0.0001	0.0010
285	Clam chowder, New England	DDT, p,p'	8	0	1	0.00003	0.0002	0.0002
285	Clam chowder, New England	Dieldrin	8	0	2	0.00003	0.0001	0.0001
285	Clam chowder, New England	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
285	Clam chowder, New England	TDE, p,p'	8	0	1	0.00001	0.0001	0.0001
286	Ice cream, vanilla	DDE, p,p'	8	3	4	0.00213	0.0003	0.0070
286	Ice cream, vanilla	Dieldrin	8	0	5	0.00008	0.0001	0.0002
287	Sherbet, fruit-flavored	Captan	8	0	1	0.00025	0.0020	0.0020
287	Sherbet, fruit-flavored	DDE, p,p'	8	0	2	0.00009	0.0001	0.0006
288	Popsicle, fruit-flavored	Captan	8	0	1	0.00011	0.0009	0.0009
288	Popsicle, fruit-flavored	Methidathion	8	1	1	0.00046	0.0007	0.0030

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
290	Doughnut, cake-type	2-chloroethyl laurate	8	0	1	0.00004	0.0003	0.0003
290	Doughnut, cake-type	2-chloroethyl linoleate	8	0	1	0.00038	0.0030	0.0030
290	Doughnut, cake-type	2-chloroethyl myristate	8	1	0	0.00100	0.0080	0.0080
290	Doughnut, cake-type	2-chloroethyl palmitate	8	0	1	0.00025	0.0020	0.0020
290	Doughnut, cake-type	Chlorpyrifos	8	0	1	0.00025	0.0020	0.0020
290	Doughnut, cake-type	Chlorpyrifos methyl	8	5	3	0.00425	0.0005	0.0130
290	Doughnut, cake-type	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00225	0.0180	0.0180
290	Doughnut, cake-type	Malathion	8	5	3	0.00425	0.0020	0.0100
291	Brownie	Chlorpyrifos methyl	8	2	4	0.00198	0.0008	0.0080
291	Brownie	Lindane	8	1	2	0.00035	0.0003	0.0020
291	Brownie	Malathion	8	4	3	0.00279	0.0003	0.0070
292	Sugar cookies	Chlorpyrifos	8	0	1	0.00001	0.0001	0.0001
292	Sugar cookies	Chlorpyrifos methyl	8	5	3	0.00580	0.0007	0.0110
292	Sugar cookies	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00538	0.0430	0.0430
292	Sugar cookies	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
292	Sugar cookies	Malathion	8	8	0	0.01313	0.0040	0.0400
293	Candy, hard, any flavor	Chlorpyrifos	8	0	1	0.00003	0.0002	0.0002
293	Candy, hard, any flavor	Ethion	8	0	1	0.00005	0.0004	0.0004
293	Candy, hard, any flavor	Methidathion	8	1	0	0.00038	0.0030	0.0030
294	Pretzels, hard, salted	Chlorpyrifos	8	0	2	0.00006	0.0001	0.0004
294	Pretzels, hard, salted	Chlorpyrifos methyl	8	7	1	0.01375	0.0020	0.0390
294	Pretzels, hard, salted	Malathion	8	6	2	0.01200	0.0020	0.0260
294	Pretzels, hard, salted	Methoxychlor, p,p'	8	0	1	0.00001	0.0001	0.0001
296	Jelly	1-naphthol (carbaryl mtb)	8	1	0	0.00575	0.0460	0.0460
296	Jelly	Carbaryl	8	2	4	0.01063	0.0040	0.0350
296	Jelly	Malathion	8	1	0	0.00088	0.0070	0.0070
296	Jelly	Procymidone	8	0	1	0.00001	0.0001	0.0001
296	Jelly	Thiabendazole	8	1	0	0.00050	0.0040	0.0040
298	Mustard	2-chloroethyl laurate	8	0	1	0.00025	0.0020	0.0020
298	Mustard	2-chloroethyl linoleate	8	8	0	0.18287	0.0140	0.5520
298	Mustard	2-chloroethyl myristate	8	0	6	0.00313	0.0020	0.0050
298	Mustard	2-chloroethyl palmitate	8	5	3	0.02650	0.0030	0.0650
298	Mustard	2-chloroethyl stearate	8	1	1	0.00300	0.0060	0.0180
298	Mustard	Chlorpyrifos	8	0	2	0.00020	0.0006	0.0010
298	Mustard	DDT, p,p'	8	0	1	0.00001	0.0001	0.0001
298	Mustard	Lindane	8	0	6	0.00011	0.0001	0.0003
298	Mustard	Malathion	8	0	1	0.00011	0.0009	0.0009
299	Black olives	Chlorpyrifos	8	0	7	0.00081	0.0005	0.0020
299	Black olives	DCPA	8	0	2	0.00011	0.0004	0.0005
299	Black olives	DDE, p,p'	8	0	4	0.00008	0.0001	0.0002
299	Black olives	Dicofol, p,p'	8	0	5	0.00094	0.0006	0.0030
299	Black olives	Endosulfan I	8	0	4	0.00006	0.0001	0.0002
299	Black olives	Endosulfan sulfate	8	0	7	0.00036	0.0002	0.0009
299	Black olives	Lindane	8	0	1	0.00005	0.0004	0.0004
299	Black olives	Permethrin, cis	8	0	1	0.00004	0.0003	0.0003
299	Black olives	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
300	Sour cream	DDE, p,p'	8	1	7	0.00244	0.0003	0.0150
300	Sour cream	Dieldrin	8	0	6	0.00020	0.0001	0.0004
300	Sour cream	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
300	Sour cream	Heptachlor epoxide	8	0	1	0.00001	0.0001	0.0001
300	Sour cream	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
300	Sour cream	Permethrin, cis	8	0	2	0.00011	0.0003	0.0006
300	Sour cream	Permethrin, trans	8	0	2	0.00013	0.0004	0.0006
306	Fruit-flavored carb bev	Carbaryl	8	0	1	0.00038	0.0030	0.0030
307	Fruit drink, canned	Thiabendazole	8	0	1	0.00013	0.0010	0.0010
313	BF, bananas	Chlorpyrifos	8	0	1	0.00004	0.0003	0.0003
313	BF, bananas	Thiabendazole	8	0	2	0.00038	0.0010	0.0020

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
317	BF, teething biscuits	Chlorpyrifos	8	1	1	0.00208	0.0006	0.0160
317	BF, teething biscuits	Chlorpyrifos methyl	8	6	2	0.01537	0.0020	0.0580
317	BF, teething biscuits	DDE, p,p'-	8	0	1	0.00006	0.0005	0.0005
317	BF, teething biscuits	Malathion	8	8	0	0.02137	0.0060	0.0460
317	BF, teething biscuits	Pirimiphos methyl	8	1	1	0.00150	0.0010	0.0110
318	Salmon	BHC, alpha	8	2	3	0.00055	0.0001	0.0020
318	Salmon	Chlordane, cis	8	1	0	0.00050	0.0040	0.0040
318	Salmon	DDE, p,p'-	8	6	2	0.00650	0.0010	0.0340
318	Salmon	DDT, p,p'-	8	0	1	0.00004	0.0003	0.0003
318	Salmon	Dieldrin	8	0	8	0.00034	0.0001	0.0006
318	Salmon	Endosulfan sulfate	8	0	1	0.00003	0.0002	0.0002
318	Salmon	Heptachlor epoxide	8	0	1	0.00001	0.0001	0.0001
318	Salmon	Hexachlorobenzene	8	0	6	0.00023	0.0002	0.0004
318	Salmon	Lindane	8	0	2	0.00005	0.0001	0.0003
318	Salmon	Nonachlor, trans	8	1	0	0.00025	0.0020	0.0020
318	Salmon	PCBs	8	4	4	0.01175	0.0040	0.0260
318	Salmon	Pentachlorobenzene	8	0	1	0.00001	0.0001	0.0001
318	Salmon	TDE, p,p'-	8	2	3	0.00152	0.0004	0.0090
320	BF, squash	DDE, p,p'-	8	0	1	0.00009	0.0007	0.0007
320	BF, squash	Dieldrin	8	0	4	0.00036	0.0002	0.0010
320	BF, squash	Endosulfan I	8	1	0	0.00025	0.0020	0.0020
320	BF, squash	Endosulfan II	8	0	1	0.00004	0.0003	0.0003
320	BF, squash	Endosulfan sulfate	8	1	5	0.00050	0.0001	0.0030
320	BF, squash	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
320	BF, squash	Pentachloroaniline	8	1	1	0.00141	0.0003	0.0110
320	BF, squash	Pentachlorobenzene	8	0	1	0.00003	0.0002	0.0002
320	BF, squash	Pentachlorophenyl methyl ether	8	1	0	0.00038	0.0030	0.0030
323	BF, cereal, oatmeal	Biphenyl	8	1	0	0.00025	0.0020	0.0020
323	BF, cereal, oatmeal	Clopyralid	8	0	6	0.00086	0.0002	0.0030
323	BF, cereal, oatmeal	Dicamba	8	0	8	0.00093	0.0005	0.0020
323	BF, cereal, oatmeal	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00500	0.0400	0.0400
323	BF, cereal, oatmeal	Malathion	8	1	0	0.00050	0.0040	0.0040
323	BF, cereal, oatmeal	Tributyl PO4	8	1	0	0.00888	0.0710	0.0710
324	BF, cereal, rice	2,4-D	8	0	1	0.00003	0.0002	0.0002
324	BF, cereal, rice	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.05375	0.4300	0.4300
324	BF, cereal, rice	Malathion	8	0	1	0.00008	0.0006	0.0006
324	BF, cereal, rice	Quinlorac	8	0	8	0.00151	0.0004	0.0030
324	BF, cereal, rice	Tributyl PO4	8	1	0	0.00888	0.0710	0.0710
324	BF, cereal, rice	Triclopyr	8	0	1	0.00008	0.0006	0.0006
325	BF, cereal, rice w/apples	Azinphos-methyl	8	0	1	0.00025	0.0020	0.0020
325	BF, cereal, rice w/apples	Biphenyl	8	1	0	0.00025	0.0020	0.0020
325	BF, cereal, rice w/apples	Carbaryl	8	0	3	0.00063	0.0010	0.0020
325	BF, cereal, rice w/apples	Dicofol, p,p'-	8	0	1	0.00003	0.0002	0.0002
325	BF, cereal, rice w/apples	Diphenylamine	8	1	0	0.00100	0.0080	0.0080
325	BF, cereal, rice w/apples	Malathion	8	0	1	0.00009	0.0007	0.0007
325	BF, cereal, rice w/apples	Phosmet	8	1	0	0.00163	0.0130	0.0130
325	BF, cereal, rice w/apples	Quinlorac	8	0	7	0.00078	0.0005	0.0010
325	BF, cereal, rice w/apples	Thiabendazole	8	0	2	0.00025	0.0010	0.0010
326	BF, veal w/gravy	DDE, p,p'-	8	1	3	0.00046	0.0001	0.0030
327	BF, lamb w/gravy	DDE, p,p'-	8	6	2	0.00283	0.0006	0.0090
328	BF, turkey w/gravy	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
332	Cottage cheese, 2% fat	DDE, p,p'-	8	1	1	0.00028	0.0002	0.0020
333	Sour cream dip	DDE, p,p'-	8	1	5	0.00053	0.0003	0.0020
333	Sour cream dip	DDT, p,p'-	8	0	1	0.00003	0.0002	0.0002
333	Sour cream dip	Dieldrin	8	0	4	0.00010	0.0001	0.0003
333	Sour cream dip	Permethrin, cis	8	0	1	0.00006	0.0005	0.0005
333	Sour cream dip	Permethrin, trans	8	0	1	0.00008	0.0006	0.0006

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
334	Beef steak	DDE, p,p'-	8	1	6	0.00065	0.0002	0.0020
334	Beef steak	Dieldrin	8	0	2	0.00005	0.0001	0.0003
335	Lunchmeat (chic/turk)	DDE, p,p'-	8	0	1	0.00003	0.0002	0.0002
336	Chicken breast, fried	Malathion	8	0	1	0.00009	0.0007	0.0007
337	Chicken thigh, oven	DDE, p,p'-	8	0	1	0.00003	0.0002	0.0002
337	Chicken thigh, oven	Dieldrin	8	0	1	0.00003	0.0002	0.0002
338	Chicken leg, fried,	2-chloroethyl linoleate	8	1	1	0.00388	0.0040	0.0270
338	Chicken leg, fried,	2-chloroethyl palmitate	8	0	1	0.00038	0.0030	0.0030
338	Chicken leg, fried,	DDE, p,p'-	8	0	1	0.00003	0.0002	0.0002
339	Catfish	DDE, p,p'-	8	8	0	0.01850	0.0060	0.0500
339	Catfish	DDT, p,p'-	8	0	1	0.00011	0.0009	0.0009
339	Catfish	DEF	8	0	1	0.00011	0.0009	0.0009
339	Catfish	Dieldrin	8	1	5	0.00055	0.0003	0.0020
339	Catfish	Lindane	8	0	2	0.00004	0.0001	0.0002
339	Catfish	PCBs	8	0	1	0.00100	0.0080	0.0080
339	Catfish	Pentachloroaniline	8	1	4	0.00066	0.0002	0.0040
339	Catfish	Pentachlorobenzene	8	0	1	0.00003	0.0002	0.0002
339	Catfish	Pentachlorophenyl methyl ether	8	0	2	0.00006	0.0002	0.0003
339	Catfish	Pentachlorophenyl methyl sulfide	8	1	1	0.00014	0.0001	0.0010
339	Catfish	TDE, o,p'-	8	0	1	0.00013	0.0010	0.0010
339	Catfish	TDE, p,p'-	8	7	1	0.00900	0.0010	0.0380
339	Catfish	TDE, p,p'-, olefin	8	1	0	0.00025	0.0020	0.0020
340	Tuna	DDE, p,p'-	8	0	3	0.00020	0.0002	0.0010
340	Tuna	Mirex	8	0	1	0.00004	0.0003	0.0003
341	Refried beans	2-chloroethyl linoleate	8	2	3	0.00875	0.0010	0.0420
341	Refried beans	2-chloroethyl myristate	8	0	1	0.00009	0.0007	0.0007
341	Refried beans	2-chloroethyl palmitate	8	0	3	0.00088	0.0020	0.0030
343	Sunflower seeds	Triphenyl PO4	8	1	0	0.00675	0.0540	0.0540
344	Pancakes	Chlorpyrifos methyl	8	1	7	0.00190	0.0004	0.0050
344	Pancakes	Malathion	8	7	1	0.00687	0.0020	0.0210
344	Pancakes	Methoxychlor, p,p'-	8	0	1	0.00003	0.0002	0.0002
345	Breakfast pastry	Chlorpyrifos methyl	8	3	3	0.00263	0.0010	0.0070
345	Breakfast pastry	Endosulfan I	8	0	1	0.00003	0.0002	0.0002
345	Breakfast pastry	Endosulfan II	8	0	1	0.00005	0.0004	0.0004
345	Breakfast pastry	Endosulfan sulfate	8	0	1	0.00006	0.0005	0.0005
345	Breakfast pastry	Malathion	8	6	2	0.00605	0.0004	0.0190
346	Macaroni salad	Chlorpyrifos	8	1	0	0.00050	0.0040	0.0040
346	Macaroni salad	Chlorpyrifos methyl	8	0	5	0.00040	0.0002	0.0010
346	Macaroni salad	DDE, p,p'-	8	0	3	0.00006	0.0001	0.0002
346	Macaroni salad	Dicloran	8	1	2	0.00138	0.0020	0.0070
346	Macaroni salad	Dieldrin	8	0	3	0.00009	0.0001	0.0004
346	Macaroni salad	Endosulfan I	8	0	1	0.00004	0.0003	0.0003
346	Macaroni salad	Endosulfan II	8	0	1	0.00008	0.0006	0.0006
346	Macaroni salad	Endosulfan sulfate	8	0	3	0.00008	0.0001	0.0003
346	Macaroni salad	Malathion	8	0	6	0.00090	0.0002	0.0020
346	Macaroni salad	Permethrin, cis	8	0	4	0.00026	0.0002	0.0010
346	Macaroni salad	Permethrin, trans	8	0	4	0.00024	0.0002	0.0009
347	Spaghetti, boiled	Chlorpyrifos methyl	8	0	3	0.00024	0.0003	0.0010
347	Spaghetti, boiled	Malathion	8	0	1	0.00010	0.0008	0.0008
348	Apricots, canned	Esfenvalerate	8	1	1	0.00063	0.0020	0.0030
348	Apricots, canned	Fenvalerate	8	0	2	0.00262	0.0090	0.0120
348	Apricots, canned	Lambda-cyhalothrin	8	1	1	0.00338	0.0010	0.0260
348	Apricots, canned	Phenylphenol, o-	8	2	0	0.00313	0.0120	0.0130
350	Fruit juice blend	Acephate	8	0	1	0.00050	0.0040	0.0040
350	Fruit juice blend	Carbaryl	8	1	7	0.00638	0.0020	0.0090
350	Fruit juice blend	Dimethoate	8	2	0	0.00075	0.0030	0.0030
350	Fruit juice blend	Thiabendazole	8	7	0	0.00875	0.0030	0.0190

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
351	Cranberry juice	Acephate	8	6	0	0.01300	0.0060	0.0450
351	Cranberry juice	Endosulfan sulfate	8	0	1	0.00001	0.0001	0.0001
351	Cranberry juice	Methamidophos	8	0	1	0.00013	0.0010	0.0010
352	Orange juice	Carbaryl	8	0	4	0.00125	0.0020	0.0030
352	Orange juice	Chlorpyrifos	8	0	2	0.00009	0.0002	0.0005
352	Orange juice	Dicofol, p,p'-	8	0	1	0.00005	0.0004	0.0004
352	Orange juice	Ethion	8	0	1	0.00003	0.0002	0.0002
352	Orange juice	Methidathion	8	1	2	0.00075	0.0010	0.0030
352	Orange juice	Thiabendazole	8	2	0	0.00263	0.0040	0.0170
353	Potato salad	2-chloroethyl linoleate	8	0	1	0.00062	0.0050	0.0050
353	Potato salad	2-chloroethyl palmitate	8	0	1	0.00005	0.0004	0.0004
353	Potato salad	Chlordane, cis	8	0	1	0.00003	0.0002	0.0002
353	Potato salad	Chlordane, trans	8	0	1	0.00001	0.0001	0.0001
353	Potato salad	Chlorpropham	8	6	2	0.10449	0.0009	0.5100
353	Potato salad	DDE, p,p'-	8	0	4	0.00015	0.0001	0.0008
353	Potato salad	DDT, o,p'-	8	0	1	0.00001	0.0001	0.0001
353	Potato salad	DDT, p,p'-	8	0	1	0.00004	0.0003	0.0003
353	Potato salad	Dicloran	8	2	1	0.00235	0.0008	0.0140
353	Potato salad	Dieldrin	8	0	3	0.00009	0.0001	0.0005
353	Potato salad	Endosulfan I	8	1	3	0.00016	0.0001	0.0010
353	Potato salad	Endosulfan II	8	0	3	0.00019	0.0001	0.0010
353	Potato salad	Endosulfan sulfate	8	1	7	0.00075	0.0002	0.0020
353	Potato salad	Heptachlor epoxide	8	0	1	0.00003	0.0002	0.0002
353	Potato salad	Isopropyl (3-chloro-4-methoxyphenyl) carbamate	8	1	1	0.00262	0.0020	0.0190
353	Potato salad	Nonachlor, trans	8	0	1	0.00003	0.0002	0.0002
353	Potato salad	Pentachloroaniline	8	1	2	0.00048	0.0003	0.0030
353	Potato salad	Pentachlorobenzene	8	2	2	0.00048	0.0002	0.0020
353	Potato salad	Pentachlorophenyl methyl ether	8	0	1	0.00001	0.0001	0.0001
353	Potato salad	Pentachlorophenyl methyl sulfide	8	1	2	0.00015	0.0001	0.0010
353	Potato salad	Permethrin, cis	8	0	5	0.00033	0.0002	0.0010
353	Potato salad	Permethrin, trans	8	0	5	0.00016	0.0002	0.0003
353	Potato salad	Quintozene	8	0	1	0.00006	0.0005	0.0005
354	Potatoes, mashed	Chlorpropham	8	7	1	0.11075	0.0050	0.4150
354	Potatoes, mashed	DDE, p,p'-	8	2	6	0.00118	0.0004	0.0020
354	Potatoes, mashed	Dieldrin	8	0	2	0.00004	0.0001	0.0002
354	Potatoes, mashed	Endosulfan sulfate	8	0	4	0.00023	0.0004	0.0005
354	Potatoes, mashed	Isopropyl (3-chloro-4-methoxyphenyl) carbamate	8	1	2	0.00550	0.0010	0.0400
354	Potatoes, mashed	Pentachloroaniline	8	0	1	0.00011	0.0009	0.0009
354	Potatoes, mashed	Pentachlorobenzene	8	1	0	0.00013	0.0010	0.0010
355	Coleslaw	Cypermethrin	8	0	1	0.00075	0.0060	0.0060
355	Coleslaw	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
355	Coleslaw	Dieldrin	8	0	1	0.00001	0.0001	0.0001
355	Coleslaw	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
355	Coleslaw	Endosulfan II	8	0	1	0.00003	0.0002	0.0002
355	Coleslaw	Endosulfan sulfate	8	1	2	0.00041	0.0003	0.0020
355	Coleslaw	Permethrin, cis	8	0	1	0.00013	0.0010	0.0010
355	Coleslaw	Permethrin, trans	8	0	1	0.00011	0.0009	0.0009
356	Carrot, baby, raw	DDE, p,p'-	8	0	2	0.00008	0.0003	0.0003
356	Carrot, baby, raw	Diazinon	8	0	1	0.00004	0.0003	0.0003
356	Carrot, baby, raw	Dieldrin	8	0	1	0.00006	0.0005	0.0005
356	Carrot, baby, raw	Dimethoate	8	0	1	0.00011	0.0009	0.0009
356	Carrot, baby, raw	Endosulfan sulfate	8	0	1	0.00013	0.0010	0.0010
356	Carrot, baby, raw	Linuron	8	1	0	0.00213	0.0170	0.0170
356	Carrot, baby, raw	Omethoate	8	0	1	0.00025	0.0020	0.0020
357	Lettuce, leaf, raw	Chlordane, cis	8	0	2	0.00005	0.0001	0.0003

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
357	Lettuce, leaf, raw	Chlordane, trans	8	0	1	0.00001	0.0001	0.0001
357	Lettuce, leaf, raw	Cypermethrin	8	2	3	0.00912	0.0020	0.0290
357	Lettuce, leaf, raw	DCPA	8	1	4	0.00061	0.0001	0.0020
357	Lettuce, leaf, raw	DDE, p,p'	8	0	7	0.00061	0.0002	0.0010
357	Lettuce, leaf, raw	DDT, o,p'	8	0	2	0.00015	0.0002	0.0010
357	Lettuce, leaf, raw	DDT, p,p'	8	1	3	0.00050	0.0001	0.0030
357	Lettuce, leaf, raw	Diazinon	8	2	1	0.00388	0.0010	0.0280
357	Lettuce, leaf, raw	Dieldrin	8	0	2	0.00004	0.0001	0.0002
357	Lettuce, leaf, raw	Dimethoate	8	1	1	0.01075	0.0020	0.0840
357	Lettuce, leaf, raw	Endosulfan I	8	5	1	0.00289	0.0001	0.0050
357	Lettuce, leaf, raw	Endosulfan II	8	4	3	0.00291	0.0001	0.0090
357	Lettuce, leaf, raw	Endosulfan sulfate	8	5	2	0.00607	0.0001	0.0180
357	Lettuce, leaf, raw	Ethylenethiourea	8	0	1	0.00075	0.0060	0.0060
357	Lettuce, leaf, raw	Iprodione	8	1	0	0.00088	0.0070	0.0070
357	Lettuce, leaf, raw	Iprodione metabolite	8	1	0	0.00163	0.0130	0.0130
357	Lettuce, leaf, raw	Lambda-cyhalothrin	8	2	2	0.01413	0.0040	0.0640
357	Lettuce, leaf, raw	Linuron	8	1	0	0.00425	0.0340	0.0340
357	Lettuce, leaf, raw	Methomyl	8	0	1	0.00062	0.0050	0.0050
357	Lettuce, leaf, raw	Nonachlor, trans	8	0	1	0.00004	0.0003	0.0003
357	Lettuce, leaf, raw	Omethoate	8	1	1	0.00525	0.0010	0.0410
357	Lettuce, leaf, raw	Pentachloroaniline	8	0	2	0.00004	0.0001	0.0002
357	Lettuce, leaf, raw	Permethrin, cis	8	6	0	0.08088	0.0080	0.2980
357	Lettuce, leaf, raw	Permethrin, trans	8	6	0	0.07250	0.0060	0.2800
357	Lettuce, leaf, raw	Quintozene	8	0	1	0.00001	0.0001	0.0001
357	Lettuce, leaf, raw	Vinclozolin	8	1	2	0.00121	0.0001	0.0090
358	Sweet potatoes, canned	Dicloran	8	0	1	0.00003	0.0002	0.0002
358	Sweet potatoes, canned	Dieldrin	8	0	1	0.00001	0.0001	0.0001
358	Sweet potatoes, canned	Phenylphenol, o-	8	1	0	0.00200	0.0160	0.0160
358	Sweet potatoes, canned	Tributyl PO4	8	0	1	0.00038	0.0030	0.0030
359	Tomato salsa, bottled	2-chloroethyl laurate	8	0	1	0.00009	0.0007	0.0007
359	Tomato salsa, bottled	2-chloroethyl linoleate	8	5	1	0.05988	0.0100	0.1410
359	Tomato salsa, bottled	2-chloroethyl myristate	8	0	3	0.00138	0.0030	0.0040
359	Tomato salsa, bottled	2-chloroethyl palmitate	8	5	1	0.01350	0.0020	0.0370
359	Tomato salsa, bottled	2-chloroethyl stearate	8	1	1	0.00463	0.0090	0.0280
359	Tomato salsa, bottled	Acephate	8	0	1	0.00050	0.0040	0.0040
359	Tomato salsa, bottled	Carbaryl	8	1	1	0.00613	0.0080	0.0410
359	Tomato salsa, bottled	Chlorpyrifos	8	2	4	0.00289	0.0005	0.0150
359	Tomato salsa, bottled	Cypermethrin	8	0	1	0.00025	0.0020	0.0020
359	Tomato salsa, bottled	DDE, p,p'	8	0	5	0.00010	0.0001	0.0002
359	Tomato salsa, bottled	Dicofol, p,p'	8	0	1	0.00008	0.0006	0.0006
359	Tomato salsa, bottled	Dimethoate	8	1	0	0.00050	0.0040	0.0040
359	Tomato salsa, bottled	Endosulfan I	8	3	5	0.00081	0.0001	0.0030
359	Tomato salsa, bottled	Endosulfan II	8	3	3	0.00159	0.0003	0.0060
359	Tomato salsa, bottled	Endosulfan sulfate	8	1	7	0.00079	0.0001	0.0030
359	Tomato salsa, bottled	Ethion	8	1	0	0.00088	0.0070	0.0070
359	Tomato salsa, bottled	Ethion OA	8	0	1	0.00005	0.0004	0.0004
359	Tomato salsa, bottled	Fenvalerate	8	0	1	0.00050	0.0040	0.0040
359	Tomato salsa, bottled	Methamidophos	8	1	2	0.00300	0.0010	0.0200
359	Tomato salsa, bottled	Permethrin, cis	8	0	2	0.00010	0.0003	0.0005
359	Tomato salsa, bottled	Permethrin, trans	8	0	2	0.00018	0.0004	0.0010
359	Tomato salsa, bottled	Phosalone	8	1	0	0.00125	0.0100	0.0100
360	Stew, beef & vegetable	2-chloroethyl linoleate	8	1	0	0.01450	0.1160	0.1160
360	Stew, beef & vegetable	2-chloroethyl palmitate	8	1	0	0.00150	0.0120	0.0120
360	Stew, beef & vegetable	Chlorpropham	8	4	3	0.03937	0.0010	0.1520
360	Stew, beef & vegetable	DDE, p,p'	8	0	5	0.00013	0.0001	0.0003
360	Stew, beef & vegetable	Dicloran	8	1	0	0.00038	0.0030	0.0030
360	Stew, beef & vegetable	Pentachloroaniline	8	0	2	0.00009	0.0002	0.0005

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
360	Stew, beef & vegetable	Pentachlorobenzene	8	0	3	0.00005	0.0001	0.0002
360	Stew, beef & vegetable	Pentachlorophenyl methyl sulfide	8	0	1	0.00001	0.0001	0.0001
361	Lasagna	2-chloroethyl linoleate	8	4	3	0.02587	0.0020	0.0800
361	Lasagna	2-chloroethyl myristate	8	0	1	0.00013	0.0010	0.0010
361	Lasagna	2-chloroethyl palmitate	8	1	6	0.00318	0.0004	0.0120
361	Lasagna	2-chloroethyl stearate	8	0	1	0.00013	0.0010	0.0010
361	Lasagna	Chlorpyrifos	8	0	1	0.00005	0.0004	0.0004
361	Lasagna	Chlorpyrifos methyl	8	0	4	0.00029	0.0004	0.0007
361	Lasagna	DDE, p,p'-	8	0	7	0.00060	0.0003	0.0010
361	Lasagna	Dieldrin	8	0	1	0.00001	0.0001	0.0001
361	Lasagna	Endosulfan I	8	0	3	0.00009	0.0001	0.0003
361	Lasagna	Endosulfan II	8	0	4	0.00016	0.0002	0.0005
361	Lasagna	Endosulfan sulfate	8	0	4	0.00010	0.0001	0.0003
361	Lasagna	Malathion	8	0	3	0.00059	0.0007	0.0020
361	Lasagna	Permethrin, cis	8	0	1	0.00008	0.0006	0.0006
361	Lasagna	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
362	Beef w/ vegetables, Chinese	BHC, delta	8	0	1	0.00001	0.0001	0.0001
362	Beef w/ vegetables, Chinese	Chlorpropham	8	0	2	0.00016	0.0006	0.0007
362	Beef w/ vegetables, Chinese	Chlorpyrifos	8	0	1	0.00013	0.0010	0.0010
362	Beef w/ vegetables, Chinese	Chlorpyrifos methyl	8	0	1	0.00010	0.0008	0.0008
362	Beef w/ vegetables, Chinese	Cypermethrin	8	0	1	0.00150	0.0120	0.0120
362	Beef w/ vegetables, Chinese	DCPA	8	0	3	0.00023	0.0005	0.0007
362	Beef w/ vegetables, Chinese	DDE, p,p'-	8	0	2	0.00008	0.0003	0.0003
362	Beef w/ vegetables, Chinese	Diazinon	8	0	1	0.00011	0.0009	0.0009
362	Beef w/ vegetables, Chinese	Dicloran	8	1	3	0.00150	0.0010	0.0080
362	Beef w/ vegetables, Chinese	Dieldrin	8	0	1	0.00001	0.0001	0.0001
362	Beef w/ vegetables, Chinese	Endosulfan I	8	0	2	0.00009	0.0003	0.0004
362	Beef w/ vegetables, Chinese	Endosulfan II	8	0	1	0.00008	0.0006	0.0006
362	Beef w/ vegetables, Chinese	Endosulfan sulfate	8	0	3	0.00016	0.0003	0.0007
362	Beef w/ vegetables, Chinese	Malathion	8	0	2	0.00036	0.0009	0.0020
362	Beef w/ vegetables, Chinese	Permethrin, cis	8	0	1	0.00013	0.0010	0.0010
362	Beef w/ vegetables, Chinese	Permethrin, trans	8	0	1	0.00013	0.0010	0.0010
363	Chicken w/ vegetables, Chinese	BHC, delta	8	0	1	0.00003	0.0002	0.0002
363	Chicken w/ vegetables, Chinese	Chlorpropham	8	0	2	0.00018	0.0004	0.0010
363	Chicken w/ vegetables, Chinese	Chlorpyrifos	8	0	1	0.00003	0.0002	0.0002
363	Chicken w/ vegetables, Chinese	Chlorpyrifos methyl	8	0	1	0.00001	0.0001	0.0001

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
363	Chicken w/ vegetables, Chinese	Cypermethrin	8	0	1	0.00163	0.0130	0.0130
363	Chicken w/ vegetables, Chinese	DCPA	8	0	2	0.00013	0.0002	0.0008
363	Chicken w/ vegetables, Chinese	DDE, p,p'-	8	0	2	0.00005	0.0001	0.0003
363	Chicken w/ vegetables, Chinese	Diazinon	8	0	1	0.00009	0.0007	0.0007
363	Chicken w/ vegetables, Chinese	Dicloran	8	2	0	0.00113	0.0030	0.0060
363	Chicken w/ vegetables, Chinese	Endosulfan I	8	0	3	0.00011	0.0001	0.0006
363	Chicken w/ vegetables, Chinese	Endosulfan II	8	0	3	0.00005	0.0001	0.0002
363	Chicken w/ vegetables, Chinese	Endosulfan sulfate	8	1	5	0.00058	0.0001	0.0030
363	Chicken w/ vegetables, Chinese	Malathion	8	0	1	0.00025	0.0020	0.0020
363	Chicken w/ vegetables, Chinese	Permethrin, cis	8	0	2	0.00013	0.0002	0.0008
363	Chicken w/ vegetables, Chinese	Permethrin, trans	8	0	2	0.00011	0.0003	0.0006
364	Fried rice, meatless, Chinese	2,4-D	8	0	3	0.00015	0.0003	0.0006
364	Fried rice, meatless, Chinese	Chlorpropham	8	0	1	0.00025	0.0020	0.0020
364	Fried rice, meatless, Chinese	Chlorpyrifos	8	0	1	0.00005	0.0004	0.0004
364	Fried rice, meatless, Chinese	Cypermethrin	8	0	1	0.00050	0.0040	0.0040
364	Fried rice, meatless, Chinese	DCPA	8	0	1	0.00004	0.0003	0.0003
364	Fried rice, meatless, Chinese	Dicamba	8	0	1	0.00004	0.0003	0.0003
364	Fried rice, meatless, Chinese	Dicloran	8	1	0	0.00100	0.0080	0.0080
364	Fried rice, meatless, Chinese	Quinclorac	8	0	8	0.00200	0.0010	0.0040
364	Fried rice, meatless, Chinese	Triclopyr	8	0	1	0.00009	0.0007	0.0007
365	Burrito w/ beef, beans, cheese	2-chloroethyl laurate	8	1	4	0.00225	0.0010	0.0130
365	Burrito w/ beef, beans, cheese	2-chloroethyl linoleate	8	8	0	0.82450	0.1170	3.3900
365	Burrito w/ beef, beans, cheese	2-chloroethyl myristate	8	3	4	0.01275	0.0020	0.0700
365	Burrito w/ beef, beans, cheese	2-chloroethyl palmitate	8	8	0	0.16675	0.0190	0.8370
365	Burrito w/ beef, beans, cheese	2-chloroethyl stearate	8	2	1	0.05650	0.0060	0.4160
365	Burrito w/ beef, beans, cheese	Chlorpyrifos methyl	8	1	3	0.00085	0.0004	0.0050
365	Burrito w/ beef, beans, cheese	DDE, p,p'-	8	0	7	0.00046	0.0002	0.0009
365	Burrito w/ beef, beans, cheese	Malathion	8	2	6	0.00176	0.0004	0.0050

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
366	Chicken filet (broiled) sandwich	2-chloroethyl linoleate	8	0	2	0.00150	0.0030	0.0090
366	Chicken filet (broiled) sandwich	2-chloroethyl palmitate	8	0	2	0.00038	0.0010	0.0020
366	Chicken filet (broiled) sandwich	Chlorpyrifos methyl	8	1	2	0.00070	0.0006	0.0040
366	Chicken filet (broiled) sandwich	Endosulfan I	8	0	1	0.00004	0.0003	0.0003
366	Chicken filet (broiled) sandwich	Endosulfan II	8	0	2	0.00008	0.0002	0.0004
366	Chicken filet (broiled) sandwich	Endosulfan sulfate	8	0	2	0.00016	0.0006	0.0007
366	Chicken filet (broiled) sandwich	Malathion	8	3	2	0.00175	0.0010	0.0050
366	Chicken filet (broiled) sandwich	Pirimiphos methyl	8	1	0	0.00038	0.0030	0.0030
367	Soup, Ramen noodles	2-chloroethyl linoleate	8	1	3	0.00363	0.0020	0.0140
367	Soup, Ramen noodles	2-chloroethyl palmitate	8	0	3	0.00044	0.0005	0.0020
367	Soup, Ramen noodles	2-chloroethyl stearate	8	0	1	0.00025	0.0020	0.0020
367	Soup, Ramen noodles	Chlorpyrifos methyl	8	0	2	0.00016	0.0006	0.0007
368	Pudding, ready-to-eat	Chlorpyrifos	8	0	1	0.00011	0.0009	0.0009
369	Cake, white w/ icing	Chlorpyrifos methyl	8	0	5	0.00044	0.0002	0.0010
369	Cake, white w/ icing	DDE, p,p'-	8	0	2	0.00009	0.0002	0.0005
369	Cake, white w/ icing	Malathion	8	1	7	0.00168	0.0007	0.0030
369	Cake, white w/ icing	Pirimiphos methyl	8	0	1	0.00011	0.0009	0.0009
370	Granola bar, w/ raisins	Chlorpyrifos	8	0	1	0.00004	0.0003	0.0003
370	Granola bar, w/ raisins	Chlorpyrifos methyl	8	0	2	0.00005	0.0002	0.0002
370	Granola bar, w/ raisins	Dieldrin	8	0	2	0.00009	0.0001	0.0006
370	Granola bar, w/ raisins	Hexachlorobenzene	8	0	1	0.00001	0.0001	0.0001
370	Granola bar, w/ raisins	Lindane	8	0	1	0.00001	0.0001	0.0001
370	Granola bar, w/ raisins	Malathion	8	0	2	0.00030	0.0004	0.0020
370	Granola bar, w/ raisins	Triphenyl PO4	8	1	0	0.00288	0.0230	0.0230
371	Candy, choc w/nuts	DDE, p,p'-	8	0	5	0.00048	0.0005	0.0010
371	Candy, choc w/nuts	Endosulfan I	8	0	2	0.00005	0.0002	0.0002
371	Candy, choc w/nuts	Endosulfan II	8	0	2	0.00004	0.0001	0.0002
371	Candy, choc w/nuts	Endosulfan sulfate	8	0	3	0.00023	0.0002	0.0010
371	Candy, choc w/nuts	Lindane	8	0	5	0.00023	0.0001	0.0006
371	Candy, choc w/nuts	Pentachloroaniline	8	0	4	0.00028	0.0004	0.0007
371	Candy, choc w/nuts	Pentachlorobenzene	8	0	2	0.00004	0.0001	0.0002
371	Candy, choc w/nuts	Pentachlorophenyl methyl ether	8	0	1	0.00003	0.0002	0.0002
371	Candy, choc w/nuts	Quintozone	8	0	1	0.00001	0.0001	0.0001
372	Popcorn	Malathion	8	2	0	0.00137	0.0050	0.0060
372	Popcorn	Methoxychlor, p,p'-	8	0	3	0.00045	0.0006	0.0020
372	Popcorn	Pirimiphos methyl	8	6	1	0.14500	0.0020	0.5370
373	Sweet & sour sauce	2-chloroethyl linoleate	8	5	1	0.02124	0.0009	0.0490
373	Sweet & sour sauce	2-chloroethyl palmitate	8	2	4	0.00398	0.0008	0.0120
373	Sweet & sour sauce	2-chloroethyl stearate	8	0	2	0.00063	0.0010	0.0040
373	Sweet & sour sauce	Azinphos-methyl	8	1	0	0.00538	0.0430	0.0430
373	Sweet & sour sauce	Biphenyl	8	1	0	0.00025	0.0020	0.0020
373	Sweet & sour sauce	Chlorpyrifos	8	3	4	0.00156	0.0004	0.0040
373	Sweet & sour sauce	Cypermethrin	8	0	5	0.00209	0.0007	0.0060
373	Sweet & sour sauce	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
373	Sweet & sour sauce	Dicofol, p,p'-	8	0	3	0.00030	0.0006	0.0010
373	Sweet & sour sauce	Endosulfan I	8	0	3	0.00018	0.0003	0.0006
373	Sweet & sour sauce	Endosulfan II	8	0	3	0.00029	0.0004	0.0010
373	Sweet & sour sauce	Endosulfan sulfate	8	0	3	0.00008	0.0001	0.0003
373	Sweet & sour sauce	Ethion	8	6	0	0.00600	0.0020	0.0270

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
373	Sweet & sour sauce	Ethoxyquin	8	2	0	0.03900	0.0150	0.2970
373	Sweet & sour sauce	Permethrin, cis	8	0	1	0.00005	0.0004	0.0004
373	Sweet & sour sauce	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
374	Brown gravy	DDE, p,p'-	8	0	2	0.00005	0.0002	0.0002
375	Ranch dressing	2-chloroethyl linoleate	8	1	0	0.00288	0.0230	0.0230
375	Ranch dressing	2-chloroethyl palmitate	8	0	1	0.00038	0.0030	0.0030
376	Ranch dressing, low-cal	2-chloroethyl linoleate	8	1	0	0.00575	0.0460	0.0460
376	Ranch dressing, low-cal	2-chloroethyl palmitate	8	1	0	0.00563	0.0450	0.0450
376	Ranch dressing, low-cal	2-chloroethyl stearate	8	1	0	0.00825	0.0660	0.0660
376	Ranch dressing, low-cal	Chlorpyrifos	8	0	1	0.00008	0.0006	0.0006
376	Ranch dressing, low-cal	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
376	Ranch dressing, low-cal	Endosulfan sulfate	8	0	1	0.00013	0.0010	0.0010
377	Italian dressing	2-chloroethyl linoleate	8	6	0	0.14363	0.0250	0.6520
377	Italian dressing	2-chloroethyl myristate	8	0	2	0.00041	0.0003	0.0030
377	Italian dressing	2-chloroethyl palmitate	8	4	2	0.01538	0.0070	0.0540
377	Italian dressing	Permethrin, cis	8	0	1	0.00025	0.0020	0.0020
377	Italian dressing	Permethrin, trans	8	0	1	0.00013	0.0010	0.0010
378	Olive oil	Chlorpyrifos	8	0	3	0.00049	0.0009	0.0020
378	Olive oil	DDE, p,p'-	8	0	6	0.00038	0.0003	0.0007
378	Olive oil	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.00750	0.0600	0.0600
378	Olive oil	Endosulfan I	8	1	5	0.00041	0.0001	0.0010
378	Olive oil	Endosulfan II	8	1	5	0.00063	0.0002	0.0020
378	Olive oil	Endosulfan sulfate	8	7	0	0.01363	0.0030	0.0330
378	Olive oil	Lindane	8	0	2	0.00005	0.0001	0.0003
379	Vegetable oil	Dieldrin	8	0	1	0.00001	0.0001	0.0001
379	Vegetable oil	Endosulfan sulfate	8	0	1	0.00011	0.0009	0.0009
379	Vegetable oil	Malathion	8	1	0	0.00075	0.0060	0.0060
382	Tea, decaffeinated	Permethrin, cis	8	0	1	0.00025	0.0020	0.0020
382	Tea, decaffeinated	Permethrin, trans	8	0	1	0.00025	0.0020	0.0020
700	BF, cereal, barley	Biphenyl	8	1	0	0.00025	0.0020	0.0020
700	BF, cereal, barley	Piperonyl butoxide	8	0	1	0.00125	0.0100	0.0100
701	BF, cereal, mixed	Biphenyl	8	1	0	0.00025	0.0020	0.0020
701	BF, cereal, mixed	Chlorpyrifos methyl	8	1	0	0.00050	0.0040	0.0040
701	BF, cereal, mixed	Dicofol, p,p'-	8	0	1	0.00006	0.0005	0.0005
701	BF, cereal, mixed	Diphenylamine	8	1	0	0.00062	0.0050	0.0050
703	BF, juice, apple-banana	4-Cyclohexene-1,2-dicarboxamide, cis-	8	3	0	0.03638	0.0390	0.1630
703	BF, juice, apple-banana	Carbaryl	8	1	4	0.00538	0.0030	0.0130
703	BF, juice, apple-banana	Dimethoate	8	1	1	0.00044	0.0005	0.0030
703	BF, juice, apple-banana	Diphenylamine	8	2	0	0.00400	0.0090	0.0230
703	BF, juice, apple-banana	Thiabendazole	8	2	2	0.00388	0.0010	0.0210
703	BF, juice, apple-banana	Tris(beta-chloroethyl) PO4	8	1	0	0.01050	0.0840	0.0840
704	BF, juice, apple-cherry	1-naphthol (carbaryl mtb)	8	1	0	0.00137	0.0110	0.0110
704	BF, juice, apple-cherry	4-Cyclohexene-1,2-dicarboxamide, cis-	8	1	0	0.00563	0.0450	0.0450
704	BF, juice, apple-cherry	Benomyl	8	0	1	0.00125	0.0100	0.0100
704	BF, juice, apple-cherry	Carbaryl	8	3	5	0.01213	0.0050	0.0240
704	BF, juice, apple-cherry	Dimethoate	8	4	0	0.00575	0.0060	0.0220
704	BF, juice, apple-cherry	Omethoate	8	1	3	0.00513	0.0030	0.0260
704	BF, juice, apple-cherry	Thiabendazole	8	5	1	0.00550	0.0010	0.0130
704	BF, juice, apple-cherry	Tris(beta-chloroethyl) PO4	8	1	0	0.00463	0.0370	0.0370
705	BF, juice, apple-grape	4-Cyclohexene-1,2-dicarboxamide, cis-	8	3	0	0.02350	0.0240	0.1160
705	BF, juice, apple-grape	Carbaryl	8	1	4	0.00425	0.0030	0.0130
705	BF, juice, apple-grape	Dimethoate	8	1	1	0.00084	0.0007	0.0060
705	BF, juice, apple-grape	Diphenyl 2-ethylhexyl phosphate	8	1	0	0.01925	0.1540	0.1540
705	BF, juice, apple-grape	Omethoate	8	0	1	0.00038	0.0030	0.0030

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
705	BF, juice, apple-grape	Thiabendazole	8	3	1	0.00688	0.0010	0.0260
710	BF, juice, mixed fruit	4-Cyclohexene-1,2-dicarboxamide, cis-	8	1	0	0.00463	0.0370	0.0370
710	BF, juice, mixed fruit	Benomyl	8	0	1	0.00125	0.0100	0.0100
710	BF, juice, mixed fruit	Carbaryl	8	0	5	0.00237	0.0010	0.0090
710	BF, juice, mixed fruit	Thiabendazole	8	1	2	0.00563	0.0010	0.0430
711	BF, juice, pear	Phenylphenol, o-	8	3	0	0.01975	0.0110	0.1320
711	BF, juice, pear	Thiabendazole	8	7	0	0.03725	0.0060	0.2080
713	BF, pears & pineapple	Azinphos-methyl	8	0	1	0.00088	0.0070	0.0070
713	BF, pears & pineapple	Dicloran	8	0	1	0.00006	0.0005	0.0005
713	BF, pears & pineapple	Ethylenethiourea	8	0	3	0.00138	0.0020	0.0050
713	BF, pears & pineapple	Phosmet	8	1	2	0.00838	0.0020	0.0560
713	BF, pears & pineapple	Thiabendazole	8	1	1	0.00075	0.0020	0.0040
714	BF, plums/prunes w/apples/pears	Benomyl	8	0	3	0.00475	0.0110	0.0140
714	BF, plums/prunes w/apples/pears	Carbaryl	8	0	1	0.00050	0.0040	0.0040
714	BF, plums/prunes w/apples/pears	Chlorpyrifos	8	0	1	0.00003	0.0002	0.0002
714	BF, plums/prunes w/apples/pears	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
714	BF, plums/prunes w/apples/pears	Endosulfan II	8	0	2	0.00005	0.0001	0.0003
714	BF, plums/prunes w/apples/pears	Endosulfan sulfate	8	0	3	0.00011	0.0001	0.0004
714	BF, plums/prunes w/apples/pears	Fenhexamid	8	0	1	0.00025	0.0020	0.0020
714	BF, plums/prunes w/apples/pears	Fenoxaprop-ethyl	8	0	1	0.00025	0.0020	0.0020
714	BF, plums/prunes w/apples/pears	Fenprothrin	8	1	0	0.00250	0.0200	0.0200
714	BF, plums/prunes w/apples/pears	Iprodione	8	0	2	0.00050	0.0020	0.0020
714	BF, plums/prunes w/apples/pears	Lambda-cyhalothrin	8	0	2	0.00025	0.0010	0.0010
714	BF, plums/prunes w/apples/pears	Permethrin, cis	8	0	1	0.00006	0.0005	0.0005
714	BF, plums/prunes w/apples/pears	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
714	BF, plums/prunes w/apples/pears	Phenylphenol, o-	8	3	0	0.01325	0.0250	0.0460
714	BF, plums/prunes w/apples/pears	Phosmet	8	2	2	0.00812	0.0040	0.0360
714	BF, plums/prunes w/apples/pears	Propiconazole (tilt)	8	0	1	0.00025	0.0020	0.0020
714	BF, plums/prunes w/apples/pears	Thiabendazole	8	3	1	0.00925	0.0010	0.0410
715	BF, bananas & pineapple	Diazinon	7	0	1	0.00007	0.0005	0.0005
715	BF, bananas & pineapple	Dieldrin	7	0	1	0.00003	0.0002	0.0002
717	BF, apricots w/mixed fruit	Carbaryl	8	0	5	0.00212	0.0020	0.0050
717	BF, apricots w/mixed fruit	Chlorpyrifos	8	0	2	0.00006	0.0002	0.0003
717	BF, apricots w/mixed fruit	Diphenylamine	8	1	0	0.00100	0.0080	0.0080
717	BF, apricots w/mixed fruit	Endosulfan II	8	0	1	0.00001	0.0001	0.0001
717	BF, apricots w/mixed fruit	Endosulfan sulfate	8	0	2	0.00005	0.0001	0.0003
717	BF, apricots w/mixed fruit	Esfenvalerate	8	0	2	0.00138	0.0030	0.0080
717	BF, apricots w/mixed fruit	Ethylenethiourea	8	0	2	0.00063	0.0010	0.0040
717	BF, apricots w/mixed fruit	Fenvalerate	8	0	3	0.00125	0.0020	0.0040

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
717	BF, apricots w/mixed fruit	Iprodione	8	0	1	0.00038	0.0030	0.0030
717	BF, apricots w/mixed fruit	Phenylphenol, o-	8	3	0	0.02713	0.0410	0.1140
717	BF, apricots w/mixed fruit	Thiabendazole	8	7	0	0.02300	0.0040	0.0790
719	BF, banana/apple	Benomyl	8	0	3	0.00600	0.0100	0.0260
719	BF, banana/apple	Endosulfan sulfate	8	0	2	0.00003	0.0001	0.0001
719	BF, banana/apple	Thiabendazole	8	2	1	0.00113	0.0020	0.0040
720	BF, peach cobbler	Carbaryl	8	1	5	0.00475	0.0040	0.0110
720	BF, peach cobbler	Chlorpyrifos	8	0	4	0.00036	0.0004	0.0010
720	BF, peach cobbler	Cyprodinil	8	6	0	0.00288	0.0010	0.0050
720	BF, peach cobbler	Fenvalerate	8	0	1	0.00038	0.0030	0.0030
720	BF, peach cobbler	Iprodione	8	2	2	0.00687	0.0010	0.0400
720	BF, peach cobbler	Iprodione metabolite	8	0	1	0.00025	0.0020	0.0020
720	BF, peach cobbler	Lambda-cyhalothrin	8	0	1	0.00013	0.0010	0.0010
720	BF, peach cobbler	Permethrin, cis	8	0	5	0.00050	0.0004	0.0010
720	BF, peach cobbler	Permethrin, trans	8	0	5	0.00075	0.0005	0.0020
721	BF, yogurt w/ fruit	Carbaryl	8	0	3	0.00163	0.0010	0.0070
721	BF, yogurt w/ fruit	Chlorpyrifos	8	0	3	0.00013	0.0002	0.0005
721	BF, yogurt w/ fruit	Iprodione	8	0	1	0.00075	0.0060	0.0060
721	BF, yogurt w/ fruit	Permethrin, cis	8	0	3	0.00048	0.0002	0.0030
721	BF, yogurt w/ fruit	Permethrin, trans	8	0	3	0.00050	0.0003	0.0030
722	BF, dutch apple betty	4-Cyclohexene-1,2-dicarboxamide, cis-	8	1	0	0.01300	0.1040	0.1040
722	BF, dutch apple betty	Benomyl	8	0	2	0.00375	0.0110	0.0190
722	BF, dutch apple betty	Carbaryl	8	0	1	0.00038	0.0030	0.0030
722	BF, dutch apple betty	Chlorpyrifos	8	0	1	0.00006	0.0005	0.0005
722	BF, dutch apple betty	Diphenylamine	8	1	0	0.00088	0.0070	0.0070
722	BF, dutch apple betty	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
722	BF, dutch apple betty	Endosulfan II	8	0	2	0.00005	0.0002	0.0002
722	BF, dutch apple betty	Endosulfan sulfate	8	0	2	0.00008	0.0002	0.0004
722	BF, dutch apple betty	Ethylenethiourea	8	1	0	0.00163	0.0130	0.0130
722	BF, dutch apple betty	Thiabendazole	8	1	1	0.00125	0.0010	0.0090
723	BF, arrowroot cookies	Chlorpyrifos	8	2	0	0.00150	0.0060	0.0060
723	BF, arrowroot cookies	Chlorpyrifos methyl	8	6	1	0.00488	0.0020	0.0130
723	BF, arrowroot cookies	Malathion	8	8	0	0.02750	0.0030	0.0860
723	BF, arrowroot cookies	Methoxychlor, p,p'-	8	0	1	0.00004	0.0003	0.0003
723	BF, arrowroot cookies	Pirimiphos methyl	8	2	0	0.00137	0.0050	0.0060
724	BF, zwieback toast	2-chloroethyl linoleate	8	0	6	0.00300	0.0020	0.0100
724	BF, zwieback toast	2-chloroethyl myristate	8	0	5	0.00089	0.0003	0.0030
724	BF, zwieback toast	2-chloroethyl palmitate	8	0	7	0.00144	0.0005	0.0040
724	BF, zwieback toast	Biphenyl	8	1	0	0.00050	0.0040	0.0040
724	BF, zwieback toast	Chlorpyrifos methyl	8	6	1	0.00450	0.0020	0.0080
724	BF, zwieback toast	DDE, p,p'-	8	0	1	0.00001	0.0001	0.0001
724	BF, zwieback toast	Dieldrin	8	0	1	0.00003	0.0002	0.0002
724	BF, zwieback toast	Fenitrothion	8	0	2	0.00034	0.0007	0.0020
724	BF, zwieback toast	Malathion	8	7	1	0.00488	0.0020	0.0090
724	BF, zwieback toast	Pirimiphos methyl	8	0	1	0.00006	0.0005	0.0005
725	BF, oatmeal w/ fruit	Malathion	8	0	2	0.00015	0.0005	0.0007
725	BF, oatmeal w/ fruit	Phenylphenol, o-	8	2	0	0.00438	0.0140	0.0210
725	BF, oatmeal w/ fruit	Thiabendazole	8	2	0	0.00225	0.0030	0.0150
725	BF, oatmeal w/ fruit	Tris(beta-chloroethyl) PO4	8	1	0	0.00237	0.0190	0.0190
726	BF, chicken w/ rice	DDE, p,p'-	8	0	1	0.00005	0.0004	0.0004
726	BF, chicken w/ rice	Endosulfan I	8	0	1	0.00001	0.0001	0.0001
726	BF, chicken w/ rice	Endosulfan II	8	0	1	0.00001	0.0001	0.0001
726	BF, chicken w/ rice	Endosulfan sulfate	8	0	1	0.00004	0.0003	0.0003
726	BF, chicken w/ rice	Thiabendazole	8	1	3	0.00162	0.0010	0.0090
727	BF, beef & noodles	Chlorpyrifos	8	0	1	0.00004	0.0003	0.0003
727	BF, beef & noodles	DDE, p,p'-	8	0	6	0.00031	0.0001	0.0010

2004-2005 Summary of Pesticide Residues and Industrial Chemicals Found in TDS Foods - sorted by Food

Food #	Description	Residue	Number of Analyses	Number => LQ	Number of Traces	Level in ppm Mean	Level in ppm Min	Level in ppm Max
727	BF, beef & noodles	Dieldrin	8	0	3	0.00005	0.0001	0.0002
727	BF, beef & noodles	Endosulfan I	8	1	1	0.00014	0.0001	0.0010
727	BF, beef & noodles	Endosulfan II	8	1	1	0.00026	0.0001	0.0020
727	BF, beef & noodles	Endosulfan sulfate	8	0	3	0.00016	0.0001	0.0010
728	BF, veg w/turkey	Chlorpropham	8	0	6	0.00185	0.0008	0.0040
728	BF, veg w/turkey	Chlorpyrifos	8	0	1	0.00005	0.0004	0.0004
728	BF, veg w/turkey	Chlorpyrifos methyl	8	0	1	0.00009	0.0007	0.0007
728	BF, veg w/turkey	Dieldrin	8	0	1	0.00001	0.0001	0.0001
728	BF, veg w/turkey	Permethrin, cis	8	0	1	0.00003	0.0002	0.0002
728	BF, veg w/turkey	Permethrin, trans	8	0	1	0.00001	0.0001	0.0001
728	BF, veg w/turkey	Tris(beta-chloroethyl) PO4	8	1	0	0.00088	0.0070	0.0070
729	BF, mac & cheese	Chlorpropham	8	0	6	0.00325	0.0030	0.0050
729	BF, mac & cheese	Chlorpyrifos	8	0	1	0.00005	0.0004	0.0004
729	BF, mac & cheese	DDE, p,p'-	8	0	5	0.00023	0.0001	0.0008
729	BF, mac & cheese	Endosulfan sulfate	8	0	1	0.00005	0.0004	0.0004
730	BF, apples with berries	Benomyl	8	0	3	0.00525	0.0100	0.0210
730	BF, apples with berries	Carbaryl	8	0	2	0.00063	0.0020	0.0030
730	BF, apples with berries	Dimethoate	8	2	1	0.01075	0.0020	0.0590
730	BF, apples with berries	Diphenylamine	8	3	0	0.00288	0.0070	0.0080
730	BF, apples with berries	Endosulfan I	8	0	3	0.00011	0.0001	0.0006
730	BF, apples with berries	Endosulfan II	8	0	3	0.00021	0.0001	0.0010
730	BF, apples with berries	Endosulfan sulfate	8	0	3	0.00019	0.0004	0.0006
730	BF, apples with berries	Ethylenethiourea	8	0	1	0.00050	0.0040	0.0040
730	BF, apples with berries	Fenpropathrin	8	2	2	0.01075	0.0050	0.0340
730	BF, apples with berries	Lambda-cyhalothrin	8	0	2	0.00038	0.0010	0.0020
730	BF, apples with berries	Omethoate	8	1	1	0.00200	0.0020	0.0140
730	BF, apples with berries	Thiabendazole	8	1	0	0.00050	0.0040	0.0040
731	BF, apples w/non-berry fruit	Benomyl	8	1	2	0.00975	0.0220	0.0310
731	BF, apples w/non-berry fruit	Chlorpyrifos	8	0	1	0.00004	0.0003	0.0003
731	BF, apples w/non-berry fruit	Diphenylamine	8	3	0	0.00850	0.0050	0.0320
731	BF, apples w/non-berry fruit	Endosulfan I	8	0	3	0.00010	0.0001	0.0006
731	BF, apples w/non-berry fruit	Endosulfan II	8	0	5	0.00028	0.0001	0.0010
731	BF, apples w/non-berry fruit	Endosulfan sulfate	8	1	4	0.00068	0.0002	0.0030
731	BF, apples w/non-berry fruit	Fenpropathrin	8	2	2	0.01087	0.0080	0.0420
731	BF, apples w/non-berry fruit	Lambda-cyhalothrin	8	0	1	0.00025	0.0020	0.0020
731	BF, apples w/non-berry fruit	Permethrin, cis	8	0	1	0.00005	0.0004	0.0004
731	BF, apples w/non-berry fruit	Permethrin, trans	8	0	1	0.00006	0.0005	0.0005
731	BF, apples w/non-berry fruit	Phenylphenol, o-	8	4	0	0.02462	0.0120	0.1070
731	BF, apples w/non-berry fruit	Thiabendazole	8	5	2	0.08375	0.0020	0.3260