

N-049934-S-0020-22
Clopidol/Bacitracin Zinc Broiler Chicken Ration
Type C Med. Feed

**Clopidol/Bacitracin Zinc
Broiler Chicken Ration**

Type C Medicated Feed

To aid in the prevention of coccidiosis caused by *E. tenella*, *E. necatrix*, *E. acervulina*, *E. maxima*, *E. brunetti*, *E. mivati* in broiler chickens; for increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENTS

Clopidol.....113.5 g/ton
Bacitracin Zinc.....5-25 g/ton*

*The final printed feed label should list only a single drug concentration

GUARANTEED ANALYSIS

Crude Protein, not less than..... %
Lysine, not less than..... %
Methionine, not less than..... %
Crude fat, not less than..... %
Crude fiber, not more than..... %
Calcium, not less than..... %
Calcium, not more than..... %
Phosphorus, not less than..... %
Salt¹, not less than..... %
Salt¹, not more than..... %
Sodium², not less than..... %
Sodium², not more than..... %

¹If added

²Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials

DIRECTIONS FOR USE

Feed continuously as the sole ration.

CAUTION: Do not feed to chickens over 16 weeks of age. Consult a veterinarian or poultry pathologist if losses exceed 0.5% in a 2-day period.

Net Weight ___ lb (___ kg) on bag or bulk

Manufactured by

Blue bird Feed Mill
Anytown, Anystate 12345