

N1-137483-C-0006 approved 10/21/1983 08

000006

Blue Bird Broiler ~~Feed~~ ^{Feed} - COCCI/WG/FE

Type C Med. Feed

50 LB. NET WEIGHT

BLUE BIRD
BROILER FEED
MEDICATED


For the prevention of coccidiosis caused by E. tenella,
E. necatrix, E. acervulina, E. maxima, E. mivati, E. brunetti;
For increased rate of weight gain and for improved feed efficiency.

Active Drug Ingredients

Bambermycins (Flavomycin®) 1-2 grams/ton
Halofuginone hydrobromide (Stenorol®) - 3 ppm

Guaranteed Analysis

Crude Protein,	not less than	_____	_____	%
Crude Fat,	not less than	_____	_____	%
Crude Fiber,	not less than	_____	_____	%



Ingredients

Ground Corn	Riboflavin Supplement
Ground Milo	Calcium Pantothenate
Corn Gluten Meal	Niacin, Vitamin B12 Supplement
Soybean Oil Meal	Vitamin A & D3
Wheat Middlings	Ground Limestone 1%, Salt ½%
Dehydrated Alfalfa Meal	Manganese Sulfate .02%
Fish Meal	Defluorinated Phosphate ½%
Animal Fat with BHT	Potassium Iodide .002%

Feeding Directions

Feed continuously as the sole ration.

WARNING: Withdraw five (5) days before slaughter.
Do not feed to laying chickens.

Manufactured by
BLUE BIRD FEED MILLS
Robin, Indiana