

**BLUE BIRD
BCX
Type C Medicated Quail Feed**

For the prevention of coccidiosis caused by *Eimeria dispersa* and *E. lettyae* in quail

Active Drug Ingredient

Salinomycin.....50 g/ton

Guaranteed Analysis

| | | |
|--------------------------------|-------|---|
| Crude Protein (Min)..... | _____ | % |
| Lysine (Min)..... | _____ | % |
| Methionine (Min) | _____ | % |
| Crude Fat (Min)..... | _____ | % |
| Crude Fiber (Max)..... | _____ | % |
| Calcium (Min)..... | _____ | % |
| Calcium (Max)..... | _____ | % |
| Phosphorus (Min)..... | _____ | % |
| Salt ^a (Min)..... | _____ | % |
| Salt ^a (Max)..... | _____ | % |
| Sodium ^b (Min)..... | _____ | % |
| Sodium ^b (Max)..... | _____ | % |

^a Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

^b Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

Ingredients

Ingredients as defined by AAFCO.

Feeding Directions

Feed continuously as the sole ration.

Caution

May be fatal if fed to adult turkeys or to horses. Not approved for use with pellet binders

Warning

Do not feed to laying hens producing eggs for human consumption.

Manufactured by
Blue Bird Feed Mill
City, State, Zip

NET WEIGHT ON BAG OR BULK