

OXYTETRACYCLINE  
 TYPE B  
 BLUE BIRD  
 TURKEY FEED A  
 MEDICATED

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

**ACTIVE DRUG INGREDIENT**

Oxytetracycline.....20 g/lb

INDICATIONS FOR USE	OXYTETRACYCLINE Concentration in Type C Medicated Feed	lb of Type B/ton of Feed
For turkeys for control of hexamitiasis caused by <i>Hexamita meleagridis</i> susceptible to oxytetracycline.	100 g/ton	5

**GUARANTEED ANALYSIS**

Crude Protein (Min) ..... %  
 Lysine (Min)..... %  
 Methionine (Min) ..... %  
 Crude Fat (Min)..... %  
 Crude Fiber (Max)..... %  
 Calcium (Min) ..... %  
 Calcium (Max) ..... %  
 Phosphorus (Min) ..... %  
 Salt, if added (Min) ..... %  
 Salt, if added (Max)..... %  
 Total Sodium (Min)\* ..... %  
 Total Sodium (Max)\* ..... %

\* Minimum and maximum percentage of total sodium shall be guaranteed only when sodium exceeds that furnished by the maximum salt guarantee.

**INGREDIENTS**

Ingredients as defined by AAFCO.

**WARNING: DO NOT ADMINISTER TO TURKEYS PRODUCING EGGS FOR  
 HUMAN CONSUMPTION.**

\_\_\_ lbs (\_\_\_ kg) NET WEIGHT

BLUE BIRD FEED MILL  
 Robin, IN 00000