

AUREO350 ANA /BOV ROG — CATTLE FEED
TYPE B Medicated Feed
(chlortetracycline and lasalocid Type B medicated feed)

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For increased rate of weight gain and for control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline in pasture cattle under 700 pounds (slaughter, stocker, feeder cattle, beef replacement heifers).

ACTIVE DRUG INGREDIENTS*

Chlortetracycline^a 700 to 80000 g/ton
Lasalocid^b (as lasalocid sodium)..... 600 to 80000 g/ton

GUARANTEED ANALYSIS

Crude protein, not less than¹ _____ %
(This includes not more than _____% equivalent crude protein from non-protein nitrogen)¹
Crude fat, not less than _____ %
Crude fiber, not more than _____ %
Calcium, not less than _____ %
Calcium, not more than _____ %
Phosphorus, not less than _____ %
Potassium, not less than _____ %
Salt¹, not less than _____ %
Salt¹, not more than _____ %
Sodium², not less than _____ %
Sodium², not more than _____ %
Vitamin A¹, not less than _____ IU/lb

¹If added

²Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

MIXING DIRECTIONS

Mix the Type B medicated feed with non-medicated ingredients to manufacture one ton of complete cattle feed containing 25 to 700 grams chlortetracycline per ton and 30 to 600 grams lasalocid per ton. The following table provides examples of mixing rates and amounts:

Body Wt. Lb.	Feed Consumption lbs/head/day	Type B Concentration, g/ton		Type B per ton of Type C, lbs	Lbs Non-medicated feed per ton of Type C feed	Type C Concentration, g/ton	
		CTC	Lasalocid			Chlortetracycline	Lasalocid
200	4	3500	2000	100	1900	175	100
	6	1167	300	200	1800	116.7	30
	6	2334	1300	100	1900	116.7	65
	10	700	300	200	1800	70	30
500	10	1400	800	100	1900	70	40

Caution

Safety of lasalocid for use in unapproved species has not been established. Feeding undiluted or mixing errors may result in an excess lasalocid concentration which could be fatal to cattle and sheep. Do not allow horses or other equines access to Type B feeds containing lasalocid as ingestion may be fatal.

Warning: No withdrawal period is required. No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Lot Number (if applicable): _____

MANUFACTURED BY

Blue Bird Feed Company
Robin, Indiana 11111

NET WEIGHT ON BAG OR BULK

*Final printed label on formulated Type B medicated feed must bear a single concentration for each drug.

^aAureomycin® is the proprietary name of chlortetracycline Type A medicated article (NADA 048-761).

^bBOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Zoetis Inc. [15 September 2016]