

AUREO/BOV ROG — CATTLE FEED
TYPE B Medicated Feed
(chlortetracycline and lasalocid Type B medicated feed)

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For increased rate of weight gain and for the treatment of bacterial enteritis caused by *E. coli* and bacterial pneumonia caused by *P. multocida* organisms susceptible to chlortetracycline in pasture cattle (slaughter, stocker, feeder cattle, dairy and beef replacement heifers).

ACTIVE DRUG INGREDIENTS*

Chlortetracycline^a 4000 to 80000 g/ton
Lasalocid^b (as laslaocid sodium) 400 to 80000 g/ton

GUARANTEED ANALYSIS

Crude protein, not less than %
(This includes not more than _____% equivalent crude protein from non-protein nitrogen)¹
Crude fat, not less than %
Crude fiber, not more than %
Calcium, not less than %
Calcium, not more than %
Phosphorus, not less than %
Potassium, not less than %
Salt¹, not less than %
Salt¹, not more than %
Sodium², not less than %
Sodium², not more than %
Vitamin A¹, not less than IU/lb

¹If added

²Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

MIXING DIRECTIONS

Mix the Type B medicated feed with non-medicated ingredients to manufacture one ton of complete cattle feed containing 500 to 4000 grams chlortetracycline per ton and 30 to 600 grams lasalocid per ton. The following table provides examples of mixing rates and amounts:

Body Wt. Lb.	Feed Consumption lbs/head/day	Type B Concentration, g/ton		Type B per ton of Type C, lbs	Lbs Non-medicated feed per ton of Type C feed	Type C Concentration, g/ton	
		CTC	Lasalocid			Chlortetracycline	Lasalocid
200	4	10000	300	200	1800	1000	30
	4	20000	2000	100	1900	1000	100
	6	6670	300	200	1800	667	30
	6	13340	1300	100	1900	667	65
500	10	10000	300	200	1800	1000	30
	10	20000	800	100	1900	1000	40

Caution

Safety of lasalocid for use in unapproved species has not been established. Feeding undiluted or mixing errors may result in an excess lasalocid concentration which could be fatal to cattle and sheep. Do not allow horses or other equines access to Type B feeds containing lasalocid as ingestion may be fatal.

Warning: No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Lot Number (if applicable): _____

MANUFACTURED BY

Blue Bird Feed Company
Robin, Indiana 11111

NET WEIGHT ON BAG OR BULK

*Final printed label on formulated Type B medicated feed must bear a single concentration for each drug.

^aAureomycin® is the proprietary name of chlortetracycline Type A medicated article (NADA 048-761).

^bBOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Zoetis Inc. [15 September 2016]